



---

|             |              |
|-------------|--------------|
| CATALOG NO. | 19993        |
| EDITION     | 2021         |
| SUPERSEDES  | 19993 (2015) |

# **GATES INDUSTRIAL POWER TRANSMISSION**

**PRODUCT CATALOG**



# GATES® INDUSTRIAL POWER TRANSMISSION

## GATES. DRIVEN BY POSSIBILITY.

If it runs, we can help it run better. Gates is a global leader in power transmission and fluid power products and services. We serve customers across industries, bringing relentless innovation, and uncompromising quality to every product we make. Our reputation is built on over a century of experience, but everything we do is geared towards powering the future.

### POWER TRANSMISSION DIVISION

In 1917, John Gates revolutionized industrial machinery with the world's first rubber V-Belt, and began the legacy of advanced design that defines Gates. In 1946, Gates invented the first toothed timing belt, known as the synchronous belt. In 1979, we created the multi-ribbed belt that changed automotive transmission as we know it. Continuous innovation isn't just what we do. It's who we are.

Trust the leaders in research, design, material science, and the manufacturing of the best power transmission solutions in the world - only with Gates.

### ENGINEERED TO EXCEED EXPECTATIONS


The Gates brand is a promise. A promise that all of our products have been manufactured to the highest possible standards. In nearly every corner of industry and nearly every working environment imaginable, when a part has to do the job it was designed for, it has to be Gates.

### WHERE OTHERS SEE THE UNKNOWN, WE SEE POSSIBILITY

Change is a part of the Gates DNA. We never stand still, but are always looking for ways to meet emerging challenges head-on with solutions that accelerate our partners' growth and development.

### COMMITTED TO YOUR BUSINESS

In every engagement, we work tirelessly to listen to our partners and to develop solutions for their challenges that change their business for the better. Our greatest achievement is their success.





# PRODUCT OVERVIEW

## 1. SYNCHRONOUS BELTS

|  |    |
|--|----|
| POLY CHAIN® GT™ CARBON™ .....                | 4  |
| POLY CHAIN® ADV™ .....                       | 5  |
| POLY CHAIN® CARBON™ VOLT™ .....              | 6  |
| POLY CHAIN® GT CARBON™ EXTENDED LENGTH ..... | 7  |
| CURVE SAW POLY CHAIN® GT2™ .....             | 8  |
| POWERGRIP™ GT4™ .....                        | 9  |
| POWERGRIP™ GT3™ .....                        | 10 |
| POWERGRIP™ HTD™ .....                        | 11 |
| POWERGRIP™ TIMING .....                      | 12 |
| COTTON CLEANER BELTS .....                   | 13 |
| POWERGRIP™ TWIN POWER .....                  | 14 |
| LONG-LENGTH .....                            | 15 |
| SYNCHRO-POWER™ .....                         | 16 |


## 2. V-BELTS

|  |    |
|--|----|
| PREDATOR™ SINGLE & POWERBAND™ .....                    | 18 |
| SUPER HC™ XP™ & SUPER HC™ XP™ POWERBAND™ .....         | 19 |
| SUPER HC™ MOLDED NOTCH & MOLDED NOTCH POWERBAND™ ..... | 20 |
| SUPER HC™ & SUPER HC™ POWERBAND™ .....                 | 21 |
| TRI-POWER™ & TRI-POWER™ POWERBAND™ .....               | 22 |
| HI-POWER™ II & HI-POWER™ II POWERBAND™ .....           | 23 |
| METRIC-POWER™ .....                                    | 24 |
| XTREME V-FORCE™ PRO .....                              | 25 |
| HI-POWER™ DUBL-V & DUBL-V FEATHER PICKER .....         | 26 |
| TRUFLEX™ - LIGHT DUTY .....                            | 27 |
| POWERATED™ .....                                       | 28 |
| MULTI-SPEED .....                                      | 29 |
| POLYFLEX™ & POLYFLEX™ JB™ .....                        | 30 |
| MICRO-V™ .....   | 31 |
| POWER ROUND™ & ROUND ENDLESS .....                     | 32 |
| NU-T-LINK™ .....                                       | 33 |
| EASY-SPLICE .....                                      | 34 |

## 3. SYNCHRONOUS METAL

|                                      |    |
|--------------------------------------|----|
| POLY CHAIN® GT SPROCKETS .....       | 36 |
| POWERGRIP™ SPROCKETS & PULLEYS ..... | 37 |





# **1. SYNCHRONOUS BELTS**





# POLY CHAIN® GT™ CARBON™

## POLYURETHANE SYNCHRONOUS BELT WITH OPTIMIZED CURVILINEAR GT TOOTH PROFILE

Give yourself a competitive advantage by designing in the Gates Poly Chain GT Carbon drive system instead of roller chain in your next power transmission application.


The patented use of carbon fiber as the tensile cord in this belt provides increased horsepower rating for greater power density and compactness. When combined with Gates Poly Chain GT sprockets, you have a lightweight, long-lasting, maintenance-free system that's more than a match for roller chain.

### CONSTRUCTION + SPECIFICATIONS

- Durable **polyurethane construction** resists chemicals, oil, pollutants, and abrasion.
- Robust **carbon tensile cord** combines minimal stretch with extraordinary strength and load carrying capacity.
- Gates **curvilinear tooth profile** provides high shear strength and improved load carrying capacity.
- **Nylon tooth facing** reduces friction and eliminates the need for lubrication.

### FEATURES + BENEFITS

- Maintenance-free, clean solution for roller chain drive conversion.
- No lubrication required.
- No retensioning required.
- Equivalent capacity to roller chain drives in the same width.
- Operating temperature range: -54°C/-65°F to +85°C/+185°F.



**Belt Identification Chart**

Examples: 8MGT-640-12 Belt 8MX-22S-12 GT Sprocket

|      | Standard Widths (mm) |          |          |          |
|------|----------------------|----------|----------|----------|
|      | A                    | B        | C        |          |
| 5mm  | 9, 15, 25            | 5mm      | 3.6mm    | 1.9mm    |
|      |                      | .197 in. | .141 in. | .076 in. |
| 8mm  | 12, 21, 36, 62       | 8mm      | 5.9mm    | 3.4mm    |
|      |                      | .315 in. | .233 in. | .135 in. |
| 14mm | 20, 37, 68, 90, 125  | 14mm     | 10.2mm   | 6mm      |
|      |                      | .552 in. | .401 in. | .236 in. |

**Note:** Gates recommends that Poly Chain GT Carbon belts run only in Poly Chain GT sprockets when used for new applications. Gates recommends that Poly Chain GT Carbon belts be used for replacement belts in Poly Chain GT sprockets.

5mm Pitch



8mm Pitch



14mm Pitch



### BELT IDENTIFICATION

**14MGT-1400-37**  
**14MGT** - 14mm Pitch  
**1400** - Pitch Length (mm)  
**37** - Belt Width (mm)

**Available Stock Sizes**  
**5M** 300-815 (mm)  
**8M** 248-4480 (mm)  
**14M** 994-4410 (mm)

# POLY CHAIN® ADV™

## POLYURETHANE SYNCHRONOUS BELT WITH OPTIMIZED CURVILINEAR GT TOOTH PROFILE

Poly Chain ADV is the next step in the Poly Chain® GT™ Carbon™ family of high performance synchronous belts. Poly Chain ADV has a distinctive red tooth color and offers a 15% increase in load capacity over current Poly Chain GT Carbon belts.

Poly Chain ADV belts are intended to replace Poly Chain GT Carbon belts on drive systems with less than desired performance, where some extra load capacity is needed. Poly Chain ADV belts utilize improved technologies never before seen in power transmission belts, making Gates Poly Chain the most advanced belt in the world.

### CONSTRUCTION + SPECIFICATIONS

- Durable **polyurethane construction** resists chemicals, oil, pollutants, and abrasion.
- **Cutting-edge carbon tensile cord** combines minimal stretch with extraordinary strength and load carrying capacity.
- Gates **curvilinear tooth profile** provides high shear strength and improved load carrying capacity.
- **Distinctive red nylon tooth facing** reduces friction and eliminates the need for lubrication.

### FEATURES + BENEFITS

- 15% higher horsepower rating than industry leading Poly Chain GT Carbon.
- Maintenance-free, clean solution for roller chain drive conversion.
- No lubrication required.
- No retensioning required.
- Equivalent capacity to roller chain drives in the same width.
- Operating temperature range: -54°C/-65°F to +85°C/+185°F.



| Belt Identification Chart                        |             |          |          |          |
|--|-------------|----------|----------|----------|
| Examples: 14ADV-994-20 Belt 14MX-40S-20 Sprocket |             |          |          |          |
| Standard Widths (mm)                             | A           | B        | C        |          |
| 14mm   | 20, 37,     | 14mm     | 10.2mm   | 6mm      |
|  | 68, 90, 125 | .552 in. | .401 in. | .236 in. |

**14mm Pitch**

Note: Gates recommends that Poly Chain ADV belts run only in Poly Chain GT sprockets when used for new applications. Gates recommends that Poly Chain ADV belts be used for replacement belts in Poly Chain GT sprockets.

**BELT IDENTIFICATION**

**14ADV-1190-37**  
**14** - 14mm Pitch  
**ADV** - ADV™ Construction  
**1190** - Pitch Length (mm)  
**37** - Belt Width (mm)

---

**Available Stock Sizes**  
**14M** 994-4410 (mm)



# POLY CHAIN<sup>®</sup> CARBON<sup>™</sup> VOLT<sup>™</sup>

## ANTISTATIC POLYURETHANE SYNCHRONOUS BELT WITH OPTIMIZED CURVILINEAR GT TOOTH

Antistatic power transmission belts are a must in volatile environments. To ensure the highest safety standards, their capacity to safely dissipate static electricity should meet the required levels over the lifetime of the belt - and not only when new. The Poly Chain Carbon Volt belt is the only belt in the market that meets the ISO 9563 standard over the complete lifespan of the belt. Its patented, static-conductive jacket construction transfers static electricity safely to carbon tensile cords, away from the driven side of the application - making it your safest and strongest option for reliable dissipation of electrostatic charges.

### CONSTRUCTION + SPECIFICATIONS

- **Static-conductive (ISO 9563)** and for conditions described in the Directive 2014/34/EU-ATEX.
- Durable **polyurethane construction** resists chemicals, oil, pollutants, and abrasion.
- Robust **carbon tensile cord** combines minimal stretch with extraordinary strength and load carrying capacity.
- Gates **curvilinear tooth profile** provides high shear strength and improved load carrying capacity.
- **Nylon tooth facing** reduces friction and eliminates the need for lubrication.

### FEATURES + BENEFITS


- Maintains static conductivity over the lifetime of the belt.
- Maintenance-free, clean solution for roller chain drive conversion.
- No lubrication required.
- No retensioning required.
- Equivalent capacity to roller chain drives in the same width.
- Operating temperature range: -54°C/-65°F to +85°C/+185°F.



### Belt Identification Chart

Examples: 8GTV-1600-21 Belt 8MX-22S-21 Sprocket

| Standard Widths (mm) | Standard Widths (mm) |                  |                   |
|----------------------|----------------------|------------------|-------------------|
|                      | A                    | B                | C                 |
| 8mm                  | 12, 21, 36, 62       | 8mm<br>.315 in.  | 5.9mm<br>.233 in. |
| 14mm                 | 20, 37, 68, 90, 125  | 14mm<br>.552 in. | 6mm<br>.401 in.   |



**Note:** Gates recommends that Poly Chain Carbon Volt belts run only in Poly Chain GT sprockets when used for new applications. Gates recommends that Poly Chain Carbon Volt belts be used for replacement belts in Poly Chain GT sprockets.

### BELT IDENTIFICATION

**14GTV-2100-37**  
**14GT** - 14mm Pitch  
**V** - Carbon Volt Construction  
**2100** - Pitch Length (mm)  
**37** - Belt Width (mm)

**Available Stock Sizes**  
**8M** 640-4480 (mm)  
**14M** 994-4410 (mm)



# POLY CHAIN® GT™ CARBON™ EXTENDED LENGTH

## POLYURETHANE SYNCHRONOUS BELT WITH OPTIMIZED CURVILINEAR GT TOOTH PROFILE

Gates Poly Chain GT Carbon belts are renowned for high performance with no maintenance. Now Gates introduces a Poly Chain solution that can handle longer center distances than ever before. The unique manufacturing process allows longer Poly Chain endless belts that deliver high load carrying capabilities. In the past, large and heavy roller chains were the only option for long center distance drives. Now there is an alternative that requires less maintenance and fewer replacements, resulting in less downtime and cleaner operation. The Extended Length process is applied to belt lengths in 14M pitch over 4410 mm.

### CONSTRUCTION + SPECIFICATIONS

- Durable **polyurethane construction** resists chemicals, oil, pollutants, and abrasion.
- Robust **carbon tensile cord** combines minimal stretch with extraordinary strength and load carrying capacity.
- Gates **curvilinear tooth profile** provides high shear strength and improved load carrying capacity.
- **Nylon tooth facing** reduces friction and eliminates the need for lubrication.


### FEATURES + BENEFITS

- Maintenance-free, clean solution for roller chain drive conversion.
- No lubrication required.
- No retensioning required.
- Equivalent capacity to roller chain drives in the same width.
- Operating temperature range: -54°C/-65°F to +85°C/+185°F.

**Belt Identification Chart**

**Examples:** 14MGT-6860EL-68 Belt    14MX-40S-68 Sprocket

|      | <b>Standard Widths (mm)</b> | <b>A</b> | <b>B</b> | <b>C</b> |
|------|-----------------------------|----------|----------|----------|
| 14mm | 37, 68,                     | 14mm     | 10.2mm   | 6mm      |
|      | 90, 125                     | .552 in. | .401 in. | .236 in. |



**14mm Pitch**

**Note:** Gates recommends that Poly Chain GT Carbon - Extended Length belts run only in Poly Chain GT sprockets when used for new applications. Gates recommends that Poly Chain GT Carbon - Extended Length belts be used for replacement belts in Poly Chain GT sprockets.



BELT IDENTIFICATION

**14MGT-6860EL-37**  
**14MGT** - 14mm Pitch  
**6860** - Pitch Length (mm)  
**EL** - Extended Length  
**37** - Belt Width (mm)

**Available Stock Sizes**  
**14M** 4578-9660 (mm)



# CURVE SAW POLY CHAIN® GT2™

## POLYURETHANE SYNCHRONOUS BELT WITH OPTIMIZED CURVILINEAR GT TOOTH PROFILE

An innovative construction combined with the Gates tooth profile makes the Curve Saw belt compact and lightweight with extraordinary strength and load carrying capacity. The Curve Saw belt can be used on the toughest shock loaded applications to reduce downtime.

### CONSTRUCTION + SPECIFICATIONS

- Unique **aramid tensile cord** combines extraordinary strength and superior shock load capacity.
- Gates **curvilinear tooth profile** provides high shear strength and improved load carrying capacity.
- **Nylon tooth facing** reduces friction and eliminates the need for lubrication.

### FEATURES + BENEFITS

- Significantly reduces log jams and associated downtime.
- No lubrication required.
- No retensioning required.
- Operating temperature range: -54°C/-65°F to +85°C/+185°F.



### Belt Identification Chart

Examples: 14M-3500-125PS Belt 14MX-40S-125 Sprocket

| Standard Widths (mm) | Pitch    |          |          |
|----------------------|----------|----------|----------|
|                      | A        | B        | C        |
| 14mm                 | 14mm     | 10.2mm   | 6mm      |
| 125                  | .552 in. | .401 in. | .236 in. |



**Note:** Gates recommends that Curve Saw Poly Chain GT belts run only in Poly Chain GT sprockets when used for new applications. Gates recommends that Curve Saw Poly Chain GT belts be used for replacement belts in Poly Chain GT sprockets.

### BELT IDENTIFICATION

**14M-3500-125PS**  
**14M** - 14mm Pitch  
**3500** - Pitch Length (mm)  
**125** - Belt Width (mm)  
**PS** - Problem Solver

**Available Stock Sizes**  
**14M** 2520-3500 (mm)

# POWERGRIP™ GT4™

## PREMIUM RUBBER SYNCHRONOUS BELT WITH OPTIMIZED GT TOOTH PROFILE

Engineered with the latest in advanced technology and materials science expertise, Gates PowerGrip GT4 delivers the highest power-carrying capacity of any belt in its class. In addition, Gates designed a belt with increased chemical resistance and larger temperature range capability. Gates PowerGrip GT4 belt delivers improved performance over a wide range of industrial applications. The 8MGT and 14MGT pitches are the optimum choice for high performance drives in the machine tool, paper and textile industries where durability and low maintenance are required. From resource processing to heavy manufacturing, automated production to custom assembly – Gates PowerGrip GT4 solutions improve uptime, efficiency, productivity, reliability and safety for industries around the world.

### CONSTRUCTION + SPECIFICATIONS

- Next-generation **Ethylene Elastomer** body provides class leading power capacity and temperature range.
- **Fiberglass tensile cord** provides high strength, excellent flex life and high resistance to elongation.
- **Nylon tooth facing** provides a durable wear surface for long service life.
- **Static-conductive (ISO9563)** and for conditions described in the Directive 2014/34/EU-ATEX.

### FEATURES + BENEFITS

- Higher power-carrying capacity giving you the option to use a narrower belt.
- Static-conductive.
- No lubrication and less re-tensioning eliminates maintenance costs throughout the life of the belt.
- Operating temperature range: -40°C/-40°F to +120°C/+248°F; Can be used up to +140C/+284F intermittently.



**Belt Identification Chart**

**Examples:** 640-8MGT-20 Belt    P22-8MGT-20 Sprocket

|      | Standard Widths (mm) |          |                   |
|------|----------------------|----------|-------------------|
|      | A                    | B        | C                 |
| 8mm  | 12, 20, 30,          | 8mm      | 5.59mm 3.28mm     |
|      | 50, 85               | .315 in. | .220 in. .129 in. |
| 14mm | 40, 55, 85,          | 14mm     | 9.91mm 5.84mm     |
|      | 115, 170             | .552 in. | .390 in. .230 in. |

**8mm Pitch**

**14mm Pitch**

**Note:** PowerGrip GT belts must be used with PowerGrip GT sprockets for new designs.  
8mm and 14mm pitch PowerGrip GT belts can be used to replace non-Gates curvilinear belts in most instances.

**BELT IDENTIFICATION**

**2400-8MGT-20**  
**2400** - Pitch Length (mm)  
**8MGT** - 8mm Pitch  
**20** - Belt Width (mm)

**Available Stock Sizes**  
**8M** 384-4400 (mm)  
**14M** 966-6860 (mm)





# POWERGRIP™ GT3™

## PREMIUM RUBBER SYNCHRONOUS BELT WITH OPTIMIZED GT TOOTH PROFILE

PowerGrip GT3 belts are made of a highly advanced combination of materials designed to reduce both initial and operating costs. The entire PowerGrip GT3 belt range is suited both for new drive designs as well as for performance upgrades on existing drives. The 2MGT, 3MGT and 5MGT pitches are ideal for compact drives on hand tools, business machines, domestic appliances and high precision servomotor drives.

### CONSTRUCTION + SPECIFICATIONS

- **Fiberglass tensile cord** provides high strength, excellent flex life and high resistance to elongation.
- **Neoprene body** provides protection against grime, grease, oil and moisture.
- **Nylon tooth facing** provides a durable wear surface for long service life.

### FEATURES + BENEFITS

- Maintenance-free, clean solution for roller chain drive conversion.
- No lubrication required.
- No retensioning required.
- Operating temperature range: -30°C/-22°F to +100°C/+212°F.




### Belt Identification Chart

Examples: 600-5MGT-15 Belt P36-5MGT-15 Sprocket

|     | Standard Widths (mm) |           |                   |
|-----|----------------------|-----------|-------------------|
|     | A                    | B         | C                 |
| 2mm | 4, 6, 9              | 2mm       | 1.52mm .76mm      |
|     |                      | .0787 in. | .060 in. .030 in. |
| 3mm | 6, 9, 15             | 3mm       | 2.41mm 1.14mm     |
|     |                      | .1181 in. | .095 in. .045 in. |
| 5mm | 9, 15, 25            | 5mm       | 3.81mm 1.93mm     |
|     |                      | .197 in.  | .150 in. .076 in. |

Note: PowerGrip GT belts must be used with PowerGrip GT sprockets for new designs.



### BELT IDENTIFICATION

**600-5MGT-15**  
**600** - Pitch Length (mm)  
**5MGT** - 8mm Pitch  
**15** - Belt Width (mm)

**Available Stock Sizes**  
**2M** 100-1164 (mm)  
**3M** 99-2061 (mm)  
**5M** 300-2100 (mm)

# POWERGRIP™ HTD™

## RUBBER SYNCHRONOUS BELT WITH HTD TOOTH PROFILE


PowerGrip HTD belts have a larger, more robust tooth profile for increased capacity, as compared to timing belts. 3M and 5M belts are suitable for domestic appliances, office machines, electric hand tools and for applications in the processing and chemical industry. 8M, 14M and 20M belts are used in high performance drives in the machine tool, paper and textile industries where durability and low maintenance are required.

### CONSTRUCTION + SPECIFICATIONS


- **Fiberglass tensile cord** provides high strength, excellent flex life and high resistance to elongation.
- **Neoprene body** provides protection against grime, grease, oil and moisture.
- **Nylon tooth facing** provides a durable wear surface for long service life.

### FEATURES + BENEFITS

- Maintenance-free, clean solution for roller chain drive conversion.
- No lubrication required.
- No retensioning required.
- Operating temperature range: -30°C/-22°F to +100°C/+212°F.



| Belt Identification Chart                            |                         |                  |                    |                    |
|--|-------------------------|------------------|--------------------|--------------------|
| <b>Examples:</b> 350-5M-15 Belt P28-5M-15AL Sprocket |                         |                  |                    |                    |
|  | Standard Widths (in.)   | A                | B                  | C                  |
| 3mm  | 6, 9, 15                | 3mm<br>.1181 in. | 2.41mm<br>.095 in. | 1.22mm<br>.048 in. |
| 5mm  | 9, 15, 25               | 5mm<br>.197 in.  | 3.81mm<br>.150 in. | 2.08mm<br>.082 in. |
| 8mm  | 20, 30, 50, 85          | 8mm<br>.315 in.  | 6mm<br>.236 in.    | 3.4mm<br>.133 in.  |
| 14mm   | 40, 55, 85, 115, 170    | 14mm<br>.552 in. | 10mm<br>.394 in.   | 6.0mm<br>.237 in.  |
| 20mm   | 115, 170, 230, 290, 340 | 20mm<br>.787 in. | 13.2mm<br>.520 in. | 8.4mm<br>.330 in.  |



| BELT IDENTIFICATION          |                     |
|------------------------------|---------------------|
| <b>520-8M-20</b>             |                     |
| <b>520</b>                   | - Pitch Length (mm) |
| <b>8M</b>                    | - 8mm Pitch         |
| <b>20</b>                    | - Belt Width (mm)   |
| <b>Available Stock Sizes</b> |                     |
| <b>3M</b>                    | 87-2004 (mm)        |
| <b>5M</b>                    | 180-3800 (mm)       |
| <b>8M</b>                    | 320-2272 (mm)       |
| <b>14M</b>                   | 784-4004 (mm)       |
| <b>20M</b>                   | 2000-6600 (mm)      |



# POWERGRIP™ TIMING

## RUBBER SYNCHRONOUS BELT WITH CLASSICAL TOOTH PROFILE

The trapezoidal tooth profile of PowerGrip Timing belts offers a maintenance-free and economical alternative to conventional chain drives, and is well suited for use in positioning applications.

### CONSTRUCTION + SPECIFICATIONS

- **Fiberglass tensile cord** provides high strength, excellent flex life and high resistance to elongation.
- **Neoprene body** provides protection against grime, grease, oil and moisture.
- **Nylon tooth facing** provides a durable wear surface for long service life.

### FEATURES + BENEFITS

- Maintenance-free, clean solution for roller chain drive conversion.
- No lubrication required.
- No retensioning required.
- Operating temperature range: -30°C/-22°F to +100°C/+212°F.

#### BELT IDENTIFICATION

##### 300L050

**300** - Pitch Length in 1/10 of inch (30.0")

**L** - 3/8" Pitch

**050** - Belt Width in inches (0.5")

##### Available Stock Sizes

**MXL** 3.20-51.8"

**XL** 4.20-85.0"

**L** 12.4-94.5"

**H** 21.0-233"

**XH** 50.7-175"


**XXH** 70.0-180"



#### Belt Identification Chart

Examples: 210L100 Belt TL18L100 Pulley

|     | Standard Widths (in.) | A         | B        | C        |
|-----|-----------------------|-----------|----------|----------|
| MXL | 1/8, 3/16,            | 2.03mm    | 1.14mm   | 0.51mm   |
|     | 1/4                   | .080 in.  | .045 in. | .020 in. |
| XL  | 1/4, 3/8              | 5.08mm    | 2.29mm   | 1.27mm   |
|     |                       | .200 in.  | .090 in. | .050 in. |
| L   | 1/2, 3/4, 1           | 9.53mm    | 3.60mm   | 1.91mm   |
|     |                       | .375 in.  | .140 in. | .075 in. |
| H   | 3/4, 1,               | 12.70mm   | 4.10mm   | 2.29mm   |
|     | 1-1/2, 2, 3           | .500 in.  | .160 in. | .090 in. |
| XH  | 2, 3, 4               | 22.23mm   | 11.20mm  | 6.35mm   |
|     |                       | .875 in.  | .440 in. | .250 in. |
| XXH | 2, 3, 4, 5            | 31.75mm   | 15.70mm  | 9.53mm   |
|     |                       | 1.250 in. | .620 in. | .375 in. |





# COTTON CLEANER BELTS

## RUBBER SYNCHRONOUS BELT WITH CLASSICAL TOOTH PROFILE

Cotton Cleaner belts are specifically designed for use on Cotton Gins and inclined cleaner machines. They feature a trapezoidal tooth profile and aramid tensile cords.

### CONSTRUCTION + SPECIFICATIONS

- Unique **aramid tensile cord** combines extraordinary strength and superior shock load capacity.
- **Long service life** in harsh environments.

### FEATURES + BENEFITS

- Maintenance-free, clean solution for roller chain drive conversion.
- No lubrication required.
- No retensioning required.
- Operating temperature range: -30°C/-22°F to +100°C/+212°F.



#### BELT IDENTIFICATION

##### **63CCB165K**

**63** - Pitch Length in inches

**CCB** - Cotton Cleaner Belt

**165** - Machine Nomenclature

**K** - Aramid Tensile Cord

##### **Available Stock Sizes**

**1 Inch Pitch** 61-65 (in)

# POWERGRIP™ TWIN POWER™

## DOUBLE-SIDED RUBBER SYNCHRONOUS BELT

PowerGrip GT2 Twin Power belts have teeth on both sides of the belt to provide synchronization from both driving surfaces, and can transmit 100% of the maximum rated load from either side of the belt. They are ideal for serpentine applications requiring rotation reversal or synchronization of driven shafts.

### CONSTRUCTION + SPECIFICATIONS

- **Fiberglass tensile cord** provides high strength, excellent flex life and high resistance to elongation.
- **Neoprene body** provides protection against grime, grease, oil and moisture.
- **Nylon tooth facing** on both tooth surfaces of the belt provides a durable wear surface for long service life.


### FEATURES + BENEFITS

- Nylon facing on both tooth surfaces provide equal load carrying capabilities on either side of the belt.
- Maintenance-free, clean solution for roller chain drive conversion.
- No lubrication required.
- No retensioning required.
- Operating temperature range: -30°C/-22°F to +100°C/+212°F.

#### BELT IDENTIFICATION

**TP-1120-8MGT-20**  
**TP** - Twin Power  
**1120** - Pitch Length (mm)  
**8MGT** - 8mm Pitch  
**20** - Belt Width (mm)

**Available Stock Sizes**  
**3MR** 381-2061 (mm)  
**5MR** 400-3800 (mm)  
**8MGT** 560-4400 (mm)  
**14MGT** 966-6860 (mm)  
**3M** 381-2004 (mm)  
**5M** 400-3800 (mm)  
**XL** 12.6-85 (in)  
**L** 15-94.5 (in)  
**H** 21-233 (in)



#### Belt Identification Chart

Example: TP800H100 Belt

##### Twin Power PowerGrip Timing Belts

|    | Standard Widths (in.)  | A                   |
|----|------------------------|---------------------|
| XL | 1/4, 3/8               | 5.08mm<br>.200 in.  |
| L  | 1/2, 3/4, 1            | 9.53mm<br>.375 in.  |
| H  | 3/4, 1,<br>1-1/2, 2, 3 | 12.70mm<br>.500 in. |

Note: Additional sizes available

##### Timing



##### GT®2



Example: TP1200-8MGT-20 Belt (GT2)

##### Twin Power PowerGrip GT2 Belts

|      | Standard Widths (mm)    | A                |
|------|-------------------------|------------------|
| 3mm  | 6, 9, 15                | 3mm<br>.118 in.  |
| 5mm  | 9, 15, 25               | 5mm<br>.197 in.  |
| 8mm  | 20, 30, 50,<br>85       | 8mm<br>.315 in.  |
| 14mm | 40, 55, 85,<br>115, 170 | 14mm<br>.552 in. |



# LONG-LENGTH

## OPEN-ENDED POLYURETHANE AND RUBBER SYNCHRONOUS BELT

A comprehensive range of open-ended belt constructions which can easily be cut to the required length. Long-length open-end synchronous belts are especially suited for linear movement, positioning and conveyor applications. Available in Poly Chain® GT™ Carbon™, PowerGrip™ GT2™, PowerGrip HTD™ and PowerGrip Timing constructions.

### CONSTRUCTION + SPECIFICATIONS

#### POLY CHAIN GT CARBON

- Durable **polyurethane construction** resists chemicals, oil, pollutants, and abrasion.
- Robust **carbon tensile cord** combines minimal stretch with extraordinary strength and load carrying capacity.
- **Nylon tooth facing** reduces friction and eliminates the need for lubrication.

#### POWERGRIP GT2

#### POWERGRIP HTD

#### POWERGRIP TIMING


- **Fiberglass tensile cord** provides high strength, excellent flex life and high resistance to elongation.
- **Neoprene body** provides protection against grime, grease, oil and moisture.
- **Nylon tooth facing** on both tooth surfaces of the belt provides a durable wear surface for long service life.

### FEATURES + BENEFITS

- High positioning accuracy, making the belt ideally suited for applications with repetitive movements.
- Length stability due to the use of high modulus tensile members.
- Easy to attach with clamping fixtures.
- Maintenance-free, clean solution for roller chain drive conversion.
- No lubrication required.
- No retensioning required.
- Operating temperature range: -54°C/-65°F to +85°C/+185°F (Poly Chain) and -30°C/-22°F to +100°C/+212°F (PowerGrip).

### BELT IDENTIFICATION

**LL14MGT-037**  
**LL** - Long-Length  
**14MGT** - 14mm Pitch  
**037** - Belt Width (mm)



### Belt Identification Chart

|                               |                        |                          |             |
|-------------------------------|------------------------|--------------------------|-------------|
| Poly Chain GT Carbon (Carbon) | 8mm and 14mm           | PowerGrip GT2 (Steel)    | 5mm and 8mm |
| PowerGrip GT2 (Fiberglass)    | 2mm, 3mm, 5mm and 8mm  | PowerGrip HTD (Steel)    | 14mm        |
| PowerGrip HTD (Fiberglass)    | 3mm, 5mm, 8mm and 14mm | PowerGrip Timing (Steel) | H           |
| PowerGrip Timing (Fiberglass) | MXL, XL, L and H       |                          |             |

**Notes:** Minimum order quantity - 50ft. or 98ft. in fiberglass or steel PowerGrip construction; 50ft. Poly Chain GT Carbon construction. Refer to Catalog No. 19993 for widths and minimum order quantity.





# SYNCHRO-POWER™

## ENDLESS/OPEN-END POLYURETHANE SYNCHRONOUS BELT


Gates Synchro-Power polyurethane belts are designed for long-lasting and energy efficient performance on both power transmission and linear applications. They are available in both endless and open-end versions in various sizes, constructions and tooth designs, handling a wide range of loads, speeds and applications.

### CONSTRUCTION + SPECIFICATIONS

- Abrasion-resistant **polyurethane body** offers clean running systems without accumulation of debris.
- Synchro-Power **endless belts and sleeves for power transmission** are manufactured as truly endless synchronous belts with no joint. Pitch lengths available up to 2250 mm.
- Synchro-Power **open-end belts for linear drives** (rolls) are manufactured as open-end extruded belts. Roll lengths available up to 100 m.

### FEATURES + BENEFITS

- Modifications include molded profiles, tensile cords, lamination with various backings, and FDA and USDA constructions.
- Exceptional rigidity, reduced tooth flexing and exceptional stability in the overall system.
- No lubrication required.
- Operating temperature range: -30°C/-22°F to +80°C/+176°F.



**Belt Identification Chart**

**Example:** T5-270-8

**Synchro-Power Belts**

|      | <b>A</b>          |
|------|-------------------|
| T2.5 | 2.5mm<br>.098 in. |
| T5   | 5mm<br>.197 in.   |
| T10  | 10mm<br>.394 in.  |
| AT5  | 5mm<br>.197 in.   |
| AT10 | 10mm<br>.394 in.  |
| DT5  | 5mm<br>.197 in.   |
| DT10 | 10mm<br>.394 in.  |

**Metric**



**Timing**



**Example:** 270H075U

**Synchro-Power Timing Belts**

|     | <b>A</b>            |
|-----|---------------------|
| MXL | 2.03mm<br>.080 in.  |
| XL  | 5.08mm<br>.200 in.  |
| L   | 9.53mm<br>.374 in.  |
| H   | 12.70mm<br>.500 in. |



## **2. V-BELTS**



# PREDATOR™ SINGLE & POWERBAND™

## HEAVY DUTY WRAPPED, NARROW CROSS SECTION V-BELT & POWERBANDS

Made to take on your toughest jobs, Predator Single & PowerBand banded belts are the market leading heavy duty V-belts. The stronger than steel extra heavy-duty belt construction is designed to handle high horsepower motors, frequent shock loads, high heat and the harshest operating environments in extremely demanding applications. They provide extraordinary high impact strength, capacity, and wear resistance. Unique in their extreme robustness and high load carrying capability, they are unrivaled.

### CONSTRUCTION + SPECIFICATIONS

- **Aramid tensile cord** construction is pound for pound stronger than steel and can handle up to 2.2 times more horsepower than standard v-belts.
- **Double fabric cover** offers extreme abrasion and wear resistance.
- **Specially treated extra tough cover** withstands slip and shear forces at peak loads without generating excessive heat and resists foreign material penetration.
- **Improved neoprene rubber compounds** provide superb oil and heat resistance.
- **Non-rubber Bareback surfaced cover** allows momentary slippage due to excessive overloads without damaging the belt.
- **Gates Curves** provide full contact with pulley grooves for uniform cord loading, uniform wear and increased belt life.

### FEATURES + BENEFITS

- Engineered as OE quality replacement belts for heavy duty applications exposed to pulsating loads or heavy shock loads, such as mining, agriculture, wood processing, oil field equipment, construction, and sand/gravel operations.
- 40%+ higher power ratings than standard construction V-belts.
- Minimal re-tensioning reduces maintenance needs; less maintenance, less downtime.
- Meets ARPM/RMA IP-3-2 oil and heat resistant standards.
- Available on demand in matched sets (not V80® program eligible).
- REACH and RoHS 2 compliant.
- Operating temperature range: -30°C/-22°F to +82°C/180°F.

### BELT IDENTIFICATION

Singles: **CP100**  
**C** - Cross Section **P** - Predator Designation **100** - Inside Circumference (in)  
 To calculate I.C., subtract the following values from the O.C.  
 A: 2" B: 3" (Above 210", 1.0") C: 4" (Above 210", 2.0")  
 Metric Singles: **SPC2000P**  
**SPC** - Cross Section **2000** - Pitch Length (mm) **P** - Predator Designation

PowerBands: **4/8VP1000**  
**4** - Number of Strands/Ribs followed by slash (/)  
**8V** - Cross Section  
**P** - Predator Designation  
**1000** - Outside Circumference (in), plus added zero to designate part number

**Available Stock Sizes**  
**AP** 33-93 (in), **BP** 35-198 (in), **CP** 89-242 (in), **5VP** 80-355 (in), **8VP** 160-355 (in),  
**SPBP** 1260-8000 (mm), **SPCP** 2000-9500 (mm)

**Available Stock PowerBand Sizes**  
**CP** 85-362 (in), **3VP** 45-140 (in), **5VP** 60-355 (in),  
**8VP** 100-600 (in)

Belt Identification Chart



# SUPER HC™ XP™ & SUPER HC™ XP™ POWERBAND™

## HEAVY DUTY RAW EDGE, MOLDED NOTCH, PREMIUM NARROW CROSS SECTION V-BELT & POWERBANDS

The flexibility of a notched belt, the power of aramid cords, and the stability that's exclusive to Gates Super HC construction. Our Super HC XP Notched Premium belts are designed for applications where standard notched V-belts fail. They are tested to transmit an average of 50% more horsepower than our standard Super HC Molded Notch belts, which helps reduce the overall drive width, weight, and cost.

### CONSTRUCTION + SPECIFICATIONS

- **Aramid tensile cords** combine limited stretch with extraordinary strength and durability that is pound-for-pound stronger than steel.
- **Machined sidewalls** provide even sheave groove contact for smooth operation, less slip, and reduced wear.
- **Distinctive green backing** provides protection and wear resistance.
- **Flex-bonded cords** are strongly secured to the body of the belt for equal load distribution of bending stress without cord deterioration.
- **Patented Ethylene compound** and optimized notches molded into the belt during manufacturing increase flexibility for compatibility with small-diameter sheaves.

### FEATURES + BENEFITS

- Tested to transmit an average of 50% more horsepower than standard Super HC® Molded Notch belts.
- Meets ARPM/RMA IP-3-2 oil and heat resistant standards.
- Meets ARPM/RMA IP-3-3 static conductivity requirements.
- Available on demand in Matched sets (not V80® program eligible).
- REACH and RoHS 2 compliant.
- Operating temperature range: -51°C/-60°F to +121°C/+250°F.



| Belt Identification Chart                 |                         |
|---|-------------------------|
| <p>5/8"<br/>35/64"</p> <p><b>5VXP</b></p> | <p><b>POWERBAND</b></p> |

| BELT IDENTIFICATION   |   |
|---|---|
| <p>Singles: <b>5VXP1000</b></p> <p><b>5V</b> - Cross Section</p> <p><b>X</b> - Molded Notch (Cogged) Construction</p> <p><b>P</b> - Aramid Cord Designation</p> <p><b>1000</b> - Outside Circumference (in), plus added zero to designate part number</p> | <p>PowerBands: <b>4/5VXP1000</b></p> <p><b>4</b> - Number of Strands/Ribs followed by slash (/)</p> <p><b>5V</b> - Cross Section</p> <p><b>X</b> - Molded Notch (Cogged) Construction</p> <p><b>P</b> - Aramid Cord Designation</p> <p><b>1000</b> - Outside Circumference (in), plus added zero to designate part number</p> |
| <p><b>Available Stock Sizes</b></p> <p><b>5VXP</b> 60-200 (in)</p>  | <p><b>Available Stock PowerBand Sizes</b></p> <p><b>5VXP</b> 71-200 (in)</p>  |



# SUPER HC™ MOLDED NOTCH & MOLDED NOTCH POWERBAND™

## RAW EDGE, MOLDED NOTCH NARROW CROSS SECTION V-BELT & POWERBANDS


When your power transmission application needs a high horsepower solution but is constrained by drive weight or physical space, the answer is Super HC Molded Notch belts. Our proprietary ethylene construction process provides a superior combination of flex and load-carrying capacity, transmitting up to three times the horsepower versus comparably sized belts. Super HC MN V-belts put more power where high speeds, high speed ratios or small pulley diameters are required, offering significant benefits over classical section V-belts.

### CONSTRUCTION + SPECIFICATIONS

- **Flex-bonded tensile cords** are vulcanized as one solid unit making the belt highly resistant to tensile and flexing forces, fatigue and shock loads.
- **Precision-ground** straight sidewalls give a uniform wedging action and ensure the belt fits correctly in the pulley grooves.
- **Patented Ethylene compound** and optimized notches molded into the belt during manufacturing increase flexibility for compatibility with small diameter sheaves.

### FEATURES + BENEFITS

- Recommended for use on all industrial heavy-duty, narrow section V-belt drives.
- With an increased transmission efficiency this belt allows for a more compact and highly economical drive design by reducing size of pulleys, bearings, guards and mounts.
- Improved belt life reducing expensive maintenance time.
- All sizes meet Gates V80® system matching tolerances.
- REACH and RoHS 2 compliant.
- Operating temperature range: -51°C/-60°F to +121°C/250°F.



### BELT IDENTIFICATION


Singles: **5VX1000**  
**5V** - Cross Section  
**X** - Molded Notch (Cogged) Construction  
**1000** - Outside Circumference (in), plus added zero to designate part number

PowerBands: **4/5VX750**  
**4** - Number of Strands/Ribs followed by slash (/)  
**5V** - Cross Section  
**X** - Molded Notch (Cogged) Construction  
**1000** - Outside Circumference (in), plus added zero to designate part number

**Available Stock Sizes**  
**3VX** 25-150 (in)  
**5VX** 35-200 (in)  
**8VX** 100-200 (in)

**Available Stock PowerBand Sizes**  
**3VX** 25-140 (in)  
**5VX** 50-200 (in)

### Belt Identification Chart



# SUPER HC™ & SUPER HC™ POWERBAND™

## WRAPPED, NARROW CROSS SECTION V-BELT & POWERBANDS


Combines the strength of a wrapped belt construction with the economies of a narrow section V-belt. It transmits more power in a given space and allows more compact drive design than classical section V-belts. In short, it offers you more power and considerably reduces the space needed. This significantly cuts the overall drive cost. Super HC V-belts also have exclusive Gates construction features for longer life on your drives.

### CONSTRUCTION + SPECIFICATIONS

- **Flex-Bonded cords** are strongly forged to the belt body, resulting in equal load distribution, resistance to fatigue and shockloads, and the absorption of bending stress without cord deterioration.
- **Arched top**, concave sidewalls and rounded corners provide uniform tensile loading and uniform pulley sidewall contact for excellent belt service and reduced pulley wear.
- **Flex-Weave™ cover** is constructed for longer cover life, providing extended protection to the core of the belt from oil, dirt, and heat.
- **Gates Curves** provide proper cord support and full contact with the sheave groove for uniform loading, uniform wear, and increased belt life.
- **Neoprene** construction.

### FEATURES + BENEFITS

- Recommended for use on all industrial heavy-duty, narrow section V-belt drives and particularly where space, weight and horsepower capacity are critical.
- Meets ARPM/RMA IP-3-2 oil and heat resistant standards.
- Meets ARPM/RMA IP-3-3 static conductivity requirements.
- Up to 300% capacity increase over classical belts.
- All sizes meet Gates V80® system matching tolerances.
- REACH and RoHS 2 compliant.
- Operating temperature range: -30°C/-22°F to +82°C/180°F.



| BELT IDENTIFICATION   |   |
|---|---|
| <b>Singles: 5V750</b><br><b>5V</b> - Cross Section<br><b>750</b> - Outside Circumference (in), plus added zero to designate part number | <b>PowerBands: 4/5V750</b><br><b>4</b> - Number of Strands/Ribs followed by slash (/)<br><b>5V</b> - Cross Section<br><b>750</b> - Outside Circumference (in), plus added zero to designate part number |
| <b>Available Stock Sizes</b><br><b>3V</b> 25-140 (in)<br><b>5V</b> 50-355 (in)<br><b>8V</b> 100-600 (in)                                | <b>Available Stock PowerBand Sizes</b><br><b>3V</b> 30-140 (in)<br><b>5V</b> 50-355 (in)<br><b>8V</b> 100-600 (in)  |

# TRI-POWER™ & TRI-POWER™ POWERBAND™

## RAW EDGE, MOLDED NOTCH, CLASSICAL CROSS SECTION, HIGH TEMPERATURE V-BELT & POWERBANDS

Built for superior performance on heavy duty classical cross-section drives. The raw edge, Ethylene Elastomer construction and special notch design makes the Tri-Power belt especially suited for small diameter pulleys and back side idler drives.

### CONSTRUCTION + SPECIFICATIONS

- **Belt edge** is machined for even sheave groove contact, resulting in smoother running, less slip and wear.
- **Flex-bonded cords** are strongly forged to the belt body, resulting in equal load distribution and absorption of bending stress without cord deterioration.
- **Notches molded** into the belt during manufacturing increase flexibility, making this belt well suited for drives with smaller diameter sheaves.


### FEATURES + BENEFITS

- Suitable for all industrial applications, particularly where small or sub-minimal sheave diameters are required.
- 15% capacity increase over wrapped belts.
- Meets ARPM/RMA IP-3-2 oil and heat resistant standards.
- Meets ARPM/RMA IP-3-3 static conductivity requirements.
- REACH and RoHS 2 compliant.
- Operating temperature range: -51°C/-70°F to +121°C/+250°F.

### BELT IDENTIFICATION

|   |   |
|---|---|
| <p>Singles: <b>BX100</b><br/> <b>B</b> - Cross Section<br/> <b>X</b> - Molded Notch (Cogged) Construction<br/> <b>100</b> - Inside Circumference (in)<br/>                     To calculate I.C., subtract the following values from the O.C.</p> <p>A: 2"<br/>                     B: 3" (Above 210", 2.0")<br/>                     C: 4" (Above 210", 2.0")</p> <p><b>Available Stock Sizes</b><br/> <b>AX</b> 21-175 (in)<br/> <b>BX</b> 27-302 (in)<br/> <b>CX</b> 55-362 (in)</p> | <p>PowerBands: <b>4/BX100</b><br/> <b>4</b> - Number of Strands/Ribs followed by slash (/)<br/> <b>B</b> - Cross Section<br/> <b>X</b> - Molded Notch (Cogged) Construction<br/> <b>100</b> - Inside Circumference (in)</p> <p><b>Available Stock PowerBand Sizes</b><br/> <b>BX</b> 45-162 (in)<br/> <b>CX</b> 79-177 (in)</p> |
|---|---|

### Belt Identification Chart



# HI-POWER™ II & HI-POWER™ II POWERBAND

## WRAPPED, CLASSICAL CROSS SECTION V-BELT & POWERBANDS

The wrapped classical section Hi-Power V-belt has a long reputation for reliability on agricultural and industrial applications. The arched top of the Hi-Power belt provides superior strength to prevent "dishing" and distortion of the tensile section. The cords are properly aligned, each of them carrying its full share of the load.


### CONSTRUCTION + SPECIFICATIONS

- **Arched top**, concave sidewalls and rounded corners provide uniform tensile loading and uniform pulley sidewall contact for excellent belt service life and reduced pulley wear.
- Vulcanized **Flex-bonded tensile cords** provide superior resistance to tensile and flexing forces, fatigue and shock loads.
- **Flex-Weave™** oil and heat resistant cover protects the belt core from the toughest environments.

### FEATURES + BENEFITS

- Meets ARPM/RMA IP-3-2 oil and heat resistant standards.
- Meets ARPM/RMA IP-3-3 static conductivity requirements.
- All sizes meet Gates V80® system matching tolerances.
- REACH and RoHS 2 compliant.
- Operating temperature range: -30°C/-22°F to +60°C/140°F.

| BELT IDENTIFICATION  |   |
|--|---|
| <p>Singles: <b>B100</b><br/> <b>B</b> - Cross Section<br/> <b>100</b> - Inside Circumference (in)<br/>                     To calculate I.C., subtract the following values from the O.C.</p> <p>A: 2"<br/>                     B: 3" (Above 210", 1.0")<br/>                     C: 4" (Above 210", 2.0")<br/>                     D: 5" (Above 210", 3.0")<br/>                     E: 7" (Above 210", 4.0")</p> | <p>PowerBands: <b>4/B100</b><br/> <b>4</b> - Number of Strands/Ribs followed by slash (/)<br/> <b>B</b> - Cross Section<br/> <b>100</b> - Inside Circumference (in)</p> |
| <p><b>Available Stock Sizes</b></p> <p><b>A</b> 20-202 (in)<br/> <b>B</b> 26-473 (in)<br/> <b>C</b> 48-452 (in)<br/> <b>D</b> 95-663 (in)<br/> <b>E</b> 149-664 (in)</p>   | <p><b>Available Stock PowerBand Sizes</b></p> <p><b>A</b> 44-182 (in)<br/> <b>B</b> 38-316 (in)<br/> <b>C</b> 62-422 (in)<br/> <b>D</b> 149-663 (in)</p>                |







# METRIC-POWER™

## RAW EDGE, MOLDED NOTCH, METRIC CROSS SECTION, HIGH TEMPERATURE V-BELT

Manufactured to our exacting standards for quality, safety, and dependability. Their proprietary construction ensures unmatched load-carrying capacity paired with superior flex and stretch resistance.


### CONSTRUCTION + SPECIFICATIONS

- **Flex-Bonded cords** are chemically forged to the belt body, providing equal load distribution and bending stress absorption without cord deterioration.
- **Patented Ethylene** construction helps resist belt cracking and provides application versatility.
- **Proprietary construction** process combines flex and load-carrying capacity with reduced stretch and superior cord adhesion properties.

### FEATURES + BENEFITS

- Ideal for use as replacements on drives that require metric cross sections in a broad range of applications, including textile mills, machine tool, and food processing.
- Meets ARPM/RMA IP-3-2 oil and heat resistant standards.
- Meets ARPM/RMA IP-3-3 static conductivity requirements.
- REACH and RoHS 2 compliant.
- Operating temperature range: -57°C/-70°F to +121°C /+250°F (Molded Notch) and -34°C/-30°F to +60°C /+140°F (Wrapped).

| BELT IDENTIFICATION                      |  |
|--|--|
| Singles: <b>XPZ800</b>                   |  |
| <b>XP</b> - Notched, <b>SP</b> - Wrapped |  |
| <b>Z</b> - Cross Section                 |  |
| <b>800</b> - Inside Circumference (mm)   |  |
| <b>Available Stock Sizes</b>             |  |
| <b>XPZ/SPZ</b> 604-3550 (mm)             |  |
| <b>XPA/SPA</b> 630-4500 (mm)             |  |
| <b>XPB/SBP</b> 1250-8000 (mm)            |  |
| <b>XPC/SPC</b> 1800-10600 (mm)           |  |
| <b>10X</b> 530-1750 (mm)                 |  |
| <b>13X</b> 715-4000 (mm)                 |  |
| <b>17X</b> 875-8636 (mm)                 |  |



# XTREME V-FORCE™ PRO

## RAW EDGE, FIT-FOR-PURPOSE CENTER CORD LINE V-BELT

Xtreme V-Force™ Pro is an innovative addition to Gates standard V-belt portfolio that leverages our materials science and process technologies to deliver a lighter weight, durable, fit-for-purpose belt with extended temperature range capabilities, increased stability and reduced cracking for longer life and better overall performance.

### CONSTRUCTION + SPECIFICATIONS

- Larger temperature range capability.
- Higher power capacity for optimum performance.
- Increased uptime.
- Reduced maintenance.
- Extended belt life.
- Up to 25% improved stability in misaligned drives
- Lower bending stiffness.
- Next generation Ethylene Elastomer compound allows for thinner cross section.

### FEATURES + BENEFITS

- Using advanced materials science and the latest belt technology, Gates designed a new non-wrapped V-belt with increased performance and extended belt life for light performance applications.
- Gates Xtreme V-Force Pro delivers the broadest temperature range capability of any belt in its class. Utilizing all new advanced materials, Gates engineered a belt with a center cordline design for increased stability.
- All sizes meet Gates V80® system matching tolerances.
- Meets ARPM/RMA IP-3-2 oil and heat resistant standards.
- Meets ARPM/RMA IP-3-3 static conductivity requirements.
- REACH and RoHS 2 compliant.
- Operating temperature range: -40°C/-40°F to +130°C / +266°F.

### BELT IDENTIFICATION

Singles: **BR100**

**B** - Cross Section

**R** - Pro Designation

**100** - Inside Circumference (in)

To calculate I.C., subtract the following values from the O.C.

A: 2"


B: 3"

#### Available Stock Sizes

**AR** 26-122 (in)

**BR** 26-122 (in)

### Belt Identification Chart



# HI-POWER™ DUBL-V & DUBL-V FEATHER PICKER

## WRAPPED, CLASSICAL CROSS SECTION DOUBLE SIDED V-BELT

Designed with a unique recessed top and bottom to maintain sidewall contact, while remaining flexible for belt drive applications that require power transmission from both sides of the belt.



### CONSTRUCTION + SPECIFICATIONS

- **Gates Curves** provide proper cord support and full contact with the sheave-groove for uniform loading, uniform wear, and increased belt life.
- **Flex-Bonded cords** are strongly bonded to the body of the belt resulting in equal load distribution and the absorption of bending stress without cord deterioration.
- **Flex-Weave™** oil and heat resistant cover protects the belt core from the toughest environments.

### FEATURES + BENEFITS

- Ideal solution for "serpentine" drives (drives with counter rotating shafts) where power is transmitted from both the top and the bottom of the belts.
- Additionally, feather picker belt variants are specially designed for maximum performance on de-feathering machines found in the poultry industry.
- Field tests prove Gates belts run 3-6 months and more compared to similar competitor belts that last only 1-3 weeks.
- Fully wrapped construction, eliminates debris and dust concerns found in competitive double notch belts.
- All sizes meet Gates V80® system matching tolerances.
- Meets ARPM/RMA IP-3-2 oil and heat resistant standards.
- Meets ARPM/RMA IP-3-3 static conductivity requirements.
- REACH and RoHS 2 compliant.
- Operating temperature range: -30°C/-22°F to +60°C/140°F.

| BELT IDENTIFICATION  |   |
|--|---|
| Dubl-V: <b>BB100</b><br><b>BB</b> - Cross Section<br><b>100</b> - Inside Circumference (in)<br>To calculate I.C., subtract the following values from the O.C.<br><br>AA: 2"<br>BB: 3" (Above 210", 1.0")<br>CC: 4" (Above 210", 2.0")<br>DD: 5" (Above 210", 3.0") | Feather Picker: <b>AA148FP</b><br><b>AA</b> - Cross Section<br><b>148</b> - Inside Circumference (in)<br><b>FP</b> - Feather Picker   |
| <b>Available Stock Dubl-V Sizes</b><br><b>AA</b> 53-150 (in)<br><b>BB</b> 38-301 (in)<br><b>CC</b> 79-422 (in)<br><b>DD</b> 273-363 (in)   | <b>Available Dubl-V Feather Picker Stock Sizes</b><br><b>AA</b> 148 (in)<br><b>BB</b> 158, 161, 175 (in)<br><br><b>Available Made-To-Order Belt Sizes</b><br><b>AA</b> 43-210 (in)<br><b>BB</b> 35-660 (in) |



# TRUFLEX™ - LIGHT DUTY

## WRAPPED, FRACTIONAL HORSEPOWER V-BELT

Engineered with all the qualities of a great belt, including flexibility, durability, and resistance to contaminants. It includes a thin profile, designed for small-diameter sheaves, and a lower cord positioning to improve belt performance on light-duty belt drives and in your backside idler applications.

### CONSTRUCTION + SPECIFICATIONS

- **Gates Curves** provide proper cord support and full contact with the sheave-groove for uniform loading, uniform wear, and increased belt life.
- **Flex-Bonded cords** are strongly bonded to the body of the belt resulting in equal load distribution and the absorption of bending stress without cord deterioration.
- **Flex-Weave™** oil and heat resistant cover protects the belt core from the toughest environments.

### FEATURES + BENEFITS


- Perfect for auxiliary automotive applications like electric windows, windshield wipers, and central locking systems, drive pumps, power tools, and domestic appliance applications, FHP motors and light-duty applications.
- Meets ARPM/RMA IP-3-2 oil and heat resistant standards.
- Meets ARPM/RMA IP-3-3 static conductivity requirements.
- REACH and RoHS 2 compliant.
- Operating temperature range: -30°C/-22°F to +60°C/140°F.

#### BELT IDENTIFICATION

Singles: **3L280**  
**3L** - Cross Section  
**280** - Outside Circumference (in), plus added zero to designate part number

#### Available Stock Sizes

**2L** 10-46 (in)  
**3L** 11-74 (in)  
**4L** 15-100 (in)  
**5L** 23-100 (in)



#### Belt Identification Chart

|                                      |                                      |                                      |  |
|--------------------------------------|--------------------------------------|--------------------------------------|--|
| $\frac{1}{4}$ "<br><br><b>2L</b> (0) | $\frac{3}{8}$ "<br><br><b>3L</b> (1) | $\frac{1}{2}$ "<br><br><b>4L</b> (2) | $\frac{21}{32}$ "<br><br><b>5L</b> (3) |
|--------------------------------------|--------------------------------------|--------------------------------------|--|



# POWERATED™

## GREEN TEXTILE WRAPPED V-BELT WITH ARAMID CORD

Designed as an alternative to conventional light-duty belts, with high-performance construction to deliver more horsepower, less stretch, and provide longer service life.

### CONSTRUCTION + SPECIFICATIONS

- **Bareback construction** for smooth clutching on shock loaded, backside-idler driven equipment.
- **Aramid tensile cords** combine limited stretch with extraordinary strength and durability.

#### BELT IDENTIFICATION


Singles: **6726 / 3L260K**  
**67 / 3L** - Cross Section  
**26 / 260** - Outside Circumference (in) / Outside Circumference (in), plus added zero to designate part number  
**K** - Aramid Designation

**Available Stock Sizes**  
**67/3L** 16-74 (in)  
**68/4L** 17-117 (in)  
**69/5L** 23-100 (in)

### FEATURES + BENEFITS

- Suitable for outdoor power equipment, appliances, and industrial applications where Fractional Horsepower (FHP) belts are typically used.
- Low cord positioning in thin profile gives extreme flexibility.
- Meets ARPM/RMA IP-3-2 oil and heat resistant standards.
- REACH and RoHS 2 compliant.
- Operating temperature range: -30°C/-22°F to +60°C/140°F.

#### Belt Identification Chart



# MULTI-SPEED

## WIDE RAW EDGE V-BELT

Power transmission systems do more than operate at constant speeds with constant outputs. Customers increasingly need variable speed systems to regulate the speed and rotational force, or output torque, of critical mechanical equipment. Our Multi-Speed belts are engineered for efficiency, energy savings, and increased productivity at a wide range of speeds and speed ratios.

### CONSTRUCTION + SPECIFICATIONS

- Notched design reduces thermal and bending stresses for longer life.
- Smooth running construction for minimal vibration at high speeds.
- Uniform composition and thickness of the undercord ensure smooth and silent running.

### FEATURES + BENEFITS

- Gates Multi-Speed belts self-adjust to the pulley groove, providing a wide range of speeds and speed ratios.
- In addition to the standard Multi-Speed belt line, special sizes (top width, thickness and angle) are available on request.
- Molded notches reduce belt bending stress around small diameter pulleys, reducing the heat generated by rapid flexing and preventing premature belt failure.
- Meets ARPM/RMA IP-3-2 oil and heat resistant standards.

#### BELT IDENTIFICATION

Singles: **1526V264**

**15** - Top width in 16ths of an inch (15/16)

**26** - Sheave angle in degrees

**V** - Multi-Speed Designation

**264** - Pitch Circumference to nearest 10th inch (26.4)

#### Available Stock Sizes

**Widths** 3/4 to 3-7/8 (in)

**Lengths** 26 to 193 (in)





# POLYFLEX™ BELTS & POLYFLEX™ JB™

## RIBBED BACK, HIGH MODULUS POLYURETHANE V-BELT

Developed by Gates and produced to patented manufacturing processes, these belts provide more load-carrying capacity at higher speeds to small multiple V-belt precision drives. This results in significant cost savings and improved design freedom.


### CONSTRUCTION + SPECIFICATIONS

- **High Modulus Polyurethane** compound resists fatigue, wear, ozone, and most environmental conditions. It also improves adhesion to the tensile cords.
- Precise casting method eliminates layers and overlaps for **smooth running** and **low vibration**.
- **Ribbed backing** provides greater lateral stability and relieves bending stress.
- The 60° angle results in better support of the tensile section, and provides a more even load distribution.

### FEATURES + BENEFITS

- Recommended for use on bench type milling machines, lathe drives, woodworking and metalworking machine spindle drives, computer peripheral equipment, small blowers, etc.
- Unique 60° angle polyurethane construction transmits greater loads at higher speeds in less space than conventional v-belts.
- Available on demand as matched sets.
- Operating temperature range: -54°C/-65°F to +82°C/185°F.

| BELT IDENTIFICATION  |   |
|--|---|
| Singles: <b>5M1250</b><br><b>5M</b> - Cross Section<br><b>1250</b> - Effective Length (mm)                                   | Banded: <b>2/5M1250</b><br><b>2/</b> - Number of Strands/Ribs followed by slash (/)<br><b>5M</b> - Cross Section<br><b>1250</b> - Effective Length (mm) |
| <b>Available Stock Sizes</b><br><b>3M</b> 7-30 (in)<br><b>5M</b> 11-73 (in)<br><b>7M</b> 16-90 (in)<br><b>11M</b> 27-90 (in) | <b>Available JB Stock Sizes</b><br><b>3M</b> 7-30 (in)<br><b>5M</b> 11-59 (in)<br><b>7M</b> 16-91 (in)<br><b>11M</b> 27-90 (in)                         |



| Belt Identification Chart |           |           |            |           |           |           |            |
|---------------------------|-----------|-----------|------------|-----------|-----------|-----------|------------|
| 1/8"                      | 3/16"     | 9/32"     | 7/16"      | 1/8"      | 1/8"      | 7/32"     | 9/32"      |
| ▼ 3/32"                   | ▼ 1/8"    | ▼ 7/32"   | ▼ 9/32"    | ▼ 3/32"   | ▼ 1/8"    | ▼ 7/32"   | ▼ 9/32"    |
| <b>3M</b>                 | <b>5M</b> | <b>7M</b> | <b>11M</b> | <b>3M</b> | <b>5M</b> | <b>7M</b> | <b>11M</b> |

# MICRO-V®

## MULTI-RIBBED V-BELT

Gates® Micro-V® belts ensure outstanding performance on any industrial multi-ribbed drive. They cover a multitude of industrial applications and are suitable for industrial drives in washing machines, textile machines, vacuum cleaners, lawn mowers, machine tools, medical equipment and many more. Exclusive truncated (shortened) profile gives Gates Micro-V belts increased flexibility, reduced heat buildup and allows performance at higher speeds on smaller diameter sheaves. The full line of Micro-V belt products includes slabs in several widths as well as single belts in J, K, L and M sections in order to perfectly match customer requirements.

### CONSTRUCTION + SPECIFICATIONS

- **Fiber reinforced ribs** for excellent wear resistance.
- **High modulus**, low stretch tensile member for added strength and dependability.
- **Smooth running** for minimal vibration at high speeds.

### FEATURES + BENEFITS

- Well suited for applications such as appliances, outdoor power equipment, roller conveyors, machine tools, medical equipment and exercise equipment.
- Meets ARPM/RMA IP-3-2 oil and heat resistant standards.

| BELT IDENTIFICATION   |
|---|
| <p>Singles: <b>780L16</b></p> <p><b>780</b> - Effective Length in 1/10 inch (78.0")</p> <p><b>L</b> - Cross Section</p> <p><b>16</b> - Number of Ribs</p> |
| <p><b>Available Stock Sizes</b></p> <p><b>J</b> 18-98 (in)</p> <p><b>L</b> 50-146 (in)</p> <p><b>M</b> 90-361 (in)</p>                                    |

| Belt Identification Chart |   |
|---------------------------|---|
| <b>J</b> Section          |   |
| <b>K</b> Section          | <p style="font-size: small;">See Gates.com for automotive K section applications.</p> |
| <b>L</b> Section          |   |
| <b>M</b> Section          |   |







# POWER ROUND™ & ROUND ENDLESS

## WRAPPED, ROUND PROFILE BELT







Power Round belts are designed for more demanding applications. Round endless (standard) are designed to provide optimal grip in a low-torque application and are able to steadily maintain rotating parts in your power transmission systems with virtually no maintenance or re-tensioning.

### CONSTRUCTION + SPECIFICATIONS

- **Flex-Bonded cords** are chemically forged to the belt body, providing equal load distribution and bending stress absorption without cord deterioration.
- **Flex-Weave™** oil and heat resistant cover protects the belt core from the toughest environments. The Power Round variant is a Double Layer cover for extended protection.
- **Power Round** variant also features an Alignment Stripe that runs the entire length of the belt to aid in eliminating belt twist during installation.

### FEATURES + BENEFITS

- Power Round and Round Endless belts are ideal for quarter-turn or twisted drives, serpentine drives, power turn and line shaft conveyors and commercial sewing machines.
- Minimal stretch for minimum take-up requirements.
- No splice for added durability.
- Meets ARPM/RMA IP-3-2 oil and heat resistant standards.
- Meets ARPM/RMA IP-3-3 static conductivity requirements.
- REACH and RoHS 2 compliant.
- Operating temperature range: -30°C/-22°F to +82°C/180°F.

| Belt Identification Chart   |       |   |       |
|---|-------|---|-------|
|  | 1/4"  |  | 7/16" |
|  | 5/16" |  | 1/2"  |
|  | 3/8"  |  | 9/16" |



| BELT IDENTIFICATION   |   |
|---|---|
| <b>Power Round: 9 X 54 PR</b><br><b>9</b> - Belt Diameter in 1/16 inch (9/16")<br><b>54</b> - Inside Length (in)<br><b>PR</b> - Power Round | <b>Round Endless: 6 X 44 RE</b><br><b>6</b> - Belt Diameter in 1/16 inch (3/8")<br><b>44</b> - Inside Length (in)<br><b>RE</b> - Round Endless  |
| <b>Available Power Round Stock Sizes</b><br><b>9/16"</b> 41-660 (in)  | <b>Available Round Endless Stock Sizes</b><br><b>1/4"</b> 33-85 (in)<br><b>5/16"</b> 33-90 (in)<br><b>3/8"</b> 33-120 (in)<br><b>7/16"</b> 33-106 (in)<br><b>1/2"</b> 68-106 (in)<br><b>9/16"</b> 41-660 (in) |





# NU-T-LINK™

## POLYURETHANE REINFORCED CLASSICAL SECTION OPEN END LINK V-BELT

Designed for rapid installation in an assortment of lengths and operating conditions.

### CONSTRUCTION + SPECIFICATIONS

- Excellent substitute for emergency repairs and quick belt replacement in difficult/tight assembly areas.

**BELT IDENTIFICATION**

**NTL/A**  
**NTL** - Nu-T-Link  
**A** - Cross Section  
**Standard length:** 50' Reels  
**The studs are color coded:** O - Red; A - Silver; B - Green; C - Blue

**Available Stock Sizes**  
 O, A, B, C

**Belt Identification Chart**

|          |          |          |          |
|----------|----------|----------|----------|
| $3/8"$   | $1/2"$   | $21/32"$ | $7/8"$   |
|          |          |          |          |
| <b>O</b> | <b>A</b> | <b>B</b> | <b>C</b> |
| SECTION  | SECTION  | SECTION  | SECTION  |

### FEATURES + BENEFITS

- Suitable alternative to standard belts on all industrial applications and particularly suited to drives requiring link belting for ease of installation.
- Color-coded studs make for easy identification and installation.
- Orange Polyurethane/Polyester composite resists oil, water, chemicals and heat.
- May be assembled in an assortment of lengths to fit multiple drive configurations.
- Not for use with backside idler applications.
- Does not meet RMA static conductivity requirements.
- Operating temperature range: -40°C/-40°F to +100°C/212°F.





# EASY-SPLICE

## WRAPPED, CLASSICAL SECTION OPEN-END SPLICEABLE V-BELT

Easy-Splice V-Belting has dependable, non-slip design with minimal stretch characteristics made to outlast other types of open-end belting.

### CONSTRUCTION + SPECIFICATIONS

- **Resilient tensile cords** impart high strength and keep stretch to a minimum, prolonging belt life and reducing maintenance.
- **Square-cut fabric reinforcement** provides a tough, durable anchor for the fastener, while allowing the belt to remain flexible.

### FEATURES + BENEFITS

- Suitable alternative to standard belts on all industrial applications and particularly suited to drives requiring connected belting for ease of installation.
- Meets ARPM/RMA IP-3-2 oil and heat resistant standards.
- Meets ARPM/RMA IP-3-3 static conductivity requirements.
- REACH and RoHS 2 compliant.
- Operating temperature range: -30°C/-22°F to +60°C/140°F.


#### BELT IDENTIFICATION

**BVO/500**  
**B** - Cross Section  
**VO** - Open Ended  
**500** - Roll Length (+/- 10')  
**Standard Length:** Sold in full reels only, fasteners sold separately


**Available Stock Size Roll Lengths (+/- 10')**  
**AVO** 525  
**BBVO** 350  
**BVO** 500  
**CVO** 450  
**DVO** 160



#### Belt Identification Chart



| Section | Top Width |
|---------|-----------|
| A       | 1/2"      |
| BB      | 21/32"    |
| B       | 21/32"    |
| C       | 7/8"      |
| D       | 1 1/4"    |



### **3. SYNCHRONOUS METAL**

# POLY CHAIN® GT™ SPROCKETS

Poly Chain GT sprockets use the tooth profile designed and developed by Gates and function with Gates Poly Chain GT belts in all existing constructions. These sprockets are statically balanced to make sure the entire belt drive is as safe as possible. Furthermore, they are manufactured, specified, and tested to perfectly support the full power capabilities of the Gates Poly Chain belt product range. Belts and sprockets used together get the best out of your belt drive: maximum performance, prolonged antistatic properties and optimal lifetime.

## CONSTRUCTION + SPECIFICATIONS

- Specifically designed for optimum performance with all Gates Poly Chain GT belts.
- Available in 14MX, 8MX and 5MGT.
- Sprocket materials include Stainless Steel, Gray Iron, Ductile Iron, Sintered Steel, Cast Iron and Steel.
- Available in Minimum Plain Bore (MPB), Taper-Lock Bushings, Re-Bore, and QD Bushings for ACHE applications.

## FEATURES + BENEFITS

- Split bushing allows easy installation and removal.
- Precise sprocket design produces positive, press fit to shaft.
- Smaller, narrower sprockets save shaft space, keep the load closer to the bearing and extend the life of the reducer.
- Precision manufactured and static balanced.

## SPROCKET IDENTIFICATION

### 14MX-50S-37

**14MX** - 14mm Pitch

**50S** - Number of Grooves

**37** - Belt Width (mm)

Durable punched markings indicate the sprocket dimensions.

### Sprocket Range

**14MX** 28 to 224 grooves - For standard belts widths of 20, 37, 68, 90, 125 (mm)

**8MX** 22 to 224 grooves - For standard belts widths of 12, 21, 36, 62 (mm)

**5MGT** 22 to 224 grooves - For standard belts widths of 9, 15, 25 (mm)





# POWERGRIP™ SPROCKETS & PULLEYS

PowerGrip Sprockets and Pulleys provide optimum performance for all constructions of PowerGrip GT, PowerGrip HTD and PowerGrip Timing belts. PowerGrip sprockets are precision manufactured and static balanced to eliminate sprocket wobble.

## CONSTRUCTION + SPECIFICATIONS

- Specifically designed for optimum performance with all Gates PowerGrip GT, PowerGrip HTD and PowerGrip Timing belts.
- Available in 14MGT, 8MGT, 5MGT, 3MR, 2MR, 20M, 5M, 3M, MXL, XL, L, H.
- Sprocket materials include Stainless Steel, Aluminum, Gray Iron, Ductile Iron, Sintered Steel, Cast Iron and Steel.
- Available in Minimum Plain Bore (MPB), Taper-Lock Bushings, and QD Bushings for ACHE applications.

## FEATURES + BENEFITS

- Full split in bushing allows easy installation and removal.
- Precise sprocket design produces positive, press fit to shaft.
- Smaller, narrower sprockets save shaft space, keep the load closer to the bearing and extend the life of the reducer.
- Precision manufactured and static balanced.

## SPROCKET IDENTIFICATION

### P50-14MGT-40

**P50** - Number of Grooves  
**14MGT** - 14mm Pitch  
**40** - Belt Width (mm)

### TL18L050

**TL** - Taper Lock Bushing  
**18** - Number of Grooves  
**L** - Pitch (0.375")  
**050** - Belt Width (in)

Durable punched markings indicate the sprocket dimensions.

### Sprocket Range

**14MGT** 28 to 224 grooves - For standard belts widths of 40, 55, 85, 115, 170 (mm)  
**8MGT** 22 to 192 grooves - For standard belts widths of 12, 20, 30, 50, 85 (mm)  
**5MGT** 12 to 112 grooves - For standard belts widths of 9, 15, 25 (mm)  
**3MR** 16 to 120 grooves - For standard belts widths of 6, 9, 15 (mm)  
**2MR** 12 to 120 grooves - For standard belts widths of 4, 6, 9 (mm)  
**20M** 34 to 216 grooves - For standard belts widths of 115, 170, 230, 290, 340 (mm)  
**5M** 12 to 72 grooves - For standard belts widths of 9, 15 (mm)  
**3M** 10 to 72 grooves - For standard belts widths of 6, 9 (mm)  
**MXL** 10 to 120 grooves - For standard belts widths of 1/8, 3/16, 1/4 (in)  
**XL** 10 to 72 grooves - For standard belts widths of 1/4, 3/8 (in)  
**L** 10 to 84 grooves - For standard belts widths of 1/2, 3/4, 1 (in)  
**H** 14 to 120 grooves - For standard belts widths of 3/4, 1, 1-1/2, 2, 3 (in)



## Table of Contents

| DESCRIPTION   | PAGE    | DESCRIPTION  | PAGE    |
|---|---------|--|---------|
| <b>Tension Testers</b>  |         | <b>Synchronous Metal(Continued)</b>                        |         |
| Preventive Maintenance Tools .....                                | 1       | Draftguard® Anti-Rotation Device .....                     | 201     |
| <b>Synchronous Belts</b>  |         | <b>Heavy Duty V-Belt Metal</b>                             |         |
| Poly Chain® GT® Carbon™ Belts (8M, 14M, 19M) .....                | 2-5     | Super HC® Sheaves - QD® (3V, 5V, 8V) .....                 | 202-210 |
| Poly Chain® ADV™ Belts (14M) .....                                | 6-7     | Multi-Duty® Sheaves - QD® .....                            | 211-221 |
| Poly Chain® Carbon™ Volt™ Belts (8M, 14M) .....                   | 8-11    | JVS Adjustable Speed Sheaves - Bored-to-Size .....         | 222     |
| Poly Chain® GT® Carbon™ Extended Length Belts .....               | 12      | 5VS and 8VS Adjustable Speed Sheaves - QD® .....           | 223     |
| Poly Chain® GT® Carbon™ Belts (8M Short Length) .....             | 13      | SVS Adjustable Speed Sheaves - Bored-To-Size .....         | 224-225 |
| Poly Chain® GT® Carbon™ Belts (5M) .....                          | 14      | <b>Light Duty V-Belt Metal</b>                             |         |
| Poly Chain® HTD® Belts (14M) .....                                | 15      | Light Duty Sheaves - Bored-to-Size .....                   | 226-229 |
| Curve Saw Poly Chain® GT®2 Belts .....                            | 16      | Light Duty Sheaves - Variable Pitch .....                  | 230     |
| PowerGrip® GT®4 Belts (8M, 14M, ACHE) .....                       | 17-20   | Light Duty Sheaves - QT Bushed .....                       | 231-233 |
| PowerGrip® GT®3 Belts (5M) .....                                  | 21-22   | <b>Bushings</b>  |         |
| PowerGrip® GT®3 Belts (2M, 3M) .....                              | 23-26   | QD® Bushings - English Sizes .....                         | 234-236 |
| PowerGrip® HTD® Belts (3M, 5M, 8M, 14M, 20M) .....                | 27-37   | QD® VS Bushings - English Sizes (5VS, 8VS) .....           | 237     |
| PowerGrip® Timing Belts (MXL, XL, L, H, XH, XXH) .....            | 38-49   | QD® Bushings - Metric Sizes .....                          | 238     |
| Cotton Cleaner Belts .....  | 50      | Taper-Lock® Bushings - English Sizes .....                 | 239-243 |
| PowerGrip® GT® TruMotion® Belts .....                             | 51      | Stainless Steel Taper-Lock® Bushings - English Sizes ..... | 244     |
| PowerGrip® GT®2 Twin Power® Belts (8M, 14M) .....                 | 52-54   | Taper-Lock® Bushings - Metric Sizes .....                  | 245     |
| PowerGrip® GT®2 Twin Power® Belts (3MR, 5MR) .....                | 55-56   | Stainless Steel Taper-Lock® Bushings - Metric Sizes .....  | 246     |
| PowerGrip® HTD® Twin Power® Belts (3mm, 5mm) .....                | 57-58   | Taper-Lock® Bushings - Reborable .....                     | 247     |
| PowerGrip® Twin Power® Timing Belts (TPXL, TPL, TPH) .....        | 59-65   | QT-Type Bushings .....                                     | 248     |
| Long-Length Poly Chain® GT® Carbon™ Belting .....                 | 66      | <b>Idlers</b>  |         |
| Long-Length PowerGrip® GT®2 Belting .....                         | 67      | Flat Idler Pulley .....                                    | 249     |
| Long-Length PowerGrip® HTD® Belting .....                         | 68      | Poly Chain® GT® Carbon™ Idler Sprocket .....               | 250     |
| Long-Length PowerGrip® Timing Belting .....                       | 69      | Nickel Plated Poly Chain® GT® Carbon™ Idler Sprocket ..... | 250     |
| Synchro-Power® Polyurethane Belting .....                         | 70      | PowerGrip® GT® Idler Sprocket .....                        | 250     |
| Synchro-Power® Polyurethane Belts (T5, T10, AT5, AT10) .....      | 71-90   | Idler Brackets .....                                       | 251     |
| Synchro-Power Polyurethane Belts Made-to-Order .....              | 91-92   | Nickel Plated Idler Brackets .....                         | 251     |
| Synchro-Power® Polyurethane Timing Belts (H, L) .....             | 93-94   | Idler Bushings .....                                       | 252     |
| Synchro-Power Polyurethane Timing Belts Made-to-Order .....       | 95      | <b>General</b>   |         |
| <b>Heavy Duty Belts</b>   |         | Footnotes .....  | 253     |
| Predator® Single Belts (AP, BP, CP, 5VP, 8VP, SPBP, SPCP) .....   | 96-98   |  |         |
| Predator® PowerBand® Belts (CP, 3VP, 5VP, 8VP) .....              | 99-101  |  |         |
| Super HC® XP™ (Notched Premium) Belts .....                       | 102     |  |         |
| Super HC® XP™ (Notched Premium) PowerBand® Belts .....            | 103     |  |         |
| Super HC® Molded Notch Belts (3VX, 5VX, 8VX) .....                | 104-105 |  |         |
| Super HC® Molded Notch PowerBand® Belts (3VX, 5VX) .....          | 106-107 |  |         |
| Super HC® Belts (3V, 5V, 8V) .....                                | 108-109 |  |         |
| Super HC® PowerBand® Belts (3V, 5V, 8V) .....                     | 110-112 |  |         |
| Tri-Power® Belts (AX, BX, CX) .....                               | 113-115 |  |         |
| Tri-Power® PowerBand® Belts (BX, CX) .....                        | 116-117 |  |         |
| Hi-Power® II Belts (A, B, C, D, E) .....                          | 118-123 |  |         |
| Hi-Power® II PowerBand® V-Belts (A, B, C, D) .....                | 124-128 |  |         |
| Metric-Power™ V-Belts .....                                       | 129-131 |  |         |
| Xtreme V-Force™ Pro (A, B) .....                                  | 132-133 |  |         |
| Hi-Power® II Dubl-V Belts (AA, BB, CC, DD) .....                  | 134-135 |  |         |
| Dubl-V Feather Picker Belts (AA, BB) .....                        | 136     |  |         |
| PowerBack® Belts .....  | 137     |  |         |
| Power Curve® Belts .....  | 138     |  |         |
| Micro-V® Belts (J, L, M) .....                                    | 139-140 |  |         |
| Power Round® Belts (9/16") .....                                  | 141     |  |         |
| Round Endless Belts (1/4", 5/16", 3/8", 7/16", 1/2", 9/16") ..... | 142-144 |  |         |
| Multi-Speed Belts (Variable Speed) .....                          | 145-148 |  |         |
| Quick-Link® Emergency V-Belts .....                               | 149     |  |         |
| Nu-T-Link® Belting .....  | 150     |  |         |
| Easy-Splice V-Belting .....                                       | 151     |  |         |
| <b>Light Duty Belts</b>   |         |  |         |
| Truflex® V-Belts (2L, 3L, 4L, 5L) .....                           | 152-154 |  |         |
| PoweRated® V-Belts (67, 68, 69) .....                             | 155-157 |  |         |
| Polyflex® Belts (3M, 5M, 7M, 11M) .....                           | 158-159 |  |         |
| Polyflex® JB® Belts (3M, 5M, 7M, 11M) .....                       | 160-164 |  |         |
| <b>Synchronous Metal</b>  |         |  |         |
| Poly Chain® GT® Sprockets (8M, 14M, ACHE) .....                   | 165-172 |  |         |
| Poly Chain® GT® Sprockets - Stainless Steel .....                 | 173     |  |         |
| Poly Chain® GT® Sprockets - Re-Bore (8MX, 14MX) .....             | 174     |  |         |
| PowerGrip® GT® and Poly Chain® GT® (5M Sprockets) .....           | 175-176 |  |         |
| PowerGrip® GT® Sprockets (5MGT) .....                             | 177-178 |  |         |
| PowerGrip® GT® Sprockets (8M, 14M, ACHE) .....                    | 179-184 |  |         |
| PowerGrip® GT® Sprockets (2MR, 3MR) .....                         | 185-188 |  |         |
| PowerGrip® HTD® Sprockets (3M, 5M, 20M) .....                     | 189-193 |  |         |
| PowerGrip® Timing Pulleys (MXL, XL, L, H) .....                   | 194-199 |  |         |
| Clamping Plates for Long Length Belting .....                     | 200     |  |         |

Note: For the latest G-Force®, G-Force® C12® & RedLine Belts - see [www.gates.com](http://www.gates.com) for exact application fitment And part offering.  
BladeRunner® Belts - see [www.gates.com](http://www.gates.com) for exact application fitment And part offering.



Index

| DESCRIPTION   | PAGE    | DESCRIPTION  | PAGE    |
|---|---------|--|---------|
| <b>Belts</b>  |         | <b>Metal Products</b>                                      |         |
| Cotton Cleaner Belts .....  | 50      | 5VS and 8VS Adjustable Speed Sheaves - QD® .....           | 223     |
| Curve Saw Poly Chain® GT®2 Belts .....                            | 16      | Clamping Plates for Long Length Belting .....              | 200     |
| Dubl-V Feather Picker Belts (AA, BB) .....                        | 136     | Draftguard® Anti-Rotation Device .....                     | 201     |
| Easy-Splice V-Belting .....                                       | 151     | Flat Idler Pulley .....                                    | 249     |
| Hi-Power® II Belts (A, B, C, D, E) .....                          | 118-123 | Idler Brackets .....                                       | 251     |
| Hi-Power® II Dubl-V Belts (AA, BB, CC, DD) .....                  | 134-135 | Idler Bushings .....                                       | 252     |
| Hi-Power® II PowerBand® V-Belts (A, B, C, D) .....                | 124-128 | JVS Adjustable Speed Sheaves - Bored-to-Size .....         | 222     |
| Long-Length Poly Chain® GT® Carbon™ Belting .....                 | 66      | Light Duty Sheaves - Bored-to-Size .....                   | 226-229 |
| Long-Length PowerGrip® GT®2 Belting .....                         | 67      | Light Duty Sheaves - QT Bushed .....                       | 231-233 |
| Long-Length PowerGrip® HTD® Belting .....                         | 68      | Light Duty Sheaves - Variable Pitch .....                  | 230     |
| Long-Length PowerGrip® Timing Belting .....                       | 69      | Multi-Duty® Sheaves - QD® .....                            | 211-221 |
| Metric-Power™ V-Belts .....                                       | 129-131 | Nickel Plated Idler Brackets .....                         | 251     |
| Micro-V® Belts (J, L, M) .....                                    | 139-140 | Nickel Plated Poly Chain® GT® Carbon™ Idler Sprocket ..... | 250     |
| Multi-Speed Belts (Variable Speed) .....                          | 145-148 | Poly Chain® GT® Carbon™ Idler Sprocket .....               | 250     |
| Nu-T-Link® Belting .....  | 150     | Poly Chain® GT® Sprockets - Re-Bore (8MX, 14MX) .....      | 174     |
| Poly Chain® ADV™ Belts (14M) .....                                | 6-7     | Poly Chain® GT® Sprockets - Stainless Steel .....          | 173     |
| Poly Chain® Carbon™ Volt™ Belts (8M, 14M) .....                   | 8-11    | Poly Chain® GT® Sprockets (8M, 14M, ACHE) .....            | 165-172 |
| Poly Chain® GT® Carbon™ Belts (5M) .....                          | 14      | PowerGrip® GT® and Poly Chain® GT® (5M Sprockets) .....    | 175-176 |
| Poly Chain® GT® Carbon™ Belts (8M Short Length) .....             | 13      | PowerGrip® GT® Idler Sprocket .....                        | 250     |
| Poly Chain® GT® Carbon™ Belts (8M, 14M, 19M) .....                | 2-5     | PowerGrip® GT® Sprockets (2MR, 3MR) .....                  | 185-188 |
| Poly Chain® GT® Carbon™ Extended Length Belts .....               | 12      | PowerGrip® GT® Sprockets (5MGT) .....                      | 177-178 |
| Poly Chain® HTD® Belts (14M) .....                                | 15      | PowerGrip® GT® Sprockets (8M, 14M, ACHE) .....             | 179-184 |
| Polyflex® Belts (3M, 5M, 7M, 11M) .....                           | 158-159 | PowerGrip® HTD® Sprockets (3M, 5M, 20M) .....              | 189-193 |
| Polyflex® JB® Belts (3M, 5M, 7M, 11M) .....                       | 160-164 | PowerGrip® Timing Pulleys (MXL, XL, L, H) .....            | 194-199 |
| Power Curve® Belts .....  | 138     | QD® Bushings - English Sizes .....                         | 234-236 |
| Power Round® Belts (9/16") .....                                  | 141     | QD® Bushings - Metric Sizes .....                          | 238     |
| PowerRated® V-Belts (67, 68, 69) .....                            | 155-157 | QD® VS Bushings - English Sizes (5VS, 8VS) .....           | 237     |
| PowerBack® Belts .....  | 137     | QT-Type Bushings .....                                     | 248     |
| PowerGrip® GT® TruMotion® Belts .....                             | 51      | Stainless Steel Taper-Lock® Bushings - English Sizes ..... | 244     |
| PowerGrip® GT®2 Twin Power® Belts (3MR, 5MR) .....                | 55-56   | Stainless Steel Taper-Lock® Bushings - Metric Sizes .....  | 246     |
| PowerGrip® GT®2 Twin Power® Belts (8M, 14M) .....                 | 52-54   | Super HC® Sheaves - QD® (3V, 5V, 8V) .....                 | 202-210 |
| PowerGrip® GT®3 Belts (2M, 3M) .....                              | 23-26   | SVS Adjustable Speed Sheaves - Bored-To-Size .....         | 224-225 |
| PowerGrip® GT®3 Belts (5M) .....                                  | 21-22   | Taper-Lock® Bushings - English Sizes .....                 | 239-243 |
| PowerGrip® GT®4 Belts (8M, 14M, ACHE) .....                       | 17-20   | Taper-Lock® Bushings - Metric Sizes .....                  | 245     |
| PowerGrip® HTD® Belts (3M, 5M, 8M, 14M, 20M) .....                | 27-37   | Taper-Lock® Bushings - Reborable .....                     | 247     |
| PowerGrip® HTD® Twin Power® Belts (3mm, 5mm) .....                | 57-58   |  |         |
| PowerGrip® Timing Belts (MXL, XL, L, H, XH, XXH) .....            | 38-49   |  |         |
| PowerGrip® Twin Power® Timing Belts (TPXL, TPL, TPH) .....        | 59-65   |  |         |
| Predator® PowerBand® Belts (CP, 3VP, 5VP, 8VP) .....              | 99-101  |  |         |
| Predator® Single Belts (AP, BP, CP, 5VP, 8VP, SPBP, SPCP) .....   | 96-98   |  |         |
| Quick-Link® Emergency V-Belts .....                               | 149     |  |         |
| Round Endless Belts (1/4", 5/16", 3/8", 7/16", 1/2", 9/16") ..... | 142-144 |  |         |
| Super HC® Belts (3V, 5V, 8V) .....                                | 108-109 |  |         |
| Super HC® Molded Notch Belts (3VX, 5VX, 8VX) .....                | 104-105 |  |         |
| Super HC® Molded Notch PowerBand® Belts (3VX, 5VX) .....          | 106-107 |  |         |
| Super HC® PowerBand® Belts (3V, 5V, 8V) .....                     | 110-112 |  |         |
| Super HC® XP™ (Notched Premium) Belts .....                       | 102     |  |         |
| Super HC® XP™ (Notched Premium) PowerBand® Belts .....            | 103     |  |         |
| Synchro-Power Polyurethane Belts Made-to-Order .....              | 91-92   |  |         |
| Synchro-Power Polyurethane Timing Belts Made-to-Order .....       | 95      |  |         |
| Synchro-Power® Polyurethane Belting .....                         | 70      |  |         |
| Synchro-Power® Polyurethane Belts (T5, T10, AT5, AT10) .....      | 71-90   |  |         |
| Synchro-Power® Polyurethane Timing Belts (H, L) .....             | 93-94   |  |         |
| Tri-Power® Belts (AX, BX, CX) .....                               | 113-115 |  |         |
| Tri-Power® PowerBand® Belts (BX, CX) .....                        | 116-117 |  |         |
| Truflex® V-Belts (2L, 3L, 4L, 5L) .....                           | 152-154 |  |         |
| Xtreme V-Force™ Pro (A, B) .....                                  | 132-133 |  |         |

# GENERAL INFORMATION AND GLOSSARY

## DIMENSIONS

Gates reserves the right to make changes in design or dimensions of standard products to improve their quality or to accommodate improved manufacturing techniques. All dimensions in this catalog are for reference only.

## WEIGHTS

All weights are close approximations and may vary slightly from actual weights.

## GLOSSARY

### ORDERING TERMINOLOGY

**PBL** — “Private Brand Label” of Gates standard line belts. Available upon customer request. PBL products are made-to-order and may require additional lead times and cost.

#### Standard/Non-Stock Belt Products

— Products do not require minimum production quantities but may require production lead time and items are not returnable. Check with customer service for details.

#### Standard/Non-Stock Metal Products

— Products do not require minimum production quantities but may require production lead time and items are not returnable. Check with customer service for details.

**Stock Belt Products** — Products in this catalog are stock unless otherwise noted.

### BELT PRODUCTS TERMINOLOGY

**Aramid Tensile Members** — Available in several stock lines and on an MTO basis. Also referred to as Kevlar® or Flexten®.

**Arched Top** — Construction feature that provides superior strength to prevent distortion of the tensile section.

**Banded** — Belts with a fabric cover over the belt body. Also referred to as wrapped or covered belts.

**Bandless** — Belts with no fabric cover. Also referred to as cut edge, raw edge or machined edge.

**Bareback** — Belts manufactured without rubber material being applied to the outside surface of the banded belt. Also known as low friction, dry cover or clutching cover.

**Belt Body** — The main part of any belt that generally surrounds, supports and protects the load-carrying tensile cords.

## TRANSPORTATION POLICY

All prices are F.O.B. point of shipment. The “F.O.B. point of shipment” term means that the title to the goods, as well as the full responsibility of all aspects of the shipment, passes to the consignee (customer) at time of shipment, and any tracking or claims against the carrier for loss or damage become the responsibility of the consignee.

## AIRCRAFT POLICY

**WARNING! BE SAFE!** Do not use Gates belts, pulleys or sprockets on aircraft propeller or rotor drive systems or in-flight accessory drives. Gates products are not designed or intended for aircraft use.

**Belting** — see **Long Length**.

**Carbon Tensile Member (U.S. Patent 5,807,194 & 5,112,282)** — Currently available in Poly Chain® GT™ Carbon™ belts.

**Compound** — Mixtures of rubber, plastics and other materials that are used to form the body of the belt.

**Concave Sides (U.S. Patent 1,813,698)** — Construction that allows the belt to make uniform contact with sheave groove, thus distributing wear uniformly.

**Datum Diameter** — A system that defines specific sheave and belt dimensions, previously known as the pitch system (diameter or length) for classical belts and sheaves.



# GENERAL INFORMATION AND GLOSSARY

**Effective Length (E.L.)** — A standard length measurement that accounts for varying construction and manufacturing methods in the industry. The length is determined by adding the effective circumference to twice the measured center distance using sheaves and an applied tension specified by the ARPM.

**Endless** — also known as truly endless, a belt manufactured in a continuous circle, never utilizing a splice or joint.

**Ethylene Elastomer** — a unique rubber construction that provides improved performance and heat resistance.

**Extended Length™** — a descriptor of Poly Chain® GT™ Carbon™ belts that are longer than the standard catalog lengths. Extended Length is achieved through a special manufacturing process. Design support is available from Product Application for drives needing Gates Extended Length solutions.

**Flex Bonded Cord** — Strong chemical bond between rubber body and tensile cord. Allows for absorption of bending stress and long service life. Avoids premature failure due to cord separation.

**Flex-Weave™ Cover (U.S. Patent 2,519,590)** — Nylon and cotton blended fabric construction that increases flexibility and reduces cover stress providing longer cover life and longer protection of belt core.

**Gates Curves** — Belts with this feature compensate for effects that occur when a V-belt bends in a sheave. Curved belts feature concave sides, radius relief and arched tops.

**Hi-Power™ II Belt** — Gates trade name for belts commonly referred to as classical, wedge or conventional.

**Idler** — (1) A non-powered pulley, sheave, sprocket or wheel around which a belt travels. (2) A non-powered roll or rolls supporting a belt.

**Long Length** — also known as belting, the same construction as a conventional belt but not in a continuous circle. Long Length belting is used in applications such as rack systems, linear actuators, automatic commercial door openers, garage door openers, etc.

**Metric Power™ Belt** — Gates trade name for molded notch, narrow and classical section V-belts in metric sizes.

**Micro-V® Belt** — Gates trade name for belts commonly referred to as V-ribbed, multi-rib and Poly-V.

**Molded Notch Belts** — Often referred to as cogged, notched or cut notch belts. Notches reduce bending stress.

**Multi-Speed™ Belts** — Gates trade name for products commonly referred to as variable speed, wide range variable speed, adjustable speed and variable pitch.

**Oil and Heat Resistance (OHR)** — Property of the belt that allows it to withstand the effects of oil, heat, sunlight, ozone, weather and aging.

**Outside Circumference (O.C.)** — The circumference (total length) measured around the outside of the belt, typically with a tape, while the belt is still on the drive. This measurement can be used to determine the closest belt length when a part number is not available.





# GENERAL INFORMATION AND GLOSSARY



**Poly Chain® GT™ Belt** — Gates trade name for a premium, high torque, polyurethane, synchronous belt with aramid tensile cord.

**Poly Chain® GT™ Carbon™ Belt** — Gates trade name for the ultimate, high-torque, polyurethane, synchronous belt utilizing carbon cord as the tensile member.

**Polyflex™ Belt** — a Gates trademark for a polyurethane V-belt that is often used in high precision drives, such as machine tools and small appliances.

**Polyflex™ JB™ Belt** — a Gates trademark for two or more joined polyurethane V-belts.

**PoweRated™ Belt** — Gates trade name for a line of premium fractional horsepower belts.

**PowerBack™ Belt** — Gates trade name for a specialty construction V-belt with a flat back for driving roll-to-roll conveyor applications.

**PowerBand™ Belt** — Gates trade name for two or more belts joined together at the top of the belt. It is also referred to as a joined or banded belt.

**Power Curve™ Belt** — Gates trade name for a special flexible construction V-belt for curved conveyor applications.

**PowerGrip™ Belt** — Gates trade name for several synchronous product lines including timing, HTD™, GT™2, GT™3, GT™4 and Twin Power™.

**PowerGrip™ HTD™/GT™2/GT™3/GT™4 Belts** — Gates trade name for a high-torque drive system with a curvilinear tooth profile. These belts are often referred to as Gilmer, timing, positive or synchronous belts. They are sometimes referred to, in error, as cogged or notched belts.

**Predator™ Belts** — Gates trade name for the highest performing V-belts. Predator belt construction is available in narrow and classical profiles and single and PowerBand™ configurations.

**Radius Relief** — Construction that minimizes corner wear and works with concave sides to assure proper support of the belt.

**Super HC™/Super HC™**

**Molded Notch Belt** — Gates trade name for a drive system commonly known as narrow or deep wedge.

**Superior Length Stability** — Assures V-belts require less re-tensioning and take-up during their service.

**Synchro-Power™** — Gates trade name for endless polyurethane construction belts, also known as Gates TPU™ belts. Also available as long length belting in specialized constructions such as food grade, heavy backing, textured backing, and utilizing various tensile cord materials.

**Synchronous** — Generic term used for power transmission drive systems utilizing toothed belts in mesh with grooved pulleys or sprockets. These systems are also referred to as Gilmer or timing.

**Tensile Cord** — V-belts typically use special polyester cords, with aramid used in some specialty belts, such as Predator™ and PoweRated™ belts. Synchronous belts generally have fiberglass cords, except for the carbon fiber used in Poly Chain® GT™ Carbon™ belts. Steel is rarely used, except in some special or made-to-order synchronous belts.

**Tooth Facing** — Specially woven and treated nylon fabric that reduces friction of the belt in the sprocket and resists abrasion and other tooth damage.



**Tri-Power™ Belts** — Gates trade name for molded notch classical section or conventional belts.

**Truflex™ Belts** — Gates trade name for Fractional Horsepower (FHP) light duty belts.

**PowerGrip™ TruMotion™ Belts** — Gates trade name for white rubber belts for use on light power and precision applications with cleanliness requirements.

**Truncated Rib** — Construction profile that provides improved crack resistance, higher load-carrying capacity and improved flex fatigue resistance.

**Twin Power™ Belts** — Gates trade name for PowerGrip™ rubber synchronous belts ideal for serpentine applications. Twin Power belts are specially made to handle the same load capacity on either side of the belt.

**V80™** — Gates trade name for V-belt matching system that meets ARPM tolerances. Any V80™ belt will match and perform with any other V80™ belt of the same size and type.

**Wrapped** — see Banded.



**POWER TRANSMISSION METAL TERMINOLOGY**

**Bushings** — A hub system that allows adaptation of sheaves, pulleys and sprockets to varying shaft sizes. Common bushing systems offered by Gates are QD™ and Taper-Lock™.

**Idler** — an adjustable free-wheeling pulley used to apply pre-tension to belts and take up slack.

**Pulley** — A common term that usually refers to sheaves, sprockets or pulleys. The term correctly used applies to metal used for PowerGrip™ timing belts.

**Sheaves** — Metal products with “V” shaped grooves specially designed for various types of V-belts.

**Sprockets** — Metal products for high-torque synchronous power transmission systems, such as PowerGrip™ GT™4 and Poly Chain® GT™ Carbon™. Sprockets are specifically designed to transmit power with only the corresponding belt product line.

**Xtreme V-Force™** — Gates trade name for Ethylene Elastomer construction V-belt series.

| THE FOLLOWING SUPER HC™, HI-POWER™ II, TRI-POWER™ AND XVF™ PRO BELTS ARE V80™ BELTS |                    |
|---|--------------------|
| MOLDED NOTCH CONSTRUCTION SINGLE V-BELTS  |                    |
| 3VX250-3VX1400  | XPA630-XPA3000     |
| 5VX350-5VX2000  | XPB1250-XPB3000    |
| 8VX1000-8VX2000   | XPC1800-XPC3000    |
| AX21-AX173  | 10X530LI-10X1750LI |
| BX24-BX300  | 13X715LI-13X4000LI |
| CX51-CX360  | 17X875LI-17X8636LI |
| XPZ604-XPZ3000  | T021               |
| BANDED CONSTRUCTION SINGLE V-BELTS  |                    |
| 3V250-3V1400  | D98-D660           |
| 5V500-5V3550  | E144-E660          |
| 8V1000-8V6000   | SPZ3150-SPZ3550    |
| A24-A200  | SPA3070-SPA4500    |
| B28-B472  | SPB3150-SPB8000    |
| C44-C450  | SPC3150-SPC10600   |
| BANDLESS CONSTRUCTION SINGLE V-BELTS  |                    |
| AR24-AR120  |                    |
| BR23-BR119  |                    |
| MOLDED NOTCH CONSTRUCTION POWERBAND™ V-BELTS  |                    |
| 3VX250-3VX1400  | BX42-BX158         |
| 5VX500-5VX2000  | CX75-CX173         |
| BANDED CONSTRUCTION POWERBAND™ V-BELTS  |                    |
| 3V800-3V1400  | A62-A180           |
| 5V670-5V3550  | B62-B315           |
| 8V1000-8V6000   | C60-C420           |
| D144-D660   |                    |

# SERVICES AND RESOURCES

Gates is committed to providing you the best power transmission products and tools to quickly find the part you need, design better drives, keep your systems up and running, and so much more. Visit **Gates.com** where you'll find the latest industry-leading service, expertise, tools, training, online catalog and other resources to support your operations.

## DESIGN IQ™ SOFTWARE

Design IQ™ provides a blank slate for designing multi-point and complex serpentine belt drives. Utilizing a specific Gates product that you have identified, as well as your drive specifications, the software will calculate belt tension, shaft load, belt length and more.

[gates.com/designIQ](https://gates.com/designIQ)

## DESIGN FLEX™ PRO™ SOFTWARE

Quickly, easily, and accurately design industrial synchronous or V-belt drive systems that fit your specific design parameters, so you can determine every potential belt drive solution for your specific application without wasting any time or money. Our professional-grade design software allows you to print, email, or create PDFs of your design specifications from within the software, with automatic translations to service your global markets.

[gates.com/designflex](https://gates.com/designflex)

## GATESCONNECT.COM

The most up-to-date product and order information at your fingertips. GatesConnect provides real-time product and order information at the click of a button, enabling you to quickly and efficiently manage your business and enhance customer service. With its modern and user-friendly interface, GatesConnect streamlines the customer experience so you can focus on growing your business.

[gatesconnect.com](https://gatesconnect.com)

## PRODUCT APPLICATION ENGINEERING

Our team of Product Application Engineers is dedicated to working with you to help improve the performance of your industrial belt drive. Whether you are a large OE manufacturer or an end user with Gates power transmission products in your application, we are here to provide expert engineering support.

[ptpasupport@gates.com](mailto:ptpasupport@gates.com)  
1.303.744.5800

## ONSITE PLANT AND ENERGY SAVING SURVEYS

Where could cost savings be easily achieved at your facility? Work with Gates to find out specific options for improving productivity, reducing downtime and reducing your energy bill.

To schedule an onsite survey or to learn more, contact your authorized Gates distributor and request onsite Plant and Energy Savings Surveys from Gates.

## PREVENTIVE MAINTENANCE

Proper installation and preventive maintenance procedures contribute to bottom line savings by reducing downtime and increasing production. Gates offers onsite Preventive Maintenance training for you and your staff.

To schedule training or to learn more, contact your authorized Gates distributor and request onsite Preventive Maintenance Training from Gates.

## PARTVIEW™ SYSTEM

Gates PartView is your online source to find industrial belt technical information, part numbers and specifications, materials, and properties, with access to modeling resources, diagrams, and CAD models. CAD Models for select parts are available in Solidworks, AutoCAD, and Pro/Engineer formats.

[gates.com/partview](https://gates.com/partview)

# GATES METALWORKS FOR CUSTOM METAL

When standard products won't work, call the Gates Metalworks Team. Our dedicated staff specializes in providing prototype and production pulleys, sheaves and sprockets to meet your design expectations. No order is too large or too small.

- Pulleys, Sheaves and Sprockets – All Gates Synchronous Profiles and Pitches, Micro-V® and V-belt, Plain or Profiled Idlers
- Bores – Plain, Straight, Tapered, Splined or any special bore. Manufactured to accept Taper-Lock™, Ringfeder™, QD, Torque Tamer, Trantorque™ or other special bushings
- Styles – Bar Stock, Idlers, Ringfeder Connections, Torque Tamers, Custom Configurations, Special Hubs and more
- Material – Aluminum, Steel, Ductile, Cast iron, Phenolic, Stainless Steel or Plastics
- Finishes – Hard Coat, Food Grade, Zinc, Black Anodize, Nickel Plating, Painted, Custom Plating or any Special Coatings
- Other Services – Sub-Assemblies, Press Bearings, Sprocket/Bushing Balance and Index Marking
- Processes – Hob Cutting, Shaper Cutting, Die Casting and Molding



For more information call 1.800.709.6001 or email us at [MakeMyMetal@Gates.com](mailto:MakeMyMetal@Gates.com)

[gates.com/metalworks](http://gates.com/metalworks)



# BELT INSTALLATION + ROTATION DEVICE

## INSTALLATION SECURITY WITH GATES BIRD™

The Gates Belt Installation + Rotation Device (BIRD™) reduces finger and hand injuries during the installation or routine maintenance of a belt drive, by limiting the exposure of hands getting caught in pinch points. While a drive is shut down and locked out, the BIRD safely facilitates a rotational inspection of the drive.

For more information call  
1.303.744.5800 or email us at  
PTPAsupport@gates.com



Product No. 7420-1001





# PREVENTIVE MAINTENANCE TOOLS

Proper tension, installation and maintenance can extend belt life and reduce costly downtime. Some of Gates most popular preventive maintenance tools include:

## SONIC TENSION METER - MODEL 508C

**Product No. 7420-0508**

For extremely accurate belt tension measurement, the Gates Sonic Tension Meter is an electronic device that measures the natural frequency of a free stationary belt span and instantly computes the static belt tension based upon the belt span length, belt width, and belt type. The Sonic Tension Meter can be used with synchronous and V-belts. Other features include:



- Output readings can be switched between pounds, kilograms, newtons and hertz.
- Auto gain control automatically adjusts meter sensitivity.
- Auto frequency range filters for background noise.
- Frequency range from 10 - 5,000 Hz.

## PENCIL TYPE TENSION TESTER

**Product No. 7401-0076**

Maximum deflection force: 30 lbs. For use with all small V-belts and synchronous belts.



## DOUBLE BARREL TENSION TESTER

**Product No. 7401-0075**

Maximum deflection force: 66 lbs. For use with all multiple V-belts and large synchronous belts.



## FIVE BARREL TENSION TESTER

**Product No. 7401-0079**

Maximum deflection force: 165 lbs. For use with multiple V-belts and large synchronous belts.



## EZ ALIGN™ PRECISION LASER ALIGNMENT DEVICES

**Product No. 7420-1000 - Red Laser**

**Product No. 7420-3000 - Green Laser**

**Product No. 7420-4000 - EZ Align XL**

Identifies common types of pulley misalignment.



## SHEAVE GAUGES

**Product No. 7401-0015 - Combo (English & Metric)**

Useful for identifying worn or damaged V-belt sheaves.



| SONIC TENSION METER AND ACCESSORIES |  |
|-------------------------------------|--|
| PROD. NO.                           | DESCRIPTION                              |
| 7420-0205                           | Flat Flexible Sensor                     |
| 7420-0206                           | Cord Sensor                              |
| 7420-0212                           | Inductive Sensor (Magnets Included)      |
| 7420-0508                           | Sonic Tension Meter Model 508C           |
| 7420-1212                           | Replacement Magnets for Inductive Sensor |

| TENSIONING AND ALIGNMENT DEVICES |  |
|----------------------------------|--|
| PROD. NO.                        | DESCRIPTION                                |
| 7401-0076                        | 30 Lb. Pencil Type                         |
| 7401-0075                        | 66 Lb. Double Barrel                       |
| 7401-0079                        | 165 Lb. Five Barrel                        |
| 7401-0015                        | Sheave Gauge - Combo (English & Metric)    |
| 7420-1001                        | Belt Installation + Rotation Device (BIRD) |
| 7420-1000                        | EZ Align Laser Alignment Device - Red      |
| 7420-3000                        | EZ Align Laser Alignment Device - Green    |
| 7420-4000                        | EZ Align XL Laser Alignment Device         |



**NOTES**



## Preventive Maintenance Tools

### Sonic Tension Meter and Accessories

| Part No.                  | Product No. | Weight (Lbs.) |
|---------------------------|-------------|---------------|
| 3/8 X 1/16 DISK MAGNET    | 7420-1212   | .030          |
| 205 FLAT FLEXIBLE SENSOR  | 7420-0205   | 2.700         |
| 206 CORD SENSOR           | 7420-0206   | .200          |
| 212 INDUCTIVE SENSOR      | 7420-0212   | .100          |
| 508 C SONIC TENSION METER | 7420-0508   | .950          |
| BELT PM TOOL BOX          | 7420-2000   | 2.500         |

### Preventive Maintenance Tools

| Part No.                       | Product No. | Weight (Lbs.) |
|--------------------------------|-------------|---------------|
| BELT INSTALL AND ROTATE DEVICE | 7420-1001   | 12.250        |

### Tensioning and Alignment Devices

| Part No.                  | Product No. | Weight (Lbs.) |
|---------------------------|-------------|---------------|
| 30 LB TENSION TESTER      | 7401-0076   | .150          |
| 66 LB TENSION TESTER      | 7401-0075   | .400          |
| 165 LB TENSION TESTER     | 7401-0079   | 1.000         |
| EZ ALIGN LASER TOOL       | 7420-1000   | 2.300         |
| EZ ALIGN TOOL-GREEN LASER | 7420-3000   | 2.500         |
| GATES EZ ALIGN TOOL - XL  | 7420-4000   | 6.500         |
| SHEAVE GAUGE COMBO        | 7401-0015   | .020          |



# Poly Chain® GT® Carbon™ Belts

## Recommended Sprockets

Poly Chain GT Sprockets - 8M and 14M

### Notes

Belt pitch is the distance in millimeters between two adjacent tooth centers as measured on the pitch line of the belt. Belt pitch length is the total length (circumference) in millimeters as measured along the pitch line. The theoretical pitch line of a Poly Chain GT Carbon belt lies within the tensile member. Poly Chain GT Carbon belts can be used on existing drives as replacement for previous generation Poly Chain belts.

**WARNING:** Always utilize Taper-Lock type Poly Chain GT Sprockets when designing a new Poly Chain GT Carbon belt drive system.

Use of non-Gates manufactured sprockets is not recommended: Gates Poly Chain GT sprockets are manufactured, specified and tested to fully support the full capabilities of the Poly Chain GT Carbon belt. Product performance cannot be guaranteed when non-Gates sprockets are used.

## Product No. Series 9274

### 8mm Pitch — 12mm Wide

| Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|--------------|-------------|-----------------|-------------------|---------------|
| 8MGT-640-12  | 9274-0080   | 80              | 25.20             | .079          | 8MGT-2000-12 | 9274-0250   | 250             | 78.74             | .248          |
| 8MGT-720-12  | 9274-0090   | 90              | 28.35             | .089          | 8MGT-2200-12 | 9274-0275   | 275             | 86.61             | .273          |
| 8MGT-800-12  | 9274-0100   | 100             | 31.50             | .099          | 8MGT-2240-12 | 9274-0280   | 280             | 88.19             | .278          |
| 8MGT-896-12  | 9274-0112   | 112             | 35.28             | .111          | 8MGT-2400-12 | 9274-0300   | 300             | 94.49             | .298          |
| 8MGT-960-12  | 9274-0120   | 120             | 37.80             | .119          | 8MGT-2520-12 | 9274-0315   | 315             | 99.21             | .313          |
| 8MGT-1000-12 | 9274-0125   | 125             | 39.37             | .124          | 8MGT-2600-12 | 9274-0325   | 325             | 102.36            | .323          |
| 8MGT-1040-12 | 9274-0130   | 130             | 40.95             | .129          | 8MGT-2800-12 | 9274-0350   | 350             | 110.24            | .347          |
| 8MGT-1120-12 | 9274-0140   | 140             | 44.09             | .139          | 8MGT-2840-12 | 9274-0355   | 355             | 111.81            | .352          |
| 8MGT-1200-12 | 9274-0150   | 150             | 47.24             | .149          | 8MGT-3048-12 | 9274-0381   | 381             | 120.00            | .378          |
| 8MGT-1224-12 | 9274-0153   | 153             | 48.19             | .152          | 8MGT-3200-12 | 9274-0400   | 400             | 125.98            | .397          |
| 8MGT-1280-12 | 9274-0160   | 160             | 50.39             | .159          | 8MGT-3280-12 | 9274-0410   | 410             | 129.13            | .407          |
| 8MGT-1440-12 | 9274-0180   | 180             | 56.69             | .179          | 8MGT-3600-12 | 9274-0450   | 450             | 141.73            | .447          |
| 8MGT-1600-12 | 9274-0200   | 200             | 62.99             | .199          | 8MGT-4000-12 | 9274-0500   | 500             | 157.48            | .496          |
| 8MGT-1760-12 | 9274-0220   | 220             | 69.29             | .218          | 8MGT-4400-12 | 9274-0550   | 550             | 173.23            | .546          |
| 8MGT-1792-12 | 9274-0224   | 224             | 70.55             | .222          | 8MGT-4480-12 | 9274-0560   | 560             | 176.38            | .556          |

### 8mm Pitch — 21mm Wide

| Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|--------------|-------------|-----------------|-------------------|---------------|
| 8MGT-640-21  | 9274-1080   | 80              | 25.20             | .139          | 8MGT-2000-21 | 9274-1250   | 250             | 78.74             | .434          |
| 8MGT-720-21  | 9274-1090   | 90              | 28.35             | .156          | 8MGT-2200-21 | 9274-1275   | 275             | 86.61             | .478          |
| 8MGT-800-21  | 9274-1100   | 100             | 31.50             | .174          | 8MGT-2240-21 | 9274-1280   | 280             | 88.19             | .486          |
| 8MGT-896-21  | 9274-1112   | 112             | 35.28             | .195          | 8MGT-2400-21 | 9274-1300   | 300             | 94.49             | .521          |
| 8MGT-960-21  | 9274-1120   | 120             | 37.80             | .208          | 8MGT-2520-21 | 9274-1315   | 315             | 99.21             | .547          |
| 8MGT-1000-21 | 9274-1125   | 125             | 39.37             | .217          | 8MGT-2600-21 | 9274-1325   | 325             | 102.36            | .565          |
| 8MGT-1040-21 | 9274-1130   | 130             | 40.95             | .226          | 8MGT-2800-21 | 9274-1350   | 350             | 110.24            | .608          |
| 8MGT-1120-21 | 9274-1140   | 140             | 44.09             | .243          | 8MGT-2840-21 | 9274-1355   | 355             | 111.81            | .617          |
| 8MGT-1200-21 | 9274-1150   | 150             | 47.24             | .261          | 8MGT-3048-21 | 9274-1381   | 381             | 120.00            | .662          |
| 8MGT-1224-21 | 9274-1153   | 153             | 48.19             | .266          | 8MGT-3200-21 | 9274-1400   | 400             | 125.98            | .695          |
| 8MGT-1280-21 | 9274-1160   | 160             | 50.39             | .278          | 8MGT-3280-21 | 9274-1410   | 410             | 129.13            | .712          |
| 8MGT-1440-21 | 9274-1180   | 180             | 56.69             | .313          | 8MGT-3600-21 | 9274-1450   | 450             | 141.73            | .782          |
| 8MGT-1600-21 | 9274-1200   | 200             | 62.99             | .347          | 8MGT-4000-21 | 9274-1500   | 500             | 157.48            | .869          |
| 8MGT-1760-21 | 9274-1220   | 220             | 69.29             | .382          | 8MGT-4400-21 | 9274-1550   | 550             | 173.23            | .955          |
| 8MGT-1792-21 | 9274-1224   | 224             | 70.55             | .389          | 8MGT-4480-21 | 9274-1560   | 560             | 176.38            | .973          |

### 8mm Pitch — 36mm Wide

| Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|--------------|-------------|-----------------|-------------------|---------------|
| 8MGT-640-36  | 9274-2080   | 80              | 25.20             | .238          | 8MGT-1224-36 | 9274-2153   | 153             | 48.19             | .456          |
| 8MGT-720-36  | 9274-2090   | 90              | 28.35             | .268          | 8MGT-1280-36 | 9274-2160   | 160             | 50.39             | .476          |
| 8MGT-800-36  | 9274-2100   | 100             | 31.50             | .298          | 8MGT-1440-36 | 9274-2180   | 180             | 56.69             | .536          |
| 8MGT-896-36  | 9274-2112   | 112             | 35.28             | .334          | 8MGT-1600-36 | 9274-2200   | 200             | 62.99             | .596          |
| 8MGT-960-36  | 9274-2120   | 120             | 37.80             | .357          | 8MGT-1760-36 | 9274-2220   | 220             | 69.29             | .655          |
| 8MGT-1000-36 | 9274-2125   | 125             | 39.37             | .372          | 8MGT-1792-36 | 9274-2224   | 224             | 70.55             | .667          |
| 8MGT-1040-36 | 9274-2130   | 130             | 40.95             | .387          | 8MGT-2000-36 | 9274-2250   | 250             | 78.74             | .744          |
| 8MGT-1120-36 | 9274-2140   | 140             | 44.09             | .417          | 8MGT-2200-36 | 9274-2275   | 275             | 86.61             | .819          |
| 8MGT-1200-36 | 9274-2150   | 150             | 47.24             | .447          | 8MGT-2240-36 | 9274-2280   | 280             | 88.19             | .834          |

POLY CHAIN BELTS



# Poly Chain® GT® Carbon™ Belts

## Product No. Series 9274 (continued)

### 8mm Pitch — 36mm Wide (continued)

| Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|
| 8MGT-2400-36 | 9274-2300   | 300             | 94.49             | .893          |
| 8MGT-2520-36 | 9274-2315   | 315             | 99.21             | .938          |
| 8MGT-2600-36 | 9274-2325   | 325             | 102.36            | .968          |
| 8MGT-2800-36 | 9274-2350   | 350             | 110.24            | 1.042         |
| 8MGT-2840-36 | 9274-2355   | 355             | 111.81            | 1.057         |
| 8MGT-3048-36 | 9274-2381   | 381             | 120.00            | 1.135         |

| Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|
| 8MGT-3200-36 | 9274-2400   | 400             | 125.98            | 1.191         |
| 8MGT-3280-36 | 9274-2410   | 410             | 129.13            | 1.221         |
| 8MGT-3600-36 | 9274-2450   | 450             | 141.73            | 1.340         |
| 8MGT-4000-36 | 9274-2500   | 500             | 157.48            | 1.489         |
| 8MGT-4400-36 | 9274-2550   | 550             | 173.23            | 1.638         |
| 8MGT-4480-36 | 9274-2560   | 560             | 176.38            | 1.668         |

### 8mm Pitch — 62mm Wide

| Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|
| 8MGT-640-62  | 9274-3080   | 80              | 25.20             | .410          |
| 8MGT-720-62  | 9274-3090   | 90              | 28.35             | .462          |
| 8MGT-800-62  | 9274-3100   | 100             | 31.50             | .513          |
| 8MGT-896-62  | 9274-3112   | 112             | 35.28             | .574          |
| 8MGT-960-62  | 9274-3120   | 120             | 37.80             | .615          |
| 8MGT-1000-62 | 9274-3125   | 125             | 39.37             | .641          |
| 8MGT-1040-62 | 9274-3130   | 130             | 40.95             | .667          |
| 8MGT-1120-62 | 9274-3140   | 140             | 44.09             | .718          |
| 8MGT-1200-62 | 9274-3150   | 150             | 47.24             | .769          |
| 8MGT-1224-62 | 9274-3153   | 153             | 48.19             | .785          |
| 8MGT-1280-62 | 9274-3160   | 160             | 50.39             | .821          |
| 8MGT-1440-62 | 9274-3180   | 180             | 56.69             | .923          |
| 8MGT-1600-62 | 9274-3200   | 200             | 62.99             | 1.026         |
| 8MGT-1760-62 | 9274-3220   | 220             | 69.29             | 1.128         |
| 8MGT-1792-62 | 9274-3224   | 224             | 70.55             | 1.149         |

| Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|
| 8MGT-2000-62 | 9274-3250   | 250             | 78.74             | 1.282         |
| 8MGT-2200-62 | 9274-3275   | 275             | 86.61             | 1.410         |
| 8MGT-2240-62 | 9274-3280   | 280             | 88.19             | 1.436         |
| 8MGT-2400-62 | 9274-3300   | 300             | 94.49             | 1.539         |
| 8MGT-2520-62 | 9274-3315   | 315             | 99.21             | 1.616         |
| 8MGT-2600-62 | 9274-3325   | 325             | 102.36            | 1.667         |
| 8MGT-2800-62 | 9274-3350   | 350             | 110.24            | 1.795         |
| 8MGT-2840-62 | 9274-3355   | 355             | 111.81            | 1.821         |
| 8MGT-3048-62 | 9274-3381   | 381             | 120.00            | 1.954         |
| 8MGT-3200-62 | 9274-3400   | 400             | 125.98            | 2.051         |
| 8MGT-3280-62 | 9274-3410   | 410             | 129.13            | 2.103         |
| 8MGT-3600-62 | 9274-3450   | 450             | 141.73            | 2.308         |
| 8MGT-4000-62 | 9274-3500   | 500             | 157.48            | 2.564         |
| 8MGT-4400-62 | 9274-3550   | 550             | 173.23            | 2.821         |
| 8MGT-4480-62 | 9274-3560   | 560             | 176.38            | 2.872         |

### 14mm Pitch — 20mm Wide

| Part No.      | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|---------------|-------------|-----------------|-------------------|---------------|
| 14MGT-994-20  | 9274-4071   | 71              | 39.13             | .346          |
| 14MGT-1120-20 | 9274-4080   | 80              | 44.09             | .389          |
| 14MGT-1190-20 | 9274-4085   | 85              | 46.85             | .414          |
| 14MGT-1260-20 | 9274-4090   | 90              | 49.61             | .438          |
| 14MGT-1400-20 | 9274-4100   | 100             | 55.12             | .487          |
| 14MGT-1568-20 | 9274-4112   | 112             | 61.73             | .545          |
| 14MGT-1610-20 | 9274-4115   | 115             | 63.39             | .560          |
| 14MGT-1750-20 | 9274-4125   | 125             | 68.90             | .608          |
| 14MGT-1890-20 | 9274-4135   | 135             | 74.41             | .657          |
| 14MGT-1960-20 | 9274-4140   | 140             | 77.17             | .681          |
| 14MGT-2100-20 | 9274-4150   | 150             | 82.68             | .730          |
| 14MGT-2240-20 | 9274-4160   | 160             | 88.19             | .779          |
| 14MGT-2310-20 | 9274-4165   | 165             | 90.95             | .803          |
| 14MGT-2380-20 | 9274-4170   | 170             | 93.70             | .827          |
| 14MGT-2450-20 | 9274-4175   | 175             | 96.46             | .852          |

| Part No.      | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|---------------|-------------|-----------------|-------------------|---------------|
| 14MGT-2520-20 | 9274-4180   | 180             | 99.21             | .876          |
| 14MGT-2590-20 | 9274-4185   | 185             | 101.97            | .900          |
| 14MGT-2660-20 | 9274-4190   | 190             | 104.72            | .925          |
| 14MGT-2730-20 | 9274-4195   | 195             | 107.48            | .949          |
| 14MGT-2800-20 | 9274-4200   | 200             | 110.24            | .973          |
| 14MGT-2828-20 | 9274-4202   | 202             | 111.34            | .983          |
| 14MGT-3136-20 | 9274-4224   | 224             | 123.46            | 1.090         |
| 14MGT-3304-20 | 9274-4236   | 236             | 130.08            | 1.148         |
| 14MGT-3360-20 | 9274-4240   | 240             | 132.28            | 1.168         |
| 14MGT-3500-20 | 9274-4250   | 250             | 137.80            | 1.217         |
| 14MGT-3850-20 | 9274-4275   | 275             | 151.58            | 1.338         |
| 14MGT-3920-20 | 9274-4280   | 280             | 154.33            | 1.363         |
| 14MGT-4326-20 | 9274-4309   | 309             | 170.32            | 1.504         |
| 14MGT-4410-20 | 9274-4315   | 315             | 173.62            | 1.533         |

### 14mm Pitch — 37mm Wide

| Part No.      | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|---------------|-------------|-----------------|-------------------|---------------|
| 14MGT-994-37  | 9274-5071   | 71              | 39.13             | .639          |
| 14MGT-1120-37 | 9274-5080   | 80              | 44.09             | .720          |
| 14MGT-1190-37 | 9274-5085   | 85              | 46.85             | .765          |
| 14MGT-1260-37 | 9274-5090   | 90              | 49.61             | .810          |
| 14MGT-1400-37 | 9274-5100   | 100             | 55.12             | .900          |
| 14MGT-1568-37 | 9274-5112   | 112             | 61.73             | 1.008         |
| 14MGT-1610-37 | 9274-5115   | 115             | 63.39             | 1.035         |
| 14MGT-1750-37 | 9274-5125   | 125             | 68.90             | 1.125         |

| Part No.      | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|---------------|-------------|-----------------|-------------------|---------------|
| 14MGT-1890-37 | 9274-5135   | 135             | 74.41             | 1.215         |
| 14MGT-1960-37 | 9274-5140   | 140             | 77.17             | 1.260         |
| 14MGT-2100-37 | 9274-5150   | 150             | 82.68             | 1.350         |
| 14MGT-2240-37 | 9274-5160   | 160             | 88.19             | 1.440         |
| 14MGT-2310-37 | 9274-5165   | 165             | 90.95             | 1.485         |
| 14MGT-2380-37 | 9274-5170   | 170             | 93.70             | 1.530         |
| 14MGT-2450-37 | 9274-5175   | 175             | 96.46             | 1.575         |
| 14MGT-2520-37 | 9274-5180   | 180             | 99.21             | 1.621         |





# Poly Chain® GT® Carbon™ Belts

## Product No. Series 9274 (continued)

### 14mm Pitch — 37mm Wide (continued)

| Part No.      | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|---------------|-------------|-----------------|-------------------|---------------|
| 14MGT-2590-37 | 9274-5185   | 185             | 101.97            | 1.666         |
| 14MGT-2660-37 | 9274-5190   | 190             | 104.72            | 1.711         |
| 14MGT-2730-37 | 9274-5195   | 195             | 107.48            | 1.756         |
| 14MGT-2800-37 | 9274-5200   | 200             | 110.24            | 1.801         |
| 14MGT-2828-37 | 9274-5202   | 202             | 111.34            | 1.819         |
| 14MGT-3136-37 | 9274-5224   | 224             | 123.46            | 2.017         |
| 14MGT-3304-37 | 9274-5236   | 236             | 130.08            | 2.125         |

| Part No.      | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|---------------|-------------|-----------------|-------------------|---------------|
| 14MGT-3360-37 | 9274-5240   | 240             | 132.28            | 2.161         |
| 14MGT-3500-37 | 9274-5250   | 250             | 137.80            | 2.251         |
| 14MGT-3850-37 | 9274-5275   | 275             | 151.58            | 2.476         |
| 14MGT-3920-37 | 9274-5280   | 280             | 154.33            | 2.521         |
| 14MGT-4326-37 | 9274-5309   | 309             | 170.32            | 2.782         |
| 14MGT-4410-37 | 9274-5315   | 315             | 173.62            | 2.836         |

### 14mm Pitch — 68mm Wide

| Part No.      | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|---------------|-------------|-----------------|-------------------|---------------|
| 14MGT-994-68  | 9274-6071   | 71              | 39.13             | 1.175         |
| 14MGT-1120-68 | 9274-6080   | 80              | 44.09             | 1.324         |
| 14MGT-1190-68 | 9274-6085   | 85              | 46.85             | 1.406         |
| 14MGT-1260-68 | 9274-6090   | 90              | 49.61             | 1.489         |
| 14MGT-1400-68 | 9274-6100   | 100             | 55.12             | 1.655         |
| 14MGT-1568-68 | 9274-6112   | 112             | 61.73             | 1.853         |
| 14MGT-1610-68 | 9274-6115   | 115             | 63.39             | 1.903         |
| 14MGT-1750-68 | 9274-6125   | 125             | 68.90             | 2.068         |
| 14MGT-1890-68 | 9274-6135   | 135             | 74.41             | 2.234         |
| 14MGT-1960-68 | 9274-6140   | 140             | 77.17             | 2.316         |
| 14MGT-2100-68 | 9274-6150   | 150             | 82.68             | 2.482         |
| 14MGT-2240-68 | 9274-6160   | 160             | 88.19             | 2.647         |
| 14MGT-2310-68 | 9274-6165   | 165             | 90.95             | 2.730         |
| 14MGT-2380-68 | 9274-6170   | 170             | 93.70             | 2.813         |
| 14MGT-2450-68 | 9274-6175   | 175             | 96.46             | 2.896         |

| Part No.      | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|---------------|-------------|-----------------|-------------------|---------------|
| 14MGT-2520-68 | 9274-6180   | 180             | 99.21             | 2.978         |
| 14MGT-2590-68 | 9274-6185   | 185             | 101.97            | 3.061         |
| 14MGT-2660-68 | 9274-6190   | 190             | 104.72            | 3.144         |
| 14MGT-2730-68 | 9274-6195   | 195             | 107.48            | 3.226         |
| 14MGT-2800-68 | 9274-6200   | 200             | 110.24            | 3.309         |
| 14MGT-2828-68 | 9274-6202   | 202             | 111.34            | 3.342         |
| 14MGT-3136-68 | 9274-6224   | 224             | 123.46            | 3.706         |
| 14MGT-3304-68 | 9274-6236   | 236             | 130.08            | 3.905         |
| 14MGT-3360-68 | 9274-6240   | 240             | 132.28            | 3.971         |
| 14MGT-3500-68 | 9274-6250   | 250             | 137.80            | 4.136         |
| 14MGT-3850-68 | 9274-6275   | 275             | 151.58            | 4.550         |
| 14MGT-3920-68 | 9274-6280   | 280             | 154.33            | 4.633         |
| 14MGT-4326-68 | 9274-6309   | 309             | 170.32            | 5.113         |
| 14MGT-4410-68 | 9274-6315   | 315             | 173.62            | 5.212         |

### 14mm Pitch — 90mm Wide

| Part No.      | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|---------------|-------------|-----------------|-------------------|---------------|
| 14MGT-994-90  | 9274-7071   | 71              | 39.13             | 1.555         |
| 14MGT-1120-90 | 9274-7080   | 80              | 44.09             | 1.752         |
| 14MGT-1190-90 | 9274-7085   | 85              | 46.85             | 1.861         |
| 14MGT-1260-90 | 9274-7090   | 90              | 49.61             | 1.971         |
| 14MGT-1400-90 | 9274-7100   | 100             | 55.12             | 2.190         |
| 14MGT-1568-90 | 9274-7112   | 112             | 61.73             | 2.453         |
| 14MGT-1610-90 | 9274-7115   | 115             | 63.39             | 2.518         |
| 14MGT-1750-90 | 9274-7125   | 125             | 68.90             | 2.737         |
| 14MGT-1890-90 | 9274-7135   | 135             | 74.41             | 2.956         |
| 14MGT-1960-90 | 9274-7140   | 140             | 77.17             | 3.066         |
| 14MGT-2100-90 | 9274-7150   | 150             | 82.68             | 3.285         |
| 14MGT-2240-90 | 9274-7160   | 160             | 88.19             | 3.504         |
| 14MGT-2310-90 | 9274-7165   | 165             | 90.95             | 3.613         |
| 14MGT-2380-90 | 9274-7170   | 170             | 93.70             | 3.723         |
| 14MGT-2450-90 | 9274-7175   | 175             | 96.46             | 3.832         |

| Part No.      | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|---------------|-------------|-----------------|-------------------|---------------|
| 14MGT-2520-90 | 9274-7180   | 180             | 99.21             | 3.942         |
| 14MGT-2590-90 | 9274-7185   | 185             | 101.97            | 4.051         |
| 14MGT-2660-90 | 9274-7190   | 190             | 104.72            | 4.161         |
| 14MGT-2730-90 | 9274-7195   | 195             | 107.48            | 4.270         |
| 14MGT-2800-90 | 9274-7200   | 200             | 110.24            | 4.380         |
| 14MGT-2828-90 | 9274-7202   | 202             | 111.34            | 4.424         |
| 14MGT-3136-90 | 9274-7224   | 224             | 123.46            | 4.905         |
| 14MGT-3304-90 | 9274-7236   | 236             | 130.08            | 5.168         |
| 14MGT-3360-90 | 9274-7240   | 240             | 132.28            | 5.256         |
| 14MGT-3500-90 | 9274-7250   | 250             | 137.80            | 5.475         |
| 14MGT-3850-90 | 9274-7275   | 275             | 151.58            | 6.022         |
| 14MGT-3920-90 | 9274-7280   | 280             | 154.33            | 6.132         |
| 14MGT-4326-90 | 9274-7309   | 309             | 170.32            | 6.767         |
| 14MGT-4410-90 | 9274-7315   | 315             | 173.62            | 6.898         |

### 14mm Pitch — 125mm Wide

| Part No.       | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------------|-------------|-----------------|-------------------|---------------|
| 14MGT-994-125  | 9274-8071   | 71              | 39.13             | 2.159         |
| 14MGT-1120-125 | 9274-8080   | 80              | 44.09             | 2.433         |
| 14MGT-1190-125 | 9274-8085   | 85              | 46.85             | 2.585         |
| 14MGT-1260-125 | 9274-8090   | 90              | 49.61             | 2.737         |
| 14MGT-1400-125 | 9274-8100   | 100             | 55.12             | 3.042         |
| 14MGT-1568-125 | 9274-8112   | 112             | 61.73             | 3.406         |
| 14MGT-1610-125 | 9274-8115   | 115             | 63.39             | 3.498         |

| Part No.       | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------------|-------------|-----------------|-------------------|---------------|
| 14MGT-1750-125 | 9274-8125   | 125             | 68.90             | 3.802         |
| 14MGT-1890-125 | 9274-8135   | 135             | 74.41             | 4.106         |
| 14MGT-1960-125 | 9274-8140   | 140             | 77.17             | 4.258         |
| 14MGT-2100-125 | 9274-8150   | 150             | 82.68             | 4.562         |
| 14MGT-2240-125 | 9274-8160   | 160             | 88.19             | 4.866         |
| 14MGT-2310-125 | 9274-8165   | 165             | 90.95             | 5.018         |
| 14MGT-2380-125 | 9274-8170   | 170             | 93.70             | 5.171         |

POLY CHAIN BELTS

**Poly Chain® GT® Carbon™ Belts****Product No. Series 9274 (continued)****14mm Pitch — 125mm Wide (continued)**

| Part No.       | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------------|-------------|-----------------|-------------------|---------------|
| 14MGT-2450-125 | 9274-8175   | 175             | 96.46             | 5.323         |
| 14MGT-2520-125 | 9274-8180   | 180             | 99.21             | 5.475         |
| 14MGT-2590-125 | 9274-8185   | 185             | 101.97            | 5.627         |
| 14MGT-2660-125 | 9274-8190   | 190             | 104.72            | 5.779         |
| 14MGT-2730-125 | 9274-8195   | 195             | 107.48            | 5.931         |
| 14MGT-2800-125 | 9274-8200   | 200             | 110.24            | 6.083         |
| 14MGT-2828-125 | 9274-8202   | 202             | 111.34            | 6.144         |
| 14MGT-3136-125 | 9274-8224   | 224             | 123.46            | 6.813         |

| Part No.       | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------------|-------------|-----------------|-------------------|---------------|
| 14MGT-3304-125 | 9274-8236   | 236             | 130.08            | 7.178         |
| 14MGT-3360-125 | 9274-8240   | 240             | 132.28            | 7.300         |
| 14MGT-3500-125 | 9274-8250   | 250             | 137.80            | 7.604         |
| 14MGT-3850-125 | 9274-8275   | 275             | 151.58            | 8.364         |
| 14MGT-3920-125 | 9274-8280   | 280             | 154.33            | 8.516         |
| 14MGT-4326-125 | 9274-8309   | 309             | 170.32            | 9.398         |
| 14MGT-4410-125 | 9274-8315   | 315             | 173.62            | 9.581         |



# Poly Chain® ADV™ Belts

**Recommended Sprockets**  
Poly Chain GT Sprockets - 14M

**Notes**

Poly Chain ADV belt part numbers are comprised of pitch, ADV indication, pitch length, and width: part number 14ADV-994-20 denotes a 14mm pitch in ADV construction, 994mm pitch length, and 20mm width.

**WARNING:** Always utilize Taper-Lock type Poly Chain GT Sprockets when designing a new Poly Chain ADV belt drive system. Use of non-Gates manufactured sprockets is not recommended and product performance cannot be guaranteed when non-Gates sprockets are used.

## Product No. Series 9496

### 14mm Pitch — 20mm Wide

| Part No.      | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|---------------|-------------|-----------------|-------------------|---------------|
| 14ADV-994-20  | 9496-4071   | 71              | 39.13             | .346          |
| 14ADV-1120-20 | 9496-4080   | 80              | 44.09             | .389          |
| 14ADV-1190-20 | 9496-4085   | 85              | 46.85             | .414          |
| 14ADV-1260-20 | 9496-4090   | 90              | 49.61             | .438          |
| 14ADV-1400-20 | 9496-4100   | 100             | 55.12             | .487          |
| 14ADV-1568-20 | 9496-4112   | 112             | 61.73             | .545          |
| 14ADV-1610-20 | 9496-4115   | 115             | 63.39             | .560          |
| 14ADV-1750-20 | 9496-4125   | 125             | 68.90             | .608          |
| 14ADV-1890-20 | 9496-4135   | 135             | 74.41             | .657          |
| 14ADV-1960-20 | 9496-4140   | 140             | 77.17             | .681          |
| 14ADV-2100-20 | 9496-4150   | 150             | 82.68             | .730          |
| 14ADV-2240-20 | 9496-4160   | 160             | 88.19             | .779          |
| 14ADV-2310-20 | 9496-4165   | 165             | 90.95             | .803          |
| 14ADV-2380-20 | 9496-4170   | 170             | 93.70             | .827          |
| 14ADV-2450-20 | 9496-4175   | 175             | 96.46             | .852          |

| Part No.      | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|---------------|-------------|-----------------|-------------------|---------------|
| 14ADV-2520-20 | 9496-4180   | 180             | 99.21             | .876          |
| 14ADV-2590-20 | 9496-4185   | 185             | 101.97            | .900          |
| 14ADV-2660-20 | 9496-4190   | 190             | 104.72            | .925          |
| 14ADV-2730-20 | 9496-4195   | 195             | 107.48            | .949          |
| 14ADV-2800-20 | 9496-4200   | 200             | 110.24            | .973          |
| 14ADV-2828-20 | 9496-4202   | 202             | 111.34            | .983          |
| 14ADV-3136-20 | 9496-4224   | 224             | 123.46            | 1.090         |
| 14ADV-3304-20 | 9496-4236   | 236             | 130.08            | 1.148         |
| 14ADV-3360-20 | 9496-4240   | 240             | 132.28            | 1.168         |
| 14ADV-3500-20 | 9496-4250   | 250             | 137.80            | 1.217         |
| 14ADV-3850-20 | 9496-4275   | 275             | 151.58            | 1.338         |
| 14ADV-3920-20 | 9496-4280   | 280             | 154.33            | 1.363         |
| 14ADV-4326-20 | 9496-4309   | 309             | 170.32            | 1.504         |
| 14ADV-4410-20 | 9496-4315   | 315             | 173.62            | 1.533         |

### 14mm Pitch — 37mm Wide

| Part No.      | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|---------------|-------------|-----------------|-------------------|---------------|
| 14ADV-994-37  | 9496-5071   | 71              | 39.13             | .639          |
| 14ADV-1120-37 | 9496-5080   | 80              | 44.09             | .720          |
| 14ADV-1190-37 | 9496-5085   | 85              | 46.85             | .765          |
| 14ADV-1260-37 | 9496-5090   | 90              | 49.61             | .810          |
| 14ADV-1400-37 | 9496-5100   | 100             | 55.12             | .900          |
| 14ADV-1568-37 | 9496-5112   | 112             | 61.73             | 1.008         |
| 14ADV-1610-37 | 9496-5115   | 115             | 63.39             | 1.035         |
| 14ADV-1750-37 | 9496-5125   | 125             | 68.90             | 1.125         |
| 14ADV-1890-37 | 9496-5135   | 135             | 74.41             | 1.215         |
| 14ADV-1960-37 | 9496-5140   | 140             | 77.17             | 1.260         |
| 14ADV-2100-37 | 9496-5150   | 150             | 82.68             | 1.350         |
| 14ADV-2240-37 | 9496-5160   | 160             | 88.19             | 1.440         |
| 14ADV-2310-37 | 9496-5165   | 165             | 90.95             | 1.485         |
| 14ADV-2380-37 | 9496-5170   | 170             | 93.70             | 1.530         |
| 14ADV-2450-37 | 9496-5175   | 175             | 96.46             | 1.575         |

| Part No.      | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|---------------|-------------|-----------------|-------------------|---------------|
| 14ADV-2520-37 | 9496-5180   | 180             | 99.21             | 1.621         |
| 14ADV-2590-37 | 9496-5185   | 185             | 101.97            | 1.666         |
| 14ADV-2660-37 | 9496-5190   | 190             | 104.72            | 1.711         |
| 14ADV-2730-37 | 9496-5195   | 195             | 107.48            | 1.756         |
| 14ADV-2800-37 | 9496-5200   | 200             | 110.24            | 1.801         |
| 14ADV-2828-37 | 9496-5202   | 202             | 111.34            | 1.819         |
| 14ADV-3136-37 | 9496-5224   | 224             | 123.46            | 2.017         |
| 14ADV-3304-37 | 9496-5236   | 236             | 130.08            | 2.125         |
| 14ADV-3360-37 | 9496-5240   | 240             | 132.28            | 2.161         |
| 14ADV-3500-37 | 9496-5250   | 250             | 137.80            | 2.251         |
| 14ADV-3850-37 | 9496-5275   | 275             | 151.58            | 2.476         |
| 14ADV-3920-37 | 9496-5280   | 280             | 154.33            | 2.521         |
| 14ADV-4326-37 | 9496-5309   | 309             | 170.32            | 2.782         |
| 14ADV-4410-37 | 9496-5315   | 315             | 173.62            | 2.836         |

### 14mm Pitch — 68mm Wide

| Part No.      | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|---------------|-------------|-----------------|-------------------|---------------|
| 14ADV-994-68  | 9496-6071   | 71              | 39.13             | 1.175         |
| 14ADV-1120-68 | 9496-6080   | 80              | 44.09             | 1.324         |
| 14ADV-1190-68 | 9496-6085   | 85              | 46.85             | 1.406         |
| 14ADV-1260-68 | 9496-6090   | 90              | 49.61             | 1.489         |
| 14ADV-1400-68 | 9496-6100   | 100             | 55.12             | 1.655         |
| 14ADV-1568-68 | 9496-6112   | 112             | 61.73             | 1.853         |
| 14ADV-1610-68 | 9496-6115   | 115             | 63.39             | 1.903         |
| 14ADV-1750-68 | 9496-6125   | 125             | 68.90             | 2.068         |
| 14ADV-1890-68 | 9496-6135   | 135             | 74.41             | 2.234         |
| 14ADV-1960-68 | 9496-6140   | 140             | 77.17             | 2.316         |
| 14ADV-2100-68 | 9496-6150   | 150             | 82.68             | 2.482         |

| Part No.      | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|---------------|-------------|-----------------|-------------------|---------------|
| 14ADV-2240-68 | 9496-6160   | 160             | 88.19             | 2.647         |
| 14ADV-2310-68 | 9496-6165   | 165             | 90.95             | 2.730         |
| 14ADV-2380-68 | 9496-6170   | 170             | 93.70             | 2.813         |
| 14ADV-2450-68 | 9496-6175   | 175             | 96.46             | 2.896         |
| 14ADV-2520-68 | 9496-6180   | 180             | 99.21             | 2.978         |
| 14ADV-2590-68 | 9496-6185   | 185             | 101.97            | 3.061         |
| 14ADV-2660-68 | 9496-6190   | 190             | 104.72            | 3.144         |
| 14ADV-2730-68 | 9496-6195   | 195             | 107.48            | 3.226         |
| 14ADV-2800-68 | 9496-6200   | 200             | 110.24            | 3.309         |
| 14ADV-2828-68 | 9496-6202   | 202             | 111.34            | 3.342         |
| 14ADV-3136-68 | 9496-6224   | 224             | 123.46            | 3.706         |

POLY CHAIN BELTS



# Poly Chain® ADV™ Belts

## Product No. Series 9496 (continued)

### 14mm Pitch — 68mm Wide (continued)

| Part No.      | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|---------------|-------------|-----------------|-------------------|---------------|
| 14ADV-3304-68 | 9496-6236   | 236             | 130.08            | 3.905         |
| 14ADV-3360-68 | 9496-6240   | 240             | 132.28            | 3.971         |
| 14ADV-3500-68 | 9496-6250   | 250             | 137.80            | 4.136         |
| 14ADV-3850-68 | 9496-6275   | 275             | 151.58            | 4.550         |

| Part No.      | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|---------------|-------------|-----------------|-------------------|---------------|
| 14ADV-3920-68 | 9496-6280   | 280             | 154.33            | 4.633         |
| 14ADV-4326-68 | 9496-6309   | 309             | 170.32            | 5.113         |
| 14ADV-4410-68 | 9496-6315   | 315             | 173.62            | 5.212         |

### 14mm Pitch — 90mm Wide

| Part No.      | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|---------------|-------------|-----------------|-------------------|---------------|
| 14ADV-994-90  | 9496-7071   | 71              | 39.13             | 1.555         |
| 14ADV-1120-90 | 9496-7080   | 80              | 44.09             | 1.752         |
| 14ADV-1190-90 | 9496-7085   | 85              | 46.85             | 1.861         |
| 14ADV-1260-90 | 9496-7090   | 90              | 49.61             | 1.971         |
| 14ADV-1400-90 | 9496-7100   | 100             | 55.12             | 2.190         |
| 14ADV-1568-90 | 9496-7112   | 112             | 61.73             | 2.453         |
| 14ADV-1610-90 | 9496-7115   | 115             | 63.39             | 2.518         |
| 14ADV-1750-90 | 9496-7125   | 125             | 68.90             | 2.737         |
| 14ADV-1890-90 | 9496-7135   | 135             | 74.41             | 2.956         |
| 14ADV-1960-90 | 9496-7140   | 140             | 77.17             | 3.066         |
| 14ADV-2100-90 | 9496-7150   | 150             | 82.68             | 3.285         |
| 14ADV-2240-90 | 9496-7160   | 160             | 88.19             | 3.504         |
| 14ADV-2310-90 | 9496-7165   | 165             | 90.95             | 3.613         |
| 14ADV-2380-90 | 9496-7170   | 170             | 93.70             | 3.723         |
| 14ADV-2450-90 | 9496-7175   | 175             | 96.46             | 3.832         |

| Part No.      | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|---------------|-------------|-----------------|-------------------|---------------|
| 14ADV-2520-90 | 9496-7180   | 180             | 99.21             | 3.942         |
| 14ADV-2590-90 | 9496-7185   | 185             | 101.97            | 4.051         |
| 14ADV-2660-90 | 9496-7190   | 190             | 104.72            | 4.161         |
| 14ADV-2730-90 | 9496-7195   | 195             | 107.48            | 4.270         |
| 14ADV-2800-90 | 9496-7200   | 200             | 110.24            | 4.380         |
| 14ADV-2828-90 | 9496-7202   | 202             | 111.34            | 4.424         |
| 14ADV-3136-90 | 9496-7224   | 224             | 123.46            | 4.905         |
| 14ADV-3304-90 | 9496-7236   | 236             | 130.08            | 5.168         |
| 14ADV-3360-90 | 9496-7240   | 240             | 132.28            | 5.256         |
| 14ADV-3500-90 | 9496-7250   | 250             | 137.80            | 5.475         |
| 14ADV-3850-90 | 9496-7275   | 275             | 151.58            | 6.022         |
| 14ADV-3920-90 | 9496-7280   | 280             | 154.33            | 6.132         |
| 14ADV-4326-90 | 9496-7309   | 309             | 170.32            | 6.767         |
| 14ADV-4410-90 | 9496-7315   | 315             | 173.62            | 6.898         |

### 14mm Pitch — 125mm Wide

| Part No.       | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------------|-------------|-----------------|-------------------|---------------|
| 14ADV-994-125  | 9496-8071   | 71              | 39.13             | 2.159         |
| 14ADV-1120-125 | 9496-8080   | 80              | 44.09             | 2.433         |
| 14ADV-1190-125 | 9496-8085   | 85              | 46.85             | 2.585         |
| 14ADV-1260-125 | 9496-8090   | 90              | 49.61             | 2.737         |
| 14ADV-1400-125 | 9496-8100   | 100             | 55.12             | 3.042         |
| 14ADV-1568-125 | 9496-8112   | 112             | 61.73             | 3.406         |
| 14ADV-1610-125 | 9496-8115   | 115             | 63.39             | 3.498         |
| 14ADV-1750-125 | 9496-8125   | 125             | 68.90             | 3.802         |
| 14ADV-1890-125 | 9496-8135   | 135             | 74.41             | 4.106         |
| 14ADV-1960-125 | 9496-8140   | 140             | 77.17             | 4.258         |
| 14ADV-2100-125 | 9496-8150   | 150             | 82.68             | 4.562         |
| 14ADV-2240-125 | 9496-8160   | 160             | 88.19             | 4.866         |
| 14ADV-2310-125 | 9496-8165   | 165             | 90.95             | 5.018         |
| 14ADV-2380-125 | 9496-8170   | 170             | 93.70             | 5.171         |
| 14ADV-2450-125 | 9496-8175   | 175             | 96.46             | 5.323         |

| Part No.       | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------------|-------------|-----------------|-------------------|---------------|
| 14ADV-2520-125 | 9496-8180   | 180             | 99.21             | 5.475         |
| 14ADV-2590-125 | 9496-8185   | 185             | 101.97            | 5.627         |
| 14ADV-2660-125 | 9496-8190   | 190             | 104.72            | 5.779         |
| 14ADV-2730-125 | 9496-8195   | 195             | 107.48            | 5.931         |
| 14ADV-2800-125 | 9496-8200   | 200             | 110.24            | 6.083         |
| 14ADV-2828-125 | 9496-8202   | 202             | 111.34            | 6.144         |
| 14ADV-3136-125 | 9496-8224   | 224             | 123.46            | 6.813         |
| 14ADV-3304-125 | 9496-8236   | 236             | 130.08            | 7.178         |
| 14ADV-3360-125 | 9496-8240   | 240             | 132.28            | 7.300         |
| 14ADV-3500-125 | 9496-8250   | 250             | 137.80            | 7.604         |
| 14ADV-3850-125 | 9496-8275   | 275             | 151.58            | 8.364         |
| 14ADV-3920-125 | 9496-8280   | 280             | 154.33            | 8.516         |
| 14ADV-4326-125 | 9496-8309   | 309             | 170.32            | 9.398         |
| 14ADV-4410-125 | 9496-8315   | 315             | 173.62            | 9.581         |



# Poly Chain<sup>®</sup> Carbon<sup>™</sup> Volt<sup>™</sup> Belts

## Recommended Sprockets

Use Taper-Lock type Poly Chain GT Sprockets when designing a new Poly Chain Carbon Volt belt drive system.

## Notes

Poly Chain Carbon Volt belt part numbers follow a similar notation to Poly Chain GT Carbon belts: part number 14GTV-4410-20 denotes a 14mm pitch, Poly Chain Carbon Volt antistatic construction, 4410mm pitch length and 20mm width.

Poly Chain Carbon Volt belts are antistatic in accordance with ISO 9563. When belt drive systems are located in potentially hazardous environments, safe and reliable dissipation of electrostatic charges is critical - a secondary means of dissipation such as static grounding brushes is recommended.

### Product No. Series 9239

#### 8mm Pitch — 12mm Wide

| Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|--------------|-------------|-----------------|-------------------|---------------|
| 8GTV-640-12  | 9239-0080   | 80              | 25.20             | .079          | 8GTV-2000-12 | 9239-0250   | 250             | 78.74             | .248          |
| 8GTV-720-12  | 9239-0090   | 90              | 28.35             | .089          | 8GTV-2200-12 | 9239-0275   | 275             | 86.61             | .273          |
| 8GTV-800-12  | 9239-0100   | 100             | 31.50             | .099          | 8GTV-2240-12 | 9239-0280   | 280             | 88.19             | .278          |
| 8GTV-896-12  | 9239-0112   | 112             | 35.28             | .111          | 8GTV-2400-12 | 9239-0300   | 300             | 94.49             | .298          |
| 8GTV-960-12  | 9239-0120   | 120             | 37.80             | .119          | 8GTV-2520-12 | 9239-0315   | 315             | 99.21             | .313          |
| 8GTV-1000-12 | 9239-0125   | 125             | 39.37             | .124          | 8GTV-2600-12 | 9239-0325   | 325             | 102.36            | .323          |
| 8GTV-1040-12 | 9239-0130   | 130             | 40.95             | .129          | 8GTV-2800-12 | 9239-0350   | 350             | 110.24            | .347          |
| 8GTV-1120-12 | 9239-0140   | 140             | 44.09             | .139          | 8GTV-2840-12 | 9239-0355   | 355             | 111.81            | .352          |
| 8GTV-1200-12 | 9239-0150   | 150             | 47.24             | .149          | 8GTV-3048-12 | 9239-0381   | 381             | 120.00            | .378          |
| 8GTV-1224-12 | 9239-0153   | 153             | 48.19             | .152          | 8GTV-3200-12 | 9239-0400   | 400             | 125.98            | .397          |
| 8GTV-1280-12 | 9239-0160   | 160             | 50.39             | .159          | 8GTV-3280-12 | 9239-0410   | 410             | 129.13            | .407          |
| 8GTV-1440-12 | 9239-0180   | 180             | 56.69             | .179          | 8GTV-3600-12 | 9239-0450   | 450             | 141.73            | .447          |
| 8GTV-1600-12 | 9239-0200   | 200             | 62.99             | .199          | 8GTV-4000-12 | 9239-0500   | 500             | 157.48            | .496          |
| 8GTV-1760-12 | 9239-0220   | 220             | 69.29             | .218          | 8GTV-4400-12 | 9239-0550   | 550             | 173.23            | .546          |
| 8GTV-1792-12 | 9239-0224   | 224             | 70.55             | .222          | 8GTV-4480-12 | 9239-0560   | 560             | 176.38            | .556          |

#### 8mm Pitch — 21mm Wide

| Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|--------------|-------------|-----------------|-------------------|---------------|
| 8GTV-640-21  | 9239-1080   | 80              | 25.20             | .139          | 8GTV-2000-21 | 9239-1250   | 250             | 78.74             | .434          |
| 8GTV-720-21  | 9239-1090   | 90              | 28.35             | .156          | 8GTV-2200-21 | 9239-1275   | 275             | 86.61             | .478          |
| 8GTV-800-21  | 9239-1100   | 100             | 31.50             | .174          | 8GTV-2240-21 | 9239-1280   | 280             | 88.19             | .486          |
| 8GTV-896-21  | 9239-1112   | 112             | 35.28             | .195          | 8GTV-2400-21 | 9239-1300   | 300             | 94.49             | .521          |
| 8GTV-960-21  | 9239-1120   | 120             | 37.80             | .208          | 8GTV-2520-21 | 9239-1315   | 315             | 99.21             | .547          |
| 8GTV-1000-21 | 9239-1125   | 125             | 39.37             | .217          | 8GTV-2600-21 | 9239-1325   | 325             | 102.36            | .565          |
| 8GTV-1040-21 | 9239-1130   | 130             | 40.95             | .226          | 8GTV-2800-21 | 9239-1350   | 350             | 110.24            | .608          |
| 8GTV-1120-21 | 9239-1140   | 140             | 44.09             | .243          | 8GTV-2840-21 | 9239-1355   | 355             | 111.81            | .617          |
| 8GTV-1200-21 | 9239-1150   | 150             | 47.24             | .261          | 8GTV-3048-21 | 9239-1381   | 381             | 120.00            | .662          |
| 8GTV-1224-21 | 9239-1153   | 153             | 48.19             | .266          | 8GTV-3200-21 | 9239-1400   | 400             | 125.98            | .695          |
| 8GTV-1280-21 | 9239-1160   | 160             | 50.39             | .278          | 8GTV-3280-21 | 9239-1410   | 410             | 129.13            | .712          |
| 8GTV-1440-21 | 9239-1180   | 180             | 56.69             | .313          | 8GTV-3600-21 | 9239-1450   | 450             | 141.73            | .782          |
| 8GTV-1600-21 | 9239-1200   | 200             | 62.99             | .347          | 8GTV-4000-21 | 9239-1500   | 500             | 157.48            | .869          |
| 8GTV-1760-21 | 9239-1220   | 220             | 69.29             | .382          | 8GTV-4400-21 | 9239-1550   | 550             | 173.23            | .955          |
| 8GTV-1792-21 | 9239-1224   | 224             | 70.55             | .389          | 8GTV-4480-21 | 9239-1560   | 560             | 176.38            | .973          |

#### 8mm Pitch — 36mm Wide

| Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|--------------|-------------|-----------------|-------------------|---------------|
| 8GTV-640-36  | 9239-2080   | 80              | 25.20             | .238          | 8GTV-1440-36 | 9239-2180   | 180             | 56.69             | .536          |
| 8GTV-720-36  | 9239-2090   | 90              | 28.35             | .268          | 8GTV-1600-36 | 9239-2200   | 200             | 62.99             | .596          |
| 8GTV-800-36  | 9239-2100   | 100             | 31.50             | .298          | 8GTV-1760-36 | 9239-2220   | 220             | 69.29             | .655          |
| 8GTV-896-36  | 9239-2112   | 112             | 35.28             | .334          | 8GTV-1792-36 | 9239-2224   | 224             | 70.55             | .667          |
| 8GTV-960-36  | 9239-2120   | 120             | 37.80             | .357          | 8GTV-2000-36 | 9239-2250   | 250             | 78.74             | .744          |
| 8GTV-1000-36 | 9239-2125   | 125             | 39.37             | .372          | 8GTV-2200-36 | 9239-2275   | 275             | 86.61             | .819          |
| 8GTV-1040-36 | 9239-2130   | 130             | 40.95             | .387          | 8GTV-2240-36 | 9239-2280   | 280             | 88.19             | .834          |
| 8GTV-1120-36 | 9239-2140   | 140             | 44.09             | .417          | 8GTV-2400-36 | 9239-2300   | 300             | 94.49             | .893          |
| 8GTV-1200-36 | 9239-2150   | 150             | 47.24             | .447          | 8GTV-2520-36 | 9239-2315   | 315             | 99.21             | .938          |
| 8GTV-1224-36 | 9239-2153   | 153             | 48.19             | .456          | 8GTV-2600-36 | 9239-2325   | 325             | 102.36            | .968          |
| 8GTV-1280-36 | 9239-2160   | 160             | 50.39             | .476          | 8GTV-2800-36 | 9239-2350   | 350             | 110.24            | 1.042         |

POLY CHAIN BELTS





# Poly Chain<sup>®</sup> Carbon<sup>™</sup> Volt<sup>™</sup> Belts

## Product No. Series 9239 (continued)

### 8mm Pitch — 36mm Wide (continued)

| Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|
| 8GTV-2840-36 | 9239-2355   | 355             | 111.81            | 1.057         |
| 8GTV-3048-36 | 9239-2381   | 381             | 120.00            | 1.135         |
| 8GTV-3200-36 | 9239-2400   | 400             | 125.98            | 1.191         |
| 8GTV-3280-36 | 9239-2410   | 410             | 129.13            | 1.221         |

| Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|
| 8GTV-3600-36 | 9239-2450   | 450             | 141.73            | 1.340         |
| 8GTV-4000-36 | 9239-2500   | 500             | 157.48            | 1.489         |
| 8GTV-4400-36 | 9239-2550   | 550             | 173.23            | 1.638         |
| 8GTV-4480-36 | 9239-2560   | 560             | 176.38            | 1.668         |

### 8mm Pitch — 62mm Wide

| Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|
| 8GTV-640-62  | 9239-3080   | 80              | 25.20             | .410          |
| 8GTV-720-62  | 9239-3090   | 90              | 28.35             | .462          |
| 8GTV-800-62  | 9239-3100   | 100             | 31.50             | .513          |
| 8GTV-896-62  | 9239-3112   | 112             | 35.28             | .574          |
| 8GTV-960-62  | 9239-3120   | 120             | 37.80             | .615          |
| 8GTV-1000-62 | 9239-3125   | 125             | 39.37             | .641          |
| 8GTV-1040-62 | 9239-3130   | 130             | 40.95             | .667          |
| 8GTV-1120-62 | 9239-3140   | 140             | 44.09             | .718          |
| 8GTV-1200-62 | 9239-3150   | 150             | 47.24             | .769          |
| 8GTV-1224-62 | 9239-3153   | 153             | 48.19             | .785          |
| 8GTV-1280-62 | 9239-3160   | 160             | 50.39             | .821          |
| 8GTV-1440-62 | 9239-3180   | 180             | 56.69             | .923          |
| 8GTV-1600-62 | 9239-3200   | 200             | 62.99             | 1.026         |
| 8GTV-1760-62 | 9239-3220   | 220             | 69.29             | 1.128         |
| 8GTV-1792-62 | 9239-3224   | 224             | 70.55             | 1.149         |

| Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|
| 8GTV-2000-62 | 9239-3250   | 250             | 78.74             | 1.282         |
| 8GTV-2200-62 | 9239-3275   | 275             | 86.61             | 1.410         |
| 8GTV-2240-62 | 9239-3280   | 280             | 88.19             | 1.436         |
| 8GTV-2400-62 | 9239-3300   | 300             | 94.49             | 1.539         |
| 8GTV-2520-62 | 9239-3315   | 315             | 99.21             | 1.616         |
| 8GTV-2600-62 | 9239-3325   | 325             | 102.36            | 1.667         |
| 8GTV-2800-62 | 9239-3350   | 350             | 110.24            | 1.795         |
| 8GTV-2840-62 | 9239-3355   | 355             | 111.81            | 1.821         |
| 8GTV-3048-62 | 9239-3381   | 381             | 120.00            | 1.954         |
| 8GTV-3200-62 | 9239-3400   | 400             | 125.98            | 2.051         |
| 8GTV-3280-62 | 9239-3410   | 410             | 129.13            | 2.103         |
| 8GTV-3600-62 | 9239-3450   | 450             | 141.73            | 2.308         |
| 8GTV-4000-62 | 9239-3500   | 500             | 157.48            | 2.564         |
| 8GTV-4400-62 | 9239-3550   | 550             | 173.23            | 2.821         |
| 8GTV-4480-62 | 9239-3560   | 560             | 176.38            | 2.872         |

### 14mm Pitch — 20mm Wide

| Part No.      | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|---------------|-------------|-----------------|-------------------|---------------|
| 14GTV-994-20  | 9239-4071   | 71              | 39.13             | .346          |
| 14GTV-1120-20 | 9239-4080   | 80              | 44.09             | .389          |
| 14GTV-1190-20 | 9239-4085   | 85              | 46.85             | .414          |
| 14GTV-1260-20 | 9239-4090   | 90              | 49.61             | .438          |
| 14GTV-1400-20 | 9239-4100   | 100             | 55.12             | .487          |
| 14GTV-1568-20 | 9239-4112   | 112             | 61.73             | .545          |
| 14GTV-1610-20 | 9239-4115   | 115             | 63.39             | .560          |
| 14GTV-1750-20 | 9239-4125   | 125             | 68.90             | .608          |
| 14GTV-1890-20 | 9239-4135   | 135             | 74.41             | .657          |
| 14GTV-1960-20 | 9239-4140   | 140             | 77.17             | .681          |
| 14GTV-2100-20 | 9239-4150   | 150             | 82.68             | .730          |
| 14GTV-2240-20 | 9239-4160   | 160             | 88.19             | .779          |
| 14GTV-2310-20 | 9239-4165   | 165             | 90.95             | .803          |
| 14GTV-2380-20 | 9239-4170   | 170             | 93.70             | .827          |
| 14GTV-2450-20 | 9239-4175   | 175             | 96.46             | .852          |

| Part No.      | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|---------------|-------------|-----------------|-------------------|---------------|
| 14GTV-2520-20 | 9239-4180   | 180             | 99.21             | .876          |
| 14GTV-2590-20 | 9239-4185   | 185             | 101.97            | .900          |
| 14GTV-2660-20 | 9239-4190   | 190             | 104.72            | .925          |
| 14GTV-2730-20 | 9239-4195   | 195             | 107.38            | .949          |
| 14GTV-2800-20 | 9239-4200   | 200             | 110.24            | .973          |
| 14GTV-2828-20 | 9239-4202   | 202             | 111.34            | .983          |
| 14GTV-3136-20 | 9239-4224   | 224             | 123.46            | 1.090         |
| 14GTV-3304-20 | 9239-4236   | 236             | 130.08            | 1.148         |
| 14GTV-3360-20 | 9239-4240   | 240             | 132.28            | 1.168         |
| 14GTV-3500-20 | 9239-4250   | 250             | 137.80            | 1.217         |
| 14GTV-3850-20 | 9239-4275   | 275             | 151.58            | 1.338         |
| 14GTV-3920-20 | 9239-4280   | 280             | 154.33            | 1.363         |
| 14GTV-4326-20 | 9239-4309   | 309             | 170.32            | 1.504         |
| 14GTV-4410-20 | 9239-4315   | 315             | 173.62            | 1.533         |

### 14mm Pitch — 37mm Wide

| Part No.      | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|---------------|-------------|-----------------|-------------------|---------------|
| 14GTV-994-37  | 9239-5071   | 71              | 39.13             | .639          |
| 14GTV-1120-37 | 9239-5080   | 80              | 44.09             | .720          |
| 14GTV-1190-37 | 9239-5085   | 85              | 46.85             | .765          |
| 14GTV-1260-37 | 9239-5090   | 90              | 49.61             | .810          |
| 14GTV-1400-37 | 9239-5100   | 100             | 55.12             | .900          |
| 14GTV-1568-37 | 9239-5112   | 112             | 61.73             | 1.008         |
| 14GTV-1610-37 | 9239-5115   | 115             | 63.39             | 1.035         |
| 14GTV-1750-37 | 9239-5125   | 125             | 68.90             | 1.125         |
| 14GTV-1890-37 | 9239-5135   | 135             | 74.41             | 1.215         |
| 14GTV-1960-37 | 9239-5140   | 140             | 77.17             | 1.260         |

| Part No.      | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|---------------|-------------|-----------------|-------------------|---------------|
| 14GTV-2100-37 | 9239-5150   | 150             | 82.68             | 1.350         |
| 14GTV-2240-37 | 9239-5160   | 160             | 88.19             | 1.440         |
| 14GTV-2310-37 | 9239-5165   | 165             | 90.95             | 1.485         |
| 14GTV-2380-37 | 9239-5170   | 170             | 93.70             | 1.530         |
| 14GTV-2450-37 | 9239-5175   | 175             | 96.46             | 1.575         |
| 14GTV-2520-37 | 9239-5180   | 180             | 99.21             | 1.621         |
| 14GTV-2590-37 | 9239-5185   | 185             | 101.97            | 1.666         |
| 14GTV-2660-37 | 9239-5190   | 190             | 104.72            | 1.711         |
| 14GTV-2730-37 | 9239-5195   | 195             | 107.38            | 1.756         |
| 14GTV-2800-37 | 9239-5200   | 200             | 110.24            | 1.801         |



# Poly Chain<sup>®</sup> Carbon<sup>™</sup> Volt<sup>™</sup> Belts

## Product No. Series 9239 (continued)

### 14mm Pitch — 37mm Wide (continued)

| Part No.      | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|---------------|-------------|-----------------|-------------------|---------------|
| 14GTV-2828-37 | 9239-5202   | 202             | 111.34            | 1.819         |
| 14GTV-3136-37 | 9239-5224   | 224             | 123.46            | 2.017         |
| 14GTV-3304-37 | 9239-5236   | 236             | 130.08            | 2.125         |
| 14GTV-3360-37 | 9239-5240   | 240             | 132.28            | 2.161         |
| 14GTV-3500-37 | 9239-5250   | 250             | 137.80            | 2.251         |

| Part No.      | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|---------------|-------------|-----------------|-------------------|---------------|
| 14GTV-3850-37 | 9239-5275   | 275             | 151.58            | 2.476         |
| 14GTV-3920-37 | 9239-5280   | 280             | 154.33            | 2.521         |
| 14GTV-4326-37 | 9239-5309   | 309             | 170.32            | 2.782         |
| 14GTV-4410-37 | 9239-5315   | 315             | 173.62            | 2.836         |

### 14mm Pitch — 68mm Wide

| Part No.      | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|---------------|-------------|-----------------|-------------------|---------------|
| 14GTV-994-68  | 9239-6071   | 71              | 39.13             | 1.175         |
| 14GTV-1120-68 | 9239-6080   | 80              | 44.09             | 1.324         |
| 14GTV-1190-68 | 9239-6085   | 85              | 46.85             | 1.406         |
| 14GTV-1260-68 | 9239-6090   | 90              | 49.61             | 1.489         |
| 14GTV-1400-68 | 9239-6100   | 100             | 55.12             | 1.655         |
| 14GTV-1568-68 | 9239-6112   | 112             | 61.73             | 1.853         |
| 14GTV-1610-68 | 9239-6115   | 115             | 63.39             | 1.903         |
| 14GTV-1750-68 | 9239-6125   | 125             | 68.90             | 2.068         |
| 14GTV-1890-68 | 9239-6135   | 135             | 74.41             | 2.234         |
| 14GTV-1960-68 | 9239-6140   | 140             | 77.17             | 2.316         |
| 14GTV-2100-68 | 9239-6150   | 150             | 82.68             | 2.482         |
| 14GTV-2240-68 | 9239-6160   | 160             | 88.19             | 2.647         |
| 14GTV-2310-68 | 9239-6165   | 165             | 90.95             | 2.730         |
| 14GTV-2380-68 | 9239-6170   | 170             | 93.70             | 2.813         |
| 14GTV-2450-68 | 9239-6175   | 175             | 96.46             | 2.896         |

| Part No.      | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|---------------|-------------|-----------------|-------------------|---------------|
| 14GTV-2520-68 | 9239-6180   | 180             | 99.21             | 2.978         |
| 14GTV-2590-68 | 9239-6185   | 185             | 101.97            | 3.061         |
| 14GTV-2660-68 | 9239-6190   | 190             | 104.72            | 3.144         |
| 14GTV-2730-68 | 9239-6195   | 195             | 107.38            | 3.226         |
| 14GTV-2800-68 | 9239-6200   | 200             | 110.24            | 3.309         |
| 14GTV-2828-68 | 9239-6202   | 202             | 111.34            | 3.342         |
| 14GTV-3136-68 | 9239-6224   | 224             | 123.46            | 3.706         |
| 14GTV-3304-68 | 9239-6236   | 236             | 130.08            | 3.905         |
| 14GTV-3360-68 | 9239-6240   | 240             | 132.28            | 3.971         |
| 14GTV-3500-68 | 9239-6250   | 250             | 137.80            | 4.136         |
| 14GTV-3850-68 | 9239-6275   | 275             | 151.58            | 4.550         |
| 14GTV-3920-68 | 9239-6280   | 280             | 154.33            | 4.633         |
| 14GTV-4326-68 | 9239-6309   | 309             | 170.32            | 5.113         |
| 14GTV-4410-68 | 9239-6315   | 315             | 173.62            | 5.212         |

### 14mm Pitch — 90mm Wide

| Part No.      | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|---------------|-------------|-----------------|-------------------|---------------|
| 14GTV-994-90  | 9239-7071   | 71              | 39.13             | 1.555         |
| 14GTV-1120-90 | 9239-7080   | 80              | 44.09             | 1.752         |
| 14GTV-1190-90 | 9239-7085   | 85              | 46.85             | 1.861         |
| 14GTV-1260-90 | 9239-7090   | 90              | 49.61             | 1.971         |
| 14GTV-1400-90 | 9239-7100   | 100             | 55.12             | 2.190         |
| 14GTV-1568-90 | 9239-7112   | 112             | 61.73             | 2.453         |
| 14GTV-1610-90 | 9239-7115   | 115             | 63.39             | 2.518         |
| 14GTV-1750-90 | 9239-7125   | 125             | 68.90             | 2.737         |
| 14GTV-1890-90 | 9239-7135   | 135             | 74.41             | 2.956         |
| 14GTV-1960-90 | 9239-7140   | 140             | 77.17             | 3.066         |
| 14GTV-2100-90 | 9239-7150   | 150             | 82.68             | 3.285         |
| 14GTV-2240-90 | 9239-7160   | 160             | 88.19             | 3.504         |
| 14GTV-2310-90 | 9239-7165   | 165             | 90.95             | 3.613         |
| 14GTV-2380-90 | 9239-7170   | 170             | 93.70             | 3.723         |
| 14GTV-2450-90 | 9239-7175   | 175             | 96.46             | 3.832         |

| Part No.      | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|---------------|-------------|-----------------|-------------------|---------------|
| 14GTV-2520-90 | 9239-7180   | 180             | 99.21             | 3.942         |
| 14GTV-2590-90 | 9239-7185   | 185             | 101.97            | 4.051         |
| 14GTV-2660-90 | 9239-7190   | 190             | 104.72            | 4.161         |
| 14GTV-2730-90 | 9239-7195   | 195             | 107.38            | 4.270         |
| 14GTV-2800-90 | 9239-7200   | 200             | 110.24            | 4.380         |
| 14GTV-2828-90 | 9239-7202   | 202             | 111.34            | 4.424         |
| 14GTV-3136-90 | 9239-7224   | 224             | 123.46            | 4.905         |
| 14GTV-3304-90 | 9239-7236   | 236             | 130.08            | 5.168         |
| 14GTV-3360-90 | 9239-7240   | 240             | 132.28            | 5.256         |
| 14GTV-3500-90 | 9239-7250   | 250             | 137.80            | 5.475         |
| 14GTV-3850-90 | 9239-7275   | 275             | 151.58            | 6.022         |
| 14GTV-3920-90 | 9239-7280   | 280             | 154.33            | 6.132         |
| 14GTV-4326-90 | 9239-7309   | 309             | 170.32            | 6.767         |
| 14GTV-4410-90 | 9239-7315   | 315             | 173.62            | 6.898         |

### 14mm Pitch — 125mm Wide

| Part No.       | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------------|-------------|-----------------|-------------------|---------------|
| 14GTV-994-125  | 9239-8071   | 71              | 39.13             | 2.159         |
| 14GTV-1120-125 | 9239-8080   | 80              | 44.09             | 2.433         |
| 14GTV-1190-125 | 9239-8085   | 85              | 46.85             | 2.585         |
| 14GTV-1260-125 | 9239-8090   | 90              | 49.61             | 2.737         |
| 14GTV-1400-125 | 9239-8100   | 100             | 55.12             | 3.042         |
| 14GTV-1568-125 | 9239-8112   | 112             | 61.73             | 3.406         |
| 14GTV-1610-125 | 9239-8115   | 115             | 63.39             | 3.498         |
| 14GTV-1750-125 | 9239-8125   | 125             | 68.90             | 3.802         |
| 14GTV-1890-125 | 9239-8135   | 135             | 74.41             | 4.106         |

| Part No.       | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------------|-------------|-----------------|-------------------|---------------|
| 14GTV-1960-125 | 9239-8140   | 140             | 77.17             | 4.258         |
| 14GTV-2100-125 | 9239-8150   | 150             | 82.68             | 4.562         |
| 14GTV-2240-125 | 9239-8160   | 160             | 88.19             | 4.866         |
| 14GTV-2310-125 | 9239-8165   | 165             | 90.95             | 5.018         |
| 14GTV-2380-125 | 9239-8170   | 170             | 93.70             | 5.171         |
| 14GTV-2450-125 | 9239-8175   | 175             | 96.46             | 5.323         |
| 14GTV-2520-125 | 9239-8180   | 180             | 99.21             | 5.475         |
| 14GTV-2590-125 | 9239-8185   | 185             | 101.97            | 5.627         |
| 14GTV-2660-125 | 9239-8190   | 190             | 104.72            | 5.779         |

POLY CHAIN BELTS



# Poly Chain<sup>®</sup> Carbon<sup>™</sup> Volt<sup>™</sup> Belts

**Product No. Series 9239 (continued)**

**14mm Pitch — 125mm Wide (continued)**

| Part No.       | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.       | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------------|-------------|-----------------|-------------------|---------------|----------------|-------------|-----------------|-------------------|---------------|
| 14GTV-2730-125 | 9239-8195   | 195             | 107.38            | 5.931         | 14GTV-3500-125 | 9239-8250   | 250             | 137.80            | 7.604         |
| 14GTV-2800-125 | 9239-8200   | 200             | 110.24            | 6.083         | 14GTV-3850-125 | 9239-8275   | 275             | 151.58            | 8.364         |
| 14GTV-2828-125 | 9239-8202   | 202             | 111.34            | 6.144         | 14GTV-3920-125 | 9239-8280   | 280             | 154.33            | 8.516         |
| 14GTV-3136-125 | 9239-8224   | 224             | 123.46            | 6.813         | 14GTV-4326-125 | 9239-8309   | 309             | 170.32            | 9.398         |
| 14GTV-3304-125 | 9239-8236   | 236             | 130.08            | 7.178         | 14GTV-4410-125 | 9239-8315   | 315             | 173.62            | 9.581         |
| 14GTV-3360-125 | 9239-8240   | 240             | 132.28            | 7.300         |                |             |                 |                   |               |



# Poly Chain® GT® Carbon™ - Extended Length™ Belts

**Recommended Sprockets**  
Poly Chain GT Sprockets - 14M

**Notes**

Poly Chain GT Carbon Extended Length Belts are Standard/Non-Stock and may require lead time. Please check with Customer Service for availability. Poly Chain GT Carbon Extended Length belt part numbers are comprised of pitch, pitch length, extended length indication, and width: part number 14MGT-6890EL-90 denotes a 14mm pitch, 6860mm pitch length in extended length construction, and 90mm width.

**WARNING:** Always utilize Taper-Lock type Poly Chain GT Sprockets when designing a new Poly Chain GT Carbon Extended Length belt drive system. Use of non-Gates manufactured sprockets is not recommended and product performance cannot be guaranteed when non-Gates sprockets are used.

## Product No. Series 9268

### 14mm Pitch — 37mm Wide

| Part No.        | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.        | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-----------------|-------------|-----------------|-------------------|---------------|-----------------|-------------|-----------------|-------------------|---------------|
| 14MGT-4578EL-37 | 9268-2001   | 327             | 180.24            | 2.920         | 14MGT-6860EL-37 | 9268-2016   | 490             | 270.08            | 4.370         |
| 14MGT-4956EL-37 | 9268-2004   | 354             | 195.12            | 3.160         | 14MGT-7560EL-37 | 9268-2025   | 540             | 297.64            | 4.820         |
| 14MGT-5320EL-37 | 9268-2007   | 380             | 209.45            | 3.390         | 14MGT-8260EL-37 | 9268-2029   | 590             | 325.20            | 5.270         |
| 14MGT-5740EL-37 | 9268-2010   | 410             | 225.99            | 3.660         | 14MGT-8960EL-37 | 9268-2033   | 640             | 352.76            | 5.710         |
| 14MGT-6160EL-37 | 9268-2013   | 440             | 242.52            | 3.930         | 14MGT-9660EL-37 | 9268-2037   | 690             | 380.31            | 6.160         |

### 14mm Pitch — 68mm Wide

| Part No.        | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.        | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-----------------|-------------|-----------------|-------------------|---------------|-----------------|-------------|-----------------|-------------------|---------------|
| 14MGT-4578EL-68 | 9268-2002   | 327             | 180.24            | 5.360         | 14MGT-6860EL-68 | 9268-2017   | 490             | 270.08            | 8.040         |
| 14MGT-4956EL-68 | 9268-2005   | 354             | 195.12            | 5.810         | 14MGT-7560EL-68 | 9268-2026   | 540             | 297.64            | 8.860         |
| 14MGT-5320EL-68 | 9268-2008   | 380             | 209.45            | 6.230         | 14MGT-8260EL-68 | 9268-2030   | 590             | 325.20            | 9.680         |
| 14MGT-5740EL-68 | 9268-2011   | 410             | 225.99            | 6.730         | 14MGT-8960EL-68 | 9268-2034   | 640             | 352.76            | 10.500        |
| 14MGT-6160EL-68 | 9268-2014   | 440             | 242.52            | 7.220         | 14MGT-9660EL-68 | 9268-2038   | 690             | 380.31            | 11.320        |

### 14mm Pitch — 90mm Wide

| Part No.        | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.        | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-----------------|-------------|-----------------|-------------------|---------------|-----------------|-------------|-----------------|-------------------|---------------|
| 14MGT-4578EL-90 | 9268-2003   | 327             | 180.24            | 7.100         | 14MGT-6860EL-90 | 9268-2018   | 490             | 270.08            | 10.640        |
| 14MGT-4956EL-90 | 9268-2006   | 354             | 195.12            | 7.690         | 14MGT-7560EL-90 | 9268-2027   | 540             | 297.64            | 11.730        |
| 14MGT-5320EL-90 | 9268-2009   | 380             | 209.45            | 8.250         | 14MGT-8260EL-90 | 9268-2031   | 590             | 325.20            | 12.810        |
| 14MGT-5740EL-90 | 9268-2012   | 410             | 225.98            | 8.900         | 14MGT-8960EL-90 | 9268-2035   | 640             | 352.76            | 13.900        |
| 14MGT-6160EL-90 | 9268-2015   | 440             | 242.52            | 9.550         | 14MGT-9660EL-90 | 9268-2039   | 690             | 380.31            | 14.980        |

### 14mm Pitch — 125mm Wide

| Part No.         | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.         | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|------------------|-------------|-----------------|-------------------|---------------|------------------|-------------|-----------------|-------------------|---------------|
| 14MGT-4578EL-125 | 9268-2019   | 327             | 180.24            | 9.860         | 14MGT-6860EL-125 | 9268-2024   | 490             | 270.08            | 14.780        |
| 14MGT-4956EL-125 | 9268-2020   | 354             | 195.12            | 10.680        | 14MGT-7560EL-125 | 9268-2028   | 540             | 297.64            | 16.290        |
| 14MGT-5320EL-125 | 9268-2021   | 380             | 209.45            | 11.460        | 14MGT-8260EL-125 | 9268-2032   | 590             | 325.20            | 17.790        |
| 14MGT-5740EL-125 | 9268-2022   | 410             | 225.98            | 12.360        | 14MGT-8960EL-125 | 9268-2036   | 640             | 352.76            | 19.300        |
| 14MGT-6160EL-125 | 9268-2023   | 440             | 242.52            | 13.270        | 14MGT-9660EL-125 | 9268-2040   | 690             | 380.31            | 20.810        |

POLY CHAIN BELTS



# Poly Chain® GT® Carbon™ Belts - 8M Short Length

## Recommended Sprockets

Poly Chain GT Sprockets

### Notes

Poly Chain GT Carbon belts must be used with sprockets of the same pitch and profile.

Poly Chain GT Carbon part numbers are comprised of pitch, pitch length and width. For example, part number 8MGT-248-12 denotes an 8mm pitch, 248mm pitch length and 12mm width. Belt pitch is the distance in millimeters between two adjacent tooth centers as measured on the pitch line of the belt. Belt pitch length is the total length (circumference) in millimeters as measured along the pitch line. The theoretical pitch line of a Poly Chain GT belt lies within the tensile member.

## Product No. Series 9270

### 8mm Pitch — 12mm Wide

| Part No.    | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.    | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|-------------|-------------|-----------------|-------------------|---------------|
| 8MGT-248-12 | 9270-1063   | 31              | 9.76              | .031          | 8MGT-456-12 | 9270-1060   | 57              | 17.95             | .057          |
| 8MGT-288-12 | 9270-1001   | 36              | 11.34             | .036          | 8MGT-480-12 | 9270-1015   | 60              | 18.90             | .060          |
| 8MGT-352-12 | 9270-1002   | 44              | 13.86             | .044          | 8MGT-544-12 | 9270-1006   | 68              | 21.42             | .067          |
| 8MGT-416-12 | 9270-1004   | 52              | 16.38             | .052          | 8MGT-608-12 | 9270-1050   | 76              | 23.94             | .075          |

### 8mm Pitch — 21mm Wide

| Part No.    | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.    | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|-------------|-------------|-----------------|-------------------|---------------|
| 8MGT-248-21 | 9270-1064   | 31              | 9.76              | .054          | 8MGT-456-21 | 9270-1069   | 57              | 17.95             | .099          |
| 8MGT-288-21 | 9270-1056   | 36              | 11.34             | .063          | 8MGT-480-21 | 9270-1023   | 60              | 18.90             | .104          |
| 8MGT-352-21 | 9270-1065   | 44              | 13.86             | .076          | 8MGT-544-21 | 9270-1070   | 68              | 21.42             | .118          |
| 8MGT-416-21 | 9270-1025   | 52              | 16.38             | .090          | 8MGT-608-21 | 9270-1071   | 76              | 23.94             | .132          |

### 8mm Pitch — 36mm Wide

| Part No.    | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.    | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|-------------|-------------|-----------------|-------------------|---------------|
| 8MGT-248-36 | 9270-1072   | 31              | 9.76              | .092          | 8MGT-456-36 | 9270-1076   | 57              | 17.95             | .170          |
| 8MGT-288-36 | 9270-1074   | 36              | 11.34             | .107          | 8MGT-480-36 | 9270-1066   | 60              | 18.90             | .179          |
| 8MGT-352-36 | 9270-1073   | 44              | 13.86             | .131          | 8MGT-544-36 | 9270-1077   | 68              | 21.42             | .202          |
| 8MGT-416-36 | 9270-1075   | 52              | 16.38             | .155          | 8MGT-608-36 | 9270-1079   | 76              | 23.94             | .226          |





# Poly Chain® GT® Carbon™ Belts - 5M

## Recommended Sprockets

PowerGrip GT and Poly Chain GT Sprockets

### Notes

5M Poly Chain GT part numbers are comprised of pitch, pitch length and width. For example; part number 5MGT-425-15 denotes a 5mm pitch, 425mm pitch length and 15mm width.

Belt pitch is the distance in millimeters between two adjacent tooth centers as measured on the pitch line of the belt. Belt pitch length is the total length (circumference) in millimeters as measured along the pitch line. The theoretical pitch line of a Poly Chain GT Carbon belt lies within the tensile member.

**WARNING:** 5M Poly Chain GT belts must be used with 5MGT sprockets. Consult your local Gates Field Representative for drive design assistance.

## Product No. Series 9270

### 5mm Pitch — 9mm Wide

| Part No.    | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|
| 5MGT-300-09 | 9270-6001   | 60              | 11.81             | .020          |
| 5MGT-375-09 | 9270-6011   | 75              | 14.76             | .020          |
| 5MGT-425-09 | 9270-6021   | 85              | 16.73             | .020          |
| 5MGT-500-09 | 9270-6031   | 100             | 19.69             | .030          |
| 5MGT-535-09 | 9270-6041   | 107             | 21.06             | .030          |

| Part No.    | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|
| 5MGT-600-09 | 9270-6051   | 120             | 23.62             | .030          |
| 5MGT-635-09 | 9270-6061   | 127             | 25.00             | .040          |
| 5MGT-700-09 | 9270-6071   | 140             | 27.56             | .040          |
| 5MGT-815-09 | 9270-6081   | 163             | 32.09             | .050          |

### 5mm Pitch — 15mm Wide

| Part No.    | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|
| 5MGT-300-15 | 9270-6002   | 60              | 11.81             | .030          |
| 5MGT-375-15 | 9270-6012   | 75              | 14.76             | .040          |
| 5MGT-425-15 | 9270-6022   | 85              | 16.73             | .040          |
| 5MGT-500-15 | 9270-6032   | 100             | 19.69             | .050          |
| 5MGT-535-15 | 9270-6042   | 107             | 21.06             | .050          |

| Part No.    | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|
| 5MGT-600-15 | 9270-6052   | 120             | 23.62             | .060          |
| 5MGT-635-15 | 9270-6062   | 127             | 25.00             | .060          |
| 5MGT-700-15 | 9270-6072   | 140             | 27.56             | .070          |
| 5MGT-815-15 | 9270-6082   | 163             | 32.09             | .080          |

### 5mm Pitch — 25mm Wide

| Part No.    | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|
| 5MGT-300-25 | 9270-6004   | 60              | 11.81             | .050          |
| 5MGT-375-25 | 9270-6014   | 75              | 14.76             | .060          |
| 5MGT-425-25 | 9270-6024   | 85              | 16.73             | .070          |
| 5MGT-500-25 | 9270-6034   | 100             | 19.69             | .080          |
| 5MGT-535-25 | 9270-6044   | 107             | 21.06             | .090          |

| Part No.    | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|
| 5MGT-600-25 | 9270-6054   | 120             | 23.62             | .100          |
| 5MGT-635-25 | 9270-6064   | 127             | 25.00             | .100          |
| 5MGT-700-25 | 9270-6074   | 140             | 27.56             | .110          |
| 5MGT-815-25 | 9270-6084   | 163             | 32.09             | .130          |

POLY CHAIN BELTS



# Poly Chain® HTD® Belts

## Recommended Sprockets

Contact the Gates Made-To-Order Metals Team.

### Notes

Belt pitch is the distance in millimeters between two adjacent tooth centers as measured on the pitch line of the belt. Belt pitch length is the total length (circumference) in millimeters as measured along the pitch line. The theoretical pitch line of a Poly Chain HTD belt lies within the tensile member.

Poly Chain HTD Belts are Made-To-Order. Minimum order quantities and manufacturing lead times may apply. Contact Customer Service for availability.

Poly Chain HTD part numbers are comprised of pitch, pitch length and width. For example; part number PC1190-14M-55 denotes "PC" for Poly Chain, 1190mm pitch length, 14mm pitch and 55mm width.

## Product No. Series 9258

### 14mm Pitch — 20mm Wide

| Part No.      | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|---------------|-------------|-----------------|-------------------|---------------|
| PC966-14M-20  | 9258-0080   | 69              | 38.03             | .336          |
| PC1190-14M-20 | 9258-0087   | 85              | 46.85             | .414          |
| PC1400-14M-20 | 9258-0094   | 100             | 55.12             | .487          |
| PC1610-14M-20 | 9258-0101   | 115             | 63.38             | .560          |
| PC1778-14M-20 | 9258-0108   | 127             | 70.00             | .618          |
| PC1890-14M-20 | 9258-0115   | 135             | 74.40             | .657          |
| PC2100-14M-20 | 9258-0122   | 150             | 82.67             | .730          |
| PC2310-14M-20 | 9258-0129   | 165             | 90.94             | .803          |

### 14mm Pitch — 85mm Wide

| Part No.      | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|---------------|-------------|-----------------|-------------------|---------------|
| PC966-14M-85  | 9258-0084   | 69              | 38.03             | 1.427         |
| PC1190-14M-85 | 9258-0091   | 85              | 46.85             | 1.758         |
| PC1400-14M-85 | 9258-0098   | 100             | 55.12             | 2.068         |
| PC1610-14M-85 | 9258-0105   | 115             | 63.38             | 2.378         |
| PC1778-14M-85 | 9258-0112   | 127             | 70.00             | 2.627         |
| PC1890-14M-85 | 9258-0119   | 135             | 74.40             | 2.792         |
| PC2100-14M-85 | 9258-0126   | 150             | 82.67             | 3.102         |
| PC2310-14M-85 | 9258-0133   | 165             | 90.94             | 3.413         |

### 14mm Pitch — 30mm Wide

| Part No.      | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|---------------|-------------|-----------------|-------------------|---------------|
| PC966-14M-30  | 9258-0081   | 69              | 38.03             | .504          |
| PC1190-14M-30 | 9258-0088   | 85              | 46.85             | .620          |
| PC1400-14M-30 | 9258-0095   | 100             | 55.12             | .730          |
| PC1610-14M-30 | 9258-0102   | 115             | 63.38             | .839          |
| PC1778-14M-30 | 9258-0109   | 127             | 70.00             | .927          |
| PC1890-14M-30 | 9258-0116   | 135             | 74.40             | .985          |
| PC2100-14M-30 | 9258-0123   | 150             | 82.67             | 1.095         |
| PC2310-14M-30 | 9258-0130   | 165             | 90.94             | 1.204         |

### 14mm Pitch — 115mm Wide

| Part No.       | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------------|-------------|-----------------|-------------------|---------------|
| PC966-14M-115  | 9258-0085   | 69              | 38.03             | 1.931         |
| PC1190-14M-115 | 9258-0092   | 85              | 46.85             | 2.378         |
| PC1400-14M-115 | 9258-0099   | 100             | 55.12             | 2.798         |
| PC1610-14M-115 | 9258-0106   | 115             | 63.38             | 3.218         |
| PC1778-14M-115 | 9258-0113   | 127             | 70.00             | 3.554         |
| PC1890-14M-115 | 9258-0120   | 135             | 74.40             | 3.778         |
| PC2100-14M-115 | 9258-0127   | 150             | 82.67             | 4.197         |
| PC2310-14M-115 | 9258-0134   | 165             | 90.94             | 4.617         |

### 14mm Pitch — 40mm Wide

| Part No.      | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|---------------|-------------|-----------------|-------------------|---------------|
| PC966-14M-40  | 9258-0082   | 69              | 38.03             | .672          |
| PC1190-14M-40 | 9258-0089   | 85              | 46.85             | .827          |
| PC1400-14M-40 | 9258-0096   | 100             | 55.12             | .973          |
| PC1610-14M-40 | 9258-0103   | 115             | 63.38             | 1.119         |
| PC1778-14M-40 | 9258-0110   | 127             | 70.00             | 1.236         |
| PC1890-14M-40 | 9258-0117   | 135             | 74.40             | 1.314         |
| PC2100-14M-40 | 9258-0124   | 150             | 82.67             | 1.460         |
| PC2310-14M-40 | 9258-0131   | 165             | 90.94             | 1.606         |

### 14mm Pitch — 170mm Wide

| Part No.       | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------------|-------------|-----------------|-------------------|---------------|
| PC966-14M-170  | 9258-0086   | 69              | 38.03             | 2.854         |
| PC1190-14M-170 | 9258-0093   | 85              | 46.85             | 3.516         |
| PC1400-14M-170 | 9258-0100   | 100             | 55.12             | 4.136         |
| PC1610-14M-170 | 9258-0107   | 115             | 63.38             | 4.757         |
| PC1778-14M-170 | 9258-0114   | 127             | 70.00             | 5.253         |
| PC1890-14M-170 | 9258-0121   | 135             | 74.40             | 5.584         |
| PC2100-14M-170 | 9258-0128   | 150             | 82.67             | 6.205         |
| PC2310-14M-170 | 9258-0135   | 165             | 90.94             | 6.825         |

### 14mm Pitch — 55mm Wide

| Part No.      | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|---------------|-------------|-----------------|-------------------|---------------|
| PC966-14M-55  | 9258-0083   | 69              | 38.03             | .923          |
| PC1190-14M-55 | 9258-0090   | 85              | 46.85             | 1.138         |
| PC1400-14M-55 | 9258-0097   | 100             | 55.12             | 1.338         |
| PC1610-14M-55 | 9258-0104   | 115             | 63.38             | 1.539         |
| PC1778-14M-55 | 9258-0111   | 127             | 70.00             | 1.700         |
| PC1890-14M-55 | 9258-0118   | 135             | 74.40             | 1.807         |
| PC2100-14M-55 | 9258-0125   | 150             | 82.67             | 2.007         |
| PC2310-14M-55 | 9258-0132   | 165             | 90.94             | 2.208         |



# Curve Saw Poly Chain® GT®2 Belts

**Recommended Sprockets**  
Poly Chain GT Sprockets - 14M

**Notes**

Belt pitch is the distance in millimeters between two adjacent tooth centers as measured on the pitch line of the belt. Belt pitch length is the total length (circumference) in millimeters as measured along the pitch line. The theoretical pitch line of a Poly Chain GT2 belt lies within the tensile member.

**WARNING:** New designs must utilize the Poly Chain GT Sprockets because of the high torque capacity of the Curve Saw Poly Chain GT2 Belt.

**Product No. Series 9279**

| Part No.       | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------------|-------------|-----------------|-------------------|---------------|
| 14M-2520-125PS | 9279-0646   | 180             | 99.21             | 4.400         |
| 14M-3136-125PS | 9279-0647   | 224             | 123.46            | 6.560         |
| 14M-3304-125PS | 9279-0648   | 236             | 130.08            | 7.200         |
| 14M-3500-125PS | 9279-0649   | 250             | 137.80            | 8.200         |

POLY CHAIN BELTS



# PowerGrip® GT®4 Belts - 8M and 14M

## Recommended Sprockets

PowerGrip GT Sprockets

### Notes

8M and 14M PowerGrip GT4 belts are static conductive in accordance with ISO 9653 and for conditions described in the Directive 2014/34/EU-ATEX. When belt drives systems are located in potentially hazardous environments, safe and reliable dissipation of electrostatic charges is critical - a secondary means of dissipation, such as static grounding brushes, is recommended.

Belt pitch is the distance in millimeters between two adjacent tooth centers as measured on the pitch line of the belt. Belt pitch length is the total length (circumference) in millimeters as measured along the pitch line. The theoretical pitch line of a PowerGrip GT4 belt lies within the tensile member.

PowerGrip GT4 part numbers are comprised of pitch length, pitch, and width. For example, part number 3150-14MGT-55 denotes a 3150mm pitch length, 14mm pitch, and 55mm width.

**WARNING:** New drive designs must use PowerGrip GT sprockets, because of the high torque capacity of PowerGrip GT4 belts. Do not use HTD or RPP profiled sprockets in new designs. PowerGrip GT4 belts can be used on existing HTD or HT100 sprockets as replacement belts, usually at the next narrowest width.

## Product No. Series 9579

### 8mm Pitch — 12mm Wide

| Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|
| 384-8MGT-12  | 9579-1200   | 48              | 15.12             | .053          |
| 480-8MGT-12  | 9579-1201   | 60              | 18.90             | .066          |
| 560-8MGT-12  | 9579-1202   | 70              | 22.05             | .077          |
| 600-8MGT-12  | 9579-1203   | 75              | 23.62             | .083          |
| 640-8MGT-12  | 9579-1204   | 80              | 25.20             | .089          |
| 720-8MGT-12  | 9579-1205   | 90              | 28.35             | .100          |
| 800-8MGT-12  | 9579-1206   | 100             | 31.50             | .111          |
| 840-8MGT-12  | 9579-1207   | 105             | 33.07             | .116          |
| 880-8MGT-12  | 9579-1208   | 110             | 34.65             | .122          |
| 920-8MGT-12  | 9579-1209   | 115             | 36.22             | .128          |
| 960-8MGT-12  | 9579-1210   | 120             | 37.80             | .133          |
| 1040-8MGT-12 | 9579-1211   | 130             | 40.94             | .144          |
| 1064-8MGT-12 | 9579-1212   | 133             | 41.89             | .148          |
| 1104-8MGT-12 | 9579-1213   | 138             | 43.46             | .153          |
| 1120-8MGT-12 | 9579-1214   | 140             | 44.09             | .155          |
| 1160-8MGT-12 | 9579-1215   | 145             | 45.67             | .161          |

| Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|
| 1200-8MGT-12 | 9579-1216   | 150             | 47.24             | .167          |
| 1224-8MGT-12 | 9579-1217   | 153             | 48.19             | .170          |
| 1280-8MGT-12 | 9579-1218   | 160             | 50.39             | .178          |
| 1440-8MGT-12 | 9579-1219   | 180             | 56.69             | .200          |
| 1512-8MGT-12 | 9579-1220   | 189             | 59.53             | .210          |
| 1584-8MGT-12 | 9579-1221   | 198             | 62.36             | .220          |
| 1600-8MGT-12 | 9579-1222   | 200             | 62.99             | .222          |
| 1760-8MGT-12 | 9579-1223   | 220             | 69.29             | .244          |
| 1800-8MGT-12 | 9579-1224   | 225             | 70.87             | .250          |
| 2000-8MGT-12 | 9579-1225   | 250             | 78.74             | .278          |
| 2200-8MGT-12 | 9579-1226   | 275             | 86.61             | .306          |
| 2400-8MGT-12 | 9579-1227   | 300             | 94.49             | .333          |
| 2600-8MGT-12 | 9579-1228   | 325             | 102.36            | .361          |
| 2800-8MGT-12 | 9579-1229   | 350             | 110.24            | .389          |
| 3280-8MGT-12 | 9579-1230   | 410             | 129.13            | .456          |

### 8mm Pitch — 20mm Wide

| Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|
| 384-8MGT-20  | 9579-1021   | 48              | 15.12             | .088          |
| 480-8MGT-20  | 9579-9001   | 60              | 18.90             | .110          |
| 560-8MGT-20  | 9579-9005   | 70              | 22.05             | .129          |
| 576-8MGT-20  | 9579-1041   | 72              | 22.67             | .133          |
| 600-8MGT-20  | 9579-0009   | 75              | 23.62             | .138          |
| 640-8MGT-20  | 9579-0013   | 80              | 25.20             | .148          |
| 720-8MGT-20  | 9579-0017   | 90              | 28.35             | .166          |
| 800-8MGT-20  | 9579-0021   | 100             | 31.50             | .185          |
| 840-8MGT-20  | 9579-1025   | 105             | 33.07             | .194          |
| 880-8MGT-20  | 9579-0025   | 110             | 34.65             | .203          |
| 920-8MGT-20  | 9579-1001   | 115             | 36.22             | .213          |
| 960-8MGT-20  | 9579-0029   | 120             | 37.80             | .222          |
| 1040-8MGT-20 | 9579-0033   | 130             | 40.94             | .240          |
| 1064-8MGT-20 | 9579-1005   | 133             | 41.89             | .246          |
| 1104-8MGT-20 | 9579-1037   | 138             | 43.46             | .255          |
| 1120-8MGT-20 | 9579-0037   | 140             | 44.09             | .259          |

| Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|
| 1160-8MGT-20 | 9579-1009   | 145             | 45.67             | .268          |
| 1200-8MGT-20 | 9579-0041   | 150             | 47.24             | .278          |
| 1224-8MGT-20 | 9579-1029   | 153             | 48.19             | .283          |
| 1280-8MGT-20 | 9579-0045   | 160             | 50.39             | .296          |
| 1440-8MGT-20 | 9579-0049   | 180             | 56.69             | .333          |
| 1512-8MGT-20 | 9579-1013   | 189             | 59.53             | .350          |
| 1584-8MGT-20 | 9579-1017   | 198             | 62.36             | .367          |
| 1600-8MGT-20 | 9579-0053   | 200             | 62.99             | .370          |
| 1760-8MGT-20 | 9579-0057   | 220             | 69.29             | .408          |
| 1800-8MGT-20 | 9579-0061   | 225             | 70.87             | .417          |
| 2000-8MGT-20 | 9579-0065   | 250             | 78.74             | .463          |
| 2200-8MGT-20 | 9579-1033   | 275             | 86.62             | .510          |
| 2400-8MGT-20 | 9579-0069   | 300             | 94.49             | .556          |
| 2600-8MGT-20 | 9579-0077   | 325             | 102.36            | .602          |
| 2800-8MGT-20 | 9579-0073   | 350             | 110.24            | .649          |
| 3280-8MGT-20 | 9579-0085   | 410             | 129.13            | .760          |

### 8mm Pitch — 30mm Wide

| Part No.    | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|
| 384-8MGT-30 | 9579-1022   | 48              | 15.12             | .132          |
| 480-8MGT-30 | 9579-9002   | 60              | 18.90             | .166          |
| 560-8MGT-30 | 9579-9006   | 70              | 22.05             | .194          |
| 576-8MGT-30 | 9579-1043   | 72              | 22.67             | .199          |
| 600-8MGT-30 | 9579-0010   | 75              | 23.62             | .207          |

| Part No.    | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|
| 640-8MGT-30 | 9579-0014   | 80              | 25.20             | .221          |
| 720-8MGT-30 | 9579-0018   | 90              | 28.35             | .249          |
| 800-8MGT-30 | 9579-0022   | 100             | 31.50             | .277          |
| 840-8MGT-30 | 9579-1026   | 105             | 33.07             | .291          |
| 880-8MGT-30 | 9579-0026   | 110             | 34.65             | .305          |



# PowerGrip® GT®4 Belts - 8M and 14M

## Product No. Series 9579 (continued)

### 8mm Pitch — 30mm Wide (continued)

| Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|--------------|-------------|-----------------|-------------------|---------------|
| 920-8MGT-30  | 9579-1002   | 115             | 36.22             | .319          | 1512-8MGT-30 | 9579-1014   | 189             | 59.53             | .525          |
| 960-8MGT-30  | 9579-0030   | 120             | 37.80             | .333          | 1584-8MGT-30 | 9579-1018   | 198             | 62.36             | .550          |
| 1040-8MGT-30 | 9579-0034   | 130             | 40.94             | .361          | 1600-8MGT-30 | 9579-0054   | 200             | 62.99             | .556          |
| 1064-8MGT-30 | 9579-1006   | 133             | 41.89             | .369          | 1760-8MGT-30 | 9579-0058   | 220             | 69.29             | .611          |
| 1104-8MGT-30 | 9579-1038   | 138             | 43.46             | .383          | 1800-8MGT-30 | 9579-0062   | 225             | 70.87             | .625          |
| 1120-8MGT-30 | 9579-0038   | 140             | 44.09             | .389          | 2000-8MGT-30 | 9579-0066   | 250             | 78.74             | .694          |
| 1160-8MGT-30 | 9579-1010   | 145             | 45.67             | .403          | 2200-8MGT-30 | 9579-1034   | 275             | 86.61             | .764          |
| 1200-8MGT-30 | 9579-0042   | 150             | 47.24             | .416          | 2400-8MGT-30 | 9579-0070   | 300             | 94.49             | .834          |
| 1224-8MGT-30 | 9579-1030   | 153             | 48.19             | .425          | 2600-8MGT-30 | 9579-0078   | 325             | 102.36            | .903          |
| 1280-8MGT-30 | 9579-0046   | 160             | 50.39             | .444          | 2800-8MGT-30 | 9579-0074   | 350             | 110.24            | .973          |
| 1440-8MGT-30 | 9579-0050   | 180             | 56.69             | .500          | 3280-8MGT-30 | 9579-0086   | 410             | 129.13            | 1.140         |

### 8mm Pitch — 50mm Wide

| Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|--------------|-------------|-----------------|-------------------|---------------|
| 384-8MGT-50  | 9579-1023   | 48              | 15.12             | .220          | 1160-8MGT-50 | 9579-1011   | 145             | 45.67             | .671          |
| 480-8MGT-50  | 9579-9003   | 60              | 18.90             | .276          | 1200-8MGT-50 | 9579-0043   | 150             | 47.24             | .694          |
| 560-8MGT-50  | 9579-9007   | 70              | 22.05             | .323          | 1224-8MGT-50 | 9579-1031   | 153             | 48.19             | .708          |
| 576-8MGT-50  | 9579-1042   | 72              | 22.67             | .332          | 1280-8MGT-50 | 9579-0047   | 160             | 50.39             | .741          |
| 600-8MGT-50  | 9579-0011   | 75              | 23.62             | .346          | 1440-8MGT-50 | 9579-0051   | 180             | 56.69             | .833          |
| 640-8MGT-50  | 9579-0015   | 80              | 25.20             | .369          | 1512-8MGT-50 | 9579-1015   | 189             | 59.53             | .875          |
| 720-8MGT-50  | 9579-0019   | 90              | 28.35             | .415          | 1584-8MGT-50 | 9579-1019   | 198             | 62.36             | .917          |
| 800-8MGT-50  | 9579-0023   | 100             | 31.50             | .462          | 1600-8MGT-50 | 9579-0055   | 200             | 62.99             | .927          |
| 840-8MGT-50  | 9579-1027   | 105             | 33.07             | .485          | 1760-8MGT-50 | 9579-0059   | 220             | 69.29             | 1.019         |
| 880-8MGT-50  | 9579-0027   | 110             | 34.65             | .508          | 1800-8MGT-50 | 9579-0063   | 225             | 70.87             | 1.042         |
| 920-8MGT-50  | 9579-1003   | 115             | 36.22             | .532          | 2000-8MGT-50 | 9579-0067   | 250             | 78.74             | 1.158         |
| 960-8MGT-50  | 9579-0031   | 120             | 37.80             | .555          | 2200-8MGT-50 | 9579-1035   | 275             | 86.61             | 1.275         |
| 1040-8MGT-50 | 9579-0035   | 130             | 40.94             | .601          | 2400-8MGT-50 | 9579-0071   | 300             | 94.49             | 1.391         |
| 1064-8MGT-50 | 9579-1007   | 133             | 41.89             | .615          | 2600-8MGT-50 | 9579-0079   | 325             | 102.36            | 1.507         |
| 1104-8MGT-50 | 9579-1039   | 138             | 43.46             | .638          | 2800-8MGT-50 | 9579-0075   | 350             | 110.24            | 1.623         |
| 1120-8MGT-50 | 9579-0039   | 140             | 44.09             | .648          | 3280-8MGT-50 | 9579-0087   | 410             | 129.13            | 1.902         |

### 8mm Pitch — 85mm Wide

| Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|--------------|-------------|-----------------|-------------------|---------------|
| 384-8MGT-85  | 9579-1024   | 48              | 15.12             | .375          | 1160-8MGT-85 | 9579-1012   | 146             | 45.83             | 1.140         |
| 480-8MGT-85  | 9579-9004   | 60              | 18.90             | .469          | 1200-8MGT-85 | 9579-0044   | 150             | 47.24             | 1.180         |
| 560-8MGT-85  | 9579-9008   | 70              | 22.05             | .548          | 1224-8MGT-85 | 9579-1032   | 153             | 48.19             | 1.204         |
| 576-8MGT-85  | 9579-1044   | 72              | 22.67             | .564          | 1280-8MGT-85 | 9579-0048   | 160             | 50.39             | 1.259         |
| 600-8MGT-85  | 9579-0012   | 75              | 23.62             | .588          | 1440-8MGT-85 | 9579-0052   | 180             | 56.69             | 1.417         |
| 640-8MGT-85  | 9579-0016   | 80              | 25.20             | .627          | 1512-8MGT-85 | 9579-1016   | 189             | 59.53             | 1.488         |
| 720-8MGT-85  | 9579-0020   | 90              | 28.35             | .706          | 1584-8MGT-85 | 9579-1020   | 198             | 62.36             | 1.559         |
| 800-8MGT-85  | 9579-0024   | 100             | 31.50             | .785          | 1600-8MGT-85 | 9579-0056   | 200             | 62.99             | 1.575         |
| 840-8MGT-85  | 9579-1028   | 105             | 33.07             | .825          | 1760-8MGT-85 | 9579-0060   | 220             | 69.29             | 1.732         |
| 880-8MGT-85  | 9579-0028   | 110             | 34.65             | .864          | 1800-8MGT-85 | 9579-0064   | 225             | 70.87             | 1.772         |
| 920-8MGT-85  | 9579-1004   | 115             | 36.22             | .904          | 2000-8MGT-85 | 9579-0068   | 250             | 78.74             | 1.969         |
| 960-8MGT-85  | 9579-0032   | 120             | 37.80             | .943          | 2200-8MGT-85 | 9579-1036   | 275             | 86.61             | 2.166         |
| 1040-8MGT-85 | 9579-0036   | 130             | 40.94             | 1.022         | 2400-8MGT-85 | 9579-0072   | 300             | 94.49             | 2.363         |
| 1064-8MGT-85 | 9579-1008   | 133             | 41.89             | 1.046         | 2600-8MGT-85 | 9579-0080   | 325             | 102.36            | 2.560         |
| 1104-8MGT-85 | 9579-1040   | 138             | 43.46             | 1.085         | 2800-8MGT-85 | 9579-0076   | 350             | 110.24            | 2.750         |
| 1120-8MGT-85 | 9579-0040   | 140             | 44.09             | 1.101         | 3280-8MGT-85 | 9579-0088   | 410             | 129.13            | 3.230         |

POWERGRIP GT4 BELTS





# PowerGrip® GT®4 Belts - 8M and 14M

Product No. Series 9579 (continued)

## 14mm Pitch — 40mm Wide

| Part No.      | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|---------------|-------------|-----------------|-------------------|---------------|
| 966-14MGT-40  | 9579-0100   | 69              | 38.03             | .778          |
| 1190-14MGT-40 | 9579-0105   | 85              | 46.85             | .960          |
| 1400-14MGT-40 | 9579-0110   | 100             | 55.12             | 1.131         |
| 1610-14MGT-40 | 9579-0115   | 115             | 63.39             | 1.301         |
| 1778-14MGT-40 | 9579-0120   | 127             | 70.00             | 1.438         |
| 1890-14MGT-40 | 9579-0125   | 135             | 74.41             | 1.529         |
| 2100-14MGT-40 | 9579-0130   | 150             | 82.68             | 1.699         |
| 2310-14MGT-40 | 9579-0135   | 165             | 90.94             | 1.870         |
| 2450-14MGT-40 | 9579-0140   | 175             | 96.46             | 1.984         |
| 2590-14MGT-40 | 9579-0145   | 185             | 101.97            | 2.098         |
| 2800-14MGT-40 | 9579-0150   | 200             | 110.24            | 2.268         |

| Part No.      | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|---------------|-------------|-----------------|-------------------|---------------|
| 3150-14MGT-40 | 9579-0155   | 225             | 124.02            | 2.553         |
| 3360-14MGT-40 | 9579-0180   | 240             | 132.28            | 2.723         |
| 3500-14MGT-40 | 9579-0160   | 250             | 137.80            | 2.837         |
| 3850-14MGT-40 | 9579-0165   | 275             | 151.57            | 3.122         |
| 4326-14MGT-40 | 9579-0170   | 309             | 170.31            | 3.508         |
| 4578-14MGT-40 | 9579-0175   | 327             | 180.24            | 3.713         |
| 4956-14MGT-40 | 9579-0185   | 354             | 195.12            | 4.020         |
| 5320-14MGT-40 | 9579-0190   | 380             | 209.45            | 4.316         |
| 5740-14MGT-40 | 9579-0195   | 410             | 225.98            | 4.658         |
| 6160-14MGT-40 | 9579-0200   | 440             | 242.52            | 4.999         |
| 6860-14MGT-40 | 9579-0205   | 490             | 270.08            | 5.568         |

## 14mm Pitch — 55mm Wide

| Part No.      | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|---------------|-------------|-----------------|-------------------|---------------|
| 966-14MGT-55  | 9579-0101   | 69              | 38.03             | 1.070         |
| 1190-14MGT-55 | 9579-0106   | 85              | 46.85             | 1.320         |
| 1400-14MGT-55 | 9579-0111   | 100             | 55.12             | 1.555         |
| 1610-14MGT-55 | 9579-0116   | 115             | 63.39             | 1.789         |
| 1778-14MGT-55 | 9579-0121   | 127             | 70.00             | 1.977         |
| 1890-14MGT-55 | 9579-0126   | 135             | 74.41             | 2.102         |
| 2100-14MGT-55 | 9579-0131   | 150             | 82.68             | 2.337         |
| 2310-14MGT-55 | 9579-0136   | 165             | 90.94             | 2.571         |
| 2450-14MGT-55 | 9579-0141   | 175             | 96.46             | 2.728         |
| 2590-14MGT-55 | 9579-0146   | 185             | 101.97            | 2.884         |
| 2800-14MGT-55 | 9579-0151   | 200             | 110.24            | 3.119         |

| Part No.      | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|---------------|-------------|-----------------|-------------------|---------------|
| 3150-14MGT-55 | 9579-0156   | 225             | 124.02            | 3.510         |
| 3360-14MGT-55 | 9579-0181   | 240             | 132.28            | 3.745         |
| 3500-14MGT-55 | 9579-0161   | 250             | 137.80            | 3.901         |
| 3850-14MGT-55 | 9579-0166   | 275             | 151.57            | 4.292         |
| 4326-14MGT-55 | 9579-0171   | 309             | 170.31            | 4.824         |
| 4578-14MGT-55 | 9579-0176   | 327             | 180.24            | 5.106         |
| 4956-14MGT-55 | 9579-0186   | 354             | 195.12            | 5.528         |
| 5320-14MGT-55 | 9579-0191   | 380             | 209.45            | 5.935         |
| 5740-14MGT-55 | 9579-0196   | 410             | 225.98            | 6.404         |
| 6160-14MGT-55 | 9579-0201   | 440             | 242.52            | 6.873         |
| 6860-14MGT-55 | 9579-0206   | 490             | 270.08            | 7.656         |

## 14mm Pitch — 85mm Wide

| Part No.      | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|---------------|-------------|-----------------|-------------------|---------------|
| 966-14MGT-85  | 9579-0102   | 69              | 38.03             | 1.653         |
| 1190-14MGT-85 | 9579-0107   | 85              | 46.85             | 2.040         |
| 1400-14MGT-85 | 9579-0112   | 100             | 55.12             | 2.402         |
| 1610-14MGT-85 | 9579-0117   | 115             | 63.39             | 2.765         |
| 1778-14MGT-85 | 9579-0122   | 127             | 70.00             | 3.055         |
| 1890-14MGT-85 | 9579-0127   | 135             | 74.41             | 3.249         |
| 2100-14MGT-85 | 9579-0132   | 150             | 82.68             | 3.611         |
| 2310-14MGT-85 | 9579-0137   | 165             | 90.94             | 3.974         |
| 2450-14MGT-85 | 9579-0142   | 175             | 96.46             | 4.216         |
| 2590-14MGT-85 | 9579-0147   | 185             | 101.97            | 4.458         |
| 2800-14MGT-85 | 9579-0152   | 200             | 110.24            | 4.820         |

| Part No.      | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|---------------|-------------|-----------------|-------------------|---------------|
| 3150-14MGT-85 | 9579-0157   | 225             | 124.02            | 5.425         |
| 3360-14MGT-85 | 9579-0182   | 240             | 132.28            | 5.787         |
| 3500-14MGT-85 | 9579-0162   | 250             | 137.80            | 6.029         |
| 3850-14MGT-85 | 9579-0167   | 275             | 151.57            | 6.633         |
| 4326-14MGT-85 | 9579-0172   | 309             | 170.31            | 7.455         |
| 4578-14MGT-85 | 9579-0177   | 327             | 180.24            | 7.891         |
| 4956-14MGT-85 | 9579-0187   | 354             | 195.12            | 8.543         |
| 5320-14MGT-85 | 9579-0192   | 380             | 209.45            | 9.172         |
| 5740-14MGT-85 | 9579-0197   | 410             | 225.98            | 9.897         |
| 6160-14MGT-85 | 9579-0202   | 440             | 242.52            | 10.623        |
| 6860-14MGT-85 | 9579-0207   | 490             | 270.08            | 11.831        |

## 14mm Pitch — 115mm Wide

| Part No.       | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------------|-------------|-----------------|-------------------|---------------|
| 966-14MGT-115  | 9579-0103   | 69              | 38.03             | 2.236         |
| 1190-14MGT-115 | 9579-0108   | 85              | 46.85             | 2.760         |
| 1400-14MGT-115 | 9579-0113   | 100             | 55.12             | 3.250         |
| 1610-14MGT-115 | 9579-0118   | 115             | 63.39             | 3.741         |
| 1778-14MGT-115 | 9579-0123   | 127             | 70.00             | 4.134         |
| 1890-14MGT-115 | 9579-0128   | 135             | 74.41             | 4.395         |
| 2100-14MGT-115 | 9579-0133   | 150             | 82.68             | 4.886         |
| 2310-14MGT-115 | 9579-0138   | 165             | 90.94             | 5.377         |
| 2450-14MGT-115 | 9579-0143   | 175             | 96.46             | 5.704         |
| 2590-14MGT-115 | 9579-0148   | 185             | 101.97            | 6.031         |
| 2800-14MGT-115 | 9579-0153   | 200             | 110.24            | 6.521         |

| Part No.       | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------------|-------------|-----------------|-------------------|---------------|
| 3150-14MGT-115 | 9579-0158   | 225             | 124.02            | 7.339         |
| 3360-14MGT-115 | 9579-0183   | 240             | 132.28            | 7.830         |
| 3500-14MGT-115 | 9579-0163   | 250             | 137.80            | 8.157         |
| 3850-14MGT-115 | 9579-0168   | 275             | 151.57            | 8.975         |
| 4326-14MGT-115 | 9579-0173   | 309             | 170.31            | 10.087        |
| 4578-14MGT-115 | 9579-0178   | 327             | 180.24            | 10.675        |
| 4956-14MGT-115 | 9579-0188   | 354             | 195.12            | 11.559        |
| 5320-14MGT-115 | 9579-0193   | 380             | 209.45            | 12.409        |
| 5740-14MGT-115 | 9579-0198   | 410             | 225.98            | 13.390        |
| 6160-14MGT-115 | 9579-0203   | 440             | 242.52            | 14.372        |
| 6860-14MGT-115 | 9579-0208   | 490             | 270.08            | 16.007        |



# PowerGrip® GT®4 Belts - 8M and 14M

**Product No. Series 9579 (continued)**

## 14mm Pitch — 170mm Wide

| Part No.       | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.       | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------------|-------------|-----------------|-------------------|---------------|----------------|-------------|-----------------|-------------------|---------------|
| 966-14MGT-170  | 9579-0104   | 69              | 38.03             | 3.306         | 3150-14MGT-170 | 9579-0159   | 225             | 124.02            | 10.849        |
| 1190-14MGT-170 | 9579-0109   | 85              | 46.85             | 4.080         | 3360-14MGT-170 | 9579-0184   | 240             | 132.28            | 11.574        |
| 1400-14MGT-170 | 9579-0114   | 100             | 55.12             | 4.805         | 3500-14MGT-170 | 9579-0164   | 250             | 137.80            | 12.058        |
| 1610-14MGT-170 | 9579-0119   | 115             | 63.39             | 5.530         | 3850-14MGT-170 | 9579-0169   | 275             | 151.57            | 13.267        |
| 1778-14MGT-170 | 9579-0124   | 127             | 70.00             | 6.111         | 4326-14MGT-170 | 9579-0174   | 309             | 170.31            | 14.911        |
| 1890-14MGT-170 | 9579-0129   | 135             | 74.41             | 6.497         | 4578-14MGT-170 | 9579-0179   | 327             | 180.24            | 15.595        |
| 2100-14MGT-170 | 9579-0134   | 150             | 82.68             | 7.223         | 4956-14MGT-170 | 9579-0189   | 354             | 195.12            | 17.087        |
| 2310-14MGT-170 | 9579-0139   | 165             | 90.94             | 7.948         | 5320-14MGT-170 | 9579-0194   | 380             | 209.45            | 18.344        |
| 2450-14MGT-170 | 9579-0144   | 175             | 96.46             | 8.431         | 5740-14MGT-170 | 9579-0199   | 410             | 225.98            | 19.794        |
| 2590-14MGT-170 | 9579-0149   | 185             | 101.97            | 8.915         | 6160-14MGT-170 | 9579-0204   | 440             | 242.52            | 21.245        |
| 2800-14MGT-170 | 9579-0154   | 200             | 110.24            | 9.640         | 6860-14MGT-170 | 9579-0209   | 490             | 270.08            | 23.663        |

## 14mm Pitch PowerGrip® GT™4 ACHE Belts — 40, 55 and 85mm Wide

| Part No.       | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.       | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------------|-------------|-----------------|-------------------|---------------|----------------|-------------|-----------------|-------------------|---------------|
| 3150-14MGT-40F | 9579-0589   | 225             | 124.01            | 2.553         | 3500-14MGT-40F | 9579-0591   | 250             | 137.79            | 2.837         |
| 3150-14MGT-55F | 9579-0593   | 225             | 124.01            | 3.510         | 3500-14MGT-55F | 9579-0595   | 250             | 137.79            | 3.901         |
| 3150-14MGT-85F | 9579-0597   | 225             | 124.01            | 5.425         | 3500-14MGT-85F | 9579-0599   | 250             | 137.79            | 6.029         |
| 3360-14MGT-40F | 9579-0590   | 240             | 132.28            | 2.723         | 3850-14MGT-40F | 9579-0592   | 275             | 151.57            | 3.122         |
| 3360-14MGT-55F | 9579-0594   | 240             | 132.28            | 3.745         | 3850-14MGT-55F | 9579-0596   | 275             | 151.57            | 4.292         |
| 3360-14MGT-85F | 9579-0598   | 240             | 132.28            | 5.787         | 3850-14MGT-85F | 9579-0600   | 275             | 151.57            | 6.633         |

POWERGRIP GT4 BELTS



# PowerGrip® GT®3 Belts - 5M

## Recommended Sprockets

PowerGrip GT and Poly Chain GT Sprockets

### Notes

Belt pitch is the distance in millimeters between two adjacent tooth centers as measured on the pitch line of the belt. Belt pitch length is the total length (circumference) in millimeters as measured along the pitch line. The theoretical pitch line of a PowerGrip GT3 belt lies within the tensile member.

PowerGrip GT3 part numbers are comprised of pitch, pitch length and width. For example; part number 400-5MGT-09 denotes a 400mm pitch length, 5mm pitch and 9mm width.

## Product No. Series 9400

### 5mm Pitch — 9mm Wide

| Part No.    | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|
| 300-5MGT-09 | 9400-6060   | 60              | 11.81             | .024          |
| 355-5MGT-09 | 9400-6071   | 71              | 13.98             | .029          |
| 375-5MGT-09 | 9400-6075   | 75              | 14.76             | .030          |
| 400-5MGT-09 | 9400-6080   | 80              | 15.75             | .032          |
| 405-5MGT-09 | 9400-6081   | 81              | 15.95             | .033          |
| 425-5MGT-09 | 9400-6085   | 85              | 16.73             | .035          |
| 450-5MGT-09 | 9400-6090   | 90              | 17.72             | .037          |
| 500-5MGT-09 | 9400-6100   | 100             | 19.69             | .041          |
| 535-5MGT-09 | 9400-6107   | 107             | 21.06             | .043          |
| 565-5MGT-09 | 9400-6113   | 113             | 22.24             | .046          |
| 575-5MGT-09 | 9400-6115   | 115             | 22.64             | .047          |
| 580-5MGT-09 | 9400-6116   | 116             | 22.83             | .047          |
| 600-5MGT-09 | 9400-6120   | 120             | 23.62             | .049          |
| 625-5MGT-09 | 9400-6125   | 125             | 24.61             | .051          |
| 650-5MGT-09 | 9400-6130   | 130             | 25.59             | .053          |

| Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|
| 700-5MGT-09  | 9400-6140   | 140             | 27.56             | .057          |
| 750-5MGT-09  | 9400-6150   | 150             | 29.53             | .061          |
| 800-5MGT-09  | 9400-6160   | 160             | 31.50             | .065          |
| 815-5MGT-09  | 9400-6163   | 163             | 32.09             | .066          |
| 850-5MGT-09  | 9400-6170   | 170             | 33.46             | .069          |
| 900-5MGT-09  | 9400-6180   | 180             | 35.43             | .073          |
| 1000-5MGT-09 | 9400-6200   | 200             | 39.37             | .081          |
| 1150-5MGT-09 | 9400-6230   | 230             | 45.28             | .093          |
| 1300-5MGT-09 | 9400-6260   | 260             | 51.18             | .106          |
| 1450-5MGT-09 | 9400-6290   | 290             | 57.09             | .118          |
| 1600-5MGT-09 | 9400-6320   | 320             | 62.99             | .130          |
| 1720-5MGT-09 | 9400-6344   | 344             | 67.72             | .140          |
| 1755-5MGT-09 | 9400-6351   | 351             | 69.09             | .142          |
| 2100-5MGT-09 | 9400-6420   | 420             | 82.67             | .170          |

### 5mm Pitch — 15mm Wide

| Part No.    | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|
| 300-5MGT-15 | 9400-7060   | 60              | 11.81             | .041          |
| 355-5MGT-15 | 9400-7071   | 71              | 13.98             | .048          |
| 375-5MGT-15 | 9400-7075   | 75              | 14.76             | .051          |
| 400-5MGT-15 | 9400-7080   | 80              | 15.75             | .054          |
| 405-5MGT-15 | 9400-7081   | 81              | 15.95             | .055          |
| 425-5MGT-15 | 9400-7085   | 85              | 16.73             | .058          |
| 450-5MGT-15 | 9400-7090   | 90              | 17.72             | .061          |
| 500-5MGT-15 | 9400-7100   | 100             | 19.69             | .068          |
| 535-5MGT-15 | 9400-7107   | 107             | 21.06             | .072          |
| 565-5MGT-15 | 9400-7113   | 113             | 22.24             | .076          |
| 575-5MGT-15 | 9400-7115   | 115             | 22.64             | .078          |
| 580-5MGT-15 | 9400-7116   | 116             | 22.83             | .078          |
| 600-5MGT-15 | 9400-7120   | 120             | 23.62             | .081          |
| 625-5MGT-15 | 9400-7125   | 125             | 24.61             | .085          |
| 650-5MGT-15 | 9400-7130   | 130             | 25.59             | .088          |

| Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|
| 700-5MGT-15  | 9400-7140   | 140             | 27.56             | .095          |
| 750-5MGT-15  | 9400-7150   | 150             | 29.53             | .101          |
| 800-5MGT-15  | 9400-7160   | 160             | 31.50             | .108          |
| 815-5MGT-15  | 9400-7163   | 163             | 32.09             | .110          |
| 850-5MGT-15  | 9400-7170   | 170             | 33.46             | .115          |
| 900-5MGT-15  | 9400-7180   | 180             | 35.43             | .122          |
| 1000-5MGT-15 | 9400-7200   | 200             | 39.37             | .135          |
| 1150-5MGT-15 | 9400-7230   | 230             | 45.28             | .156          |
| 1300-5MGT-15 | 9400-7260   | 260             | 51.18             | .176          |
| 1450-5MGT-15 | 9400-7290   | 290             | 57.09             | .196          |
| 1600-5MGT-15 | 9400-7320   | 320             | 62.99             | .216          |
| 1720-5MGT-15 | 9400-7344   | 344             | 67.72             | .233          |
| 1755-5MGT-15 | 9400-7351   | 351             | 69.09             | .237          |
| 2100-5MGT-15 | 9400-7420   | 420             | 82.68             | .284          |

### 5mm Pitch — 25mm Wide

| Part No.    | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|
| 300-5MGT-25 | 9400-8060   | 60              | 11.81             | .068          |
| 355-5MGT-25 | 9400-8071   | 71              | 13.98             | .080          |
| 375-5MGT-25 | 9400-8075   | 75              | 14.76             | .085          |
| 400-5MGT-25 | 9400-8080   | 80              | 15.75             | .090          |
| 405-5MGT-25 | 9400-8081   | 81              | 15.95             | .091          |
| 425-5MGT-25 | 9400-8085   | 85              | 16.73             | .096          |
| 450-5MGT-25 | 9400-8090   | 90              | 17.72             | .101          |
| 500-5MGT-25 | 9400-8100   | 100             | 19.69             | .113          |
| 535-5MGT-25 | 9400-8107   | 107             | 21.06             | .121          |
| 565-5MGT-25 | 9400-8113   | 113             | 22.24             | .127          |
| 575-5MGT-25 | 9400-8115   | 115             | 22.64             | .130          |

| Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|
| 580-5MGT-25  | 9400-8116   | 116             | 22.83             | .131          |
| 600-5MGT-25  | 9400-8120   | 120             | 23.62             | .135          |
| 625-5MGT-25  | 9400-8125   | 125             | 24.61             | .141          |
| 650-5MGT-25  | 9400-8130   | 130             | 25.59             | .147          |
| 700-5MGT-25  | 9400-8140   | 140             | 27.56             | .158          |
| 750-5MGT-25  | 9400-8150   | 150             | 29.53             | .169          |
| 800-5MGT-25  | 9400-8160   | 160             | 31.50             | .180          |
| 815-5MGT-25  | 9400-8163   | 163             | 32.09             | .184          |
| 850-5MGT-25  | 9400-8170   | 170             | 33.46             | .192          |
| 900-5MGT-25  | 9400-8180   | 180             | 35.43             | .203          |
| 1000-5MGT-25 | 9400-8200   | 200             | 39.37             | .226          |

POWERGRIP GT3 BELTS



# PowerGrip® GT®3 Belts - 5M

**Product No. Series 9400 (continued)**

**5mm Pitch — 25mm Wide (continued)**

| Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|
| 1150-5MGT-25 | 9400-8230   | 230             | 45.28             | .259          |
| 1300-5MGT-25 | 9400-8260   | 260             | 51.18             | .293          |
| 1450-5MGT-25 | 9400-8290   | 290             | 57.09             | .327          |
| 1600-5MGT-25 | 9400-8320   | 320             | 62.99             | .361          |

| Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|
| 1720-5MGT-25 | 9400-8344   | 344             | 67.72             | .388          |
| 1755-5MGT-25 | 9400-8351   | 351             | 69.09             | .396          |
| 2100-5MGT-25 | 9400-8420   | 420             | 82.68             | .474          |



# PowerGrip® GT®3 Belts - 2M and 3M

## Recommended Sprockets

PowerGrip GT Sprockets

### Notes

Belt pitch is the distance in millimeters between two adjacent tooth centers as measured on the pitch line of the belt. Belt pitch length is the total length (circumference) in millimeters as measured along the pitch line. The theoretical pitch line of a PowerGrip GT3 belt lies within the tensile member.

PowerGrip GT3 part numbers are comprised of pitch, pitch length and width. For example; part number 100-2MGT-04 denotes a 100mm pitch length, 2mm pitch and 4mm width.

## Product No. Series 9400

### 2mm Pitch — 4mm Wide

| Part No.    | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|--------------|-------------|-----------------|-------------------|---------------|
| 100-2MGT-04 | 9400-0050   | 50              | 3.94              | .001          | 278-2MGT-04  | 9400-0139   | 139             | 10.94             | .003          |
| 112-2MGT-04 | 9400-0056   | 56              | 4.41              | .001          | 280-2MGT-04  | 9400-0140   | 140             | 11.02             | .003          |
| 124-2MGT-04 | 9400-0062   | 62              | 4.88              | .002          | 300-2MGT-04  | 9400-0150   | 150             | 11.81             | .004          |
| 126-2MGT-04 | 9400-0063   | 63              | 4.96              | .002          | 320-2MGT-04  | 9400-0160   | 160             | 12.60             | .004          |
| 134-2MGT-04 | 9400-0067   | 67              | 5.28              | .002          | 322-2MGT-04  | 9400-0161   | 161             | 12.68             | .004          |
| 136-2MGT-04 | 9400-0068   | 68              | 5.35              | .002          | 332-2MGT-04  | 9400-0166   | 166             | 13.07             | .004          |
| 140-2MGT-04 | 9400-0070   | 70              | 5.51              | .002          | 346-2MGT-04  | 9400-0173   | 173             | 13.62             | .004          |
| 152-2MGT-04 | 9400-0076   | 76              | 5.98              | .002          | 350-2MGT-04  | 9400-0175   | 175             | 13.78             | .004          |
| 158-2MGT-04 | 9400-0079   | 79              | 6.22              | .002          | 364-2MGT-04  | 9400-0182   | 182             | 14.33             | .004          |
| 160-2MGT-04 | 9400-0080   | 80              | 6.30              | .002          | 370-2MGT-04  | 9400-0185   | 185             | 14.57             | .005          |
| 164-2MGT-04 | 9400-0082   | 82              | 6.46              | .002          | 380-2MGT-04  | 9400-0190   | 190             | 14.96             | .005          |
| 166-2MGT-04 | 9400-0083   | 83              | 6.54              | .002          | 386-2MGT-04  | 9400-0193   | 193             | 15.20             | .005          |
| 168-2MGT-04 | 9400-0084   | 84              | 6.61              | .002          | 400-2MGT-04  | 9400-0200   | 200             | 15.75             | .005          |
| 172-2MGT-04 | 9400-0086   | 86              | 6.77              | .002          | 406-2MGT-04  | 9400-0203   | 203             | 15.98             | .005          |
| 180-2MGT-04 | 9400-0090   | 90              | 7.09              | .002          | 420-2MGT-04  | 9400-0210   | 210             | 16.54             | .005          |
| 186-2MGT-04 | 9400-0093   | 93              | 7.32              | .002          | 456-2MGT-04  | 9400-0228   | 228             | 17.95             | .006          |
| 192-2MGT-04 | 9400-0096   | 96              | 7.56              | .002          | 470-2MGT-04  | 9400-0235   | 235             | 18.50             | .006          |
| 200-2MGT-04 | 9400-0100   | 100             | 7.87              | .002          | 474-2MGT-04  | 9400-0237   | 237             | 18.66             | .006          |
| 202-2MGT-04 | 9400-0101   | 101             | 7.95              | .002          | 488-2MGT-04  | 9400-0244   | 244             | 19.21             | .006          |
| 210-2MGT-04 | 9400-0105   | 105             | 8.27              | .003          | 504-2MGT-04  | 9400-0252   | 252             | 19.84             | .006          |
| 212-2MGT-04 | 9400-0106   | 106             | 8.35              | .003          | 528-2MGT-04  | 9400-0264   | 264             | 20.79             | .007          |
| 216-2MGT-04 | 9400-0108   | 108             | 8.50              | .003          | 552-2MGT-04  | 9400-0276   | 276             | 21.73             | .007          |
| 220-2MGT-04 | 9400-0110   | 110             | 8.66              | .003          | 576-2MGT-04  | 9400-0288   | 288             | 22.68             | .007          |
| 232-2MGT-04 | 9400-0116   | 116             | 9.13              | .003          | 600-2MGT-04  | 9400-0300   | 300             | 23.62             | .007          |
| 236-2MGT-04 | 9400-0118   | 118             | 9.29              | .003          | 640-2MGT-04  | 9400-0320   | 320             | 25.20             | .008          |
| 240-2MGT-04 | 9400-0120   | 120             | 9.45              | .003          | 696-2MGT-04  | 9400-0348   | 348             | 27.40             | .009          |
| 250-2MGT-04 | 9400-0125   | 125             | 9.84              | .003          | 744-2MGT-04  | 9400-0372   | 372             | 29.29             | .009          |
| 252-2MGT-04 | 9400-0126   | 126             | 9.92              | .003          | 848-2MGT-04  | 9400-0424   | 424             | 33.39             | .010          |
| 258-2MGT-04 | 9400-0129   | 129             | 10.16             | .003          | 1164-2MGT-04 | 9400-0582   | 582             | 45.83             | .014          |

### 2mm Pitch — 6mm Wide

| Part No.    | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.    | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|-------------|-------------|-----------------|-------------------|---------------|
| 100-2MGT-06 | 9400-1050   | 50              | 3.94              | .002          | 202-2MGT-06 | 9400-1101   | 101             | 7.95              | .004          |
| 112-2MGT-06 | 9400-1056   | 56              | 4.41              | .002          | 210-2MGT-06 | 9400-1105   | 105             | 8.27              | .004          |
| 124-2MGT-06 | 9400-1062   | 62              | 4.88              | .002          | 212-2MGT-06 | 9400-1106   | 106             | 8.35              | .004          |
| 126-2MGT-06 | 9400-1063   | 63              | 4.96              | .002          | 216-2MGT-06 | 9400-1108   | 108             | 8.50              | .004          |
| 134-2MGT-06 | 9400-1067   | 67              | 5.28              | .002          | 220-2MGT-06 | 9400-1110   | 110             | 8.66              | .004          |
| 136-2MGT-06 | 9400-1068   | 68              | 5.35              | .003          | 232-2MGT-06 | 9400-1116   | 116             | 9.13              | .004          |
| 140-2MGT-06 | 9400-1070   | 70              | 5.51              | .003          | 236-2MGT-06 | 9400-1118   | 118             | 9.29              | .004          |
| 152-2MGT-06 | 9400-1076   | 76              | 5.98              | .003          | 240-2MGT-06 | 9400-1120   | 120             | 9.45              | .004          |
| 158-2MGT-06 | 9400-1079   | 79              | 6.22              | .003          | 250-2MGT-06 | 9400-1125   | 125             | 9.84              | .005          |
| 160-2MGT-06 | 9400-1080   | 80              | 6.30              | .003          | 252-2MGT-06 | 9400-1126   | 126             | 9.92              | .005          |
| 164-2MGT-06 | 9400-1082   | 82              | 6.46              | .003          | 258-2MGT-06 | 9400-1129   | 129             | 10.16             | .005          |
| 166-2MGT-06 | 9400-1083   | 83              | 6.54              | .003          | 278-2MGT-06 | 9400-1139   | 139             | 10.94             | .005          |
| 168-2MGT-06 | 9400-1084   | 84              | 6.61              | .003          | 280-2MGT-06 | 9400-1140   | 140             | 11.02             | .005          |
| 172-2MGT-06 | 9400-1086   | 86              | 6.77              | .003          | 300-2MGT-06 | 9400-1150   | 150             | 11.81             | .006          |
| 180-2MGT-06 | 9400-1090   | 90              | 7.09              | .003          | 320-2MGT-06 | 9400-1160   | 160             | 12.60             | .006          |
| 186-2MGT-06 | 9400-1093   | 93              | 7.32              | .003          | 322-2MGT-06 | 9400-1161   | 161             | 12.68             | .006          |
| 192-2MGT-06 | 9400-1096   | 96              | 7.56              | .004          | 332-2MGT-06 | 9400-1166   | 166             | 13.07             | .006          |
| 200-2MGT-06 | 9400-1100   | 100             | 7.87              | .004          | 346-2MGT-06 | 9400-1173   | 173             | 13.62             | .006          |





# PowerGrip® GT®3 Belts - 2M and 3M

## Product No. Series 9400 (continued)

### 2mm Pitch — 6mm Wide (continued)

| Part No.    | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|--------------|-------------|-----------------|-------------------|---------------|
| 350-2MGT-06 | 9400-1175   | 175             | 13.78             | .006          | 488-2MGT-06  | 9400-1244   | 244             | 19.21             | .009          |
| 364-2MGT-06 | 9400-1182   | 182             | 14.33             | .007          | 504-2MGT-06  | 9400-1252   | 252             | 19.84             | .009          |
| 370-2MGT-06 | 9400-1185   | 185             | 14.57             | .007          | 528-2MGT-06  | 9400-1264   | 264             | 20.79             | .010          |
| 380-2MGT-06 | 9400-1190   | 190             | 14.96             | .007          | 552-2MGT-06  | 9400-1276   | 276             | 21.73             | .010          |
| 386-2MGT-06 | 9400-1193   | 193             | 15.20             | .007          | 576-2MGT-06  | 9400-1288   | 288             | 22.68             | .011          |
| 400-2MGT-06 | 9400-1200   | 200             | 15.75             | .007          | 600-2MGT-06  | 9400-1300   | 300             | 23.62             | .011          |
| 406-2MGT-06 | 9400-1203   | 203             | 15.98             | .008          | 640-2MGT-06  | 9400-1320   | 320             | 25.20             | .012          |
| 420-2MGT-06 | 9400-1210   | 210             | 16.54             | .008          | 696-2MGT-06  | 9400-1348   | 348             | 27.40             | .013          |
| 456-2MGT-06 | 9400-1228   | 228             | 17.95             | .008          | 744-2MGT-06  | 9400-1372   | 372             | 29.29             | .014          |
| 470-2MGT-06 | 9400-1235   | 235             | 18.50             | .009          | 848-2MGT-06  | 9400-1424   | 424             | 33.39             | .016          |
| 474-2MGT-06 | 9400-1237   | 237             | 18.66             | .009          | 1164-2MGT-06 | 9400-1582   | 582             | 45.83             | .022          |

### 2mm Pitch — 9mm Wide

| Part No.    | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|--------------|-------------|-----------------|-------------------|---------------|
| 100-2MGT-09 | 9400-2050   | 50              | 3.94              | .003          | 278-2MGT-09  | 9400-2139   | 139             | 10.94             | .008          |
| 112-2MGT-09 | 9400-2056   | 56              | 4.41              | .003          | 280-2MGT-09  | 9400-2140   | 140             | 11.02             | .008          |
| 124-2MGT-09 | 9400-2062   | 62              | 4.88              | .003          | 300-2MGT-09  | 9400-2150   | 150             | 11.81             | .008          |
| 126-2MGT-09 | 9400-2063   | 63              | 4.96              | .003          | 320-2MGT-09  | 9400-2160   | 160             | 12.60             | .009          |
| 134-2MGT-09 | 9400-2067   | 67              | 5.28              | .004          | 322-2MGT-09  | 9400-2161   | 161             | 12.68             | .009          |
| 136-2MGT-09 | 9400-2068   | 68              | 5.35              | .004          | 332-2MGT-09  | 9400-2166   | 166             | 13.07             | .009          |
| 140-2MGT-09 | 9400-2070   | 70              | 5.51              | .004          | 346-2MGT-09  | 9400-2173   | 173             | 13.62             | .010          |
| 152-2MGT-09 | 9400-2076   | 76              | 5.98              | .004          | 350-2MGT-09  | 9400-2175   | 175             | 13.78             | .010          |
| 158-2MGT-09 | 9400-2079   | 79              | 6.22              | .004          | 364-2MGT-09  | 9400-2182   | 182             | 14.33             | .010          |
| 160-2MGT-09 | 9400-2080   | 80              | 6.30              | .004          | 370-2MGT-09  | 9400-2185   | 185             | 14.57             | .010          |
| 164-2MGT-09 | 9400-2082   | 82              | 6.46              | .005          | 380-2MGT-09  | 9400-2190   | 190             | 14.96             | .011          |
| 166-2MGT-09 | 9400-2083   | 83              | 6.54              | .005          | 386-2MGT-09  | 9400-2193   | 193             | 15.20             | .011          |
| 168-2MGT-09 | 9400-2084   | 84              | 6.61              | .005          | 400-2MGT-09  | 9400-2200   | 200             | 15.75             | .011          |
| 172-2MGT-09 | 9400-2086   | 86              | 6.77              | .005          | 406-2MGT-09  | 9400-2203   | 203             | 15.98             | .011          |
| 180-2MGT-09 | 9400-2090   | 90              | 7.09              | .005          | 420-2MGT-09  | 9400-2210   | 210             | 16.54             | .012          |
| 186-2MGT-09 | 9400-2093   | 93              | 7.32              | .005          | 456-2MGT-09  | 9400-2228   | 228             | 17.95             | .013          |
| 192-2MGT-09 | 9400-2096   | 96              | 7.56              | .005          | 470-2MGT-09  | 9400-2235   | 235             | 18.50             | .013          |
| 200-2MGT-09 | 9400-2100   | 100             | 7.87              | .006          | 474-2MGT-09  | 9400-2237   | 237             | 18.66             | .013          |
| 202-2MGT-09 | 9400-2101   | 101             | 7.95              | .006          | 488-2MGT-09  | 9400-2244   | 244             | 19.21             | .014          |
| 210-2MGT-09 | 9400-2105   | 105             | 8.27              | .006          | 504-2MGT-09  | 9400-2252   | 252             | 19.84             | .014          |
| 212-2MGT-09 | 9400-2106   | 106             | 8.35              | .006          | 528-2MGT-09  | 9400-2264   | 264             | 20.79             | .015          |
| 216-2MGT-09 | 9400-2108   | 108             | 8.50              | .006          | 552-2MGT-09  | 9400-2276   | 276             | 21.73             | .015          |
| 220-2MGT-09 | 9400-2110   | 110             | 8.66              | .006          | 576-2MGT-09  | 9400-2288   | 288             | 22.68             | .016          |
| 232-2MGT-09 | 9400-2116   | 116             | 9.13              | .006          | 600-2MGT-09  | 9400-2300   | 300             | 23.62             | .017          |
| 236-2MGT-09 | 9400-2118   | 118             | 9.29              | .007          | 640-2MGT-09  | 9400-2320   | 320             | 25.20             | .018          |
| 240-2MGT-09 | 9400-2120   | 120             | 9.45              | .007          | 696-2MGT-09  | 9400-2348   | 348             | 27.40             | .019          |
| 250-2MGT-09 | 9400-2125   | 125             | 9.84              | .007          | 744-2MGT-09  | 9400-2372   | 372             | 29.29             | .021          |
| 252-2MGT-09 | 9400-2126   | 126             | 9.92              | .007          | 848-2MGT-09  | 9400-2424   | 424             | 33.39             | .024          |
| 258-2MGT-09 | 9400-2129   | 129             | 10.16             | .007          | 1164-2MGT-09 | 9400-2582   | 582             | 45.83             | .032          |

### 3mm Pitch — 6mm Wide

| Part No.    | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.    | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|-------------|-------------|-----------------|-------------------|---------------|
| 099-3MGT-06 | 9400-3033   | 33              | 3.90              | .004          | 201-3MGT-06 | 9400-3067   | 67              | 7.91              | .007          |
| 111-3MGT-06 | 9400-3037   | 37              | 4.37              | .004          | 219-3MGT-06 | 9400-3073   | 73              | 8.62              | .008          |
| 123-3MGT-06 | 9400-3041   | 41              | 4.84              | .005          | 225-3MGT-06 | 9400-3075   | 75              | 8.86              | .008          |
| 129-3MGT-06 | 9400-3043   | 43              | 5.08              | .005          | 240-3MGT-06 | 9400-3080   | 80              | 9.45              | .009          |
| 159-3MGT-06 | 9400-3053   | 53              | 6.26              | .006          | 243-3MGT-06 | 9400-3081   | 81              | 9.57              | .009          |
| 165-3MGT-06 | 9400-3055   | 55              | 6.50              | .006          | 255-3MGT-06 | 9400-3085   | 85              | 10.04             | .009          |
| 180-3MGT-06 | 9400-3060   | 60              | 7.09              | .007          | 267-3MGT-06 | 9400-3089   | 89              | 10.51             | .010          |
| 183-3MGT-06 | 9400-3061   | 61              | 7.20              | .007          | 282-3MGT-06 | 9400-3094   | 94              | 11.10             | .010          |
| 189-3MGT-06 | 9400-3063   | 63              | 7.44              | .007          | 291-3MGT-06 | 9400-3097   | 97              | 11.46             | .011          |

POWERGRIP GT3 BELTS



# PowerGrip® GT®3 Belts - 2M and 3M

## Product No. Series 9400 (continued)

### 3mm Pitch — 6mm Wide (continued)

| Part No.    | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|--------------|-------------|-----------------|-------------------|---------------|
| 300-3MGT-06 | 9400-3100   | 100             | 11.81             | .011          | 537-3MGT-06  | 9400-3179   | 179             | 21.14             | .020          |
| 339-3MGT-06 | 9400-3113   | 113             | 13.35             | .013          | 552-3MGT-06  | 9400-3184   | 184             | 21.73             | .020          |
| 348-3MGT-06 | 9400-3116   | 116             | 13.70             | .013          | 564-3MGT-06  | 9400-3188   | 188             | 22.20             | .021          |
| 357-3MGT-06 | 9400-3119   | 119             | 14.06             | .013          | 600-3MGT-06  | 9400-3200   | 200             | 23.62             | .022          |
| 360-3MGT-06 | 9400-3120   | 120             | 14.17             | .013          | 630-3MGT-06  | 9400-3210   | 210             | 24.80             | .023          |
| 375-3MGT-06 | 9400-3125   | 125             | 14.76             | .014          | 684-3MGT-06  | 9400-3228   | 228             | 26.93             | .025          |
| 393-3MGT-06 | 9400-3131   | 131             | 15.47             | .015          | 735-3MGT-06  | 9400-3245   | 245             | 28.94             | .027          |
| 414-3MGT-06 | 9400-3138   | 138             | 16.30             | .015          | 750-3MGT-06  | 9400-3250   | 250             | 29.53             | .028          |
| 420-3MGT-06 | 9400-3140   | 140             | 16.54             | .016          | 786-3MGT-06  | 9400-3262   | 262             | 30.94             | .029          |
| 447-3MGT-06 | 9400-3149   | 149             | 17.60             | .017          | 840-3MGT-06  | 9400-3280   | 280             | 33.07             | .031          |
| 450-3MGT-06 | 9400-3150   | 150             | 17.72             | .017          | 945-3MGT-06  | 9400-3315   | 315             | 37.20             | .035          |
| 474-3MGT-06 | 9400-3158   | 158             | 18.66             | .018          | 1050-3MGT-06 | 9400-3350   | 350             | 41.34             | .039          |
| 480-3MGT-06 | 9400-3160   | 160             | 18.90             | .018          | 1080-3MGT-06 | 9400-3360   | 360             | 42.52             | .040          |
| 483-3MGT-06 | 9400-3161   | 161             | 19.02             | .018          | 1536-3MGT-06 | 9400-3512   | 512             | 60.47             | .057          |
| 489-3MGT-06 | 9400-3163   | 163             | 19.25             | .018          | 1587-3MGT-06 | 9400-3529   | 529             | 62.48             | .059          |
| 504-3MGT-06 | 9400-3168   | 168             | 19.84             | .019          | 2061-3MGT-06 | 9400-3687   | 687             | 81.14             | .076          |

### 3mm Pitch — 9mm Wide

| Part No.    | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|--------------|-------------|-----------------|-------------------|---------------|
| 099-3MGT-09 | 9400-4033   | 33              | 3.90              | .005          | 414-3MGT-09  | 9400-4138   | 138             | 16.30             | .023          |
| 111-3MGT-09 | 9400-4037   | 37              | 4.37              | .006          | 420-3MGT-09  | 9400-4140   | 140             | 16.54             | .023          |
| 123-3MGT-09 | 9400-4041   | 41              | 4.84              | .007          | 447-3MGT-09  | 9400-4149   | 149             | 17.60             | .025          |
| 129-3MGT-09 | 9400-4043   | 43              | 5.08              | .007          | 450-3MGT-09  | 9400-4150   | 150             | 17.72             | .025          |
| 159-3MGT-09 | 9400-4053   | 53              | 6.26              | .009          | 474-3MGT-09  | 9400-4158   | 158             | 18.66             | .026          |
| 165-3MGT-09 | 9400-4055   | 55              | 6.50              | .009          | 480-3MGT-09  | 9400-4160   | 160             | 18.90             | .027          |
| 180-3MGT-09 | 9400-4060   | 60              | 7.09              | .010          | 483-3MGT-09  | 9400-4161   | 161             | 19.02             | .027          |
| 183-3MGT-09 | 9400-4061   | 61              | 7.20              | .010          | 489-3MGT-09  | 9400-4163   | 163             | 19.25             | .027          |
| 189-3MGT-09 | 9400-4063   | 63              | 7.44              | .010          | 504-3MGT-09  | 9400-4168   | 168             | 19.84             | .028          |
| 201-3MGT-09 | 9400-4067   | 67              | 7.91              | .011          | 537-3MGT-09  | 9400-4179   | 179             | 21.14             | .030          |
| 219-3MGT-09 | 9400-4073   | 73              | 8.62              | .012          | 552-3MGT-09  | 9400-4184   | 184             | 21.73             | .031          |
| 225-3MGT-09 | 9400-4075   | 75              | 8.86              | .012          | 564-3MGT-09  | 9400-4188   | 188             | 22.20             | .031          |
| 240-3MGT-09 | 9400-4080   | 80              | 9.45              | .013          | 600-3MGT-09  | 9400-4200   | 200             | 23.62             | .033          |
| 243-3MGT-09 | 9400-4081   | 81              | 9.57              | .013          | 630-3MGT-09  | 9400-4210   | 210             | 24.80             | .035          |
| 255-3MGT-09 | 9400-4085   | 85              | 10.04             | .014          | 684-3MGT-09  | 9400-4228   | 228             | 26.93             | .038          |
| 267-3MGT-09 | 9400-4089   | 89              | 10.51             | .015          | 735-3MGT-09  | 9400-4245   | 245             | 28.94             | .041          |
| 282-3MGT-09 | 9400-4094   | 94              | 11.10             | .016          | 750-3MGT-09  | 9400-4250   | 250             | 29.53             | .042          |
| 291-3MGT-09 | 9400-4097   | 97              | 11.46             | .016          | 786-3MGT-09  | 9400-4262   | 262             | 30.94             | .044          |
| 300-3MGT-09 | 9400-4100   | 100             | 11.81             | .017          | 840-3MGT-09  | 9400-4280   | 280             | 33.07             | .047          |
| 339-3MGT-09 | 9400-4113   | 113             | 13.35             | .019          | 945-3MGT-09  | 9400-4315   | 315             | 37.20             | .052          |
| 348-3MGT-09 | 9400-4116   | 116             | 13.70             | .019          | 1050-3MGT-09 | 9400-4350   | 350             | 41.34             | .058          |
| 357-3MGT-09 | 9400-4119   | 119             | 14.06             | .020          | 1080-3MGT-09 | 9400-4360   | 360             | 42.52             | .060          |
| 360-3MGT-09 | 9400-4120   | 120             | 14.17             | .020          | 1536-3MGT-09 | 9400-4512   | 512             | 60.47             | .085          |
| 375-3MGT-09 | 9400-4125   | 125             | 14.76             | .021          | 1587-3MGT-09 | 9400-4529   | 529             | 62.48             | .088          |
| 393-3MGT-09 | 9400-4131   | 131             | 15.47             | .022          | 2061-3MGT-09 | 9400-4687   | 687             | 81.14             | .114          |

### 3mm Pitch — 15mm Wide

| Part No.    | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.    | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|-------------|-------------|-----------------|-------------------|---------------|
| 099-3MGT-15 | 9400-5033   | 33              | 3.90              | .009          | 189-3MGT-15 | 9400-5063   | 63              | 7.44              | .017          |
| 111-3MGT-15 | 9400-5037   | 37              | 4.37              | .010          | 201-3MGT-15 | 9400-5067   | 67              | 7.91              | .019          |
| 123-3MGT-15 | 9400-5041   | 41              | 4.84              | .011          | 219-3MGT-15 | 9400-5073   | 73              | 8.62              | .020          |
| 129-3MGT-15 | 9400-5043   | 43              | 5.08              | .012          | 225-3MGT-15 | 9400-5075   | 75              | 8.86              | .021          |
| 159-3MGT-15 | 9400-5053   | 53              | 6.26              | .015          | 240-3MGT-15 | 9400-5080   | 80              | 9.45              | .022          |
| 165-3MGT-15 | 9400-5055   | 55              | 6.50              | .015          | 243-3MGT-15 | 9400-5081   | 81              | 9.57              | .022          |
| 180-3MGT-15 | 9400-5060   | 60              | 7.09              | .017          | 255-3MGT-15 | 9400-5085   | 85              | 10.04             | .024          |
| 183-3MGT-15 | 9400-5061   | 61              | 7.20              | .017          | 267-3MGT-15 | 9400-5089   | 89              | 10.51             | .025          |



## PowerGrip® GT®3 Belts - 2M and 3M

**Product No. Series 9400 (continued)**

**3mm Pitch — 15mm Wide (continued)**

| Part No.    | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|--------------|-------------|-----------------|-------------------|---------------|
| 282-3MGT-15 | 9400-5094   | 94              | 11.10             | .026          | 504-3MGT-15  | 9400-5168   | 168             | 19.84             | .047          |
| 291-3MGT-15 | 9400-5097   | 97              | 11.46             | .027          | 537-3MGT-15  | 9400-5179   | 179             | 21.14             | .050          |
| 300-3MGT-15 | 9400-5100   | 100             | 11.81             | .028          | 552-3MGT-15  | 9400-5184   | 184             | 21.73             | .051          |
| 339-3MGT-15 | 9400-5113   | 113             | 13.35             | .031          | 564-3MGT-15  | 9400-5188   | 188             | 22.20             | .052          |
| 348-3MGT-15 | 9400-5116   | 116             | 13.70             | .032          | 600-3MGT-15  | 9400-5200   | 200             | 23.62             | .055          |
| 357-3MGT-15 | 9400-5119   | 119             | 14.06             | .033          | 630-3MGT-15  | 9400-5210   | 210             | 24.80             | .058          |
| 360-3MGT-15 | 9400-5120   | 120             | 14.17             | .033          | 684-3MGT-15  | 9400-5228   | 228             | 26.93             | .063          |
| 375-3MGT-15 | 9400-5125   | 125             | 14.76             | .035          | 735-3MGT-15  | 9400-5245   | 245             | 28.94             | .068          |
| 393-3MGT-15 | 9400-5131   | 131             | 15.47             | .036          | 750-3MGT-15  | 9400-5250   | 250             | 29.53             | .069          |
| 414-3MGT-15 | 9400-5138   | 138             | 16.30             | .038          | 786-3MGT-15  | 9400-5262   | 262             | 30.94             | .073          |
| 420-3MGT-15 | 9400-5140   | 140             | 16.54             | .039          | 840-3MGT-15  | 9400-5280   | 280             | 33.07             | .078          |
| 447-3MGT-15 | 9400-5149   | 149             | 17.60             | .041          | 945-3MGT-15  | 9400-5315   | 315             | 37.20             | .087          |
| 450-3MGT-15 | 9400-5150   | 150             | 17.72             | .042          | 1050-3MGT-15 | 9400-5350   | 350             | 41.34             | .097          |
| 474-3MGT-15 | 9400-5158   | 158             | 18.66             | .044          | 1080-3MGT-15 | 9400-5360   | 360             | 42.52             | .100          |
| 480-3MGT-15 | 9400-5160   | 160             | 18.90             | .044          | 1536-3MGT-15 | 9400-5512   | 512             | 60.47             | .142          |
| 483-3MGT-15 | 9400-5161   | 161             | 19.02             | .045          | 1587-3MGT-15 | 9400-5529   | 529             | 62.48             | .147          |
| 489-3MGT-15 | 9400-5163   | 163             | 19.25             | .045          | 2061-3MGT-15 | 9400-5687   | 687             | 81.14             | .190          |



# PowerGrip® HTD® Belts

## Recommended Sprockets

PowerGrip HTD Sprockets

### Notes

Belt pitch is the distance in millimeters between two adjacent tooth centers as measured on the pitch line of the belt. Belt pitch length is the total length (circumference) in millimeters as measured along the pitch line. The theoretical pitch line of a PowerGrip HTD belt lies within the tensile member.

PowerGrip HTD part numbers are comprised of pitch, pitch length and width. For example; part number 900-3M-15 denotes a 900mm pitch length, 3mm pitch and 15mm width.

## Product No. Series 9293

### 3mm Pitch — 6mm Wide

| Part No.  | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.  | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-----------|-------------|-----------------|-------------------|---------------|-----------|-------------|-----------------|-------------------|---------------|
| 87-3M-06  | 9293-2000   | 29              | 3.43              | .003          | 357-3M-06 | 9293-0317   | 119             | 14.06             | .011          |
| 102-3M-06 | 9293-2001   | 34              | 4.02              | .003          | 360-3M-06 | 9293-2035   | 120             | 14.17             | .011          |
| 105-3M-06 | 9293-2002   | 35              | 4.13              | .003          | 363-3M-06 | 9293-0318   | 121             | 14.29             | .011          |
| 111-3M-06 | 9293-2003   | 37              | 4.37              | .004          | 366-3M-06 | 9293-2036   | 122             | 14.41             | .012          |
| 123-3M-06 | 9293-2004   | 41              | 4.84              | .004          | 369-3M-06 | 9293-2037   | 123             | 14.53             | .012          |
| 144-3M-06 | 9293-2005   | 48              | 5.67              | .005          | 381-3M-06 | 9293-2038   | 127             | 15.00             | .012          |
| 147-3M-06 | 9293-2006   | 49              | 5.79              | .005          | 384-3M-06 | 9293-0319   | 128             | 15.12             | .012          |
| 150-3M-06 | 9293-0300   | 50              | 5.91              | .005          | 387-3M-06 | 9293-2039   | 129             | 15.24             | .012          |
| 156-3M-06 | 9293-2007   | 52              | 6.14              | .005          | 390-3M-06 | 9293-0320   | 130             | 15.35             | .012          |
| 159-3M-06 | 9293-0301   | 53              | 6.26              | .005          | 396-3M-06 | 9293-2040   | 132             | 15.59             | .013          |
| 165-3M-06 | 9293-2008   | 55              | 6.50              | .005          | 399-3M-06 | 9293-0321   | 133             | 15.71             | .013          |
| 168-3M-06 | 9293-0302   | 56              | 6.61              | .005          | 405-3M-06 | 9293-2041   | 135             | 15.94             | .013          |
| 174-3M-06 | 9293-2009   | 58              | 6.85              | .006          | 411-3M-06 | 9293-2042   | 137             | 16.18             | .013          |
| 177-3M-06 | 9293-0303   | 59              | 6.97              | .006          | 417-3M-06 | 9293-2043   | 139             | 16.42             | .013          |
| 180-3M-06 | 9293-2010   | 60              | 7.09              | .006          | 420-3M-06 | 9293-0322   | 140             | 16.54             | .013          |
| 183-3M-06 | 9293-2011   | 61              | 7.20              | .006          | 426-3M-06 | 9293-2044   | 142             | 16.77             | .013          |
| 189-3M-06 | 9293-0304   | 63              | 7.44              | .006          | 432-3M-06 | 9293-2045   | 144             | 17.01             | .014          |
| 195-3M-06 | 9293-2012   | 65              | 7.68              | .006          | 435-3M-06 | 9293-2046   | 145             | 17.13             | .014          |
| 201-3M-06 | 9293-0305   | 67              | 7.91              | .006          | 438-3M-06 | 9293-2047   | 146             | 17.24             | .014          |
| 204-3M-06 | 9293-2013   | 68              | 8.03              | .006          | 444-3M-06 | 9293-2048   | 148             | 17.48             | .014          |
| 207-3M-06 | 9293-2014   | 69              | 8.15              | .007          | 447-3M-06 | 9293-0323   | 149             | 17.60             | .014          |
| 213-3M-06 | 9293-0306   | 71              | 8.39              | .007          | 459-3M-06 | 9293-2049   | 153             | 18.07             | .015          |
| 216-3M-06 | 9293-2015   | 72              | 8.50              | .007          | 468-3M-06 | 9293-2050   | 156             | 18.43             | .015          |
| 222-3M-06 | 9293-2016   | 74              | 8.74              | .007          | 471-3M-06 | 9293-2051   | 157             | 18.54             | .015          |
| 225-3M-06 | 9293-0307   | 75              | 8.86              | .007          | 474-3M-06 | 9293-0324   | 158             | 18.66             | .015          |
| 228-3M-06 | 9293-2017   | 76              | 8.98              | .007          | 480-3M-06 | 9293-2052   | 160             | 18.90             | .015          |
| 234-3M-06 | 9293-2018   | 78              | 9.21              | .007          | 486-3M-06 | 9293-0325   | 162             | 19.13             | .015          |
| 237-3M-06 | 9293-2019   | 79              | 9.33              | .008          | 489-3M-06 | 9293-2053   | 163             | 19.25             | .015          |
| 240-3M-06 | 9293-0308   | 80              | 9.45              | .008          | 492-3M-06 | 9293-2054   | 164             | 19.37             | .016          |
| 246-3M-06 | 9293-2020   | 82              | 9.69              | .008          | 501-3M-06 | 9293-0326   | 167             | 19.72             | .016          |
| 252-3M-06 | 9293-0309   | 84              | 9.92              | .008          | 510-3M-06 | 9293-2055   | 170             | 20.08             | .016          |
| 255-3M-06 | 9293-0310   | 85              | 10.04             | .008          | 513-3M-06 | 9293-0327   | 171             | 20.20             | .016          |
| 258-3M-06 | 9293-2021   | 86              | 10.16             | .008          | 519-3M-06 | 9293-2056   | 173             | 20.43             | .016          |
| 261-3M-06 | 9293-2022   | 87              | 10.28             | .008          | 525-3M-06 | 9293-2057   | 175             | 20.67             | .017          |
| 264-3M-06 | 9293-2023   | 88              | 10.39             | .008          | 528-3M-06 | 9293-2058   | 176             | 20.79             | .017          |
| 267-3M-06 | 9293-0311   | 89              | 10.51             | .008          | 531-3M-06 | 9293-0328   | 177             | 20.91             | .017          |
| 276-3M-06 | 9293-2024   | 92              | 10.87             | .009          | 537-3M-06 | 9293-2059   | 179             | 21.14             | .017          |
| 282-3M-06 | 9293-2025   | 94              | 11.10             | .009          | 558-3M-06 | 9293-2060   | 186             | 21.97             | .018          |
| 285-3M-06 | 9293-0312   | 95              | 11.22             | .009          | 564-3M-06 | 9293-0329   | 188             | 22.20             | .018          |
| 288-3M-06 | 9293-2026   | 96              | 11.34             | .009          | 570-3M-06 | 9293-2061   | 190             | 22.44             | .018          |
| 291-3M-06 | 9293-2027   | 97              | 11.46             | .009          | 576-3M-06 | 9293-2062   | 192             | 22.68             | .018          |
| 297-3M-06 | 9293-2028   | 99              | 11.69             | .009          | 585-3M-06 | 9293-2063   | 195             | 23.03             | .019          |
| 300-3M-06 | 9293-0313   | 100             | 11.81             | .010          | 591-3M-06 | 9293-2064   | 197             | 23.27             | .019          |
| 312-3M-06 | 9293-0314   | 104             | 12.28             | .010          | 597-3M-06 | 9293-0330   | 199             | 23.50             | .019          |
| 315-3M-06 | 9293-2029   | 105             | 12.40             | .010          | 600-3M-06 | 9293-2065   | 200             | 23.62             | .019          |
| 318-3M-06 | 9293-0315   | 106             | 12.52             | .010          | 606-3M-06 | 9293-2066   | 202             | 23.86             | .019          |
| 324-3M-06 | 9293-2030   | 108             | 12.76             | .010          | 609-3M-06 | 9293-2067   | 203             | 23.98             | .019          |
| 330-3M-06 | 9293-2031   | 110             | 12.99             | .010          | 612-3M-06 | 9293-2068   | 204             | 24.09             | .019          |
| 333-3M-06 | 9293-2032   | 111             | 13.11             | .011          | 627-3M-06 | 9293-2069   | 209             | 24.69             | .020          |
| 336-3M-06 | 9293-2033   | 112             | 13.23             | .011          | 633-3M-06 | 9293-0331   | 211             | 24.92             | .020          |
| 339-3M-06 | 9293-0316   | 113             | 13.35             | .011          | 639-3M-06 | 9293-2070   | 213             | 25.16             | .020          |
| 345-3M-06 | 9293-2034   | 115             | 13.58             | .011          | 645-3M-06 | 9293-2071   | 215             | 25.39             | .020          |



# PowerGrip® HTD® Belts

## Product No. Series 9293 (continued)

### 3mm Pitch — 6mm Wide (continued)

| Part No.  | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.   | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-----------|-------------|-----------------|-------------------|---------------|------------|-------------|-----------------|-------------------|---------------|
| 648-3M-06 | 9293-2072   | 216             | 25.51             | .021          | 900-3M-06  | 9293-2085   | 300             | 35.43             | .029          |
| 654-3M-06 | 9293-2073   | 218             | 25.75             | .021          | 915-3M-06  | 9293-2086   | 305             | 36.02             | .029          |
| 657-3M-06 | 9293-2074   | 219             | 25.87             | .021          | 945-3M-06  | 9293-0338   | 315             | 37.20             | .030          |
| 663-3M-06 | 9293-2075   | 221             | 26.10             | .021          | 951-3M-06  | 9293-2087   | 317             | 37.44             | .030          |
| 669-3M-06 | 9293-0332   | 223             | 26.34             | .021          | 981-3M-06  | 9293-2088   | 327             | 38.62             | .031          |
| 684-3M-06 | 9293-2076   | 228             | 26.93             | .022          | 1002-3M-06 | 9293-0339   | 334             | 39.45             | .032          |
| 687-3M-06 | 9293-2077   | 229             | 27.05             | .022          | 1026-3M-06 | 9293-2089   | 342             | 40.39             | .033          |
| 696-3M-06 | 9293-2078   | 232             | 27.40             | .022          | 1035-3M-06 | 9293-2090   | 345             | 40.75             | .033          |
| 711-3M-06 | 9293-0333   | 237             | 27.99             | .023          | 1062-3M-06 | 9293-0340   | 354             | 41.81             | .034          |
| 735-3M-06 | 9293-2079   | 245             | 28.94             | .023          | 1125-3M-06 | 9293-0341   | 375             | 44.29             | .036          |
| 738-3M-06 | 9293-2080   | 246             | 29.06             | .023          | 1155-3M-06 | 9293-2091   | 385             | 45.47             | .037          |
| 753-3M-06 | 9293-0334   | 251             | 29.65             | .024          | 1191-3M-06 | 9293-0342   | 397             | 46.89             | .038          |
| 795-3M-06 | 9293-0335   | 265             | 31.30             | .025          | 1263-3M-06 | 9293-0343   | 421             | 49.72             | .040          |
| 822-3M-06 | 9293-2081   | 274             | 32.36             | .026          | 1500-3M-06 | 9293-2092   | 500             | 59.06             | .048          |
| 837-3M-06 | 9293-2082   | 279             | 32.95             | .027          | 1512-3M-06 | 9293-2093   | 504             | 59.53             | .048          |
| 843-3M-06 | 9293-0336   | 281             | 33.19             | .027          | 1587-3M-06 | 9293-2094   | 529             | 62.48             | .050          |
| 873-3M-06 | 9293-2083   | 291             | 34.37             | .028          | 1956-3M-06 | 9293-2095   | 652             | 77.01             | .062          |
| 882-3M-06 | 9293-0337   | 294             | 34.72             | .028          | 2004-3M-06 | 9293-2096   | 668             | 78.90             | .063          |
| 891-3M-06 | 9293-2084   | 297             | 35.08             | .028          |            |             |                 |                   |               |

### 3mm Pitch — 9mm Wide

| Part No.  | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.  | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-----------|-------------|-----------------|-------------------|---------------|-----------|-------------|-----------------|-------------------|---------------|
| 87-3M-09  | 9293-2200   | 29              | 3.43              | .004          | 267-3M-09 | 9293-0355   | 89              | 10.51             | .013          |
| 102-3M-09 | 9293-2201   | 34              | 4.02              | .005          | 276-3M-09 | 9293-2224   | 92              | 10.87             | .013          |
| 105-3M-09 | 9293-2202   | 35              | 4.13              | .005          | 282-3M-09 | 9293-2225   | 94              | 11.10             | .013          |
| 111-3M-09 | 9293-2203   | 37              | 4.37              | .005          | 285-3M-09 | 9293-0356   | 95              | 11.22             | .014          |
| 123-3M-09 | 9293-2204   | 41              | 4.84              | .006          | 288-3M-09 | 9293-2226   | 96              | 11.34             | .014          |
| 144-3M-09 | 9293-2205   | 48              | 5.67              | .007          | 291-3M-09 | 9293-2227   | 97              | 11.46             | .014          |
| 147-3M-09 | 9293-2206   | 49              | 5.79              | .007          | 297-3M-09 | 9293-2228   | 99              | 11.69             | .014          |
| 150-3M-09 | 9293-0344   | 50              | 5.91              | .007          | 300-3M-09 | 9293-0357   | 100             | 11.81             | .014          |
| 156-3M-09 | 9293-2207   | 52              | 6.14              | .007          | 312-3M-09 | 9293-0358   | 104             | 12.28             | .015          |
| 159-3M-09 | 9293-0345   | 53              | 6.26              | .008          | 315-3M-09 | 9293-2229   | 105             | 12.40             | .015          |
| 165-3M-09 | 9293-2208   | 55              | 6.50              | .008          | 318-3M-09 | 9293-0359   | 106             | 12.52             | .015          |
| 168-3M-09 | 9293-0346   | 56              | 6.61              | .008          | 324-3M-09 | 9293-2230   | 108             | 12.76             | .015          |
| 174-3M-09 | 9293-2209   | 58              | 6.85              | .008          | 330-3M-09 | 9293-2231   | 110             | 12.99             | .016          |
| 177-3M-09 | 9293-0347   | 59              | 6.97              | .008          | 333-3M-09 | 9293-2232   | 111             | 13.11             | .016          |
| 180-3M-09 | 9293-2210   | 60              | 7.09              | .009          | 336-3M-09 | 9293-2233   | 112             | 13.23             | .016          |
| 183-3M-09 | 9293-2211   | 61              | 7.20              | .009          | 339-3M-09 | 9293-0360   | 113             | 13.35             | .016          |
| 189-3M-09 | 9293-0348   | 63              | 7.44              | .009          | 345-3M-09 | 9293-2234   | 115             | 13.58             | .016          |
| 195-3M-09 | 9293-2212   | 65              | 7.68              | .009          | 357-3M-09 | 9293-0361   | 119             | 14.06             | .017          |
| 201-3M-09 | 9293-0349   | 67              | 7.91              | .010          | 360-3M-09 | 9293-2235   | 120             | 14.17             | .017          |
| 204-3M-09 | 9293-2213   | 68              | 8.03              | .010          | 363-3M-09 | 9293-0362   | 121             | 14.29             | .017          |
| 207-3M-09 | 9293-2214   | 69              | 8.15              | .010          | 366-3M-09 | 9293-2236   | 122             | 14.41             | .017          |
| 213-3M-09 | 9293-0350   | 71              | 8.39              | .010          | 369-3M-09 | 9293-2237   | 123             | 14.53             | .018          |
| 216-3M-09 | 9293-2215   | 72              | 8.50              | .010          | 381-3M-09 | 9293-2238   | 127             | 15.00             | .018          |
| 222-3M-09 | 9293-2216   | 74              | 8.74              | .011          | 384-3M-09 | 9293-0363   | 128             | 15.12             | .018          |
| 225-3M-09 | 9293-0351   | 75              | 8.86              | .011          | 387-3M-09 | 9293-2239   | 129             | 15.24             | .018          |
| 228-3M-09 | 9293-2217   | 76              | 8.98              | .011          | 390-3M-09 | 9293-0364   | 130             | 15.35             | .019          |
| 234-3M-09 | 9293-2218   | 78              | 9.21              | .011          | 396-3M-09 | 9293-2240   | 132             | 15.59             | .019          |
| 237-3M-09 | 9293-2219   | 79              | 9.33              | .011          | 399-3M-09 | 9293-0365   | 133             | 15.71             | .019          |
| 240-3M-09 | 9293-0352   | 80              | 9.45              | .011          | 405-3M-09 | 9293-2241   | 135             | 15.94             | .019          |
| 246-3M-09 | 9293-2220   | 82              | 9.69              | .012          | 411-3M-09 | 9293-2242   | 137             | 16.18             | .020          |
| 252-3M-09 | 9293-0353   | 84              | 9.92              | .012          | 417-3M-09 | 9293-2243   | 139             | 16.42             | .020          |
| 255-3M-09 | 9293-0354   | 85              | 10.04             | .012          | 420-3M-09 | 9293-0366   | 140             | 16.54             | .020          |
| 258-3M-09 | 9293-2221   | 86              | 10.16             | .012          | 426-3M-09 | 9293-2244   | 142             | 16.77             | .020          |
| 261-3M-09 | 9293-2222   | 87              | 10.28             | .012          | 432-3M-09 | 9293-2245   | 144             | 17.01             | .021          |
| 264-3M-09 | 9293-2223   | 88              | 10.39             | .013          | 435-3M-09 | 9293-2246   | 145             | 17.13             | .021          |

POWERGRIP HTD BELTS





# PowerGrip® HTD® Belts

## Product No. Series 9293 (continued)

### 3mm Pitch — 9mm Wide (continued)

| Part No.  | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-----------|-------------|-----------------|-------------------|---------------|
| 438-3M-09 | 9293-2247   | 146             | 17.24             | .021          |
| 444-3M-09 | 9293-2248   | 148             | 17.48             | .021          |
| 447-3M-09 | 9293-0367   | 149             | 17.60             | .021          |
| 459-3M-09 | 9293-2249   | 153             | 18.07             | .022          |
| 468-3M-09 | 9293-2250   | 156             | 18.43             | .022          |
| 471-3M-09 | 9293-2251   | 157             | 18.54             | .022          |
| 474-3M-09 | 9293-0368   | 158             | 18.66             | .023          |
| 480-3M-09 | 9293-2252   | 160             | 18.90             | .023          |
| 486-3M-09 | 9293-0369   | 162             | 19.13             | .023          |
| 489-3M-09 | 9293-2253   | 163             | 19.25             | .023          |
| 492-3M-09 | 9293-2254   | 164             | 19.37             | .023          |
| 501-3M-09 | 9293-0370   | 167             | 19.72             | .024          |
| 510-3M-09 | 9293-2255   | 170             | 20.08             | .024          |
| 513-3M-09 | 9293-0371   | 171             | 20.20             | .024          |
| 519-3M-09 | 9293-2256   | 173             | 20.43             | .025          |
| 525-3M-09 | 9293-2257   | 175             | 20.67             | .025          |
| 528-3M-09 | 9293-2258   | 176             | 20.79             | .025          |
| 531-3M-09 | 9293-0372   | 177             | 20.91             | .025          |
| 537-3M-09 | 9293-2259   | 179             | 21.14             | .026          |
| 558-3M-09 | 9293-2260   | 186             | 21.97             | .027          |
| 564-3M-09 | 9293-0373   | 188             | 22.20             | .027          |
| 570-3M-09 | 9293-2261   | 190             | 22.44             | .027          |
| 576-3M-09 | 9293-2262   | 192             | 22.68             | .027          |
| 585-3M-09 | 9293-2263   | 195             | 23.03             | .028          |
| 591-3M-09 | 9293-2264   | 197             | 23.27             | .028          |
| 597-3M-09 | 9293-0374   | 199             | 23.50             | .028          |
| 600-3M-09 | 9293-2265   | 200             | 23.62             | .029          |
| 606-3M-09 | 9293-2266   | 202             | 23.86             | .029          |
| 609-3M-09 | 9293-2267   | 203             | 23.98             | .029          |
| 612-3M-09 | 9293-2268   | 204             | 24.09             | .029          |
| 627-3M-09 | 9293-2269   | 209             | 24.69             | .030          |
| 633-3M-09 | 9293-0375   | 211             | 24.92             | .030          |
| 639-3M-09 | 9293-2270   | 213             | 25.16             | .030          |
| 645-3M-09 | 9293-2271   | 215             | 25.39             | .031          |
| 648-3M-09 | 9293-2272   | 216             | 25.51             | .031          |
| 654-3M-09 | 9293-2273   | 218             | 25.75             | .031          |

| Part No.   | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|------------|-------------|-----------------|-------------------|---------------|
| 657-3M-09  | 9293-2274   | 219             | 25.87             | .031          |
| 663-3M-09  | 9293-2275   | 221             | 26.10             | .032          |
| 669-3M-09  | 9293-0376   | 223             | 26.34             | .032          |
| 684-3M-09  | 9293-2276   | 228             | 26.93             | .033          |
| 687-3M-09  | 9293-2277   | 229             | 27.05             | .033          |
| 696-3M-09  | 9293-2278   | 232             | 27.40             | .033          |
| 711-3M-09  | 9293-0377   | 237             | 27.99             | .034          |
| 735-3M-09  | 9293-2279   | 245             | 28.94             | .035          |
| 738-3M-09  | 9293-2280   | 246             | 29.06             | .035          |
| 753-3M-09  | 9293-0378   | 251             | 29.65             | .036          |
| 795-3M-09  | 9293-0379   | 265             | 31.30             | .038          |
| 822-3M-09  | 9293-2281   | 274             | 32.36             | .039          |
| 837-3M-09  | 9293-2282   | 279             | 32.95             | .040          |
| 843-3M-09  | 9293-0380   | 281             | 33.19             | .040          |
| 873-3M-09  | 9293-2283   | 291             | 34.37             | .041          |
| 882-3M-09  | 9293-0381   | 294             | 34.72             | .042          |
| 891-3M-09  | 9293-2284   | 297             | 35.08             | .042          |
| 900-3M-09  | 9293-2285   | 300             | 35.43             | .043          |
| 915-3M-09  | 9293-2286   | 305             | 36.02             | .043          |
| 945-3M-09  | 9293-0382   | 315             | 37.20             | .045          |
| 951-3M-09  | 9293-2287   | 317             | 37.44             | .045          |
| 981-3M-09  | 9293-2288   | 327             | 38.62             | .047          |
| 1002-3M-09 | 9293-0383   | 334             | 39.45             | .048          |
| 1026-3M-09 | 9293-2289   | 342             | 40.39             | .049          |
| 1035-3M-09 | 9293-2290   | 345             | 40.75             | .049          |
| 1062-3M-09 | 9293-0384   | 354             | 41.81             | .050          |
| 1125-3M-09 | 9293-0385   | 375             | 44.29             | .053          |
| 1155-3M-09 | 9293-2291   | 385             | 45.47             | .055          |
| 1191-3M-09 | 9293-0386   | 397             | 46.89             | .057          |
| 1263-3M-09 | 9293-0387   | 421             | 49.72             | .060          |
| 1500-3M-09 | 9293-2292   | 500             | 59.06             | .071          |
| 1512-3M-09 | 9293-2293   | 504             | 59.53             | .072          |
| 1587-3M-09 | 9293-2294   | 529             | 62.48             | .075          |
| 1956-3M-09 | 9293-2295   | 652             | 77.01             | .093          |
| 2004-3M-09 | 9293-2296   | 668             | 78.90             | .095          |

### 3mm Pitch — 15mm Wide

| Part No.  | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-----------|-------------|-----------------|-------------------|---------------|
| 87-3M-15  | 9293-2400   | 29              | 3.43              | .007          |
| 102-3M-15 | 9293-2401   | 34              | 4.02              | .008          |
| 105-3M-15 | 9293-2402   | 35              | 4.13              | .008          |
| 111-3M-15 | 9293-2403   | 37              | 4.37              | .009          |
| 123-3M-15 | 9293-2404   | 41              | 4.84              | .010          |
| 144-3M-15 | 9293-2405   | 48              | 5.67              | .011          |
| 147-3M-15 | 9293-2406   | 49              | 5.79              | .012          |
| 150-3M-15 | 9293-0388   | 50              | 5.91              | .012          |
| 156-3M-15 | 9293-2407   | 52              | 6.14              | .012          |
| 159-3M-15 | 9293-0389   | 53              | 6.26              | .013          |
| 165-3M-15 | 9293-2408   | 55              | 6.50              | .013          |
| 168-3M-15 | 9293-0390   | 56              | 6.61              | .013          |
| 174-3M-15 | 9293-2409   | 58              | 6.85              | .014          |
| 177-3M-15 | 9293-0391   | 59              | 6.97              | .014          |
| 180-3M-15 | 9293-2410   | 60              | 7.09              | .014          |
| 183-3M-15 | 9293-2411   | 61              | 7.20              | .014          |
| 189-3M-15 | 9293-0392   | 63              | 7.44              | .015          |
| 195-3M-15 | 9293-2412   | 65              | 7.68              | .015          |

| Part No.  | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-----------|-------------|-----------------|-------------------|---------------|
| 201-3M-15 | 9293-0393   | 67              | 7.91              | .016          |
| 204-3M-15 | 9293-2413   | 68              | 8.03              | .016          |
| 207-3M-15 | 9293-2414   | 69              | 8.15              | .016          |
| 213-3M-15 | 9293-0394   | 71              | 8.39              | .017          |
| 216-3M-15 | 9293-2415   | 72              | 8.50              | .017          |
| 222-3M-15 | 9293-2416   | 74              | 8.74              | .018          |
| 225-3M-15 | 9293-0395   | 75              | 8.86              | .018          |
| 228-3M-15 | 9293-2417   | 76              | 8.98              | .018          |
| 234-3M-15 | 9293-2418   | 78              | 9.21              | .019          |
| 237-3M-15 | 9293-2419   | 79              | 9.33              | .019          |
| 240-3M-15 | 9293-0396   | 80              | 9.45              | .019          |
| 246-3M-15 | 9293-2420   | 82              | 9.69              | .019          |
| 252-3M-15 | 9293-0397   | 84              | 9.92              | .020          |
| 255-3M-15 | 9293-0398   | 85              | 10.04             | .020          |
| 258-3M-15 | 9293-2421   | 86              | 10.16             | .020          |
| 261-3M-15 | 9293-2422   | 87              | 10.28             | .021          |
| 264-3M-15 | 9293-2423   | 88              | 10.39             | .021          |
| 267-3M-15 | 9293-0399   | 89              | 10.51             | .021          |



# PowerGrip® HTD® Belts

## Product No. Series 9293 (continued)

### 3mm Pitch — 15mm Wide (continued)

| Part No.  | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.   | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-----------|-------------|-----------------|-------------------|---------------|------------|-------------|-----------------|-------------------|---------------|
| 276-3M-15 | 9293-2424   | 92              | 10.87             | .022          | 558-3M-15  | 9293-2460   | 186             | 21.97             | .044          |
| 282-3M-15 | 9293-2425   | 94              | 11.10             | .022          | 564-3M-15  | 9293-0417   | 188             | 22.20             | .045          |
| 285-3M-15 | 9293-0400   | 95              | 11.22             | .023          | 570-3M-15  | 9293-2461   | 190             | 22.44             | .045          |
| 288-3M-15 | 9293-2426   | 96              | 11.34             | .023          | 576-3M-15  | 9293-2462   | 192             | 22.68             | .046          |
| 291-3M-15 | 9293-2427   | 97              | 11.46             | .023          | 585-3M-15  | 9293-2463   | 195             | 23.03             | .046          |
| 297-3M-15 | 9293-2428   | 99              | 11.69             | .024          | 591-3M-15  | 9293-2464   | 197             | 23.27             | .047          |
| 300-3M-15 | 9293-0401   | 100             | 11.81             | .024          | 597-3M-15  | 9293-0418   | 199             | 23.50             | .047          |
| 312-3M-15 | 9293-0402   | 104             | 12.28             | .025          | 600-3M-15  | 9293-2465   | 200             | 23.62             | .048          |
| 315-3M-15 | 9293-2429   | 105             | 12.40             | .025          | 606-3M-15  | 9293-2466   | 202             | 23.86             | .048          |
| 318-3M-15 | 9293-0403   | 106             | 12.52             | .025          | 609-3M-15  | 9293-2467   | 203             | 23.98             | .048          |
| 324-3M-15 | 9293-2430   | 108             | 12.76             | .026          | 612-3M-15  | 9293-2468   | 204             | 24.09             | .048          |
| 330-3M-15 | 9293-2431   | 110             | 12.99             | .026          | 627-3M-15  | 9293-2469   | 209             | 24.69             | .050          |
| 333-3M-15 | 9293-2432   | 111             | 13.11             | .026          | 633-3M-15  | 9293-0419   | 211             | 24.92             | .050          |
| 336-3M-15 | 9293-2433   | 112             | 13.23             | .027          | 639-3M-15  | 9293-2470   | 213             | 25.16             | .051          |
| 339-3M-15 | 9293-0404   | 113             | 13.35             | .027          | 645-3M-15  | 9293-2471   | 215             | 25.39             | .051          |
| 345-3M-15 | 9293-2434   | 115             | 13.58             | .027          | 648-3M-15  | 9293-2472   | 216             | 25.51             | .051          |
| 357-3M-15 | 9293-0405   | 119             | 14.06             | .028          | 654-3M-15  | 9293-2473   | 218             | 25.75             | .052          |
| 360-3M-15 | 9293-2435   | 120             | 14.17             | .029          | 657-3M-15  | 9293-2474   | 219             | 25.87             | .052          |
| 363-3M-15 | 9293-0406   | 121             | 14.29             | .029          | 663-3M-15  | 9293-2475   | 221             | 26.10             | .053          |
| 366-3M-15 | 9293-2436   | 122             | 14.41             | .029          | 669-3M-15  | 9293-0420   | 223             | 26.34             | .053          |
| 369-3M-15 | 9293-2437   | 123             | 14.53             | .029          | 684-3M-15  | 9293-2476   | 228             | 26.93             | .054          |
| 381-3M-15 | 9293-2438   | 127             | 15.00             | .030          | 687-3M-15  | 9293-2477   | 229             | 27.05             | .054          |
| 384-3M-15 | 9293-0407   | 128             | 15.12             | .030          | 696-3M-15  | 9293-2478   | 232             | 27.40             | .055          |
| 387-3M-15 | 9293-2439   | 129             | 15.24             | .031          | 711-3M-15  | 9293-0421   | 237             | 27.99             | .056          |
| 390-3M-15 | 9293-0408   | 130             | 15.35             | .031          | 735-3M-15  | 9293-2479   | 245             | 28.94             | .058          |
| 396-3M-15 | 9293-2440   | 132             | 15.59             | .031          | 738-3M-15  | 9293-2480   | 246             | 29.06             | .058          |
| 399-3M-15 | 9293-0409   | 133             | 15.71             | .032          | 753-3M-15  | 9293-0422   | 251             | 29.65             | .060          |
| 405-3M-15 | 9293-2441   | 135             | 15.94             | .032          | 795-3M-15  | 9293-0423   | 265             | 31.30             | .063          |
| 411-3M-15 | 9293-2442   | 137             | 16.18             | .033          | 822-3M-15  | 9293-2481   | 274             | 32.36             | .065          |
| 417-3M-15 | 9293-2443   | 139             | 16.42             | .033          | 837-3M-15  | 9293-2482   | 279             | 32.95             | .066          |
| 420-3M-15 | 9293-0410   | 140             | 16.54             | .033          | 843-3M-15  | 9293-0424   | 281             | 33.19             | .067          |
| 426-3M-15 | 9293-2444   | 142             | 16.77             | .034          | 873-3M-15  | 9293-2483   | 291             | 34.37             | .069          |
| 432-3M-15 | 9293-2445   | 144             | 17.01             | .034          | 882-3M-15  | 9293-0425   | 294             | 34.72             | .070          |
| 435-3M-15 | 9293-2446   | 145             | 17.13             | .034          | 891-3M-15  | 9293-2484   | 297             | 35.08             | .071          |
| 438-3M-15 | 9293-2447   | 146             | 17.24             | .035          | 900-3M-15  | 9293-2485   | 300             | 35.43             | .071          |
| 444-3M-15 | 9293-2448   | 148             | 17.48             | .035          | 915-3M-15  | 9293-2486   | 305             | 36.02             | .072          |
| 447-3M-15 | 9293-0411   | 149             | 17.60             | .035          | 945-3M-15  | 9293-0426   | 315             | 37.20             | .075          |
| 459-3M-15 | 9293-2449   | 153             | 18.07             | .036          | 951-3M-15  | 9293-2487   | 317             | 37.44             | .075          |
| 468-3M-15 | 9293-2450   | 156             | 18.43             | .037          | 981-3M-15  | 9293-2488   | 327             | 38.62             | .078          |
| 471-3M-15 | 9293-2451   | 157             | 18.54             | .037          | 1002-3M-15 | 9293-0427   | 334             | 39.45             | .079          |
| 474-3M-15 | 9293-0412   | 158             | 18.66             | .038          | 1026-3M-15 | 9293-2489   | 342             | 40.39             | .081          |
| 480-3M-15 | 9293-2452   | 160             | 18.90             | .038          | 1035-3M-15 | 9293-2490   | 345             | 40.75             | .082          |
| 486-3M-15 | 9293-0413   | 162             | 19.13             | .038          | 1062-3M-15 | 9293-0428   | 354             | 41.81             | .084          |
| 489-3M-15 | 9293-2453   | 164             | 19.25             | .039          | 1125-3M-15 | 9293-0429   | 375             | 44.29             | .089          |
| 492-3M-15 | 9293-2454   | 164             | 19.37             | .039          | 1155-3M-15 | 9293-2491   | 385             | 40.47             | .091          |
| 501-3M-15 | 9293-0414   | 167             | 19.72             | .040          | 1191-3M-15 | 9293-0430   | 397             | 46.89             | .094          |
| 510-3M-15 | 9293-2455   | 170             | 20.08             | .040          | 1263-3M-15 | 9293-0431   | 421             | 49.72             | .100          |
| 513-3M-15 | 9293-0415   | 171             | 20.20             | .041          | 1500-3M-15 | 9293-2492   | 500             | 59.06             | .119          |
| 519-3M-15 | 9293-2456   | 173             | 20.43             | .041          | 1512-3M-15 | 9293-2493   | 504             | 59.53             | .120          |
| 525-3M-15 | 9293-2457   | 175             | 20.67             | .042          | 1587-3M-15 | 9293-2494   | 529             | 62.48             | .126          |
| 528-3M-15 | 9293-2458   | 176             | 20.79             | .042          | 1956-3M-15 | 9293-2495   | 652             | 77.01             | .155          |
| 531-3M-15 | 9293-0416   | 177             | 20.91             | .042          | 2004-3M-15 | 9293-2496   | 668             | 78.90             | .159          |
| 537-3M-15 | 9293-2459   | 179             | 21.14             | .043          |            |             |                 |                   |               |

POWERGRIP HTD BELTS



# PowerGrip® HTD® Belts

Product No. Series 9293 (continued)

5mm Pitch — 9mm Wide

| Part No.  | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.   | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-----------|-------------|-----------------|-------------------|---------------|------------|-------------|-----------------|-------------------|---------------|
| 180-5M-09 | 9293-90090  | 36              | 7.09              | .014          | 765-5M-09  | 9293-2623   | 153             | 30.12             | .059          |
| 200-5M-09 | 9293-2600   | 40              | 7.87              | .015          | 770-5M-09  | 9293-40880  | 154             | 30.31             | .059          |
| 225-5M-09 | 9293-40426  | 45              | 8.86              | .017          | 775-5M-09  | 9293-52022  | 155             | 30.51             | .060          |
| 240-5M-09 | 9293-2601   | 48              | 9.45              | .019          | 790-5M-09  | 9293-2624   | 158             | 31.10             | .061          |
| 255-5M-09 | 9293-2699   | 51              | 10.03             | .020          | 800-5M-09  | 9293-0514   | 160             | 31.50             | .062          |
| 260-5M-09 | 9293-2602   | 52              | 10.24             | .020          | 825-5M-09  | 9293-40465  | 165             | 32.48             | .064          |
| 265-5M-09 | 9293-90097  | 53              | 10.43             | .020          | 830-5M-09  | 9293-2625   | 166             | 32.68             | .064          |
| 270-5M-09 | 9293-2603   | 54              | 10.63             | .021          | 835-5M-09  | 9293-2626   | 167             | 32.87             | .064          |
| 280-5M-09 | 9293-40445  | 56              | 11.02             | .022          | 850-5M-09  | 9293-0515   | 170             | 33.46             | .066          |
| 285-5M-09 | 9293-2604   | 57              | 11.22             | .022          | 860-5M-09  | 9293-40671  | 172             | 33.85             | .066          |
| 295-5M-09 | 9293-0491   | 59              | 11.61             | .023          | 870-5M-09  | 9293-2627   | 174             | 34.25             | .067          |
| 300-5M-09 | 9293-2605   | 60              | 11.81             | .023          | 890-5M-09  | 9293-0516   | 178             | 35.04             | .069          |
| 305-5M-09 | 9293-31031  | 61              | 12.01             | .024          | 925-5M-09  | 9293-2628   | 185             | 36.42             | .071          |
| 310-5M-09 | 9293-2606   | 62              | 12.20             | .024          | 935-5M-09  | 9293-90144  | 187             | 36.81             | .072          |
| 320-5M-09 | 9293-2607   | 64              | 12.60             | .025          | 940-5M-09  | 9293-40883  | 188             | 37.01             | .073          |
| 325-5M-09 | 9293-90105  | 65              | 12.80             | .025          | 950-5M-09  | 9293-0517   | 190             | 37.40             | .073          |
| 330-5M-09 | 9293-0496   | 66              | 12.99             | .025          | 975-5M-09  | 9293-2629   | 195             | 38.39             | .075          |
| 340-5M-09 | 9293-40489  | 68              | 13.39             | .026          | 980-5M-09  | 9293-40692  | 196             | 38.58             | .076          |
| 345-5M-09 | 9293-40495  | 69              | 13.58             | .027          | 985-5M-09  | 9293-2630   | 197             | 38.78             | .076          |
| 350-5M-09 | 9293-0500   | 70              | 13.78             | .027          | 1000-5M-09 | 9293-0518   | 200             | 39.37             | .077          |
| 360-5M-09 | 9293-31036  | 72              | 14.17             | .028          | 1025-5M-09 | 9293-40889  | 205             | 40.35             | .079          |
| 365-5M-09 | 9293-0497   | 73              | 14.37             | .028          | 1035-5M-09 | 9293-90147  | 207             | 40.75             | .080          |
| 370-5M-09 | 9293-40516  | 74              | 14.57             | .029          | 1050-5M-09 | 9293-0519   | 210             | 41.34             | .081          |
| 375-5M-09 | 9293-0501   | 75              | 14.76             | .029          | 1100-5M-09 | 9293-90150  | 220             | 43.31             | .085          |
| 385-5M-09 | 9293-40526  | 77              | 15.16             | .030          | 1115-5M-09 | 9293-2631   | 223             | 43.90             | .086          |
| 400-5M-09 | 9293-0502   | 80              | 15.75             | .031          | 1125-5M-09 | 9293-0520   | 225             | 44.29             | .087          |
| 415-5M-09 | 9293-2608   | 83              | 16.34             | .032          | 1135-5M-09 | 9293-40891  | 227             | 44.68             | .088          |
| 420-5M-09 | 9293-55016  | 84              | 16.54             | .032          | 1175-5M-09 | 9293-40894  | 235             | 46.26             | .091          |
| 425-5M-09 | 9293-0503   | 85              | 16.73             | .033          | 1195-5M-09 | 9293-0521   | 239             | 47.05             | .092          |
| 450-5M-09 | 9293-0504   | 90              | 17.72             | .035          | 1200-5M-09 | 9293-90153  | 240             | 47.24             | .093          |
| 460-5M-09 | 9293-2609   | 92              | 18.11             | .036          | 1225-5M-09 | 9293-52128  | 245             | 48.23             | .095          |
| 475-5M-09 | 9293-0505   | 95              | 18.70             | .037          | 1250-5M-09 | 9293-2632   | 250             | 49.21             | .097          |
| 480-5M-09 | 9293-2610   | 96              | 18.90             | .037          | 1270-5M-09 | 9293-0522   | 254             | 50.00             | .098          |
| 495-5M-09 | 9293-2611   | 99              | 19.49             | .038          | 1295-5M-09 | 9293-2633   | 259             | 50.98             | .100          |
| 500-5M-09 | 9293-0506   | 100             | 19.69             | .039          | 1350-5M-09 | 9293-41193  | 270             | 53.15             | .104          |
| 520-5M-09 | 9293-2612   | 104             | 20.47             | .040          | 1375-5M-09 | 9293-2634   | 275             | 54.13             | .106          |
| 535-5M-09 | 9293-0507   | 107             | 21.06             | .041          | 1420-5M-09 | 9293-0523   | 284             | 55.91             | .110          |
| 550-5M-09 | 9293-40589  | 110             | 13.39             | .042          | 1575-5M-09 | 9293-2635   | 315             | 62.01             | .122          |
| 555-5M-09 | 9293-2613   | 111             | 21.85             | .043          | 1595-5M-09 | 9293-0524   | 319             | 62.80             | .123          |
| 560-5M-09 | 9293-31056  | 112             | 22.05             | .043          | 1635-5M-09 | 9293-2636   | 327             | 64.37             | .126          |
| 565-5M-09 | 9293-0508   | 113             | 22.24             | .044          | 1690-5M-09 | 9293-0525   | 338             | 66.54             | .131          |
| 580-5M-09 | 9293-2614   | 116             | 22.83             | .045          | 1720-5M-09 | 9293-2637   | 344             | 67.72             | .133          |
| 585-5M-09 | 9293-2615   | 117             | 23.03             | .045          | 1790-5M-09 | 9293-0526   | 358             | 70.47             | .138          |
| 600-5M-09 | 9293-0509   | 120             | 23.62             | .046          | 1800-5M-09 | 9293-2638   | 360             | 70.87             | .139          |
| 610-5M-09 | 9293-90126  | 122             | 24.02             | .047          | 1870-5M-09 | 9293-31187  | 374             | 73.62             | .144          |
| 615-5M-09 | 9293-2616   | 123             | 24.21             | .047          | 1895-5M-09 | 9293-0527   | 379             | 74.61             | .146          |
| 635-5M-09 | 9293-0510   | 127             | 25.00             | .049          | 1945-5M-09 | 9293-2639   | 389             | 76.57             | .150          |
| 640-5M-09 | 9293-90129  | 128             | 25.20             | .049          | 1980-5M-09 | 9293-2640   | 396             | 77.95             | .153          |
| 645-5M-09 | 9293-40633  | 129             | 25.39             | .050          | 2000-5M-09 | 9293-0528   | 400             | 78.74             | .154          |
| 655-5M-09 | 9293-2617   | 131             | 25.79             | .051          | 2100-5M-09 | 9293-52140  | 420             | 82.68             | .162          |
| 665-5M-09 | 9293-2618   | 133             | 26.18             | .051          | 2110-5M-09 | 9293-2641   | 422             | 83.07             | .163          |
| 670-5M-09 | 9293-0511   | 134             | 26.38             | .052          | 2250-5M-09 | 9293-0529   | 450             | 88.58             | .174          |
| 680-5M-09 | 9293-2619   | 136             | 26.77             | .053          | 2350-5M-09 | 9293-52148  | 470             | 92.52             | .181          |
| 685-5M-09 | 9293-2620   | 137             | 26.97             | .053          | 2525-5M-09 | 9293-0530   | 505             | 99.40             | .195          |
| 695-5M-09 | 9293-2621   | 139             | 27.36             | .054          | 2760-5M-09 | 9293-2642   | 552             | 108.66            | .213          |
| 710-5M-09 | 9293-0512   | 142             | 27.95             | .055          | 3120-5M-09 | 9293-2643   | 624             | 122.83            | .241          |
| 720-5M-09 | 9293-53059  | 144             | 28.35             | .056          | 3170-5M-09 | 9293-2644   | 634             | 124.80            | .245          |
| 740-5M-09 | 9293-0513   | 148             | 29.13             | .057          | 3430-5M-09 | 9293-2645   | 686             | 135.04            | .265          |
| 745-5M-09 | 9293-2622   | 149             | 29.33             | .058          | 3800-5M-09 | 9293-2646   | 760             | 149.61            | .293          |
| 755-5M-09 | 9293-90138  | 151             | 29.72             | .058          |            |             |                 |                   |               |



# PowerGrip® HTD® Belts

## Product No. Series 9293 (continued)

### 5mm Pitch — 15mm Wide

| Part No.  | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.   | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-----------|-------------|-----------------|-------------------|---------------|------------|-------------|-----------------|-------------------|---------------|
| 180-5M-15 | 9293-90091  | 36              | 7.09              | .023          | 765-5M-15  | 9293-2723   | 153             | 30.12             | .098          |
| 200-5M-15 | 9293-2700   | 40              | 7.87              | .026          | 770-5M-15  | 9293-40881  | 154             | 30.31             | .099          |
| 225-5M-15 | 9293-40431  | 45              | 8.86              | .029          | 775-5M-15  | 9293-90486  | 155             | 30.51             | .100          |
| 240-5M-15 | 9293-2701   | 48              | 9.45              | .031          | 790-5M-15  | 9293-2724   | 158             | 31.10             | .102          |
| 255-5M-15 | 9293-40436  | 51              | 10.04             | .033          | 800-5M-15  | 9293-0545   | 160             | 31.50             | .103          |
| 260-5M-15 | 9293-2702   | 52              | 10.24             | .033          | 825-5M-15  | 9293-40666  | 165             | 32.48             | .106          |
| 265-5M-15 | 9293-90098  | 53              | 10.43             | .034          | 830-5M-15  | 9293-2725   | 166             | 32.68             | .107          |
| 270-5M-15 | 9293-2703   | 54              | 10.63             | .035          | 835-5M-15  | 9293-2726   | 167             | 32.87             | .107          |
| 280-5M-15 | 9293-40447  | 56              | 11.02             | .036          | 850-5M-15  | 9293-0546   | 170             | 33.46             | .109          |
| 285-5M-15 | 9293-2704   | 57              | 11.22             | .037          | 860-5M-15  | 9293-40672  | 172             | 33.86             | .111          |
| 295-5M-15 | 9293-0492   | 59              | 11.61             | .038          | 870-5M-15  | 9293-2727   | 174             | 34.25             | .112          |
| 300-5M-15 | 9293-2705   | 60              | 11.81             | .039          | 890-5M-15  | 9293-0547   | 178             | 35.04             | .115          |
| 305-5M-15 | 9293-32031  | 61              | 12.01             | .039          | 925-5M-15  | 9293-2728   | 185             | 36.42             | .119          |
| 310-5M-15 | 9293-2706   | 62              | 12.20             | .040          | 935-5M-15  | 9293-90145  | 187             | 36.81             | .120          |
| 320-5M-15 | 9293-2707   | 64              | 12.60             | .041          | 940-5M-15  | 9293-40884  | 188             | 37.01             | .121          |
| 325-5M-15 | 9293-90047  | 65              | 12.80             | .042          | 950-5M-15  | 9293-0548   | 190             | 37.40             | .122          |
| 330-5M-15 | 9293-0495   | 66              | 12.99             | .042          | 975-5M-15  | 9293-2729   | 195             | 38.39             | .125          |
| 340-5M-15 | 9293-40491  | 68              | 13.39             | .044          | 980-5M-15  | 9293-40693  | 196             | 38.58             | .126          |
| 345-5M-15 | 9293-40496  | 69              | 13.58             | .044          | 985-5M-15  | 9293-2730   | 197             | 38.78             | .127          |
| 350-5M-15 | 9293-0531   | 70              | 13.78             | .045          | 1000-5M-15 | 9293-0549   | 200             | 39.37             | .129          |
| 360-5M-15 | 9293-32036  | 72              | 14.17             | .046          | 1025-5M-15 | 9293-40890  | 205             | 40.35             | .132          |
| 365-5M-15 | 9293-0498   | 73              | 14.37             | .047          | 1035-5M-15 | 9293-90148  | 207             | 40.75             | .133          |
| 370-5M-15 | 9293-40518  | 74              | 14.57             | .048          | 1050-5M-15 | 9293-0550   | 210             | 41.34             | .135          |
| 375-5M-15 | 9293-0532   | 75              | 14.76             | .048          | 1100-5M-15 | 9293-0781   | 220             | 43.31             | .142          |
| 385-5M-15 | 9293-40527  | 77              | 15.16             | .050          | 1115-5M-15 | 9293-2731   | 223             | 43.90             | .144          |
| 400-5M-15 | 9293-0533   | 80              | 15.75             | .051          | 1125-5M-15 | 9293-0551   | 225             | 44.29             | .145          |
| 415-5M-15 | 9293-2708   | 83              | 16.34             | .053          | 1135-5M-15 | 9293-40892  | 227             | 44.68             | .146          |
| 420-5M-15 | 9293-90466  | 84              | 16.54             | .054          | 1175-5M-15 | 9293-40895  | 235             | 46.26             | .151          |
| 425-5M-15 | 9293-0534   | 85              | 16.73             | .055          | 1195-5M-15 | 9293-0552   | 239             | 47.05             | .154          |
| 450-5M-15 | 9293-0535   | 90              | 17.72             | .058          | 1200-5M-15 | 9293-90154  | 240             | 47.24             | .154          |
| 460-5M-15 | 9293-2709   | 92              | 18.11             | .059          | 1225-5M-15 | 9293-52130  | 245             | 48.23             | .158          |
| 475-5M-15 | 9293-0536   | 95              | 18.70             | .061          | 1250-5M-15 | 9293-2732   | 250             | 49.21             | .161          |
| 480-5M-15 | 9293-2710   | 96              | 18.90             | .062          | 1270-5M-15 | 9293-0553   | 254             | 50.00             | .163          |
| 495-5M-15 | 9293-2711   | 99              | 19.49             | .064          | 1295-5M-15 | 9293-2733   | 259             | 50.98             | .167          |
| 500-5M-15 | 9293-0537   | 100             | 19.69             | .064          | 1350-5M-15 | 9293-40725  | 270             | 53.15             | .174          |
| 520-5M-15 | 9293-2712   | 104             | 20.47             | .067          | 1375-5M-15 | 9293-2734   | 275             | 54.13             | .177          |
| 535-5M-15 | 9293-0538   | 107             | 21.06             | .069          | 1420-5M-15 | 9293-0554   | 284             | 55.91             | .183          |
| 550-5M-15 | 9293-40591  | 110             | 21.65             | .071          | 1575-5M-15 | 9293-2735   | 315             | 62.01             | .203          |
| 555-5M-15 | 9293-2713   | 111             | 21.85             | .071          | 1595-5M-15 | 9293-0555   | 319             | 62.80             | .205          |
| 560-5M-15 | 9293-32056  | 112             | 22.05             | .072          | 1635-5M-15 | 9293-2736   | 327             | 64.37             | .210          |
| 565-5M-15 | 9293-0539   | 113             | 22.24             | .073          | 1690-5M-15 | 9293-0556   | 338             | 66.54             | .218          |
| 580-5M-15 | 9293-2714   | 116             | 22.83             | .075          | 1720-5M-15 | 9293-2737   | 344             | 67.72             | .221          |
| 585-5M-15 | 9293-2715   | 117             | 23.03             | .075          | 1790-5M-15 | 9293-0557   | 358             | 70.47             | .230          |
| 600-5M-15 | 9293-0540   | 120             | 23.62             | .077          | 1800-5M-15 | 9293-2738   | 360             | 70.87             | .232          |
| 610-5M-15 | 9293-90127  | 122             | 24.02             | .079          | 1870-5M-15 | 9293-32187  | 374             | 73.62             | .241          |
| 615-5M-15 | 9293-2716   | 123             | 24.21             | .079          | 1895-5M-15 | 9293-0558   | 379             | 74.61             | .244          |
| 635-5M-15 | 9293-0541   | 127             | 25.00             | .082          | 1945-5M-15 | 9293-2739   | 389             | 76.57             | .250          |
| 640-5M-15 | 9293-90130  | 128             | 25.20             | .082          | 1980-5M-15 | 9293-2740   | 396             | 77.95             | .255          |
| 645-5M-15 | 9293-40635  | 129             | 25.39             | .083          | 2000-5M-15 | 9293-0559   | 400             | 78.74             | .257          |
| 655-5M-15 | 9293-2717   | 131             | 25.79             | .084          | 2100-5M-15 | 9293-52141  | 420             | 82.68             | .270          |
| 665-5M-15 | 9293-2718   | 133             | 26.18             | .086          | 2110-5M-15 | 9293-2741   | 422             | 83.07             | .272          |
| 670-5M-15 | 9293-0542   | 134             | 26.38             | .086          | 2250-5M-15 | 9293-0560   | 450             | 88.58             | .290          |
| 680-5M-15 | 9293-2719   | 136             | 26.77             | .088          | 2350-5M-15 | 9293-52150  | 470             | 92.52             | .302          |
| 685-5M-15 | 9293-2720   | 137             | 26.97             | .088          | 2525-5M-15 | 9293-0561   | 505             | 99.40             | .325          |
| 695-5M-15 | 9293-2721   | 139             | 27.36             | .089          | 2760-5M-15 | 9293-2742   | 552             | 108.66            | .355          |
| 710-5M-15 | 9293-0543   | 142             | 27.95             | .091          | 3120-5M-15 | 9293-2743   | 624             | 122.83            | .402          |
| 720-5M-15 | 9293-53060  | 144             | 28.35             | .093          | 3170-5M-15 | 9293-2744   | 634             | 124.80            | .408          |
| 740-5M-15 | 9293-0544   | 148             | 29.13             | .095          | 3430-5M-15 | 9293-2745   | 686             | 135.04            | .441          |
| 745-5M-15 | 9293-2722   | 149             | 29.33             | .096          | 3800-5M-15 | 9293-2746   | 760             | 149.61            | .489          |
| 755-5M-15 | 9293-90139  | 151             | 29.72             | .097          |            |             |                 |                   |               |

POWERGRIP HTD BELTS



# PowerGrip® HTD® Belts

Product No. Series 9293 (continued)

5mm Pitch — 25mm Wide

| Part No.  | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.   | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-----------|-------------|-----------------|-------------------|---------------|------------|-------------|-----------------|-------------------|---------------|
| 180-5M-25 | 9293-90092  | 36              | 7.09              | .039          | 765-5M-25  | 9293-2823   | 153             | 30.12             | .164          |
| 200-5M-25 | 9293-2800   | 40              | 7.87              | .043          | 770-5M-25  | 9293-40882  | 154             | 30.31             | .165          |
| 225-5M-25 | 9293-40432  | 45              | 8.86              | .048          | 775-5M-25  | 9293-52023  | 155             | 30.51             | .166          |
| 240-5M-25 | 9293-2801   | 48              | 9.45              | .051          | 790-5M-25  | 9293-2824   | 158             | 31.10             | .169          |
| 255-5M-25 | 9293-40438  | 51              | 10.04             | .055          | 800-5M-25  | 9293-0576   | 160             | 31.50             | .172          |
| 260-5M-25 | 9293-2802   | 52              | 10.24             | .056          | 825-5M-25  | 9293-40667  | 165             | 32.48             | .177          |
| 265-5M-25 | 9293-90099  | 53              | 10.43             | .057          | 830-5M-25  | 9293-2825   | 166             | 32.68             | .178          |
| 270-5M-25 | 9293-2803   | 54              | 10.63             | .058          | 835-5M-25  | 9293-2826   | 167             | 32.87             | .179          |
| 280-5M-25 | 9293-40449  | 56              | 11.02             | .060          | 850-5M-25  | 9293-0577   | 170             | 33.46             | .182          |
| 285-5M-25 | 9293-2804   | 57              | 11.22             | .061          | 860-5M-25  | 9293-40673  | 172             | 33.86             | .184          |
| 295-5M-25 | 9293-0493   | 59              | 11.61             | .063          | 870-5M-25  | 9293-2827   | 174             | 34.25             | .187          |
| 300-5M-25 | 9293-2805   | 60              | 11.81             | .064          | 890-5M-25  | 9293-0578   | 178             | 35.04             | .191          |
| 305-5M-25 | 9293-33031  | 61              | 12.01             | .065          | 925-5M-25  | 9293-2828   | 185             | 36.42             | .198          |
| 310-5M-25 | 9293-2806   | 62              | 12.20             | .066          | 935-5M-25  | 9293-90146  | 187             | 36.81             | .201          |
| 320-5M-25 | 9293-2807   | 64              | 12.60             | .069          | 940-5M-25  | 9293-40885  | 188             | 37.01             | .202          |
| 325-5M-25 | 9293-90106  | 65              | 12.80             | .070          | 950-5M-25  | 9293-0579   | 190             | 37.40             | .204          |
| 330-5M-25 | 9293-0494   | 66              | 12.99             | .071          | 975-5M-25  | 9293-2829   | 195             | 38.39             | .209          |
| 340-5M-25 | 9293-40492  | 68              | 13.39             | .073          | 980-5M-25  | 9293-40694  | 196             | 38.58             | .210          |
| 345-5M-25 | 9293-40497  | 69              | 13.58             | .074          | 985-5M-25  | 9293-2830   | 197             | 38.78             | .211          |
| 350-5M-25 | 9293-0562   | 70              | 13.78             | .075          | 1000-5M-25 | 9293-0580   | 200             | 39.37             | .215          |
| 360-5M-25 | 9293-33036  | 72              | 14.17             | .077          | 1025-5M-25 | 9293-40700  | 205             | 40.35             | .220          |
| 365-5M-25 | 9293-0499   | 73              | 14.37             | .078          | 1035-5M-25 | 9293-90149  | 207             | 40.75             | .222          |
| 370-5M-25 | 9293-40520  | 74              | 14.57             | .079          | 1050-5M-25 | 9293-0581   | 210             | 41.34             | .225          |
| 375-5M-25 | 9293-0563   | 75              | 14.76             | .080          | 1100-5M-25 | 9293-90152  | 220             | 43.31             | .236          |
| 385-5M-25 | 9293-40528  | 77              | 15.16             | .083          | 1115-5M-25 | 9293-2831   | 223             | 43.90             | .239          |
| 400-5M-25 | 9293-0564   | 80              | 15.75             | .086          | 1125-5M-25 | 9293-0582   | 225             | 44.29             | .241          |
| 415-5M-25 | 9293-2808   | 83              | 16.34             | .089          | 1135-5M-25 | 9293-40893  | 227             | 44.68             | .243          |
| 425-5M-25 | 9293-0565   | 85              | 16.73             | .091          | 1175-5M-25 | 9293-40896  | 235             | 46.26             | .252          |
| 450-5M-25 | 9293-0566   | 90              | 17.72             | .097          | 1195-5M-25 | 9293-0583   | 239             | 47.05             | .256          |
| 460-5M-25 | 9293-2809   | 92              | 18.11             | .099          | 1200-5M-25 | 9293-90155  | 240             | 47.24             | .257          |
| 475-5M-25 | 9293-0567   | 95              | 18.70             | .102          | 1225-5M-25 | 9293-52129  | 245             | 48.23             | .263          |
| 480-5M-25 | 9293-2810   | 96              | 18.90             | .103          | 1250-5M-25 | 9293-2832   | 250             | 49.21             | .268          |
| 495-5M-25 | 9293-2811   | 99              | 19.49             | .106          | 1270-5M-25 | 9293-0584   | 254             | 50.00             | .272          |
| 500-5M-25 | 9293-0568   | 100             | 19.69             | .107          | 1295-5M-25 | 9293-2833   | 259             | 50.98             | .278          |
| 520-5M-25 | 9293-2812   | 104             | 20.47             | .112          | 1350-5M-25 | 9293-40934  | 270             | 53.15             | .290          |
| 535-5M-25 | 9293-0569   | 107             | 21.06             | .115          | 1375-5M-25 | 9293-2834   | 275             | 54.13             | .295          |
| 550-5M-25 | 9293-40592  | 110             | 21.65             | .118          | 1420-5M-25 | 9293-0585   | 284             | 55.91             | .305          |
| 555-5M-25 | 9293-2813   | 111             | 21.85             | .119          | 1575-5M-25 | 9293-2835   | 315             | 62.01             | .338          |
| 560-5M-25 | 9293-33056  | 112             | 22.05             | .120          | 1595-5M-25 | 9293-0586   | 319             | 62.84             | .342          |
| 565-5M-25 | 9293-0570   | 113             | 22.24             | .121          | 1635-5M-25 | 9293-2836   | 327             | 64.37             | .351          |
| 580-5M-25 | 9293-2814   | 116             | 22.83             | .124          | 1690-5M-25 | 9293-0587   | 338             | 66.54             | .363          |
| 585-5M-25 | 9293-2815   | 117             | 23.03             | .125          | 1720-5M-25 | 9293-2837   | 344             | 67.72             | .369          |
| 600-5M-25 | 9293-0571   | 120             | 23.62             | .129          | 1790-5M-25 | 9293-0588   | 358             | 70.47             | .384          |
| 610-5M-25 | 9293-90128  | 122             | 24.02             | .131          | 1800-5M-25 | 9293-2838   | 360             | 70.87             | .386          |
| 615-5M-25 | 9293-2816   | 123             | 24.21             | .132          | 1870-5M-25 | 9293-33187  | 374             | 73.62             | .401          |
| 635-5M-25 | 9293-0572   | 127             | 25.00             | .136          | 1895-5M-25 | 9293-0589   | 379             | 74.61             | .406          |
| 640-5M-25 | 9293-90131  | 128             | 25.20             | .137          | 1945-5M-25 | 9293-2839   | 389             | 76.57             | .417          |
| 645-5M-25 | 9293-40639  | 129             | 25.39             | .138          | 1980-5M-25 | 9293-2840   | 396             | 77.95             | .425          |
| 655-5M-25 | 9293-2817   | 131             | 25.79             | .140          | 2000-5M-25 | 9293-0590   | 400             | 78.74             | .429          |
| 665-5M-25 | 9293-2818   | 133             | 26.18             | .143          | 2100-5M-25 | 9293-52142  | 420             | 82.68             | .450          |
| 670-5M-25 | 9293-0573   | 134             | 26.38             | .144          | 2110-5M-25 | 9293-2841   | 422             | 83.07             | .453          |
| 680-5M-25 | 9293-2819   | 136             | 26.77             | .146          | 2250-5M-25 | 9293-0591   | 450             | 88.58             | .483          |
| 685-5M-25 | 9293-2820   | 137             | 26.97             | .147          | 2350-5M-25 | 9293-33235  | 470             | 92.52             | .504          |
| 695-5M-25 | 9293-2821   | 139             | 27.36             | .149          | 2525-5M-25 | 9293-0592   | 505             | 99.40             | .542          |
| 710-5M-25 | 9293-0574   | 142             | 27.95             | .152          | 2760-5M-25 | 9293-2842   | 552             | 108.66            | .592          |
| 720-5M-25 | 9293-52008  | 144             | 28.35             | .154          | 3120-5M-25 | 9293-2843   | 624             | 122.83            | .669          |
| 740-5M-25 | 9293-0575   | 148             | 29.13             | .159          | 3170-5M-25 | 9293-2844   | 634             | 124.80            | .680          |
| 745-5M-25 | 9293-2822   | 149             | 29.33             | .160          | 3430-5M-25 | 9293-2845   | 686             | 135.04            | .736          |
| 755-5M-25 | 9293-90140  | 151             | 29.72             | .162          | 3800-5M-25 | 9293-2846   | 760             | 149.61            | .815          |



# PowerGrip® HTD® Belts

## Product No. Series 9293 (continued)

### 8mm Pitch — 20mm Wide

| Part No.   | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.   | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|------------|-------------|-----------------|-------------------|---------------|------------|-------------|-----------------|-------------------|---------------|
| 320-8M-20  | 9293-40000  | 40              | 12.60             | .087          | 1176-8M-20 | 9293-0212   | 147             | 61.10             | .321          |
| 376-8M-20  | 9293-40003  | 47              | 14.80             | .103          | 1216-8M-20 | 9293-53071  | 152             | 47.87             | .332          |
| 424-8M-20  | 9293-50007  | 53              | 16.69             | .116          | 1256-8M-20 | 9293-50568  | 157             | 49.45             | .343          |
| 512-8M-20  | 9293-50046  | 64              | 20.16             | .140          | 1264-8M-20 | 9293-53076  | 158             | 49.76             | .345          |
| 520-8M-20  | 9293-40907  | 65              | 20.47             | .142          | 1304-8M-20 | 9293-50626  | 163             | 51.34             | .356          |
| 608-8M-20  | 9293-40028  | 76              | 23.94             | .166          | 1360-8M-20 | 9293-50632  | 170             | 53.54             | .371          |
| 624-8M-20  | 9293-90915  | 78              | 24.57             | .170          | 1424-8M-20 | 9293-50656  | 178             | 56.06             | .388          |
| 656-8M-20  | 9293-50158  | 82              | 25.83             | .179          | 1432-8M-20 | 9293-53078  | 179             | 56.38             | .391          |
| 760-8M-20  | 9293-40919  | 95              | 29.92             | .207          | 1520-8M-20 | 9293-40773  | 190             | 59.84             | .261          |
| 776-8M-20  | 9293-50216  | 97              | 30.55             | .212          | 1552-8M-20 | 9293-0221   | 194             | 61.10             | .423          |
| 856-8M-20  | 9293-42426  | 107             | 33.70             | .234          | 1696-8M-20 | 9293-0226   | 212             | 66.77             | .463          |
| 912-8M-20  | 9293-53068  | 114             | 35.91             | .249          | 1728-8M-20 | 9293-52351  | 216             | 68.03             | .471          |
| 968-8M-20  | 9293-55035  | 121             | 38.11             | .264          | 1896-8M-20 | 9293-40929  | 237             | 74.65             | .517          |
| 976-8M-20  | 9293-40922  | 122             | 38.43             | .266          | 1904-8M-20 | 9293-40931  | 238             | 74.96             | .519          |
| 1000-8M-20 | 9293-90083  | 125             | 39.37             | .273          | 2080-8M-20 | 9293-53081  | 260             | 81.89             | .567          |
| 1080-8M-20 | 9293-40072  | 135             | 42.52             | .295          | 2240-8M-20 | 9293-50888  | 280             | 88.19             | .611          |
| 1128-8M-20 | 9293-53069  | 141             | 44.41             | .308          | 2272-8M-20 | 9293-90449  | 284             | 89.45             | .620          |

### 8mm Pitch — 30mm Wide

| Part No.   | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.   | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|------------|-------------|-----------------|-------------------|---------------|------------|-------------|-----------------|-------------------|---------------|
| 320-8M-30  | 9293-40902  | 40              | 12.60             | .131          | 1216-8M-30 | 9293-53072  | 152             | 47.87             | .498          |
| 376-8M-30  | 9293-40004  | 47              | 14.80             | .154          | 1256-8M-30 | 9293-50564  | 157             | 49.45             | .514          |
| 424-8M-30  | 9293-90045  | 53              | 16.69             | .174          | 1264-8M-30 | 9293-53077  | 158             | 49.76             | .517          |
| 520-8M-30  | 9293-40908  | 65              | 20.47             | .213          | 1304-8M-30 | 9293-50627  | 163             | 51.34             | .534          |
| 608-8M-30  | 9293-40030  | 76              | 23.94             | .249          | 1360-8M-30 | 9293-50633  | 170             | 53.54             | .557          |
| 624-8M-30  | 9293-40916  | 78              | 24.57             | .255          | 1424-8M-30 | 9293-50654  | 178             | 56.06             | .583          |
| 656-8M-30  | 9293-50161  | 82              | 25.83             | .268          | 1432-8M-30 | 9293-53079  | 179             | 56.38             | .586          |
| 760-8M-30  | 9293-40033  | 95              | 29.92             | .311          | 1520-8M-30 | 9293-40086  | 190             | 59.84             | .622          |
| 776-8M-30  | 9293-50215  | 97              | 30.55             | .318          | 1552-8M-30 | 9293-0219   | 194             | 61.10             | .635          |
| 856-8M-30  | 9293-42650  | 107             | 33.70             | .350          | 1696-8M-30 | 9293-0223   | 212             | 66.77             | .694          |
| 912-8M-30  | 9293-50325  | 114             | 35.91             | .373          | 1728-8M-30 | 9293-55028  | 216             | 68.03             | .707          |
| 968-8M-30  | 9293-53933  | 121             | 38.11             | .396          | 1896-8M-30 | 9293-40930  | 237             | 74.65             | .776          |
| 976-8M-30  | 9293-40041  | 122             | 38.43             | .399          | 1904-8M-30 | 9293-40118  | 238             | 74.96             | .779          |
| 1000-8M-30 | 9293-90082  | 125             | 39.37             | .409          | 2080-8M-30 | 9293-50881  | 260             | 81.89             | .851          |
| 1080-8M-30 | 9293-40075  | 135             | 42.52             | .442          | 2240-8M-30 | 9293-50882  | 280             | 88.19             | .917          |
| 1128-8M-30 | 9293-55021  | 141             | 44.41             | .462          | 2272-8M-30 | 9293-50892  | 284             | 89.45             | .930          |
| 1176-8M-30 | 9293-0216   | 147             | 46.30             | .481          |            |             |                 |                   |               |

### 8mm Pitch — 50mm Wide

| Part No.   | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.   | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|------------|-------------|-----------------|-------------------|---------------|------------|-------------|-----------------|-------------------|---------------|
| 320-8M-50  | 9293-40903  | 40              | 12.60             | .218          | 1176-8M-50 | 9293-0217   | 147             | 46.30             | .802          |
| 376-8M-50  | 9293-40905  | 47              | 14.80             | .256          | 1216-8M-50 | 9293-53073  | 152             | 47.87             | .829          |
| 424-8M-50  | 9293-50002  | 53              | 16.69             | .289          | 1256-8M-50 | 9293-50563  | 157             | 49.45             | .857          |
| 520-8M-50  | 9293-40909  | 65              | 20.47             | .355          | 1264-8M-50 | 9293-50572  | 158             | 49.76             | .862          |
| 608-8M-50  | 9293-40913  | 76              | 23.94             | .415          | 1304-8M-50 | 9293-52343  | 163             | 51.34             | .889          |
| 656-8M-50  | 9293-50164  | 82              | 25.83             | .447          | 1360-8M-50 | 9293-50630  | 170             | 53.54             | .928          |
| 760-8M-50  | 9293-40920  | 95              | 29.92             | .518          | 1424-8M-50 | 9293-50659  | 178             | 56.06             | .971          |
| 776-8M-50  | 9293-50217  | 97              | 30.55             | .529          | 1432-8M-50 | 9293-53080  | 179             | 56.38             | .977          |
| 856-8M-50  | 9293-42685  | 107             | 33.70             | .584          | 1520-8M-50 | 9293-40092  | 190             | 59.84             | 1.037         |
| 912-8M-50  | 9293-50324  | 114             | 35.91             | .622          | 1552-8M-50 | 9293-0220   | 194             | 61.10             | 1.058         |
| 968-8M-50  | 9293-55036  | 121             | 38.11             | .660          | 1696-8M-50 | 9293-0225   | 212             | 66.77             | 1.157         |
| 976-8M-50  | 9293-40044  | 122             | 38.43             | .666          | 1728-8M-50 | 9293-55029  | 216             | 68.03             | 1.178         |
| 1000-8M-50 | 9293-50382  | 125             | 39.37             | .682          | 1896-8M-50 | 9293-40776  | 237             | 74.65             | .813          |
| 1080-8M-50 | 9293-40078  | 135             | 42.52             | .737          | 1904-8M-50 | 9293-40932  | 238             | 74.96             | 1.299         |
| 1128-8M-50 | 9293-50484  | 141             | 44.41             | .769          | 2080-8M-50 | 9293-50878  | 260             | 81.89             | 1.419         |

POWERGRIP HTD BELTS





# PowerGrip® HTD® Belts

## Product No. Series 9293 (continued)

### 8mm Pitch — 50mm Wide (continued)

| Part No.   | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|------------|-------------|-----------------|-------------------|---------------|
| 2240-8M-50 | 9293-50883  | 280             | 88.19             | 1.528         |

| Part No.   | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|------------|-------------|-----------------|-------------------|---------------|
| 2272-8M-50 | 9293-50893  | 284             | 89.45             | 1.550         |

### 8mm Pitch — 85mm Wide

| Part No.   | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|------------|-------------|-----------------|-------------------|---------------|
| 320-8M-85  | 9293-40904  | 40              | 12.60             | .371          |
| 376-8M-85  | 9293-40906  | 47              | 14.80             | .436          |
| 424-8M-85  | 9293-53108  | 53              | 16.69             | .492          |
| 520-8M-85  | 9293-40910  | 65              | 20.47             | .603          |
| 608-8M-85  | 9293-40914  | 76              | 23.94             | .705          |
| 624-8M-85  | 9293-90918  | 78              | 24.57             | .723          |
| 656-8M-85  | 9293-53067  | 82              | 25.83             | .761          |
| 760-8M-85  | 9293-40921  | 95              | 29.92             | .881          |
| 776-8M-85  | 9293-50218  | 97              | 30.55             | .900          |
| 856-8M-85  | 9293-42686  | 107             | 33.70             | .992          |
| 912-8M-85  | 9293-54978  | 114             | 35.91             | 1.057         |
| 968-8M-85  | 9293-55037  | 121             | 38.11             | 1.122         |
| 976-8M-85  | 9293-40045  | 122             | 38.43             | 1.132         |
| 1000-8M-85 | 9293-50383  | 125             | 39.37             | 1.159         |
| 1080-8M-85 | 9293-40080  | 135             | 42.52             | 1.252         |
| 1128-8M-85 | 9293-53070  | 141             | 44.41             | 1.308         |
| 1176-8M-85 | 9293-0218   | 147             | 46.30             | 1.363         |

| Part No.   | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|------------|-------------|-----------------|-------------------|---------------|
| 1216-8M-85 | 9293-53074  | 152             | 47.87             | 1.410         |
| 1256-8M-85 | 9293-50561  | 157             | 49.45             | 1.456         |
| 1264-8M-85 | 9293-55022  | 158             | 49.76             | 1.465         |
| 1304-8M-85 | 9293-52920  | 163             | 51.34             | 1.512         |
| 1360-8M-85 | 9293-50628  | 170             | 53.54             | 1.577         |
| 1424-8M-85 | 9293-50651  | 178             | 56.06             | 1.651         |
| 1432-8M-85 | 9293-50664  | 179             | 56.38             | 1.660         |
| 1520-8M-85 | 9293-40093  | 190             | 59.84             | 1.762         |
| 1552-8M-85 | 9293-0222   | 194             | 61.10             | 1.799         |
| 1696-8M-85 | 9293-0224   | 212             | 66.77             | 1.966         |
| 1728-8M-85 | 9293-55030  | 216             | 68.03             | 2.003         |
| 1896-8M-85 | 9293-40117  | 237             | 74.65             | 2.198         |
| 1904-8M-85 | 9293-42278  | 238             | 74.96             | 2.207         |
| 2080-8M-85 | 9293-50880  | 260             | 81.89             | 2.412         |
| 2240-8M-85 | 9293-50884  | 280             | 88.19             | 2.597         |
| 2272-8M-85 | 9293-90436  | 284             | 89.45             | 2.634         |

### 14mm Pitch — 40mm Wide

| Part No.   | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|------------|-------------|-----------------|-------------------|---------------|
| 784-14M-40 | 9293-55012  | 56              | 30.87             | .683          |
| 924-14M-40 | 9293-52358  | 66              | 36.38             | .805          |

| Part No.    | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|
| 1092-14M-40 | 9293-0231   | 78              | 42.99             | .951          |
| 4004-14M-40 | 9293-54963  | 286             | 157.64            | 3.488         |

### 14mm Pitch — 55mm Wide

| Part No.   | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|------------|-------------|-----------------|-------------------|---------------|
| 784-14M-55 | 9293-53082  | 56              | 30.87             | .939          |
| 924-14M-55 | 9293-53091  | 66              | 36.38             | 1.107         |

| Part No.    | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|
| 1092-14M-55 | 9293-0229   | 78              | 42.99             | 1.308         |
| 4004-14M-55 | 9293-51377  | 286             | 157.64            | 4.796         |

### 14mm Pitch — 85mm Wide

| Part No.   | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|------------|-------------|-----------------|-------------------|---------------|
| 784-14M-85 | 9293-53083  | 56              | 30.87             | 1.451         |
| 924-14M-85 | 9293-52359  | 66              | 36.38             | 1.711         |

| Part No.    | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|
| 1092-14M-85 | 9293-0227   | 78              | 42.99             | 2.022         |
| 4004-14M-85 | 9293-53096  | 286             | 157.64            | 7.413         |

### 14mm Pitch — 115mm Wide

| Part No.    | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|
| 784-14M-115 | 9293-53084  | 56              | 30.87             | 1.964         |
| 924-14M-115 | 9293-53092  | 66              | 36.38             | 2.314         |

| Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|
| 1092-14M-115 | 9293-0230   | 78              | 42.99             | 2.735         |
| 4004-14M-115 | 9293-53097  | 286             | 157.64            | 10.029        |



# PowerGrip® HTD® Belts

## Product No. Series 9293 (continued)

### 14mm Pitch — 170mm Wide

| Part No.    | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|
| 784-14M-170 | 9293-53085  | 56              | 30.87             | 2.903         |
| 924-14M-170 | 9293-53093  | 66              | 36.38             | 3.421         |

| Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|
| 1092-14M-170 | 9293-0228   | 78              | 42.99             | 4.043         |
| 4004-14M-170 | 9293-51375  | 286             | 157.64            | 14.825        |

### 20mm Pitch — 115mm Wide

| Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|
| 2000-20M-115 | 9293-0700   | 100             | 78.74             | 6.477         |
| 2500-20M-115 | 9293-0702   | 125             | 98.43             | 8.096         |
| 3400-20M-115 | 9293-0703   | 170             | 133.86            | 11.011        |
| 3800-20M-115 | 9293-0704   | 190             | 149.61            | 12.306        |
| 4200-20M-115 | 9293-0705   | 210             | 165.35            | 13.601        |
| 4600-20M-115 | 9293-0706   | 230             | 181.10            | 14.897        |
| 5000-20M-115 | 9293-0707   | 250             | 196.85            | 16.192        |
| 5200-20M-115 | 9293-0708   | 260             | 204.72            | 16.840        |

| Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|
| 5400-20M-115 | 9293-0709   | 270             | 212.60            | 17.487        |
| 5600-20M-115 | 9293-0710   | 280             | 220.47            | 18.135        |
| 5800-20M-115 | 9293-0711   | 290             | 228.35            | 18.783        |
| 6000-20M-115 | 9293-0775   | 300             | 236.22            | 19.430        |
| 6200-20M-115 | 9293-0712   | 310             | 244.09            | 20.078        |
| 6400-20M-115 | 9293-0713   | 320             | 251.97            | 20.726        |
| 6600-20M-115 | 9293-0714   | 330             | 259.84            | 21.373        |

### 20mm Pitch — 170mm Wide

| Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|
| 2000-20M-170 | 9293-0715   | 100             | 78.74             | 9.574         |
| 2500-20M-170 | 9293-0717   | 125             | 98.43             | 11.968        |
| 3400-20M-170 | 9293-0718   | 170             | 133.86            | 16.276        |
| 3800-20M-170 | 9293-0719   | 190             | 149.61            | 18.191        |
| 4200-20M-170 | 9293-0720   | 210             | 165.35            | 20.106        |
| 4600-20M-170 | 9293-0721   | 230             | 181.10            | 22.021        |
| 5000-20M-170 | 9293-0722   | 250             | 196.85            | 23.936        |
| 5200-20M-170 | 9293-0723   | 260             | 204.72            | 24.893        |

| Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|
| 5400-20M-170 | 9293-0724   | 270             | 212.60            | 25.851        |
| 5600-20M-170 | 9293-0725   | 280             | 220.47            | 26.808        |
| 5800-20M-170 | 9293-0726   | 290             | 228.35            | 27.766        |
| 6000-20M-170 | 9293-0776   | 300             | 236.22            | 28.723        |
| 6200-20M-170 | 9293-0727   | 310             | 244.09            | 29.681        |
| 6400-20M-170 | 9293-0728   | 320             | 251.97            | 30.638        |
| 6600-20M-170 | 9293-0729   | 330             | 259.84            | 31.596        |

### 20mm Pitch — 230mm Wide

| Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|
| 2000-20M-230 | 9293-0730   | 100             | 78.74             | 12.954        |
| 2500-20M-230 | 9293-0732   | 125             | 98.43             | 16.192        |
| 3400-20M-230 | 9293-0733   | 170             | 133.86            | 22.021        |
| 3800-20M-230 | 9293-0734   | 190             | 149.61            | 24.612        |
| 4200-20M-230 | 9293-0735   | 210             | 165.35            | 27.203        |
| 4600-20M-230 | 9293-0736   | 230             | 181.10            | 29.793        |
| 5000-20M-230 | 9293-0737   | 250             | 196.85            | 32.384        |
| 5200-20M-230 | 9293-0738   | 260             | 204.72            | 33.679        |

| Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|
| 5400-20M-230 | 9293-0739   | 270             | 212.60            | 34.975        |
| 5600-20M-230 | 9293-0740   | 280             | 220.47            | 36.270        |
| 5800-20M-230 | 9293-0741   | 290             | 228.35            | 37.565        |
| 6000-20M-230 | 9293-0777   | 300             | 236.22            | 38.861        |
| 6200-20M-230 | 9293-0742   | 310             | 244.09            | 40.156        |
| 6400-20M-230 | 9293-0743   | 320             | 251.97            | 41.452        |
| 6600-20M-230 | 9293-0744   | 330             | 259.84            | 42.747        |

### 20mm Pitch — 290mm Wide

| Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|
| 2000-20M-290 | 9293-0745   | 100             | 78.74             | 16.333        |
| 2500-20M-290 | 9293-0747   | 125             | 98.43             | 20.416        |
| 3400-20M-290 | 9293-0748   | 170             | 133.86            | 27.766        |
| 3800-20M-290 | 9293-0749   | 190             | 149.61            | 31.032        |
| 4200-20M-290 | 9293-0750   | 210             | 165.35            | 34.299        |
| 4600-20M-290 | 9293-0751   | 230             | 181.10            | 37.565        |
| 5000-20M-290 | 9293-0752   | 250             | 196.85            | 40.832        |
| 5200-20M-290 | 9293-0753   | 260             | 204.72            | 42.465        |

| Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|
| 5400-20M-290 | 9293-0754   | 270             | 212.60            | 44.099        |
| 5600-20M-290 | 9293-0755   | 280             | 220.47            | 45.732        |
| 5800-20M-290 | 9293-0756   | 290             | 228.35            | 47.365        |
| 6000-20M-290 | 9293-0778   | 300             | 236.22            | 48.998        |
| 6200-20M-290 | 9293-0757   | 310             | 244.09            | 50.632        |
| 6400-20M-290 | 9293-0758   | 320             | 251.97            | 52.265        |
| 6600-20M-290 | 9293-0759   | 330             | 259.84            | 53.898        |

POWERGRIP HTD BELTS



# PowerGrip® HTD® Belts

**Product No. Series 9293 (continued)**

**20mm Pitch — 340mm Wide**

| Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|
| 2000-20M-340 | 9293-0760   | 100             | 78.74             | 19.149        |
| 2500-20M-340 | 9293-0762   | 125             | 98.43             | 23.936        |
| 3400-20M-340 | 9293-0763   | 170             | 133.86            | 32.553        |
| 3800-20M-340 | 9293-0764   | 190             | 149.61            | 36.383        |
| 4200-20M-340 | 9293-0765   | 210             | 165.35            | 40.212        |
| 4600-20M-340 | 9293-0766   | 230             | 181.10            | 44.042        |
| 5000-20M-340 | 9293-0767   | 250             | 196.85            | 47.872        |
| 5200-20M-340 | 9293-0768   | 260             | 204.72            | 49.787        |

| Part No.     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|
| 5400-20M-340 | 9293-0769   | 270             | 212.60            | 51.702        |
| 5600-20M-340 | 9293-0770   | 280             | 220.47            | 53.617        |
| 5800-20M-340 | 9293-0771   | 290             | 228.35            | 55.532        |
| 6000-20M-340 | 9293-0779   | 300             | 236.22            | 57.446        |
| 6200-20M-340 | 9293-0772   | 310             | 244.09            | 59.361        |
| 6400-20M-340 | 9293-0773   | 320             | 251.97            | 61.276        |
| 6600-20M-340 | 9293-0774   | 330             | 259.84            | 63.191        |



# PowerGrip® Timing Belts

Recommended Pulleys  
PowerGrip Timing Pulleys

**Notes**

Gates PowerGrip Timing belts are measured by: Length - The length of a PowerGrip Timing Belts is shown in the first part of the belt designation. The first number is the pitch length in tenths of an inch. A 300L075 has a 30.0" pitch length.  
Pitch - The pitch is the distance from center to center of the teeth (in inches). It is shown in the second part of the belt designation by a letter or letters. Part number 300L075 has a .375" pitch. The letters correspond to pitches as follows: MXL = Mini Extra Light = 0.080" pitch; XL = Extra Light = 0.200" pitch; L = Light = 0.375" pitch; H = Heavy = 0.500" pitch; XH = Extra Heavy = 0.875" pitch; XXH = Double Extra Heavy = 1.250" pitch.  
Width - The width is shown in the last part of the belt designation. Part number 300L075 is .75" wide.

POWERGRIP TIMING BELTS

## Product No. Series 9257

### 2/25" Pitch (.080"/MXL) — 1/8" Wide

| Part No.  | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.  | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-----------|-------------|-----------------|-------------------|---------------|-----------|-------------|-----------------|-------------------|---------------|
| 32MXL012  | 9257-0129   | 40              | 3.20              | .001          | 115MXL012 | 9257-0162   | 144             | 11.52             | .003          |
| 34MXL012  | 9257-0130   | 42              | 3.36              | .010          | 120MXL012 | 9257-0111   | 150             | 12.00             | .003          |
| 34MXL025  | 9257-0330   | 42              | 3.36              | .010          | 122MXL012 | 9257-0163   | 153             | 12.24             | .003          |
| 36MXL012  | 9257-0119   | 45              | 3.60              | .001          | 124MXL012 | 9257-0164   | 155             | 12.40             | .003          |
| 38MXL012  | 9257-0131   | 47              | 3.76              | .001          | 132MXL012 | 9257-0125   | 165             | 13.20             | .003          |
| 40MXL012  | 9257-0120   | 50              | 4.00              | .001          | 133MXL012 | 9257-0165   | 166             | 13.28             | .003          |
| 43MXL012  | 9257-0132   | 54              | 4.32              | .010          | 133MXL025 | 9257-0365   | 166             | 13.28             | .010          |
| 44MXL012  | 9257-0121   | 55              | 4.40              | .001          | 136MXL012 | 9257-0166   | 170             | 13.60             | .003          |
| 45MXL012  | 9257-0133   | 56              | 4.48              | .010          | 140MXL012 | 9257-0112   | 175             | 14.00             | .003          |
| 47MXL012  | 9257-0134   | 59              | 4.72              | .010          | 147MXL012 | 9257-0167   | 184             | 14.72             | .010          |
| 48MXL012  | 9257-0122   | 60              | 4.80              | .001          | 152MXL012 | 9257-0126   | 190             | 15.20             | .004          |
| 51MXL012  | 9257-0135   | 64              | 5.12              | .010          | 156MXL012 | 9257-0168   | 195             | 15.60             | .004          |
| 52MXL012  | 9257-0136   | 65              | 5.20              | .001          | 160MXL012 | 9257-0113   | 200             | 16.00             | .004          |
| 53MXL012  | 9257-0137   | 67              | 5.36              | .010          | 166MXL012 | 9257-0169   | 208             | 16.64             | .010          |
| 54MXL012  | 9257-0138   | 68              | 5.44              | .001          | 166MXL019 | 9257-0269   | 208             | 16.64             | .010          |
| 56MXL012  | 9257-0104   | 70              | 5.60              | .001          | 168MXL012 | 9257-0127   | 210             | 16.80             | .004          |
| 57MXL012  | 9257-0139   | 71              | 5.68              | .001          | 170MXL012 | 9257-0170   | 212             | 16.96             | .004          |
| 58MXL012  | 9257-0140   | 72              | 5.76              | .010          | 177MXL012 | 9257-0171   | 221             | 17.68             | .004          |
| 59MXL012  | 9257-0141   | 74              | 5.92              | .010          | 178MXL012 | 9257-0172   | 222             | 17.76             | .010          |
| 59MXL019  | 9257-0241   | 74              | 5.92              | .010          | 178MXL019 | 9257-0272   | 222             | 17.76             | .010          |
| 61MXL012  | 9257-0142   | 76              | 6.08              | .001          | 180MXL012 | 9257-0114   | 225             | 18.00             | .004          |
| 62MXL012  | 9257-0143   | 77              | 6.16              | .010          | 184MXL012 | 9257-0173   | 230             | 18.40             | .005          |
| 63MXL012  | 9257-0144   | 79              | 6.32              | .010          | 196MXL012 | 9257-0174   | 245             | 19.60             | .005          |
| 64MXL012  | 9257-0105   | 80              | 6.40              | .002          | 198MXL012 | 9257-0175   | 248             | 19.84             | .005          |
| 66MXL012  | 9257-0145   | 83              | 6.64              | .002          | 200MXL012 | 9257-0115   | 250             | 20.00             | .005          |
| 68MXL012  | 9257-0123   | 85              | 6.80              | .002          | 208MXL012 | 9257-0116   | 260             | 20.80             | .005          |
| 69MXL012  | 9257-0146   | 87              | 6.96              | .010          | 212MXL012 | 9257-0176   | 265             | 21.20             | .005          |
| 70MXL012  | 9257-0147   | 88              | 7.04              | .002          | 224MXL012 | 9257-0177   | 280             | 22.40             | .006          |
| 72MXL012  | 9257-0106   | 90              | 7.20              | .002          | 236MXL012 | 9257-0128   | 295             | 23.60             | .006          |
| 74MXL012  | 9257-0148   | 92              | 7.36              | .010          | 240MXL012 | 9257-0117   | 300             | 24.00             | .006          |
| 75MXL012  | 9257-0149   | 94              | 7.52              | .010          | 252MXL012 | 9257-0178   | 315             | 25.20             | .006          |
| 76MXL012  | 9257-0124   | 95              | 7.60              | .002          | 278MXL012 | 9257-0179   | 347             | 27.76             | .007          |
| 80MXL012  | 9257-0107   | 100             | 8.00              | .002          | 297MXL012 | 9257-0180   | 371             | 29.68             | .010          |
| 81MXL012  | 9257-0150   | 102             | 8.16              | .002          | 297MXL019 | 9257-0280   | 371             | 29.68             | .020          |
| 82MXL012  | 9257-0151   | 103             | 8.24              | .002          | 298MXL012 | 9257-0181   | 372             | 29.76             | .020          |
| 84MXL012  | 9257-0152   | 105             | 8.40              | .002          | 298MXL019 | 9257-0281   | 372             | 29.76             | .020          |
| 85MXL012  | 9257-0153   | 107             | 8.56              | .002          | 298MXL025 | 9257-0381   | 372             | 29.76             | .020          |
| 86MXL012  | 9257-0154   | 108             | 8.64              | .010          | 320MXL012 | 9257-0118   | 400             | 32.00             | .020          |
| 87MXL012  | 9257-0155   | 109             | 8.72              | .010          | 330MXL012 | 9257-0182   | 412             | 32.96             | .020          |
| 88MXL012  | 9257-0108   | 110             | 8.80              | .002          | 339MXL012 | 9257-0183   | 424             | 33.92             | .020          |
| 90MXL012  | 9257-0156   | 112             | 8.96              | .010          | 347MXL012 | 9257-0184   | 434             | 34.72             | .020          |
| 91MXL012  | 9257-0157   | 114             | 9.12              | .002          | 348MXL012 | 9257-0185   | 435             | 34.80             | .020          |
| 96MXL012  | 9257-0100   | 120             | 9.60              | .002          | 390MXL012 | 9257-0186   | 487             | 38.96             | .020          |
| 98MXL012  | 9257-0158   | 123             | 9.84              | .010          | 398MXL012 | 9257-0187   | 498             | 39.84             | .020          |
| 100MXL012 | 9257-0159   | 125             | 10.00             | .002          | 480MXL012 | 9257-0188   | 600             | 48.00             | .020          |
| 101MXL012 | 9257-0160   | 126             | 10.08             | .002          | 480MXL019 | 9257-0288   | 600             | 48.00             | .020          |
| 104MXL012 | 9257-0109   | 130             | 10.40             | .003          | 490MXL012 | 9257-0189   | 612             | 48.96             | .020          |
| 106MXL012 | 9257-0161   | 132             | 10.56             | .003          | 490MXL019 | 9257-0289   | 612             | 48.96             | .020          |
| 112MXL012 | 9257-0110   | 140             | 11.20             | .003          | 518MXL012 | 9257-0190   | 648             | 51.84             | .020          |



# PowerGrip® Timing Belts

Product No. Series 9257 (continued)

2/25" Pitch (.080"/MXL) — 3/16" Wide

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.  | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------|-------------|-----------------|-------------------|---------------|-----------|-------------|-----------------|-------------------|---------------|
| 32MXL019 | 9257-0229   | 40              | 3.20              | .001          | 98MXL019  | 9257-0258   | 123             | 9.84              | .004          |
| 34MXL019 | 9257-0230   | 42              | 3.36              | .010          | 100MXL019 | 9257-0259   | 125             | 10.00             | .004          |
| 36MXL019 | 9257-0219   | 45              | 3.60              | .001          | 101MXL019 | 9257-0260   | 126             | 10.08             | .004          |
| 38MXL019 | 9257-0231   | 47              | 3.76              | .001          | 104MXL019 | 9257-0209   | 130             | 10.40             | .004          |
| 40MXL019 | 9257-0220   | 50              | 4.00              | .001          | 106MXL019 | 9257-0261   | 132             | 10.56             | .004          |
| 43MXL019 | 9257-0232   | 54              | 4.32              | .010          | 112MXL019 | 9257-0210   | 140             | 11.20             | .004          |
| 44MXL019 | 9257-0221   | 55              | 4.40              | .002          | 115MXL019 | 9257-0262   | 144             | 11.52             | .004          |
| 45MXL019 | 9257-0233   | 56              | 4.48              | .010          | 120MXL019 | 9257-0211   | 150             | 12.00             | .004          |
| 47MXL019 | 9257-0234   | 59              | 4.72              | .010          | 122MXL019 | 9257-0263   | 153             | 12.24             | .004          |
| 48MXL019 | 9257-0222   | 60              | 4.80              | .002          | 124MXL019 | 9257-0264   | 155             | 12.40             | .005          |
| 51MXL019 | 9257-0235   | 64              | 5.12              | .010          | 132MXL019 | 9257-0225   | 165             | 13.20             | .005          |
| 52MXL019 | 9257-0236   | 65              | 5.20              | .002          | 133MXL019 | 9257-0265   | 166             | 13.28             | .010          |
| 53MXL019 | 9257-0237   | 67              | 5.36              | .010          | 136MXL019 | 9257-0266   | 170             | 13.60             | .005          |
| 54MXL019 | 9257-0238   | 68              | 5.44              | .002          | 140MXL019 | 9257-0212   | 175             | 14.00             | .005          |
| 56MXL019 | 9257-0204   | 70              | 5.60              | .002          | 147MXL019 | 9257-0267   | 184             | 14.72             | .010          |
| 57MXL019 | 9257-0239   | 71              | 5.68              | .002          | 152MXL019 | 9257-0226   | 190             | 15.20             | .006          |
| 58MXL019 | 9257-0240   | 72              | 5.76              | .010          | 156MXL019 | 9257-0268   | 195             | 15.60             | .006          |
| 61MXL019 | 9257-0242   | 76              | 6.08              | .002          | 160MXL019 | 9257-0213   | 200             | 16.00             | .006          |
| 62MXL019 | 9257-0243   | 77              | 6.16              | .010          | 168MXL019 | 9257-0227   | 210             | 16.80             | .006          |
| 63MXL019 | 9257-0244   | 79              | 6.32              | .010          | 170MXL019 | 9257-0270   | 212             | 16.96             | .006          |
| 64MXL019 | 9257-0205   | 80              | 6.40              | .002          | 177MXL019 | 9257-0271   | 221             | 17.68             | .010          |
| 66MXL019 | 9257-0245   | 83              | 6.64              | .002          | 180MXL019 | 9257-0214   | 225             | 18.00             | .007          |
| 68MXL019 | 9257-0223   | 85              | 6.80              | .002          | 184MXL019 | 9257-0273   | 230             | 18.40             | .007          |
| 69MXL019 | 9257-0246   | 87              | 6.96              | .010          | 198MXL019 | 9257-0275   | 248             | 19.84             | .007          |
| 70MXL019 | 9257-0247   | 88              | 7.04              | .003          | 200MXL019 | 9257-0215   | 250             | 20.00             | .007          |
| 72MXL019 | 9257-0206   | 90              | 7.20              | .003          | 208MXL019 | 9257-0216   | 260             | 20.80             | .008          |
| 74MXL019 | 9257-0248   | 92              | 7.36              | .010          | 212MXL019 | 9257-0276   | 265             | 21.20             | .008          |
| 75MXL019 | 9257-0249   | 94              | 7.52              | .010          | 224MXL019 | 9257-0277   | 280             | 22.40             | .008          |
| 76MXL019 | 9257-0224   | 95              | 7.60              | .003          | 236MXL019 | 9257-0228   | 295             | 23.60             | .009          |
| 80MXL019 | 9257-0207   | 100             | 8.00              | .003          | 240MXL019 | 9257-0217   | 300             | 24.00             | .009          |
| 81MXL019 | 9257-0250   | 102             | 8.16              | .003          | 252MXL019 | 9257-0278   | 315             | 25.20             | .009          |
| 82MXL019 | 9257-0251   | 103             | 8.24              | .003          | 278MXL019 | 9257-0279   | 347             | 27.76             | .011          |
| 84MXL019 | 9257-0252   | 105             | 8.40              | .003          | 320MXL019 | 9257-0218   | 400             | 32.00             | .020          |
| 85MXL019 | 9257-0253   | 107             | 8.56              | .003          | 330MXL019 | 9257-0282   | 412             | 32.96             | .020          |
| 86MXL019 | 9257-0254   | 108             | 8.64              | .010          | 339MXL019 | 9257-0283   | 424             | 33.92             | .020          |
| 87MXL019 | 9257-0255   | 109             | 8.72              | .010          | 347MXL019 | 9257-0284   | 434             | 34.72             | .020          |
| 88MXL019 | 9257-0208   | 110             | 8.80              | .003          | 348MXL019 | 9257-0285   | 435             | 34.80             | .020          |
| 90MXL019 | 9257-0256   | 112             | 8.96              | .003          | 390MXL019 | 9257-0286   | 487             | 38.96             | .020          |
| 91MXL019 | 9257-0257   | 114             | 9.12              | .003          | 398MXL019 | 9257-0287   | 498             | 39.84             | .020          |
| 96MXL019 | 9257-0200   | 120             | 9.60              | .004          | 518MXL019 | 9257-0290   | 648             | 51.84             | .020          |

2/25" Pitch (.080"/MXL) — 1/4" Wide

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------|-------------|-----------------|-------------------|---------------|----------|-------------|-----------------|-------------------|---------------|
| 32MXL025 | 9257-0329   | 40              | 3.20              | .002          | 58MXL025 | 9257-0340   | 72              | 5.76              | .010          |
| 36MXL025 | 9257-0319   | 45              | 3.60              | .002          | 59MXL025 | 9257-0341   | 74              | 5.92              | .010          |
| 38MXL025 | 9257-0331   | 47              | 3.76              | .002          | 61MXL025 | 9257-0342   | 76              | 6.08              | .003          |
| 40MXL025 | 9257-0320   | 50              | 4.00              | .002          | 62MXL025 | 9257-0343   | 77              | 6.16              | .010          |
| 43MXL025 | 9257-0332   | 54              | 4.32              | .010          | 63MXL025 | 9257-0344   | 79              | 6.32              | .010          |
| 44MXL025 | 9257-0321   | 55              | 4.40              | .002          | 64MXL025 | 9257-0305   | 80              | 6.40              | .003          |
| 45MXL025 | 9257-0333   | 56              | 4.48              | .010          | 66MXL025 | 9257-0345   | 83              | 6.64              | .003          |
| 47MXL025 | 9257-0334   | 59              | 4.72              | .010          | 68MXL025 | 9257-0323   | 85              | 6.80              | .003          |
| 48MXL025 | 9257-0322   | 60              | 4.80              | .002          | 69MXL025 | 9257-0346   | 87              | 6.96              | .010          |
| 51MXL025 | 9257-0335   | 64              | 5.12              | .010          | 70MXL025 | 9257-0347   | 88              | 7.04              | .003          |
| 52MXL025 | 9257-0336   | 65              | 5.20              | .003          | 72MXL025 | 9257-0306   | 90              | 7.20              | .004          |
| 53MXL025 | 9257-0337   | 67              | 5.36              | .010          | 74MXL025 | 9257-0348   | 92              | 7.36              | .004          |
| 54MXL025 | 9257-0338   | 68              | 5.44              | .003          | 75MXL025 | 9257-0349   | 94              | 7.52              | .010          |
| 56MXL025 | 9257-0304   | 70              | 5.60              | .003          | 76MXL025 | 9257-0324   | 95              | 7.60              | .004          |
| 57MXL025 | 9257-0339   | 71              | 5.68              | .003          | 80MXL025 | 9257-0307   | 100             | 8.00              | .004          |



# PowerGrip® Timing Belts

Product No. Series 9257 (continued)

2/25" Pitch (.080"/MXL) — 1/4" Wide (continued)

| Part No.  | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-----------|-------------|-----------------|-------------------|---------------|
| 81MXL025  | 9257-0350   | 102             | 8.16              | .004          |
| 82MXL025  | 9257-0351   | 103             | 8.24              | .004          |
| 84MXL025  | 9257-0352   | 105             | 8.40              | .004          |
| 85MXL025  | 9257-0353   | 107             | 8.56              | .004          |
| 86MXL025  | 9257-0354   | 108             | 8.64              | .010          |
| 87MXL025  | 9257-0355   | 109             | 8.72              | .010          |
| 88MXL025  | 9257-0308   | 110             | 8.80              | .004          |
| 90MXL025  | 9257-0356   | 112             | 8.96              | .010          |
| 91MXL025  | 9257-0357   | 114             | 9.12              | .004          |
| 96MXL025  | 9257-0300   | 120             | 9.60              | .005          |
| 98MXL025  | 9257-0358   | 123             | 9.84              | .010          |
| 100MXL025 | 9257-0359   | 125             | 10.00             | .005          |
| 101MXL025 | 9257-0360   | 126             | 10.08             | .005          |
| 104MXL025 | 9257-0309   | 130             | 10.40             | .005          |
| 106MXL025 | 9257-0361   | 132             | 10.56             | .005          |
| 112MXL025 | 9257-0310   | 140             | 11.20             | .005          |
| 115MXL025 | 9257-0362   | 144             | 11.52             | .006          |
| 120MXL025 | 9257-0311   | 150             | 12.00             | .006          |
| 122MXL025 | 9257-0363   | 153             | 12.24             | .006          |
| 124MXL025 | 9257-0364   | 155             | 12.40             | .006          |
| 132MXL025 | 9257-0325   | 165             | 13.20             | .006          |
| 136MXL025 | 9257-0366   | 170             | 13.60             | .007          |
| 140MXL025 | 9257-0312   | 175             | 14.00             | .007          |
| 147MXL025 | 9257-0367   | 184             | 14.72             | .007          |
| 152MXL025 | 9257-0326   | 190             | 15.20             | .007          |
| 156MXL025 | 9257-0368   | 195             | 15.60             | .008          |
| 160MXL025 | 9257-0313   | 200             | 16.00             | .008          |
| 166MXL025 | 9257-0369   | 208             | 16.64             | .010          |

| Part No.  | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-----------|-------------|-----------------|-------------------|---------------|
| 168MXL025 | 9257-0327   | 210             | 16.80             | .008          |
| 170MXL025 | 9257-0370   | 212             | 16.96             | .008          |
| 177MXL025 | 9257-0371   | 221             | 17.68             | .009          |
| 178MXL025 | 9257-0372   | 222             | 17.76             | .010          |
| 180MXL025 | 9257-0314   | 225             | 18.00             | .009          |
| 184MXL025 | 9257-0373   | 230             | 18.40             | .009          |
| 196MXL025 | 9257-0374   | 245             | 19.60             | .011          |
| 198MXL025 | 9257-0375   | 248             | 19.84             | .011          |
| 200MXL025 | 9257-0315   | 250             | 20.00             | .011          |
| 208MXL025 | 9257-0316   | 260             | 20.80             | .011          |
| 212MXL025 | 9257-0376   | 265             | 21.20             | .011          |
| 224MXL025 | 9257-0377   | 280             | 22.40             | .020          |
| 236MXL025 | 9257-0328   | 295             | 23.60             | .012          |
| 240MXL025 | 9257-0317   | 300             | 24.00             | .012          |
| 252MXL025 | 9257-0378   | 315             | 25.20             | .012          |
| 278MXL025 | 9257-0379   | 347             | 27.76             | .014          |
| 297MXL025 | 9257-0380   | 371             | 29.68             | .020          |
| 320MXL025 | 9257-0318   | 400             | 32.00             | .020          |
| 330MXL025 | 9257-0382   | 412             | 32.96             | .020          |
| 339MXL025 | 9257-0383   | 424             | 33.92             | .020          |
| 347MXL025 | 9257-0384   | 434             | 34.72             | .020          |
| 348MXL025 | 9257-0385   | 435             | 34.80             | .020          |
| 390MXL025 | 9257-0386   | 487             | 38.96             | .020          |
| 398MXL025 | 9257-0387   | 498             | 39.84             | .020          |
| 480MXL025 | 9257-0388   | 600             | 48.00             | .020          |
| 490MXL025 | 9257-0389   | 612             | 48.96             | .020          |
| 518MXL025 | 9257-0390   | 648             | 51.84             | .020          |

1/5" Pitch (.200"/XL) — 1/4" Wide

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------|-------------|-----------------|-------------------|---------------|
| 42XL025  | 9257-1141   | 21              | 4.20              | .003          |
| 50XL025  | 9257-1121   | 25              | 5.00              | .004          |
| 54XL025  | 9257-1142   | 27              | 5.40              | .004          |
| 56XL025  | 9257-1143   | 28              | 5.60              | .005          |
| 58XL025  | 9257-1144   | 29              | 5.80              | .010          |
| 60XL025  | 9257-1100   | 30              | 6.00              | .005          |
| 62XL025  | 9257-1145   | 31              | 6.20              | .005          |
| 64XL025  | 9257-1146   | 32              | 6.40              | .005          |
| 66XL025  | 9257-1147   | 33              | 6.60              | .006          |
| 68XL025  | 9257-1148   | 34              | 6.80              | .006          |
| 70XL025  | 9257-1101   | 35              | 7.00              | .006          |
| 72XL025  | 9257-1149   | 36              | 7.20              | .006          |
| 74XL025  | 9257-1150   | 37              | 7.40              | .006          |
| 76XL025  | 9257-1151   | 38              | 7.60              | .006          |
| 78XL025  | 9257-1152   | 39              | 7.80              | .007          |
| 80XL025  | 9257-1102   | 40              | 8.00              | .007          |
| 82XL025  | 9257-1153   | 41              | 8.20              | .007          |
| 84XL025  | 9257-1154   | 42              | 8.40              | .007          |
| 86XL025  | 9257-1155   | 43              | 8.60              | .007          |
| 88XL025  | 9257-1156   | 44              | 8.80              | .007          |
| 90XL025  | 9257-1103   | 45              | 9.00              | .008          |
| 92XL025  | 9257-1157   | 46              | 9.20              | .010          |
| 94XL025  | 9257-1158   | 47              | 9.40              | .008          |
| 96XL025  | 9257-1159   | 48              | 9.60              | .008          |
| 98XL025  | 9257-1160   | 49              | 9.80              | .008          |
| 100XL025 | 9257-1104   | 50              | 10.00             | .008          |

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------|-------------|-----------------|-------------------|---------------|
| 102XL025 | 9257-1161   | 51              | 10.20             | .009          |
| 106XL025 | 9257-1162   | 53              | 10.60             | .009          |
| 108XL025 | 9257-1163   | 54              | 10.80             | .009          |
| 110XL025 | 9257-1105   | 55              | 11.00             | .009          |
| 112XL025 | 9257-1164   | 56              | 11.20             | .009          |
| 114XL025 | 9257-1165   | 57              | 11.40             | .011          |
| 116XL025 | 9257-1166   | 58              | 11.60             | .011          |
| 120XL025 | 9257-1106   | 60              | 12.00             | .011          |
| 122XL025 | 9257-1167   | 61              | 12.20             | .011          |
| 124XL025 | 9257-1168   | 62              | 12.40             | .011          |
| 126XL025 | 9257-1169   | 63              | 12.60             | .011          |
| 128XL025 | 9257-1170   | 64              | 12.80             | .011          |
| 130XL025 | 9257-1107   | 65              | 13.00             | .011          |
| 132XL025 | 9257-1171   | 66              | 13.20             | .011          |
| 134XL025 | 9257-1172   | 67              | 13.40             | .011          |
| 136XL025 | 9257-1173   | 68              | 13.60             | .011          |
| 138XL025 | 9257-1174   | 69              | 13.80             | .012          |
| 140XL025 | 9257-1108   | 70              | 14.00             | .012          |
| 142XL025 | 9257-1175   | 71              | 14.20             | .012          |
| 144XL025 | 9257-1176   | 72              | 14.40             | .012          |
| 146XL025 | 9257-1177   | 73              | 14.60             | .012          |
| 148XL025 | 9257-1178   | 74              | 14.80             | .012          |
| 150XL025 | 9257-1109   | 75              | 15.00             | .013          |
| 152XL025 | 9257-1179   | 76              | 15.20             | .013          |
| 154XL025 | 9257-1180   | 77              | 15.40             | .013          |
| 156XL025 | 9257-1181   | 78              | 15.60             | .013          |





# PowerGrip® Timing Belts

## Product No. Series 9257 (continued)

### 1/5" Pitch (.200"/XL) — 1/4" Wide (continued)

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------|-------------|-----------------|-------------------|---------------|----------|-------------|-----------------|-------------------|---------------|
| 158XL025 | 9257-1182   | 79              | 15.80             | .013          | 280XL025 | 9257-1122   | 140             | 28.00             | .025          |
| 160XL025 | 9257-1110   | 80              | 16.00             | .020          | 286XL025 | 9257-8118   | 143             | 28.60             | .030          |
| 162XL025 | 9257-1183   | 81              | 16.20             | .014          | 290XL025 | 9257-1123   | 145             | 29.00             | .025          |
| 164XL025 | 9257-1184   | 82              | 16.40             | .014          | 296XL025 | 9257-8119   | 148             | 29.60             | .025          |
| 166XL025 | 9257-1185   | 83              | 16.60             | .014          | 300XL025 | 9257-1124   | 150             | 30.00             | .025          |
| 168XL025 | 9257-1186   | 84              | 16.80             | .014          | 306XL025 | 9257-8120   | 153             | 30.60             | .030          |
| 170XL025 | 9257-1111   | 85              | 17.00             | .020          | 310XL025 | 9257-1125   | 155             | 31.00             | .025          |
| 172XL025 | 9257-1187   | 86              | 17.20             | .020          | 316XL025 | 9257-8121   | 158             | 31.60             | .030          |
| 174XL025 | 9257-1188   | 87              | 17.40             | .020          | 320XL025 | 9257-8122   | 160             | 32.00             | .020          |
| 176XL025 | 9257-1189   | 88              | 17.60             | .020          | 322XL025 | 9257-8123   | 161             | 32.20             | .030          |
| 178XL025 | 9257-1190   | 89              | 17.80             | .020          | 330XL025 | 9257-1126   | 165             | 33.00             | .025          |
| 180XL025 | 9257-1112   | 90              | 18.00             | .020          | 338XL025 | 9257-8124   | 169             | 33.80             | .030          |
| 182XL025 | 9257-1191   | 91              | 18.20             | .020          | 340XL025 | 9257-1127   | 170             | 34.00             | .025          |
| 184XL025 | 9257-1192   | 92              | 18.40             | .020          | 344XL025 | 9257-8125   | 172             | 34.40             | .030          |
| 186XL025 | 9257-1193   | 93              | 18.60             | .020          | 348XL025 | 9257-8126   | 174             | 34.80             | .040          |
| 188XL025 | 9257-1194   | 94              | 18.80             | .020          | 350XL025 | 9257-1128   | 175             | 35.00             | .025          |
| 190XL025 | 9257-1113   | 95              | 19.00             | .020          | 362XL025 | 9257-8127   | 181             | 36.20             | .030          |
| 192XL025 | 9257-1195   | 96              | 19.20             | .020          | 370XL025 | 9257-1129   | 185             | 37.00             | .030          |
| 194XL025 | 9257-1196   | 97              | 19.40             | .020          | 380XL025 | 9257-1130   | 190             | 38.00             | .030          |
| 200XL025 | 9257-1114   | 100             | 20.00             | .020          | 384XL025 | 9257-8128   | 192             | 38.40             | .040          |
| 202XL025 | 9257-1197   | 101             | 20.20             | .020          | 390XL025 | 9257-1131   | 195             | 39.00             | .030          |
| 204XL025 | 9257-1198   | 102             | 20.40             | .020          | 400XL025 | 9257-1132   | 200             | 40.00             | .030          |
| 206XL025 | 9257-1199   | 103             | 20.60             | .020          | 412XL025 | 9257-8129   | 206             | 41.20             | .035          |
| 210XL025 | 9257-1115   | 105             | 21.00             | .020          | 420XL025 | 9257-1133   | 210             | 42.00             | .032          |
| 212XL025 | 9257-8100   | 106             | 21.20             | .020          | 424XL025 | 9257-8130   | 212             | 42.40             | .050          |
| 214XL025 | 9257-8101   | 107             | 21.40             | .020          | 432XL025 | 9257-8131   | 216             | 43.20             | .050          |
| 218XL025 | 9257-8102   | 109             | 21.80             | .020          | 438XL025 | 9257-8132   | 219             | 43.80             | .040          |
| 220XL025 | 9257-1116   | 110             | 22.00             | .020          | 444XL025 | 9257-8133   | 222             | 44.40             | .050          |
| 222XL025 | 9257-8103   | 111             | 22.20             | .020          | 450XL025 | 9257-1134   | 225             | 45.00             | .033          |
| 226XL025 | 9257-8104   | 113             | 22.60             | .019          | 454XL025 | 9257-8134   | 227             | 45.40             | .050          |
| 228XL025 | 9257-8105   | 114             | 22.80             | .015          | 460XL025 | 9257-1135   | 230             | 46.00             | .035          |
| 230XL025 | 9257-1117   | 115             | 23.00             | .020          | 468XL025 | 9257-8135   | 234             | 46.80             | .050          |
| 232XL025 | 9257-8106   | 116             | 23.20             | .019          | 480XL025 | 9257-1136   | 240             | 48.00             | .037          |
| 234XL025 | 9257-8107   | 117             | 23.40             | .020          | 492XL025 | 9257-8136   | 246             | 49.20             | .040          |
| 236XL025 | 9257-8108   | 118             | 23.60             | .020          | 498XL025 | 9257-8137   | 249             | 49.80             | .050          |
| 240XL025 | 9257-1118   | 120             | 24.00             | .020          | 500XL025 | 9257-1137   | 250             | 50.00             | .038          |
| 244XL025 | 9257-8109   | 122             | 24.40             | .020          | 506XL025 | 9257-8138   | 253             | 50.60             | .040          |
| 246XL025 | 9257-8110   | 123             | 24.60             | .020          | 524XL025 | 9257-8139   | 262             | 52.40             | .040          |
| 250XL025 | 9257-1119   | 125             | 25.00             | .020          | 570XL025 | 9257-1138   | 285             | 57.00             | .044          |
| 254XL025 | 9257-8111   | 127             | 25.40             | .021          | 580XL025 | 9257-8140   | 290             | 58.00             | .050          |
| 258XL025 | 9257-8112   | 129             | 25.80             | .020          | 592XL025 | 9257-8141   | 296             | 59.20             | .050          |
| 260XL025 | 9257-1120   | 130             | 26.00             | .020          | 612XL025 | 9257-8142   | 306             | 61.20             | .050          |
| 262XL025 | 9257-8113   | 131             | 26.20             | .020          | 630XL025 | 9257-1139   | 315             | 63.00             | .050          |
| 264XL025 | 9257-8114   | 132             | 26.40             | .022          | 672XL025 | 9257-8143   | 336             | 67.20             | .040          |
| 266XL025 | 9257-8115   | 133             | 26.60             | .020          | 690XL025 | 9257-8144   | 345             | 69.00             | .040          |
| 268XL025 | 9257-8116   | 134             | 26.80             | .020          | 770XL025 | 9257-1140   | 385             | 77.00             | .060          |
| 274XL025 | 9257-8117   | 137             | 27.40             | .020          | 850XL025 | 9257-8145   | 425             | 85.00             | .060          |

### 1/5" Pitch (.200"/XL) — 3/8" Wide

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------|-------------|-----------------|-------------------|---------------|----------|-------------|-----------------|-------------------|---------------|
| 42XL037  | 9257-1341   | 21              | 4.20              | .005          | 64XL037  | 9257-1346   | 32              | 6.40              | .008          |
| 50XL037  | 9257-1321   | 25              | 5.00              | .006          | 66XL037  | 9257-1347   | 33              | 6.60              | .008          |
| 54XL037  | 9257-1342   | 27              | 5.40              | .007          | 68XL037  | 9257-1348   | 34              | 6.80              | .009          |
| 56XL037  | 9257-1343   | 28              | 5.60              | .010          | 70XL037  | 9257-1301   | 35              | 7.00              | .009          |
| 58XL037  | 9257-1344   | 29              | 5.80              | .010          | 72XL037  | 9257-1349   | 36              | 7.20              | .009          |
| 60XL037  | 9257-1300   | 30              | 6.00              | .007          | 74XL037  | 9257-1350   | 37              | 7.40              | .009          |
| 62XL037  | 9257-1345   | 31              | 6.20              | .008          | 76XL037  | 9257-1351   | 38              | 7.60              | .011          |

POWERGRIP TIMING BELTS



# PowerGrip® Timing Belts

Product No. Series 9257 (continued)

1/5" Pitch (.200"/XL) — 3/8" Wide (continued)

POWERGRIP TIMING BELTS

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------|-------------|-----------------|-------------------|---------------|----------|-------------|-----------------|-------------------|---------------|
| 78XL037  | 9257-1352   | 39              | 7.80              | .011          | 206XL037 | 9257-1399   | 103             | 20.60             | .025          |
| 80XL037  | 9257-1302   | 40              | 8.00              | .011          | 210XL037 | 9257-1315   | 105             | 21.00             | .025          |
| 82XL037  | 9257-1353   | 41              | 8.20              | .011          | 212XL037 | 9257-8300   | 106             | 21.20             | .020          |
| 84XL037  | 9257-1354   | 42              | 8.40              | .011          | 214XL037 | 9257-8301   | 107             | 21.40             | .025          |
| 86XL037  | 9257-1355   | 43              | 8.60              | .011          | 218XL037 | 9257-8302   | 109             | 21.80             | .030          |
| 88XL037  | 9257-1356   | 44              | 8.80              | .011          | 220XL037 | 9257-1316   | 110             | 22.00             | .025          |
| 90XL037  | 9257-1303   | 45              | 9.00              | .011          | 222XL037 | 9257-8303   | 111             | 22.20             | .020          |
| 92XL037  | 9257-1357   | 46              | 9.20              | .020          | 226XL037 | 9257-8304   | 113             | 22.60             | .030          |
| 94XL037  | 9257-1358   | 47              | 9.40              | .020          | 228XL037 | 9257-8305   | 114             | 22.80             | .028          |
| 96XL037  | 9257-1359   | 48              | 9.60              | .012          | 230XL037 | 9257-1317   | 115             | 23.00             | .025          |
| 98XL037  | 9257-1360   | 49              | 9.80              | .020          | 232XL037 | 9257-8306   | 116             | 23.20             | .030          |
| 100XL037 | 9257-1304   | 50              | 10.00             | .020          | 234XL037 | 9257-8307   | 117             | 23.40             | .030          |
| 102XL037 | 9257-1361   | 51              | 10.20             | .013          | 236XL037 | 9257-8308   | 118             | 23.60             | .030          |
| 106XL037 | 9257-1362   | 53              | 10.60             | .020          | 240XL037 | 9257-1318   | 120             | 24.00             | .027          |
| 108XL037 | 9257-1363   | 54              | 10.80             | .015          | 244XL037 | 9257-8309   | 122             | 24.40             | .030          |
| 110XL037 | 9257-1305   | 55              | 11.00             | .015          | 246XL037 | 9257-8310   | 123             | 24.60             | .030          |
| 112XL037 | 9257-1364   | 56              | 11.20             | .015          | 250XL037 | 9257-1319   | 125             | 25.00             | .030          |
| 114XL037 | 9257-1365   | 57              | 11.40             | .015          | 254XL037 | 9257-8311   | 127             | 25.40             | .030          |
| 116XL037 | 9257-1366   | 58              | 11.60             | .015          | 258XL037 | 9257-8312   | 129             | 25.80             | .030          |
| 120XL037 | 9257-1306   | 60              | 12.00             | .015          | 260XL037 | 9257-1320   | 130             | 26.00             | .030          |
| 122XL037 | 9257-1367   | 61              | 12.20             | .015          | 262XL037 | 9257-8313   | 131             | 26.20             | .200          |
| 124XL037 | 9257-1368   | 62              | 12.40             | .015          | 264XL037 | 9257-8314   | 132             | 26.40             | .200          |
| 126XL037 | 9257-1369   | 63              | 12.60             | .015          | 266XL037 | 9257-8315   | 133             | 26.60             | .200          |
| 128XL037 | 9257-1370   | 64              | 12.80             | .015          | 268XL037 | 9257-8316   | 134             | 26.80             | .033          |
| 130XL037 | 9257-1307   | 65              | 13.00             | .015          | 274XL037 | 9257-8317   | 137             | 27.40             | .030          |
| 132XL037 | 9257-1371   | 66              | 13.20             | .015          | 280XL037 | 9257-1322   | 140             | 28.00             | .030          |
| 134XL037 | 9257-1372   | 67              | 13.40             | .015          | 286XL037 | 9257-8318   | 143             | 28.60             | .030          |
| 136XL037 | 9257-1373   | 68              | 13.60             | .015          | 290XL037 | 9257-1323   | 145             | 29.00             | .030          |
| 138XL037 | 9257-1374   | 69              | 13.80             | .015          | 296XL037 | 9257-8319   | 148             | 29.60             | .030          |
| 140XL037 | 9257-1308   | 70              | 14.00             | .015          | 300XL037 | 9257-1324   | 150             | 30.00             | .035          |
| 142XL037 | 9257-1375   | 71              | 14.20             | .015          | 306XL037 | 9257-8320   | 153             | 30.60             | .030          |
| 144XL037 | 9257-1376   | 72              | 14.40             | .020          | 310XL037 | 9257-1325   | 155             | 31.00             | .035          |
| 146XL037 | 9257-1377   | 73              | 14.60             | .020          | 316XL037 | 9257-8321   | 158             | 31.60             | .030          |
| 148XL037 | 9257-1378   | 74              | 14.80             | .020          | 320XL037 | 9257-8322   | 160             | 32.00             | .040          |
| 150XL037 | 9257-1309   | 75              | 15.00             | .020          | 322XL037 | 9257-8323   | 161             | 32.20             | .040          |
| 152XL037 | 9257-1379   | 76              | 15.20             | .020          | 330XL037 | 9257-1326   | 165             | 33.00             | .036          |
| 154XL037 | 9257-1380   | 77              | 15.40             | .020          | 338XL037 | 9257-8324   | 169             | 33.80             | .040          |
| 156XL037 | 9257-1381   | 78              | 15.60             | .020          | 340XL037 | 9257-1327   | 170             | 34.00             | .037          |
| 158XL037 | 9257-1382   | 79              | 15.80             | .020          | 344XL037 | 9257-8325   | 172             | 34.40             | .050          |
| 160XL037 | 9257-1310   | 80              | 16.00             | .020          | 348XL037 | 9257-8326   | 174             | 34.80             | .040          |
| 162XL037 | 9257-1383   | 81              | 16.20             | .020          | 350XL037 | 9257-1328   | 175             | 35.00             | .039          |
| 164XL037 | 9257-1384   | 82              | 16.40             | .020          | 362XL037 | 9257-8327   | 181             | 36.20             | .040          |
| 166XL037 | 9257-1385   | 83              | 16.60             | .020          | 370XL037 | 9257-1329   | 185             | 37.00             | .041          |
| 168XL037 | 9257-1386   | 84              | 16.80             | .020          | 380XL037 | 9257-1330   | 190             | 38.00             | .043          |
| 170XL037 | 9257-1311   | 85              | 17.00             | .020          | 384XL037 | 9257-8328   | 192             | 38.40             | .050          |
| 172XL037 | 9257-1387   | 86              | 17.20             | .020          | 390XL037 | 9257-1331   | 195             | 39.00             | .043          |
| 174XL037 | 9257-1388   | 87              | 17.40             | .020          | 400XL037 | 9257-1332   | 200             | 40.00             | .045          |
| 176XL037 | 9257-1389   | 88              | 17.60             | .020          | 412XL037 | 9257-8329   | 206             | 41.20             | .050          |
| 178XL037 | 9257-1390   | 89              | 17.80             | .020          | 420XL037 | 9257-1333   | 210             | 42.00             | .047          |
| 180XL037 | 9257-1312   | 90              | 18.00             | .020          | 424XL037 | 9257-8330   | 212             | 42.40             | .050          |
| 182XL037 | 9257-1391   | 91              | 18.20             | .020          | 432XL037 | 9257-8331   | 216             | 43.20             | .050          |
| 184XL037 | 9257-1392   | 92              | 18.40             | .020          | 438XL037 | 9257-8332   | 219             | 43.80             | .050          |
| 186XL037 | 9257-1393   | 93              | 18.60             | .020          | 444XL037 | 9257-8333   | 222             | 44.40             | .050          |
| 188XL037 | 9257-1394   | 94              | 18.80             | .020          | 450XL037 | 9257-1334   | 225             | 45.00             | .049          |
| 190XL037 | 9257-1313   | 95              | 19.00             | .020          | 454XL037 | 9257-8334   | 227             | 45.40             | .060          |
| 192XL037 | 9257-1395   | 96              | 19.20             | .020          | 460XL037 | 9257-1335   | 230             | 46.00             | .050          |
| 194XL037 | 9257-1396   | 97              | 19.40             | .020          | 468XL037 | 9257-8335   | 234             | 46.80             | .060          |
| 200XL037 | 9257-1314   | 100             | 20.00             | .020          | 480XL037 | 9257-1336   | 240             | 48.00             | .055          |
| 202XL037 | 9257-1397   | 101             | 20.20             | .025          | 492XL037 | 9257-8336   | 246             | 49.20             | .060          |
| 204XL037 | 9257-1398   | 102             | 20.40             | .025          | 498XL037 | 9257-8337   | 249             | 49.80             | .060          |



# PowerGrip® Timing Belts

POWERGRIP TIMING BELTS

## Product No. Series 9257 (continued)

### 1/5" Pitch (.200"/XL) — 3/8" Wide (continued)

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------|-------------|-----------------|-------------------|---------------|----------|-------------|-----------------|-------------------|---------------|
| 500XL037 | 9257-1337   | 250             | 50.00             | .057          | 612XL037 | 9257-8342   | 306             | 61.20             | .080          |
| 506XL037 | 9257-8338   | 253             | 50.60             | .080          | 630XL037 | 9257-1339   | 315             | 63.00             | .070          |
| 524XL037 | 9257-8339   | 262             | 52.40             | .060          | 672XL037 | 9257-8343   | 336             | 67.20             | .084          |
| 570XL037 | 9257-1338   | 285             | 57.00             | .066          | 690XL037 | 9257-8344   | 345             | 69.00             | .086          |
| 580XL037 | 9257-8340   | 290             | 58.00             | .070          | 770XL037 | 9257-1340   | 385             | 77.00             | .088          |
| 592XL037 | 9257-8341   | 296             | 59.20             | .060          | 850XL037 | 9257-8345   | 425             | 85.00             | .090          |

### 3/8" Pitch (.375"/L) — 1/2" Wide

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------|-------------|-----------------|-------------------|---------------|----------|-------------|-----------------|-------------------|---------------|
| 124L050  | 9257-2100   | 33              | 12.38             | .020          | 322L050  | 9257-2110   | 86              | 32.25             | .070          |
| 135L050  | 9257-2120   | 36              | 13.50             | .030          | 345L050  | 9257-2111   | 92              | 34.50             | .075          |
| 150L050  | 9257-2101   | 40              | 15.00             | .030          | 367L050  | 9257-2112   | 98              | 36.75             | .080          |
| 154L050  | 9257-2127   | 41              | 15.38             | .030          | 375L050  | 9257-7139   | 100             | 37.50             | .080          |
| 158L050  | 9257-2128   | 42              | 15.75             | .040          | 390L050  | 9257-2113   | 104             | 39.00             | .090          |
| 165L050  | 9257-2121   | 44              | 16.50             | .040          | 420L050  | 9257-2114   | 112             | 42.00             | .094          |
| 173L050  | 9257-2129   | 46              | 17.25             | .040          | 446L050  | 9257-7140   | 119             | 44.63             | .100          |
| 176L050  | 9257-7133   | 47              | 17.63             | .040          | 450L050  | 9257-2115   | 120             | 45.00             | .110          |
| 187L050  | 9257-2102   | 50              | 18.75             | .040          | 480L050  | 9257-2116   | 128             | 48.00             | .110          |
| 195L050  | 9257-2122   | 52              | 19.50             | .040          | 510L050  | 9257-2117   | 136             | 51.00             | .120          |
| 199L050  | 9257-7134   | 53              | 19.88             | .040          | 540L050  | 9257-2118   | 144             | 54.00             | .125          |
| 203L050  | 9257-7135   | 54              | 20.25             | .040          | 566L050  | 9257-7141   | 151             | 56.63             | .140          |
| 210L050  | 9257-2103   | 56              | 21.00             | .040          | 570L050  | 9257-7142   | 152             | 57.00             | .140          |
| 218L050  | 9257-7136   | 58              | 21.75             | .050          | 581L050  | 9257-7143   | 155             | 58.13             | .140          |
| 225L050  | 9257-2104   | 60              | 22.50             | .050          | 600L050  | 9257-2119   | 160             | 60.00             | .140          |
| 240L050  | 9257-2105   | 64              | 24.00             | .050          | 630L050  | 9257-7144   | 168             | 63.00             | .150          |
| 248L050  | 9257-7137   | 66              | 24.75             | .050          | 660L050  | 9257-2124   | 176             | 66.00             | .155          |
| 255L050  | 9257-2106   | 68              | 25.50             | .060          | 720L050  | 9257-7145   | 192             | 72.00             | .175          |
| 263L050  | 9257-7138   | 70              | 26.25             | .060          | 731L050  | 9257-7146   | 195             | 73.13             | .180          |
| 270L050  | 9257-2107   | 72              | 27.00             | .060          | 817L050  | 9257-2125   | 218             | 81.75             | .200          |
| 285L050  | 9257-2108   | 76              | 28.50             | .060          | 900L050  | 9257-2126   | 240             | 90.00             | .220          |
| 300L050  | 9257-2109   | 80              | 30.00             | .070          | 915L050  | 9257-7147   | 244             | 91.50             | .220          |
| 315L050  | 9257-2123   | 84              | 31.50             | .070          | 945L050  | 9257-7148   | 252             | 94.50             | .230          |

### 3/8" Pitch (.375"/L) — 3/4" Wide

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------|-------------|-----------------|-------------------|---------------|----------|-------------|-----------------|-------------------|---------------|
| 124L075  | 9257-2200   | 33              | 12.38             | .040          | 285L075  | 9257-2208   | 76              | 28.50             | .096          |
| 135L075  | 9257-2220   | 36              | 13.50             | .040          | 300L075  | 9257-2209   | 80              | 30.00             | .101          |
| 150L075  | 9257-2201   | 40              | 15.00             | .040          | 315L075  | 9257-2223   | 84              | 31.50             | .110          |
| 154L075  | 9257-2227   | 41              | 15.38             | .040          | 322L075  | 9257-2210   | 86              | 32.25             | .110          |
| 158L075  | 9257-2228   | 42              | 15.75             | .050          | 345L075  | 9257-2211   | 92              | 34.50             | .120          |
| 165L075  | 9257-2221   | 44              | 16.50             | .050          | 367L075  | 9257-2212   | 98              | 36.75             | .125          |
| 173L075  | 9257-2229   | 46              | 17.25             | .050          | 375L075  | 9257-7239   | 100             | 37.50             | .130          |
| 176L075  | 9257-7233   | 47              | 17.63             | .060          | 390L075  | 9257-2213   | 104             | 39.00             | .140          |
| 187L075  | 9257-2202   | 50              | 18.75             | .060          | 420L075  | 9257-2214   | 112             | 42.00             | .150          |
| 195L075  | 9257-2222   | 52              | 19.50             | .060          | 446L075  | 9257-7240   | 119             | 44.63             | .165          |
| 199L075  | 9257-7234   | 53              | 19.88             | .060          | 450L075  | 9257-2215   | 120             | 45.00             | .165          |
| 203L075  | 9257-7235   | 54              | 20.25             | .060          | 480L075  | 9257-2216   | 128             | 48.00             | .180          |
| 210L075  | 9257-2203   | 56              | 21.00             | .060          | 510L075  | 9257-2217   | 136             | 51.00             | .190          |
| 218L075  | 9257-7236   | 58              | 21.75             | .070          | 540L075  | 9257-2218   | 144             | 54.00             | .205          |
| 225L075  | 9257-2204   | 60              | 22.50             | .070          | 566L075  | 9257-7241   | 151             | 56.63             | .210          |
| 240L075  | 9257-2205   | 64              | 24.00             | .080          | 570L075  | 9257-7242   | 152             | 57.00             | .215          |
| 248L075  | 9257-7237   | 66              | 24.75             | .080          | 581L075  | 9257-7243   | 155             | 58.13             | .220          |
| 255L075  | 9257-2206   | 68              | 25.50             | .080          | 600L075  | 9257-2219   | 160             | 60.00             | .230          |
| 263L075  | 9257-7238   | 70              | 26.25             | .085          | 630L075  | 9257-7244   | 168             | 63.00             | .250          |
| 270L075  | 9257-2207   | 72              | 27.00             | .090          | 660L075  | 9257-2224   | 176             | 66.00             | .260          |



# PowerGrip® Timing Belts

## Product No. Series 9257 (continued)

### 3/8" Pitch (.375"/L) — 3/4" Wide (continued)

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------|-------------|-----------------|-------------------|---------------|----------|-------------|-----------------|-------------------|---------------|
| 720L075  | 9257-7245   | 192             | 72.00             | .280          | 900L075  | 9257-2226   | 240             | 90.00             | .360          |
| 731L075  | 9257-7246   | 195             | 73.13             | .285          | 915L075  | 9257-7247   | 244             | 91.50             | .370          |
| 817L075  | 9257-2225   | 218             | 81.75             | .320          | 945L075  | 9257-7248   | 252             | 94.50             | .380          |

### 3/8" Pitch (.375"/L) — 1" Wide

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------|-------------|-----------------|-------------------|---------------|----------|-------------|-----------------|-------------------|---------------|
| 124L100  | 9257-2300   | 33              | 12.38             | .050          | 322L100  | 9257-2310   | 86              | 32.25             | .150          |
| 135L100  | 9257-2320   | 36              | 13.50             | .050          | 345L100  | 9257-2311   | 92              | 34.50             | .160          |
| 150L100  | 9257-2301   | 40              | 15.00             | .060          | 367L100  | 9257-2312   | 98              | 36.75             | .170          |
| 154L100  | 9257-2327   | 41              | 15.38             | .060          | 375L100  | 9257-7339   | 100             | 37.50             | .170          |
| 158L100  | 9257-2328   | 42              | 15.75             | .060          | 390L100  | 9257-2313   | 104             | 39.00             | .183          |
| 165L100  | 9257-2321   | 44              | 16.50             | .060          | 420L100  | 9257-2314   | 112             | 42.00             | .200          |
| 173L100  | 9257-2329   | 46              | 17.25             | .070          | 446L100  | 9257-7340   | 119             | 44.63             | .220          |
| 176L100  | 9257-7333   | 47              | 17.63             | .070          | 450L100  | 9257-2315   | 120             | 45.00             | .220          |
| 187L100  | 9257-2302   | 50              | 18.75             | .080          | 480L100  | 9257-2316   | 128             | 48.00             | .240          |
| 195L100  | 9257-2322   | 52              | 19.50             | .080          | 510L100  | 9257-2317   | 136             | 51.00             | .250          |
| 199L100  | 9257-7334   | 53              | 19.88             | .090          | 540L100  | 9257-2318   | 144             | 54.00             | .270          |
| 203L100  | 9257-7335   | 54              | 20.25             | .090          | 566L100  | 9257-7341   | 151             | 56.63             | .290          |
| 210L100  | 9257-2303   | 56              | 21.00             | .090          | 570L100  | 9257-7342   | 152             | 57.00             | .290          |
| 218L100  | 9257-7336   | 58              | 21.75             | .090          | 581L100  | 9257-7343   | 155             | 58.13             | .290          |
| 225L100  | 9257-2304   | 60              | 22.50             | .101          | 600L100  | 9257-2319   | 160             | 60.00             | .300          |
| 240L100  | 9257-2305   | 64              | 24.00             | .108          | 630L100  | 9257-7344   | 168             | 63.00             | .320          |
| 248L100  | 9257-7337   | 66              | 24.75             | .111          | 660L100  | 9257-2324   | 176             | 66.00             | .340          |
| 255L100  | 9257-2306   | 68              | 25.50             | .116          | 720L100  | 9257-7345   | 192             | 72.00             | .370          |
| 263L100  | 9257-7338   | 70              | 26.25             | .116          | 731L100  | 9257-7346   | 195             | 73.13             | .380          |
| 270L100  | 9257-2307   | 72              | 27.00             | .120          | 817L100  | 9257-2325   | 218             | 81.75             | .420          |
| 285L100  | 9257-2308   | 76              | 28.50             | .120          | 900L100  | 9257-2326   | 240             | 90.00             | .470          |
| 300L100  | 9257-2309   | 80              | 30.00             | .130          | 915L100  | 9257-7347   | 244             | 91.50             | .480          |
| 315L100  | 9257-2323   | 84              | 31.50             | .150          | 945L100  | 9257-7348   | 252             | 94.50             | .500          |

### 1/2" Pitch (.500"/H) — 3/4" Wide

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------|-------------|-----------------|-------------------|---------------|----------|-------------|-----------------|-------------------|---------------|
| 210H075  | 9257-3125   | 42              | 21.00             | .070          | 465H075  | 9257-8151   | 93              | 46.50             | .190          |
| 220H075  | 9257-3126   | 44              | 22.00             | .070          | 480H075  | 9257-3108   | 96              | 48.00             | .200          |
| 225H075  | 9257-3145   | 45              | 22.50             | .080          | 490H075  | 9257-3134   | 98              | 49.00             | .200          |
| 230H075  | 9257-3127   | 46              | 23.00             | .090          | 495H075  | 9257-8152   | 99              | 49.50             | .210          |
| 240H075  | 9257-3100   | 48              | 24.00             | .090          | 510H075  | 9257-3109   | 102             | 51.00             | .210          |
| 270H075  | 9257-3101   | 54              | 27.00             | .105          | 525H075  | 9257-8153   | 105             | 52.50             | .220          |
| 300H075  | 9257-3102   | 60              | 30.00             | .117          | 540H075  | 9257-3110   | 108             | 54.00             | .230          |
| 310H075  | 9257-3146   | 62              | 31.00             | .120          | 555H075  | 9257-8154   | 111             | 55.50             | .230          |
| 315H075  | 9257-3147   | 63              | 31.50             | .120          | 560H075  | 9257-3135   | 112             | 56.00             | .240          |
| 320H075  | 9257-3128   | 64              | 32.00             | .120          | 570H075  | 9257-3111   | 114             | 57.00             | .240          |
| 330H075  | 9257-3103   | 66              | 33.00             | .120          | 585H075  | 9257-3136   | 117             | 58.50             | .250          |
| 340H075  | 9257-3129   | 68              | 34.00             | .140          | 600H075  | 9257-3112   | 120             | 60.00             | .260          |
| 350H075  | 9257-3130   | 70              | 35.00             | .150          | 605H075  | 9257-8155   | 121             | 60.50             | .260          |
| 360H075  | 9257-3104   | 72              | 36.00             | .150          | 630H075  | 9257-3113   | 126             | 63.00             | .280          |
| 370H075  | 9257-3131   | 74              | 37.00             | .150          | 645H075  | 9257-3137   | 129             | 64.50             | .270          |
| 390H075  | 9257-3105   | 78              | 39.00             | .160          | 655H075  | 9257-8156   | 131             | 65.50             | .280          |
| 400H075  | 9257-3132   | 80              | 40.00             | .160          | 655H300  | 9257-8556   | 131             | 65.50             | 1.110         |
| 410H075  | 9257-3133   | 82              | 41.00             | .160          | 660H075  | 9257-3114   | 132             | 66.00             | .280          |
| 415H075  | 9257-3148   | 83              | 41.50             | .160          | 670H075  | 9257-8157   | 134             | 67.00             | .290          |
| 420H075  | 9257-3106   | 84              | 42.00             | .170          | 700H075  | 9257-3115   | 140             | 70.00             | .300          |
| 445H075  | 9257-3149   | 89              | 44.50             | .180          | 730H075  | 9257-3138   | 146             | 73.00             | .320          |
| 450H075  | 9257-3107   | 90              | 45.00             | .180          | 750H075  | 9257-3116   | 150             | 75.00             | .330          |
| 455H075  | 9257-8150   | 91              | 45.50             | .190          | 775H075  | 9257-8158   | 155             | 77.50             | .340          |



# PowerGrip® Timing Belts

## Product No. Series 9257 (continued)

### 1/2" Pitch (.500"/H) — 3/4" Wide (continued)

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------|-------------|-----------------|-------------------|---------------|
| 780H075  | 9257-3139   | 156             | 78.00             | .350          |
| 800H075  | 9257-3117   | 160             | 80.00             | .350          |
| 810H075  | 9257-8159   | 162             | 81.00             | .360          |
| 820H075  | 9257-3140   | 164             | 82.00             | .360          |
| 840H075  | 9257-3141   | 168             | 84.00             | .380          |
| 850H075  | 9257-3118   | 170             | 85.00             | .380          |
| 900H075  | 9257-3119   | 180             | 90.00             | .410          |
| 950H075  | 9257-8160   | 190             | 95.00             | .440          |
| 960H075  | 9257-3142   | 192             | 96.00             | .440          |
| 1000H075 | 9257-3120   | 200             | 100.00            | .450          |
| 1100H075 | 9257-3121   | 220             | 110.00            | .500          |
| 1140H075 | 9257-3143   | 228             | 114.00            | .520          |
| 1180H075 | 9257-8161   | 236             | 118.00            | .550          |
| 1250H075 | 9257-3122   | 250             | 125.00            | .570          |

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------|-------------|-----------------|-------------------|---------------|
| 1325H075 | 9257-8162   | 265             | 132.50            | .600          |
| 1350H075 | 9257-8163   | 270             | 135.00            | .620          |
| 1365H075 | 9257-8164   | 273             | 136.50            | .620          |
| 1400H075 | 9257-3123   | 280             | 140.00            | .650          |
| 1510H075 | 9257-8165   | 302             | 151.00            | .690          |
| 1550H075 | 9257-3144   | 310             | 155.00            | .700          |
| 1645H075 | 9257-8166   | 329             | 164.50            | .760          |
| 1680H075 | 9257-8167   | 336             | 168.00            | .790          |
| 1700H075 | 9257-3124   | 340             | 170.00            | .800          |
| 2090H075 | 9257-8168   | 418             | 209.00            | .980          |
| 2100H075 | 9257-8169   | 420             | 210.00            | .980          |
| 2120H075 | 9257-8170   | 424             | 212.00            | 1.000         |
| 2330H075 | 9257-8171   | 466             | 233.00            | 1.100         |

### 1/2" Pitch (.500"/H) — 1" Wide

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------|-------------|-----------------|-------------------|---------------|
| 210H100  | 9257-3225   | 42              | 21.00             | .080          |
| 220H100  | 9257-3226   | 44              | 22.00             | .080          |
| 225H100  | 9257-3245   | 45              | 22.50             | .080          |
| 230H100  | 9257-3227   | 46              | 23.00             | .090          |
| 240H100  | 9257-3200   | 48              | 24.00             | .124          |
| 270H100  | 9257-3201   | 54              | 27.00             | .110          |
| 300H100  | 9257-3202   | 60              | 30.00             | .130          |
| 310H100  | 9257-3246   | 62              | 31.00             | .140          |
| 315H100  | 9257-3247   | 63              | 31.50             | .140          |
| 320H100  | 9257-3228   | 64              | 32.00             | .150          |
| 330H100  | 9257-3203   | 66              | 33.00             | .150          |
| 340H100  | 9257-3229   | 68              | 34.00             | .160          |
| 350H100  | 9257-3230   | 70              | 35.00             | .160          |
| 360H100  | 9257-3204   | 72              | 36.00             | .170          |
| 370H100  | 9257-3231   | 74              | 37.00             | .170          |
| 390H100  | 9257-3205   | 78              | 39.00             | .180          |
| 400H100  | 9257-3232   | 80              | 40.00             | .190          |
| 410H100  | 9257-3233   | 82              | 41.00             | .190          |
| 415H100  | 9257-3248   | 83              | 41.50             | .200          |
| 420H100  | 9257-3206   | 84              | 42.00             | .200          |
| 445H100  | 9257-3249   | 89              | 44.50             | .230          |
| 450H100  | 9257-3207   | 90              | 45.00             | .230          |
| 455H100  | 9257-8250   | 91              | 45.50             | .230          |
| 465H100  | 9257-8251   | 93              | 46.50             | .230          |
| 480H100  | 9257-3208   | 96              | 48.00             | .230          |
| 490H100  | 9257-3234   | 98              | 49.00             | .240          |
| 495H100  | 9257-8252   | 99              | 49.50             | .250          |
| 510H100  | 9257-3209   | 102             | 51.00             | .260          |
| 525H100  | 9257-8253   | 105             | 52.50             | .270          |
| 540H100  | 9257-3210   | 108             | 54.00             | .280          |
| 555H100  | 9257-8254   | 111             | 55.50             | .290          |
| 560H100  | 9257-3235   | 112             | 56.00             | .300          |
| 570H100  | 9257-3211   | 114             | 57.00             | .320          |
| 585H100  | 9257-3236   | 117             | 58.50             | .330          |
| 600H100  | 9257-3212   | 120             | 60.00             | .330          |
| 605H100  | 9257-8255   | 121             | 60.50             | .330          |

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------|-------------|-----------------|-------------------|---------------|
| 630H100  | 9257-3213   | 126             | 63.00             | .340          |
| 645H100  | 9257-3237   | 129             | 64.50             | .350          |
| 655H100  | 9257-8256   | 131             | 65.50             | .360          |
| 660H100  | 9257-3214   | 132             | 66.00             | .360          |
| 670H100  | 9257-8257   | 134             | 67.00             | .370          |
| 700H100  | 9257-3215   | 140             | 70.00             | .400          |
| 730H100  | 9257-3238   | 146             | 73.00             | .410          |
| 750H100  | 9257-3216   | 150             | 75.00             | .420          |
| 775H100  | 9257-8258   | 155             | 77.50             | .430          |
| 780H100  | 9257-3239   | 156             | 78.00             | .440          |
| 800H100  | 9257-3217   | 160             | 80.00             | .450          |
| 810H100  | 9257-8259   | 162             | 81.00             | .460          |
| 820H100  | 9257-3240   | 164             | 82.00             | .460          |
| 840H100  | 9257-3241   | 168             | 84.00             | .480          |
| 850H100  | 9257-3218   | 170             | 85.00             | .480          |
| 900H100  | 9257-3219   | 180             | 90.00             | .510          |
| 950H100  | 9257-8260   | 190             | 95.00             | .530          |
| 960H100  | 9257-3242   | 192             | 96.00             | .550          |
| 1000H100 | 9257-3220   | 200             | 100.00            | .580          |
| 1100H100 | 9257-3221   | 220             | 110.00            | .640          |
| 1140H100 | 9257-3243   | 228             | 114.00            | .670          |
| 1180H100 | 9257-8261   | 236             | 118.00            | .690          |
| 1250H100 | 9257-3222   | 250             | 125.00            | .750          |
| 1325H100 | 9257-8262   | 265             | 132.50            | .780          |
| 1350H100 | 9257-8263   | 270             | 135.00            | .800          |
| 1365H100 | 9257-8264   | 273             | 136.50            | .800          |
| 1400H100 | 9257-3223   | 280             | 140.00            | .840          |
| 1510H100 | 9257-8265   | 302             | 151.00            | .900          |
| 1550H100 | 9257-3244   | 310             | 155.00            | .940          |
| 1645H100 | 9257-8266   | 329             | 164.50            | 1.000         |
| 1680H100 | 9257-8267   | 336             | 168.00            | 1.010         |
| 1700H100 | 9257-3224   | 340             | 170.00            | 1.030         |
| 2090H100 | 9257-8268   | 418             | 209.00            | 1.260         |
| 2100H100 | 9257-8269   | 420             | 210.00            | 1.260         |
| 2120H100 | 9257-8270   | 424             | 212.00            | 1.300         |
| 2330H100 | 9257-8271   | 466             | 233.00            | 1.440         |



# PowerGrip® Timing Belts

## Product No. Series 9257 (continued)

### 1/2" Pitch (.500"/H) — 1 1/2" Wide

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------|-------------|-----------------|-------------------|---------------|----------|-------------|-----------------|-------------------|---------------|
| 210H150  | 9257-3325   | 42              | 21.00             | .150          | 630H150  | 9257-3313   | 126             | 63.00             | .560          |
| 220H150  | 9257-3326   | 44              | 22.00             | .150          | 645H150  | 9257-3337   | 129             | 64.50             | .570          |
| 225H150  | 9257-3345   | 45              | 22.50             | .180          | 655H150  | 9257-8356   | 131             | 65.50             | .580          |
| 230H150  | 9257-3327   | 46              | 23.00             | .150          | 660H150  | 9257-3314   | 132             | 66.00             | .590          |
| 240H150  | 9257-3300   | 48              | 24.00             | .150          | 670H150  | 9257-8357   | 134             | 67.00             | .600          |
| 270H150  | 9257-3301   | 54              | 27.00             | .200          | 700H150  | 9257-3315   | 140             | 70.00             | .610          |
| 300H150  | 9257-3302   | 60              | 30.00             | .210          | 730H150  | 9257-3338   | 146             | 73.00             | .640          |
| 310H150  | 9257-3346   | 62              | 31.00             | .220          | 750H150  | 9257-3316   | 150             | 75.00             | .700          |
| 315H150  | 9257-3347   | 63              | 31.50             | .240          | 775H150  | 9257-8358   | 155             | 77.50             | .700          |
| 320H150  | 9257-3328   | 64              | 32.00             | .250          | 780H150  | 9257-3339   | 156             | 78.00             | .700          |
| 330H150  | 9257-3303   | 66              | 33.00             | .260          | 800H150  | 9257-3317   | 160             | 80.00             | .720          |
| 340H150  | 9257-3329   | 68              | 34.00             | .270          | 810H150  | 9257-8359   | 162             | 81.00             | .740          |
| 350H150  | 9257-3330   | 70              | 35.00             | .280          | 820H150  | 9257-3340   | 164             | 82.00             | .750          |
| 360H150  | 9257-3304   | 72              | 36.00             | .300          | 840H150  | 9257-3341   | 168             | 84.00             | .750          |
| 370H150  | 9257-3331   | 74              | 37.00             | .310          | 850H150  | 9257-3318   | 170             | 85.00             | .760          |
| 390H150  | 9257-3305   | 78              | 39.00             | .320          | 900H150  | 9257-3319   | 180             | 90.00             | .820          |
| 400H150  | 9257-3332   | 80              | 40.00             | .330          | 950H150  | 9257-8360   | 190             | 95.00             | .860          |
| 410H150  | 9257-3333   | 82              | 41.00             | .340          | 960H150  | 9257-3342   | 192             | 96.00             | .870          |
| 415H150  | 9257-3348   | 83              | 41.50             | .350          | 1000H150 | 9257-3320   | 200             | 100.00            | .900          |
| 420H150  | 9257-3306   | 84              | 42.00             | .370          | 1100H150 | 9257-3321   | 220             | 110.00            | 1.020         |
| 445H150  | 9257-3349   | 89              | 44.50             | .380          | 1140H150 | 9257-3343   | 228             | 114.00            | 1.070         |
| 450H150  | 9257-3307   | 90              | 45.00             | .390          | 1180H150 | 9257-8361   | 236             | 118.00            | 1.100         |
| 455H150  | 9257-8350   | 91              | 45.50             | .400          | 1250H150 | 9257-3322   | 250             | 125.00            | 1.200         |
| 465H150  | 9257-8351   | 93              | 46.50             | .420          | 1325H150 | 9257-8362   | 265             | 132.50            | 1.230         |
| 480H150  | 9257-3308   | 96              | 48.00             | .430          | 1350H150 | 9257-8363   | 270             | 135.00            | 1.250         |
| 490H150  | 9257-3334   | 98              | 49.00             | .440          | 1365H150 | 9257-8364   | 273             | 136.50            | 1.300         |
| 495H150  | 9257-8352   | 99              | 49.50             | .450          | 1400H150 | 9257-3323   | 280             | 140.00            | 1.350         |
| 510H150  | 9257-3309   | 102             | 51.00             | .490          | 1510H150 | 9257-8365   | 302             | 151.00            | 1.450         |
| 525H150  | 9257-8353   | 105             | 52.50             | .500          | 1550H150 | 9257-3344   | 310             | 155.00            | 1.500         |
| 540H150  | 9257-3310   | 108             | 54.00             | .510          | 1645H150 | 9257-8366   | 329             | 164.50            | 1.550         |
| 555H150  | 9257-8354   | 111             | 55.50             | .520          | 1680H150 | 9257-8367   | 336             | 168.00            | 1.600         |
| 560H150  | 9257-3335   | 112             | 56.00             | .530          | 1700H150 | 9257-3324   | 340             | 170.00            | 1.650         |
| 570H150  | 9257-3311   | 114             | 57.00             | .530          | 2090H150 | 9257-8368   | 418             | 209.00            | 2.050         |
| 585H150  | 9257-3336   | 117             | 58.50             | .540          | 2100H150 | 9257-8369   | 420             | 210.00            | 2.050         |
| 600H150  | 9257-3312   | 120             | 60.00             | .540          | 2120H150 | 9257-8370   | 424             | 212.00            | 2.050         |
| 605H150  | 9257-8355   | 121             | 60.50             | .550          | 2330H150 | 9257-8371   | 466             | 233.00            | 2.300         |

### 1/2" Pitch (.500"/H) — 2" Wide

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------|-------------|-----------------|-------------------|---------------|----------|-------------|-----------------|-------------------|---------------|
| 210H200  | 9257-3425   | 42              | 21.00             | .150          | 415H200  | 9257-3448   | 83              | 41.50             | .430          |
| 220H200  | 9257-3426   | 44              | 22.00             | .160          | 420H200  | 9257-3406   | 84              | 42.00             | .450          |
| 225H200  | 9257-3445   | 45              | 22.50             | .190          | 445H200  | 9257-3449   | 89              | 44.50             | .500          |
| 230H200  | 9257-3427   | 46              | 23.00             | .220          | 450H200  | 9257-3407   | 90              | 45.00             | .500          |
| 240H200  | 9257-3400   | 48              | 24.00             | .230          | 455H200  | 9257-8450   | 91              | 45.50             | .500          |
| 270H200  | 9257-3401   | 54              | 27.00             | .250          | 465H200  | 9257-8451   | 93              | 46.50             | .500          |
| 300H200  | 9257-3402   | 60              | 30.00             | .300          | 480H200  | 9257-3408   | 96              | 48.00             | .520          |
| 310H200  | 9257-3446   | 62              | 31.00             | .300          | 490H200  | 9257-3434   | 98              | 49.00             | .530          |
| 315H200  | 9257-3447   | 63              | 31.50             | .300          | 495H200  | 9257-8452   | 99              | 49.50             | .540          |
| 320H200  | 9257-3428   | 64              | 32.00             | .300          | 510H200  | 9257-3409   | 102             | 51.00             | .570          |
| 330H200  | 9257-3403   | 66              | 33.00             | .320          | 525H200  | 9257-8453   | 105             | 52.50             | .580          |
| 340H200  | 9257-3429   | 68              | 34.00             | .350          | 540H200  | 9257-3410   | 108             | 54.00             | .600          |
| 350H200  | 9257-3430   | 70              | 35.00             | .350          | 555H200  | 9257-8454   | 111             | 55.50             | .620          |
| 360H200  | 9257-3404   | 72              | 36.00             | .370          | 560H200  | 9257-3435   | 112             | 56.00             | .630          |
| 370H200  | 9257-3431   | 74              | 37.00             | .380          | 570H200  | 9257-3411   | 114             | 57.00             | .680          |
| 390H200  | 9257-3405   | 78              | 39.00             | .400          | 585H200  | 9257-3436   | 117             | 58.50             | .690          |
| 400H200  | 9257-3432   | 80              | 40.00             | .400          | 600H200  | 9257-3412   | 120             | 60.00             | .700          |
| 410H200  | 9257-3433   | 82              | 41.00             | .420          | 605H200  | 9257-8455   | 121             | 60.50             | .700          |





# PowerGrip® Timing Belts

## Product No. Series 9257 (continued)

### 1/2" Pitch (.500"/H) — 2" Wide (continued)

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------|-------------|-----------------|-------------------|---------------|
| 630H200  | 9257-3413   | 126             | 63.00             | .740          |
| 645H200  | 9257-3437   | 129             | 64.50             | .750          |
| 655H200  | 9257-8456   | 131             | 65.50             | .770          |
| 660H200  | 9257-3414   | 132             | 66.00             | .780          |
| 670H200  | 9257-8457   | 134             | 67.00             | .860          |
| 700H200  | 9257-3415   | 140             | 70.00             | .840          |
| 730H200  | 9257-3438   | 146             | 73.00             | .870          |
| 750H200  | 9257-3416   | 150             | 75.00             | .900          |
| 775H200  | 9257-8458   | 155             | 77.50             | .950          |
| 780H200  | 9257-3439   | 156             | 78.00             | .950          |
| 800H200  | 9257-3417   | 160             | 80.00             | .970          |
| 810H200  | 9257-8459   | 162             | 81.00             | .990          |
| 820H200  | 9257-3440   | 164             | 82.00             | 1.000         |
| 840H200  | 9257-3441   | 168             | 84.00             | 1.040         |
| 850H200  | 9257-3418   | 170             | 85.00             | 1.050         |
| 900H200  | 9257-3419   | 180             | 90.00             | 1.120         |
| 950H200  | 9257-8460   | 190             | 95.00             | 1.200         |
| 960H200  | 9257-3442   | 192             | 96.00             | 1.220         |

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------|-------------|-----------------|-------------------|---------------|
| 1000H200 | 9257-3420   | 200             | 100.00            | 1.250         |
| 1100H200 | 9257-3421   | 220             | 110.00            | 1.400         |
| 1140H200 | 9257-3443   | 228             | 114.00            | 1.470         |
| 1180H200 | 9257-8461   | 236             | 118.00            | 1.550         |
| 1250H200 | 9257-3422   | 250             | 125.00            | 1.640         |
| 1325H200 | 9257-8462   | 265             | 132.50            | 1.750         |
| 1350H200 | 9257-8463   | 270             | 135.00            | 1.770         |
| 1365H200 | 9257-8464   | 273             | 136.50            | 1.800         |
| 1400H200 | 9257-3423   | 280             | 140.00            | 1.850         |
| 1510H200 | 9257-8465   | 302             | 151.00            | 2.000         |
| 1550H200 | 9257-3444   | 310             | 155.00            | 2.100         |
| 1645H200 | 9257-8466   | 329             | 164.50            | 2.200         |
| 1680H200 | 9257-8467   | 336             | 168.00            | 2.250         |
| 1700H200 | 9257-3424   | 340             | 170.00            | 2.300         |
| 2090H200 | 9257-8468   | 418             | 209.00            | 2.800         |
| 2100H200 | 9257-8469   | 420             | 210.00            | 2.850         |
| 2120H200 | 9257-8470   | 424             | 212.00            | 2.900         |
| 2330H200 | 9257-8471   | 466             | 233.00            | 3.200         |

### 1/2" Pitch (.500"/H) — 3" Wide

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------|-------------|-----------------|-------------------|---------------|
| 210H300  | 9257-3525   | 42              | 21.00             | .400          |
| 220H300  | 9257-3526   | 44              | 22.00             | .400          |
| 225H300  | 9257-3545   | 45              | 22.50             | .410          |
| 230H300  | 9257-3527   | 46              | 23.00             | .420          |
| 240H300  | 9257-3500   | 48              | 24.00             | .450          |
| 270H300  | 9257-3501   | 54              | 27.00             | .500          |
| 300H300  | 9257-3502   | 60              | 30.00             | .570          |
| 310H300  | 9257-3546   | 62              | 31.00             | .580          |
| 315H300  | 9257-3547   | 63              | 31.50             | .580          |
| 320H300  | 9257-3528   | 64              | 32.00             | .600          |
| 330H300  | 9257-3503   | 66              | 33.00             | .600          |
| 340H300  | 9257-3529   | 68              | 34.00             | .600          |
| 350H300  | 9257-3530   | 70              | 35.00             | .600          |
| 360H300  | 9257-3504   | 72              | 36.00             | .650          |
| 370H300  | 9257-3531   | 74              | 37.00             | .680          |
| 390H300  | 9257-3505   | 78              | 39.00             | .700          |
| 400H300  | 9257-3532   | 80              | 40.00             | .750          |
| 410H300  | 9257-3533   | 82              | 41.00             | .750          |
| 415H300  | 9257-3548   | 83              | 41.50             | .760          |
| 420H300  | 9257-3506   | 84              | 42.00             | .750          |
| 445H300  | 9257-3549   | 89              | 44.50             | .780          |
| 450H300  | 9257-3507   | 90              | 45.00             | .790          |
| 455H300  | 9257-8550   | 91              | 45.50             | .790          |
| 465H300  | 9257-8551   | 93              | 46.50             | .830          |
| 480H300  | 9257-3508   | 96              | 48.00             | .850          |
| 490H300  | 9257-3534   | 98              | 49.00             | .860          |
| 495H300  | 9257-8552   | 99              | 49.50             | .880          |
| 510H300  | 9257-3509   | 102             | 51.00             | .890          |
| 525H300  | 9257-8553   | 105             | 52.50             | .920          |
| 540H300  | 9257-3510   | 108             | 54.00             | .970          |
| 555H300  | 9257-8554   | 111             | 55.50             | .950          |
| 560H300  | 9257-3535   | 112             | 56.00             | .970          |
| 570H300  | 9257-3511   | 114             | 57.00             | .980          |
| 585H300  | 9257-3536   | 117             | 58.50             | 1.000         |
| 600H300  | 9257-3512   | 120             | 60.00             | 1.030         |
| 605H300  | 9257-8555   | 121             | 60.50             | 1.030         |

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------|-------------|-----------------|-------------------|---------------|
| 630H300  | 9257-3513   | 126             | 63.00             | 1.040         |
| 645H300  | 9257-3537   | 129             | 64.50             | 1.100         |
| 660H300  | 9257-3514   | 132             | 66.00             | 1.120         |
| 670H300  | 9257-8557   | 134             | 67.00             | 1.130         |
| 700H300  | 9257-3515   | 140             | 70.00             | 1.170         |
| 730H300  | 9257-3538   | 146             | 73.00             | 1.200         |
| 750H300  | 9257-3516   | 150             | 75.00             | 1.230         |
| 775H300  | 9257-8558   | 155             | 77.50             | 1.300         |
| 780H300  | 9257-3539   | 156             | 78.00             | 1.310         |
| 800H300  | 9257-3517   | 160             | 80.00             | 1.320         |
| 810H300  | 9257-8559   | 162             | 81.00             | 1.330         |
| 820H300  | 9257-3540   | 164             | 82.00             | 1.340         |
| 840H300  | 9257-3541   | 168             | 84.00             | 1.350         |
| 850H300  | 9257-3518   | 170             | 85.00             | 1.350         |
| 900H300  | 9257-3519   | 180             | 90.00             | 1.440         |
| 950H300  | 9257-8560   | 190             | 95.00             | 1.500         |
| 960H300  | 9257-3542   | 192             | 96.00             | 1.500         |
| 1000H300 | 9257-3520   | 200             | 100.00            | 1.600         |
| 1100H300 | 9257-3521   | 220             | 110.00            | 1.770         |
| 1140H300 | 9257-3543   | 228             | 114.00            | 1.800         |
| 1180H300 | 9257-8561   | 236             | 118.00            | 1.850         |
| 1250H300 | 9257-3522   | 250             | 125.00            | 1.950         |
| 1325H300 | 9257-8562   | 265             | 132.50            | 2.050         |
| 1350H300 | 9257-8563   | 270             | 135.00            | 2.130         |
| 1365H300 | 9257-8564   | 273             | 136.50            | 3.190         |
| 1400H300 | 9257-3523   | 280             | 140.00            | 2.200         |
| 1510H300 | 9257-8565   | 302             | 151.00            | 2.400         |
| 1550H300 | 9257-3544   | 310             | 155.00            | 2.440         |
| 1645H300 | 9257-8566   | 329             | 164.50            | 2.600         |
| 1680H300 | 9257-8567   | 336             | 168.00            | 2.620         |
| 1700H300 | 9257-3524   | 340             | 170.00            | 2.650         |
| 2090H300 | 9257-8568   | 418             | 209.00            | 3.250         |
| 2100H300 | 9257-8569   | 420             | 210.00            | 3.300         |
| 2120H300 | 9257-8570   | 424             | 212.00            | 3.330         |
| 2330H300 | 9257-8571   | 466             | 233.00            | 3.700         |



# PowerGrip® Timing Belts

## Product No. Series 9257 (continued)

### 7/8" Pitch (.875"/XH) — 2" Wide

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.  | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------|-------------|-----------------|-------------------|---------------|-----------|-------------|-----------------|-------------------|---------------|
| 507XH200 | 9257-4100   | 58              | 50.75             | 2.400         | 980XH200  | 9257-4106   | 112             | 98.00             | 4.100         |
| 560XH200 | 9257-4101   | 64              | 56.00             | 2.600         | 1120XH200 | 9257-4107   | 128             | 112.00            | 4.600         |
| 630XH200 | 9257-4102   | 72              | 63.00             | 2.850         | 1260XH200 | 9257-4108   | 144             | 126.00            | 5.100         |
| 700XH200 | 9257-4103   | 80              | 70.00             | 3.250         | 1400XH200 | 9257-4109   | 160             | 140.00            | 5.600         |
| 770XH200 | 9257-4104   | 88              | 77.00             | 3.500         | 1540XH200 | 9257-4110   | 176             | 154.00            | 3.950         |
| 840XH200 | 9257-4105   | 96              | 84.00             | 3.700         | 1750XH200 | 9257-4111   | 200             | 175.00            | 6.900         |

### 7/8" Pitch (.875"/XH) — 3" Wide

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.  | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------|-------------|-----------------|-------------------|---------------|-----------|-------------|-----------------|-------------------|---------------|
| 507XH300 | 9257-4200   | 58              | 50.75             | 3.600         | 980XH300  | 9257-4206   | 112             | 98.00             | 6.000         |
| 560XH300 | 9257-4201   | 64              | 56.00             | 3.800         | 1120XH300 | 9257-4207   | 128             | 112.00            | 6.700         |
| 630XH300 | 9257-4202   | 72              | 63.00             | 4.200         | 1260XH300 | 9257-4208   | 144             | 126.00            | 7.300         |
| 700XH300 | 9257-4203   | 80              | 70.00             | 4.600         | 1400XH300 | 9257-4209   | 160             | 140.00            | 7.900         |
| 770XH300 | 9257-4204   | 88              | 77.00             | 4.900         | 1540XH300 | 9257-4210   | 176             | 154.00            | 7.100         |
| 840XH300 | 9257-4205   | 96              | 84.00             | 5.200         | 1750XH300 | 9257-4211   | 200             | 175.00            | 9.600         |

### 7/8" Pitch (.875"/XH) — 4" Wide

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.  | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------|-------------|-----------------|-------------------|---------------|-----------|-------------|-----------------|-------------------|---------------|
| 507XH400 | 9257-4300   | 58              | 50.75             | 4.600         | 980XH400  | 9257-4306   | 112             | 98.00             | 7.300         |
| 560XH400 | 9257-4301   | 64              | 56.00             | 4.900         | 1120XH400 | 9257-4307   | 128             | 112.00            | 8.150         |
| 630XH400 | 9257-4302   | 72              | 63.00             | 5.250         | 1260XH400 | 9257-4308   | 144             | 126.00            | 9.000         |
| 700XH400 | 9257-4303   | 80              | 70.00             | 5.700         | 1400XH400 | 9257-4309   | 160             | 140.00            | 9.800         |
| 770XH400 | 9257-4304   | 88              | 77.00             | 6.250         | 1540XH400 | 9257-4310   | 176             | 154.00            | 10.700        |
| 840XH400 | 9257-4305   | 96              | 84.00             | 6.600         | 1750XH400 | 9257-4311   | 200             | 175.00            | 11.800        |

### 1 1/4" Pitch (1.250"/XXH) — 2" Wide

| Part No.   | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.   | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|------------|-------------|-----------------|-------------------|---------------|------------|-------------|-----------------|-------------------|---------------|
| 700XXH200  | 9257-5100   | 56              | 70.00             | 4.000         | 1200XXH200 | 9257-5104   | 96              | 120.00            | 6.350         |
| 800XXH200  | 9257-5101   | 64              | 80.00             | 4.450         | 1400XXH200 | 9257-5105   | 112             | 140.00            | 7.250         |
| 900XXH200  | 9257-5102   | 72              | 90.00             | 4.900         | 1600XXH200 | 9257-5106   | 128             | 160.00            | 8.050         |
| 1000XXH200 | 9257-5103   | 80              | 100.00            | 5.550         | 1800XXH200 | 9257-5107   | 144             | 180.00            | 8.950         |

### 1 1/4" Pitch (1.250"/XXH) — 3" Wide

| Part No.   | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.   | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|------------|-------------|-----------------|-------------------|---------------|------------|-------------|-----------------|-------------------|---------------|
| 700XXH300  | 9257-5200   | 56              | 70.00             | 5.700         | 1200XXH300 | 9257-5204   | 96              | 120.00            | 8.800         |
| 800XXH300  | 9257-5201   | 64              | 80.00             | 6.400         | 1400XXH300 | 9257-5205   | 112             | 140.00            | 10.350        |
| 900XXH300  | 9257-5202   | 72              | 90.00             | 6.850         | 1600XXH300 | 9257-5206   | 128             | 160.00            | 11.300        |
| 1000XXH300 | 9257-5203   | 80              | 100.00            | 7.550         | 1800XXH300 | 9257-5207   | 144             | 180.00            | 12.600        |

### 1 1/4" Pitch (1.250"/XXH) — 4" Wide

| Part No.   | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.   | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|------------|-------------|-----------------|-------------------|---------------|------------|-------------|-----------------|-------------------|---------------|
| 700XXH400  | 9257-5300   | 56              | 70.00             | 7.020         | 1200XXH400 | 9257-5304   | 96              | 120.00            | 11.600        |
| 800XXH400  | 9257-5301   | 64              | 80.00             | 7.950         | 1400XXH400 | 9257-5305   | 112             | 140.00            | 13.600        |
| 900XXH400  | 9257-5302   | 72              | 90.00             | 9.000         | 1600XXH400 | 9257-5306   | 128             | 160.00            | 15.500        |
| 1000XXH400 | 9257-5303   | 80              | 100.00            | 10.050        | 1800XXH400 | 9257-5307   | 144             | 180.00            | 17.300        |



# PowerGrip® Timing Belts

**Product No. Series 9257 (continued)**

**1 1/4" Pitch (1.250"/XXH) — 5" Wide**

| Part No.   | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.   | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|------------|-------------|-----------------|-------------------|---------------|------------|-------------|-----------------|-------------------|---------------|
| 700XXH500  | 9257-5400   | 56              | 70.00             | 8.750         | 1200XXH500 | 9257-5404   | 96              | 120.00            | 14.000        |
| 800XXH500  | 9257-5401   | 64              | 80.00             | 9.600         | 1400XXH500 | 9257-5405   | 112             | 140.00            | 16.150        |
| 900XXH500  | 9257-5402   | 72              | 90.00             | 10.800        | 1600XXH500 | 9257-5406   | 128             | 160.00            | 18.050        |
| 1000XXH500 | 9257-5403   | 80              | 100.00            | 12.000        | 1800XXH500 | 9257-5407   | 144             | 180.00            | 20.150        |



# Cotton Cleaner Belts

**Recommended Pulleys**

Contact the Gates Made-To-Order Metals Team.

**Product No. Series 9259**

**1" Pitch**

| Part No.  | Product No. | Number of Teeth | Pitch Length (in) | Width (in) | Weight (Lbs.) |
|-----------|-------------|-----------------|-------------------|------------|---------------|
| 61CCB142K | 9259-3831   | 60              | 61.07             | 1 1/2      | 1.340         |
| 63CCB165K | 9259-3832   | 63              | 63.00             | 1 1/2      | 1.410         |
| 64CCB170K | 9259-3833   | 64              | 63.95             | 1 1/2      | 1.500         |
| 65CCB175K | 9259-3834   | 65              | 64.95             | 1 1/2      | 1.460         |

NOTE: Steel tensile cord available as a made to order product. Lead time and minimum order quantities apply. Contact Customer Service for availability.



# PowerGrip® TruMotion® Belts

## Recommended Sprockets

PowerGrip GT TruMotion Belts: PowerGrip® GT®2 Sprockets  
PowerGrip HTD TruMotion Belts: PowerGrip® HTD® Sprockets  
PowerGrip Timing TruMotion Belts: PowerGrip® Timing Pulleys

## Notes

PowerGrip TruMotion belts are made-to-order. Minimum order quantities of 3 drums will be required. Check with Customer Service for price and availability.

---

### Product No. Series 9581

#### PowerGrip® GT® TruMotion® Belts

| Available Pitches |
|-------------------|
| 2MR               |
| 3MR               |
| 5MR               |

### Product No. Series 9582

#### PowerGrip® Timing TruMotion® Belts

| Available Pitches |
|-------------------|
| MXL               |
| XL                |
| L                 |

### Product No. Series 9580

#### PowerGrip® HTD® TruMotion® Belts

| Available Pitches |
|-------------------|
| 3M                |
| 5M                |

POWERGRIP TRUMOTION



# PowerGrip® GT®2 Twin Power® Belts - 8M and 14M

**Recommended Sprockets**  
PowerGrip GT Sprockets

**Notes**

Belt pitch is the distance in millimeters between two adjacent tooth centers as measured on the pitch line of the belt. Belt pitch length is the total length (circumference) in millimeters as measured along the pitch line. The theoretical pitch line of a PowerGrip GT2 Twin Power belt lies within the tensile member. If you currently use PowerGrip HTD Twin Power belts, consider PowerGrip GT2 Twin Power belts at reduced widths to lower your costs. PowerGrip GT Twin Power part numbers are comprised of pitch, pitch length and width. For example; part number TP4400-8MGT-30 denotes a "TP" for Twin Power, 4400mm pitch length, 8mm pitch and 30mm width.

## Product No. Series 9232

### 8mm Pitch — 20mm Wide

| Part No.                    | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.       | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-----------------------------|-------------|-----------------|-------------------|---------------|----------------|-------------|-----------------|-------------------|---------------|
| <sup>2</sup> TP560-8MGT-20  | 9232-0005   | 70              | 22.05             | .170          | TP1280-8MGT-20 | 9232-0045   | 160             | 50.39             | .389          |
| TP600-8MGT-20               | 9232-0009   | 75              | 23.62             | .182          | TP1440-8MGT-20 | 9232-0049   | 180             | 56.69             | .437          |
| TP640-8MGT-20               | 9232-0013   | 80              | 25.20             | .194          | TP1512-8MGT-20 | 9232-1013   | 189             | 59.53             | .459          |
| TP720-8MGT-20               | 9232-0017   | 90              | 28.35             | .219          | TP1600-8MGT-20 | 9232-0053   | 200             | 62.99             | .486          |
| TP800-8MGT-20               | 9232-0021   | 100             | 31.50             | .243          | TP1760-8MGT-20 | 9232-0057   | 220             | 69.29             | .534          |
| TP840-8MGT-20               | 9232-1025   | 105             | 33.07             | .255          | TP1800-8MGT-20 | 9232-0061   | 225             | 70.87             | .546          |
| TP880-8MGT-20               | 9232-0025   | 110             | 34.65             | .267          | TP2000-8MGT-20 | 9232-0065   | 250             | 78.74             | .607          |
| TP920-8MGT-20               | 9232-1001   | 115             | 36.22             | .279          | TP2200-8MGT-20 | 9232-1033   | 275             | 86.61             | .668          |
| TP960-8MGT-20               | 9232-0029   | 120             | 37.80             | .291          | TP2400-8MGT-20 | 9232-0069   | 300             | 94.49             | .729          |
| TP1040-8MGT-20              | 9232-0033   | 130             | 40.94             | .316          | TP2600-8MGT-20 | 9232-0077   | 325             | 102.36            | .789          |
| <sup>2</sup> TP1064-8MGT-20 | 9232-1005   | 133             | 41.89             | .323          | TP2800-8MGT-20 | 9232-0073   | 350             | 110.24            | .850          |
| TP1120-8MGT-20              | 9232-0037   | 140             | 44.09             | .340          | TP3048-8MGT-20 | 9232-0081   | 381             | 120.00            | .925          |
| TP1160-8MGT-20              | 9232-2049   | 145             | 45.83             | .352          | TP3280-8MGT-20 | 9232-0085   | 410             | 129.13            | .996          |
| TP1200-8MGT-20              | 9232-0041   | 150             | 47.24             | .364          | TP3600-8MGT-20 | 9232-0089   | 450             | 141.73            | 1.093         |
| TP1224-8MGT-20              | 9232-1029   | 153             | 48.19             | .372          | TP4400-8MGT-20 | 9232-0093   | 550             | 173.23            | 1.336         |

### 8mm Pitch — 30mm Wide

| Part No.                    | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.       | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-----------------------------|-------------|-----------------|-------------------|---------------|----------------|-------------|-----------------|-------------------|---------------|
| <sup>2</sup> TP560-8MGT-30  | 9232-0006   | 70              | 22.05             | .255          | TP1280-8MGT-30 | 9232-0046   | 160             | 50.39             | .583          |
| TP600-8MGT-30               | 9232-0010   | 75              | 23.62             | .273          | TP1440-8MGT-30 | 9232-0050   | 180             | 56.69             | .656          |
| TP640-8MGT-30               | 9232-0014   | 80              | 25.20             | .291          | TP1512-8MGT-30 | 9232-1014   | 189             | 59.53             | .689          |
| TP720-8MGT-30               | 9232-0018   | 90              | 28.35             | .328          | TP1600-8MGT-30 | 9232-0054   | 200             | 62.99             | .729          |
| TP800-8MGT-30               | 9232-0022   | 100             | 31.50             | .364          | TP1760-8MGT-30 | 9232-0058   | 220             | 69.29             | .802          |
| TP840-8MGT-30               | 9232-1026   | 105             | 33.07             | .383          | TP1800-8MGT-30 | 9232-0062   | 225             | 70.87             | .820          |
| TP880-8MGT-30               | 9232-0026   | 110             | 34.65             | .401          | TP2000-8MGT-30 | 9232-0066   | 250             | 78.74             | .911          |
| TP920-8MGT-30               | 9232-1002   | 115             | 36.22             | .419          | TP2200-8MGT-30 | 9232-1034   | 275             | 86.61             | 1.002         |
| TP960-8MGT-30               | 9232-0030   | 120             | 37.80             | .437          | TP2400-8MGT-30 | 9232-0070   | 300             | 94.49             | 1.093         |
| TP1040-8MGT-30              | 9232-0034   | 130             | 40.94             | .474          | TP2600-8MGT-30 | 9232-0078   | 325             | 102.36            | 1.184         |
| <sup>2</sup> TP1064-8MGT-30 | 9232-1006   | 133             | 41.89             | .485          | TP2800-8MGT-30 | 9232-0074   | 350             | 110.24            | 1.275         |
| TP1120-8MGT-30              | 9232-0038   | 140             | 44.09             | .510          | TP3048-8MGT-30 | 9232-0082   | 381             | 120.00            | 1.388         |
| TP1160-8MGT-30              | 9232-1010   | 145             | 45.83             | .528          | TP3280-8MGT-30 | 9232-0086   | 410             | 129.13            | 1.494         |
| TP1200-8MGT-30              | 9232-0042   | 150             | 47.24             | .546          | TP3600-8MGT-30 | 9232-0090   | 450             | 141.73            | 1.639         |
| TP1224-8MGT-30              | 9232-1030   | 153             | 48.19             | .557          | TP4400-8MGT-30 | 9232-0094   | 550             | 173.23            | 2.004         |

### 8mm Pitch — 50mm Wide

| Part No.                   | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.                    | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------------------------|-------------|-----------------|-------------------|---------------|-----------------------------|-------------|-----------------|-------------------|---------------|
| <sup>2</sup> TP560-8MGT-50 | 9232-0007   | 70              | 22.05             | .425          | <sup>2</sup> TP1064-8MGT-50 | 9232-1007   | 133             | 41.89             | .808          |
| <sup>2</sup> TP600-8MGT-50 | 9232-0011   | 75              | 23.62             | .455          | TP1120-8MGT-50              | 9232-0039   | 140             | 44.09             | .850          |
| TP640-8MGT-50              | 9232-0015   | 80              | 25.20             | .486          | TP1160-8MGT-50              | 9232-1011   | 145             | 45.83             | .880          |
| TP720-8MGT-50              | 9232-0019   | 90              | 28.35             | .546          | TP1200-8MGT-50              | 9232-0043   | 150             | 47.24             | .911          |
| TP800-8MGT-50              | 9232-0023   | 100             | 31.50             | .607          | TP1280-8MGT-50              | 9232-0047   | 160             | 50.39             | .972          |
| TP840-8MGT-50              | 9232-1027   | 105             | 33.07             | .638          | TP1440-8MGT-50              | 9232-0051   | 180             | 56.69             | 1.093         |
| TP880-8MGT-50              | 9232-0027   | 110             | 34.65             | .668          | TP1512-8MGT-50              | 9232-1015   | 189             | 59.53             | 1.148         |
| TP920-8MGT-50              | 9232-1003   | 115             | 36.22             | .698          | TP1600-8MGT-50              | 9232-0055   | 200             | 62.99             | 1.214         |
| TP960-8MGT-50              | 9232-0031   | 120             | 37.80             | .729          | TP1760-8MGT-50              | 9232-0059   | 220             | 69.29             | 1.336         |
| TP1040-8MGT-50             | 9232-0035   | 130             | 40.94             | .789          | TP1800-8MGT-50              | 9232-0063   | 225             | 70.87             | 1.366         |

<sup>2</sup> MTO Minimum Required. Check with Customer Service for availability.

TWIN POWER BELTS





# PowerGrip® GT®2 Twin Power® Belts - 8M and 14M

## Product No. Series 9232 (continued)

### 8mm Pitch — 50mm Wide (continued)

| Part No.       | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------------|-------------|-----------------|-------------------|---------------|
| TP2000-8MGT-50 | 9232-0067   | 250             | 78.74             | 1.518         |
| TP2200-8MGT-50 | 9232-1035   | 275             | 86.61             | 1.670         |
| TP2400-8MGT-50 | 9232-0071   | 300             | 94.49             | 1.822         |
| TP2600-8MGT-50 | 9232-0079   | 325             | 102.36            | 1.973         |
| TP2800-8MGT-50 | 9232-0075   | 350             | 110.24            | 2.125         |

| Part No.       | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------------|-------------|-----------------|-------------------|---------------|
| TP3048-8MGT-50 | 9232-0083   | 381             | 120.00            | 2.313         |
| TP3280-8MGT-50 | 9232-0087   | 410             | 129.13            | 2.490         |
| TP3600-8MGT-50 | 9232-0091   | 450             | 141.73            | 2.732         |
| TP4400-8MGT-50 | 9232-0095   | 550             | 173.23            | 3.340         |

### 8mm Pitch — 85mm Wide

| Part No.                    | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-----------------------------|-------------|-----------------|-------------------|---------------|
| <sup>2</sup> TP560-8MGT-85  | 9232-0008   | 70              | 22.05             | .723          |
| TP600-8MGT-85               | 9232-0012   | 75              | 23.62             | .774          |
| TP640-8MGT-85               | 9232-0016   | 80              | 25.20             | .826          |
| TP720-8MGT-85               | 9232-0020   | 90              | 28.35             | .929          |
| TP800-8MGT-85               | 9232-0024   | 100             | 31.50             | 1.032         |
| TP840-8MGT-85               | 9232-1028   | 105             | 33.07             | 1.084         |
| TP880-8MGT-85               | 9232-0028   | 110             | 34.65             | 1.135         |
| TP920-8MGT-85               | 9232-1004   | 115             | 36.22             | 1.187         |
| TP960-8MGT-85               | 9232-1008   | 120             | 37.80             | 1.239         |
| TP1040-8MGT-85              | 9232-0036   | 130             | 40.94             | 1.342         |
| TP1064-8MGT-85              | 9232-2048   | 133             | 41.89             | 1.373         |
| TP1120-8MGT-85              | 9232-0040   | 140             | 44.09             | 1.445         |
| TP1160-8MGT-85              | 9232-1012   | 145             | 45.83             | 1.497         |
| TP1200-8MGT-85              | 9232-0044   | 150             | 47.24             | 1.548         |
| <sup>2</sup> TP1224-8MGT-85 | 9232-1032   | 153             | 48.19             | 1.579         |

| Part No.                    | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-----------------------------|-------------|-----------------|-------------------|---------------|
| TP1280-8MGT-85              | 9232-0048   | 160             | 50.39             | 1.652         |
| TP1440-8MGT-85              | 9232-0052   | 180             | 56.69             | 1.858         |
| <sup>2</sup> TP1512-8MGT-85 | 9232-1016   | 189             | 59.53             | 1.951         |
| TP1600-8MGT-85              | 9232-0056   | 200             | 62.99             | 2.064         |
| TP1760-8MGT-85              | 9232-0060   | 220             | 69.29             | 2.271         |
| TP1800-8MGT-85              | 9232-0064   | 225             | 70.87             | 2.323         |
| TP2000-8MGT-85              | 9232-0068   | 250             | 78.74             | 2.581         |
| TP2200-8MGT-85              | 9232-1036   | 275             | 86.61             | 2.839         |
| TP2400-8MGT-85              | 9232-0072   | 300             | 94.49             | 3.097         |
| TP2600-8MGT-85              | 9232-0080   | 325             | 102.36            | 3.355         |
| TP2800-8MGT-85              | 9232-0076   | 350             | 110.24            | 3.613         |
| TP3048-8MGT-85              | 9232-0084   | 381             | 120.00            | 3.933         |
| TP3280-8MGT-85              | 9232-0088   | 410             | 129.13            | 4.232         |
| TP3600-8MGT-85              | 9232-0092   | 450             | 141.73            | 4.645         |
| TP4400-8MGT-85              | 9232-0096   | 550             | 173.23            | 5.677         |

### 14mm Pitch — 40mm Wide

| Part No.                     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|------------------------------|-------------|-----------------|-------------------|---------------|
| <sup>2</sup> TP966-14MGT-40  | 9232-0100   | 69              | 38.03             | .969          |
| <sup>2</sup> TP1400-14MGT-40 | 9232-0110   | 100             | 55.12             | 1.404         |
| TP1610-14MGT-40              | 9232-0115   | 115             | 63.39             | 1.615         |
| TP1778-14MGT-40              | 9232-0120   | 127             | 70.00             | 1.784         |
| TP1890-14MGT-40              | 9232-0125   | 135             | 74.41             | 1.896         |
| TP2100-14MGT-40              | 9232-0130   | 150             | 82.68             | 2.107         |
| TP2310-14MGT-40              | 9232-0135   | 165             | 90.94             | 2.317         |
| TP2450-14MGT-40              | 9232-0140   | 175             | 96.46             | 2.458         |
| TP2590-14MGT-40              | 9232-0145   | 185             | 101.97            | 2.598         |
| TP2800-14MGT-40              | 9232-0150   | 200             | 110.24            | 2.809         |
| TP3150-14MGT-40              | 9232-0155   | 225             | 124.02            | 3.160         |

| Part No.                     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|------------------------------|-------------|-----------------|-------------------|---------------|
| TP3360-14MGT-40              | 9232-0180   | 240             | 132.28            | 3.371         |
| TP3500-14MGT-40              | 9232-0160   | 250             | 137.80            | 3.511         |
| TP3850-14MGT-40              | 9232-0165   | 275             | 151.57            | 3.862         |
| TP4326-14MGT-40              | 9232-0170   | 309             | 170.31            | 4.340         |
| TP4578-14MGT-40              | 9232-0175   | 327             | 180.24            | 4.593         |
| TP4956-14MGT-40              | 9232-0185   | 354             | 195.12            | 4.972         |
| TP5320-14MGT-40              | 9232-0190   | 380             | 209.45            | 5.337         |
| <sup>2</sup> TP5740-14MGT-40 | 9232-0195   | 410             | 225.98            | 5.758         |
| TP6160-14MGT-40              | 9232-0200   | 440             | 242.52            | 6.180         |
| TP6860-14MGT-40              | 9232-0205   | 490             | 270.08            | 6.882         |

### 14mm Pitch — 55mm Wide

| Part No.        | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-----------------|-------------|-----------------|-------------------|---------------|
| TP966-14MGT-55  | 9232-0101   | 69              | 38.03             | 1.333         |
| TP1190-14MGT-55 | 9232-0106   | 85              | 46.85             | 1.641         |
| TP1400-14MGT-55 | 9232-0111   | 100             | 55.12             | 1.931         |
| TP1610-14MGT-55 | 9232-0116   | 115             | 63.39             | 2.221         |
| TP1778-14MGT-55 | 9232-0121   | 127             | 70.00             | 2.453         |
| TP1890-14MGT-55 | 9232-0126   | 135             | 74.41             | 2.607         |
| TP2100-14MGT-55 | 9232-0131   | 150             | 82.68             | 2.897         |
| TP2310-14MGT-55 | 9232-0136   | 165             | 90.94             | 3.186         |
| TP2450-14MGT-55 | 9232-0141   | 175             | 96.46             | 3.380         |
| TP2590-14MGT-55 | 9232-0146   | 185             | 101.97            | 3.573         |
| TP2800-14MGT-55 | 9232-0151   | 200             | 110.24            | 3.862         |

| Part No.                     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|------------------------------|-------------|-----------------|-------------------|---------------|
| TP3150-14MGT-55              | 9232-0156   | 225             | 124.02            | 4.345         |
| TP3360-14MGT-55              | 9232-0181   | 240             | 132.28            | 4.635         |
| TP3500-14MGT-55              | 9232-0161   | 250             | 137.80            | 4.828         |
| TP3850-14MGT-55              | 9232-0166   | 275             | 151.57            | 5.311         |
| TP4326-14MGT-55              | 9232-0171   | 309             | 170.31            | 5.967         |
| TP4578-14MGT-55              | 9232-0176   | 327             | 180.24            | 6.315         |
| TP4956-14MGT-55              | 9232-0186   | 354             | 195.12            | 6.836         |
| TP5320-14MGT-55              | 9232-0191   | 380             | 209.45            | 7.338         |
| TP5740-14MGT-55              | 9232-0196   | 410             | 225.98            | 7.918         |
| TP6160-14MGT-55              | 9232-0201   | 440             | 242.52            | 8.497         |
| <sup>2</sup> TP6860-14MGT-55 | 9232-0206   | 490             | 270.08            | 9.463         |

<sup>2</sup> MTO Minimum Required. Check with Customer Service for availability.



# PowerGrip® GT®2 Twin Power® Belts - 8M and 14M

## Product No. Series 9232 (continued)

### 14mm Pitch — 85mm Wide

| Part No.        | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.                     | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-----------------|-------------|-----------------|-------------------|---------------|------------------------------|-------------|-----------------|-------------------|---------------|
| TP966-14MGT-85  | 9232-0102   | 69              | 38.03             | 2.059         | TP3150-14MGT-85              | 9232-0157   | 225             | 124.02            | 6.715         |
| TP1190-14MGT-85 | 9232-0107   | 85              | 46.85             | 2.537         | TP3360-14MGT-85              | 9232-0182   | 240             | 132.28            | 7.163         |
| TP1400-14MGT-85 | 9232-0112   | 100             | 55.12             | 2.985         | TP3500-14MGT-85              | 9232-0162   | 250             | 137.80            | 7.461         |
| TP1610-14MGT-85 | 9232-0117   | 115             | 63.39             | 3.432         | TP3850-14MGT-85              | 9232-0167   | 275             | 151.57            | 8.207         |
| TP1778-14MGT-85 | 9232-0122   | 127             | 70.00             | 3.790         | TP4326-14MGT-85              | 9232-0172   | 309             | 170.31            | 9.222         |
| TP1890-14MGT-85 | 9232-0127   | 135             | 74.41             | 4.029         | TP4578-14MGT-85              | 9232-0177   | 327             | 180.24            | 9.759         |
| TP2100-14MGT-85 | 9232-0132   | 150             | 82.68             | 4.477         | TP4956-14MGT-85              | 9232-0187   | 354             | 195.12            | 10.565        |
| TP2310-14MGT-85 | 9232-0137   | 165             | 90.94             | 4.924         | <sup>2</sup> TP5320-14MGT-85 | 9232-0192   | 380             | 209.45            | 11.341        |
| TP2450-14MGT-85 | 9232-0142   | 175             | 96.46             | 5.223         | TP5740-14MGT-85              | 9232-0197   | 410             | 225.98            | 12.237        |
| TP2590-14MGT-85 | 9232-0147   | 185             | 101.97            | 5.521         | TP6160-14MGT-85              | 9232-0202   | 440             | 242.52            | 13.132        |
| TP2800-14MGT-85 | 9232-0152   | 200             | 110.24            | 5.969         | TP6860-14MGT-85              | 9232-0207   | 490             | 270.08            | 14.624        |

### 14mm Pitch — 115mm Wide

| Part No.         | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.         | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|------------------|-------------|-----------------|-------------------|---------------|------------------|-------------|-----------------|-------------------|---------------|
| TP966-14MGT-115  | 9232-0103   | 69              | 38.03             | 2.786         | TP2590-14MGT-115 | 9232-0148   | 185             | 101.97            | 7.470         |
| TP1190-14MGT-115 | 9232-0108   | 85              | 46.85             | 3.432         | TP2800-14MGT-115 | 9232-0153   | 200             | 110.24            | 8.076         |
| TP1400-14MGT-115 | 9232-0113   | 100             | 55.12             | 4.038         | TP3150-14MGT-115 | 9232-0158   | 225             | 124.02            | 9.085         |
| TP1610-14MGT-115 | 9232-0118   | 115             | 63.39             | 4.644         | TP3360-14MGT-115 | 9232-0183   | 240             | 132.28            | 9.691         |
| TP1778-14MGT-115 | 9232-0123   | 127             | 70.00             | 5.128         | TP3500-14MGT-115 | 9232-0163   | 250             | 137.80            | 10.095        |
| TP1890-14MGT-115 | 9232-0128   | 135             | 74.41             | 5.451         | TP3850-14MGT-115 | 9232-0168   | 275             | 151.57            | 11.104        |
| TP2100-14MGT-115 | 9232-0133   | 150             | 82.68             | 6.057         | TP4326-14MGT-115 | 9232-0173   | 309             | 170.31            | 12.477        |
| TP2310-14MGT-115 | 9232-0138   | 165             | 90.94             | 6.663         | TP4578-14MGT-115 | 9232-0178   | 327             | 180.24            | 13.204        |
| TP2450-14MGT-115 | 9232-0143   | 175             | 96.46             | 7.066         |                  |             |                 |                   |               |

### 14mm Pitch — 170mm Wide

| Part No.         | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.                      | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|------------------|-------------|-----------------|-------------------|---------------|-------------------------------|-------------|-----------------|-------------------|---------------|
| TP966-14MGT-170  | 9232-0104   | 69              | 38.03             | 4.119         | <sup>2</sup> TP2590-14MGT-170 | 9232-0149   | 185             | 101.97            | 11.043        |
| TP1190-14MGT-170 | 9232-0109   | 85              | 46.85             | 5.074         | TP2800-14MGT-170              | 9232-0154   | 200             | 110.24            | 11.938        |
| TP1400-14MGT-170 | 9232-0114   | 100             | 55.12             | 5.969         | TP3150-14MGT-170              | 9232-0159   | 225             | 124.02            | 13.430        |
| TP1610-14MGT-170 | 9232-0119   | 115             | 63.39             | 6.864         | <sup>2</sup> TP3360-14MGT-170 | 9232-0184   | 240             | 132.28            | 14.326        |
| TP1778-14MGT-170 | 9232-0124   | 127             | 70.00             | 7.581         | <sup>2</sup> TP3500-14MGT-170 | 9232-0164   | 250             | 137.80            | 14.923        |
| TP1890-14MGT-170 | 9232-0129   | 135             | 74.41             | 8.058         | TP3850-14MGT-170              | 9232-0169   | 275             | 151.57            | 16.415        |
| TP2100-14MGT-170 | 9232-0134   | 150             | 82.68             | 8.954         | TP4326-14MGT-170              | 9232-0174   | 309             | 170.31            | 18.444        |
| TP2310-14MGT-170 | 9232-0139   | 165             | 90.94             | 9.849         | TP4578-14MGT-170              | 9232-0179   | 327             | 180.24            | 19.519        |
| TP2450-14MGT-170 | 9232-0144   | 175             | 96.46             | 10.446        |                               |             |                 |                   |               |

TWIN POWER BELTS

<sup>2</sup> MTO Minimum Required. Check with Customer Service for availability.



# PowerGrip® GT®2 Twin Power® Belts - 3MR and 5MR

**Recommended Sprockets**

PowerGrip® GT®2 Sprockets - 3MR

5M Sprockets - PowerGrip GT2 and Poly Chain® GT® Sprockets

**Notes**

PowerGrip GT2 Twin Power belts in standard width are Standard/Non-Stock. Minimum order quantities are not required on standard widths.

| 3MR GT2 Standard Belt Widths |                 |                  |
|------------------------------|-----------------|------------------|
| Belt Width Code              | Belt Width (mm) | Belt Width (in.) |
| 06                           | 6               | 0.236            |
| 09                           | 9               | 0.354            |
| 15                           | 15              | 0.591            |

| 5MR GT2 Standard Belt Widths |                 |                  |
|------------------------------|-----------------|------------------|
| Belt Width Code              | Belt Width (mm) | Belt Width (in.) |
| 09                           | 9               | 0.354            |
| 15                           | 15              | 0.591            |
| 25                           | 25              | 0.984            |

PowerGrip GT2 Twin Power part numbers are comprised of pitch, pitch length and width. For example; part number TP3MR-426-06 denotes "TP" for Twin Power, 3mm pitch, 426mm pitch length and 6mm width.

Belt **pitch** is the distance in millimeters between two adjacent tooth centers as measured on the pitch line of the belt. Belt **pitch length** is the total length (circumference) in millimeters as measured along the pitch line. The theoretical pitch line of a PowerGrip GT2 Twin Power belt lies within the tensile member.

## Product No. Series 9232

### 3MR - Twin Power Belts

| Part No.  | Pitch Length (mm) | Pitch Length (in) | Number of Teeth |
|-----------|-------------------|-------------------|-----------------|
| TP3MR-381 | 381               | 15.00             | 127             |
| TP3MR-396 | 396               | 15.59             | 132             |
| TP3MR-399 | 399               | 15.71             | 133             |
| TP3MR-405 | 405               | 15.94             | 135             |
| TP3MR-411 | 411               | 16.18             | 137             |
| TP3MR-420 | 420               | 16.54             | 140             |
| TP3MR-426 | 426               | 16.77             | 142             |
| TP3MR-432 | 432               | 17.01             | 144             |
| TP3MR-435 | 435               | 17.13             | 145             |
| TP3MR-447 | 447               | 17.60             | 149             |
| TP3MR-465 | 465               | 18.31             | 155             |
| TP3MR-468 | 468               | 18.43             | 156             |
| TP3MR-471 | 471               | 18.54             | 157             |
| TP3MR-474 | 474               | 18.66             | 158             |
| TP3MR-480 | 480               | 18.90             | 160             |
| TP3MR-486 | 486               | 19.13             | 162             |
| TP3MR-489 | 489               | 19.25             | 163             |
| TP3MR-492 | 492               | 19.37             | 164             |
| TP3MR-501 | 501               | 19.72             | 167             |
| TP3MR-822 | 822               | 32.36             | 274             |
| TP3MR-837 | 837               | 32.95             | 279             |
| TP3MR-840 | 840               | 33.07             | 280             |
| TP3MR-843 | 843               | 33.19             | 281             |
| TP3MR-873 | 873               | 34.37             | 291             |
| TP3MR-882 | 882               | 34.72             | 294             |
| TP3MR-891 | 891               | 35.08             | 297             |
| TP3MR-900 | 900               | 35.43             | 300             |
| TP3MR-915 | 915               | 36.02             | 305             |
| TP3MR-945 | 945               | 37.20             | 315             |
| TP3MR-951 | 951               | 37.44             | 317             |

| Part No.   | Pitch Length (mm) | Pitch Length (in) | Number of Teeth |
|------------|-------------------|-------------------|-----------------|
| TP3MR-510  | 510               | 20.08             | 170             |
| TP3MR-513  | 513               | 20.20             | 171             |
| TP3MR-519  | 519               | 20.43             | 173             |
| TP3MR-525  | 525               | 20.67             | 175             |
| TP3MR-528  | 528               | 20.79             | 176             |
| TP3MR-531  | 531               | 20.91             | 177             |
| TP3MR-537  | 537               | 21.14             | 179             |
| TP3MR-552  | 552               | 21.73             | 184             |
| TP3MR-558  | 558               | 21.97             | 186             |
| TP3MR-564  | 564               | 22.20             | 188             |
| TP3MR-570  | 570               | 22.44             | 190             |
| TP3MR-576  | 576               | 22.68             | 192             |
| TP3MR-585  | 585               | 23.03             | 195             |
| TP3MR-591  | 591               | 23.27             | 197             |
| TP3MR-597  | 597               | 23.50             | 199             |
| TP3MR-600  | 600               | 23.62             | 200             |
| TP3MR-606  | 606               | 23.86             | 202             |
| TP3MR-609  | 609               | 23.98             | 203             |
| TP3MR-612  | 612               | 24.09             | 204             |
| TP3MR-981  | 981               | 38.62             | 327             |
| TP3MR-1002 | 1002              | 39.45             | 334             |
| TP3MR-1026 | 1026              | 40.39             | 342             |
| TP3MR-1035 | 1035              | 40.74             | 345             |
| TP3MR-1050 | 1050              | 41.34             | 350             |
| TP3MR-1056 | 1056              | 41.57             | 352             |
| TP3MR-1062 | 1062              | 41.81             | 354             |
| TP3MR-1080 | 1080              | 42.52             | 360             |
| TP3MR-1125 | 1125              | 44.29             | 375             |
| TP3MR-1155 | 1155              | 45.47             | 385             |
| TP3MR-1191 | 1191              | 46.89             | 397             |

| Part No.   | Pitch Length (mm) | Pitch Length (in) | Number of Teeth |
|------------|-------------------|-------------------|-----------------|
| TP3MR-627  | 627               | 24.69             | 209             |
| TP3MR-633  | 633               | 24.92             | 211             |
| TP3MR-639  | 639               | 25.16             | 213             |
| TP3MR-645  | 645               | 25.39             | 215             |
| TP3MR-648  | 648               | 25.51             | 216             |
| TP3MR-654  | 654               | 25.75             | 218             |
| TP3MR-657  | 657               | 25.87             | 219             |
| TP3MR-663  | 663               | 26.10             | 221             |
| TP3MR-669  | 669               | 26.34             | 223             |
| TP3MR-684  | 684               | 26.93             | 228             |
| TP3MR-687  | 687               | 27.05             | 229             |
| TP3MR-696  | 696               | 27.40             | 232             |
| TP3MR-711  | 711               | 27.99             | 237             |
| TP3MR-735  | 735               | 28.94             | 245             |
| TP3MR-738  | 738               | 29.06             | 246             |
| TP3MR-750  | 750               | 29.53             | 250             |
| TP3MR-753  | 753               | 29.65             | 251             |
| TP3MR-786  | 786               | 30.94             | 262             |
| TP3MR-795  | 795               | 31.30             | 265             |
| TP3MR-1263 | 1263              | 49.72             | 421             |
| TP3MR-1335 | 1335              | 52.56             | 445             |
| TP3MR-1500 | 1500              | 59.06             | 500             |
| TP3MR-1512 | 1512              | 59.53             | 504             |
| TP3MR-1536 | 1536              | 60.47             | 512             |
| TP3MR-1587 | 1587              | 62.48             | 529             |
| TP3MR-1956 | 1956              | 77.01             | 652             |
| TP3MR-2004 | 2004              | 78.90             | 668             |
| TP3MR-2061 | 2061              | 81.14             | 687             |

TWIN POWER BELTS



# PowerGrip® GT®2 Twin Power® Belts - 3MR and 5MR

Product No. Series 9232 (continued)

## 5MR - Twin Power Belts

| Part No.  | Pitch Length (mm) | Pitch Length (in) | Number of Teeth |
|-----------|-------------------|-------------------|-----------------|
| TP5MR-400 | 400               | 15.75             | 80              |
| TP5MR-425 | 425               | 16.73             | 85              |
| TP5MR-450 | 450               | 17.72             | 90              |
| TP5MR-500 | 500               | 19.69             | 100             |
| TP5MR-535 | 535               | 21.06             | 107             |
| TP5MR-565 | 565               | 22.24             | 113             |
| TP5MR-575 | 575               | 22.64             | 115             |
| TP5MR-580 | 580               | 22.83             | 116             |
| TP5MR-600 | 600               | 23.62             | 120             |
| TP5MR-625 | 625               | 24.61             | 125             |
| TP5MR-650 | 650               | 25.69             | 130             |
| TP5MR-700 | 700               | 27.56             | 140             |
| TP5MR-710 | 710               | 27.95             | 142             |
| TP5MR-740 | 740               | 29.13             | 148             |
| TP5MR-745 | 745               | 29.33             | 149             |
| TP5MR-750 | 750               | 29.53             | 150             |
| TP5MR-765 | 765               | 30.12             | 153             |
| TP5MR-790 | 790               | 31.10             | 158             |
| TP5MR-800 | 800               | 31.50             | 160             |
| TP5MR-815 | 815               | 32.09             | 163             |
| TP5MR-830 | 830               | 32.68             | 166             |

| Part No.   | Pitch Length (mm) | Pitch Length (in) | Number of Teeth |
|------------|-------------------|-------------------|-----------------|
| TP5MR-835  | 835               | 32.87             | 167             |
| TP5MR-850  | 850               | 33.46             | 170             |
| TP5MR-870  | 870               | 34.25             | 174             |
| TP5MR-890  | 890               | 35.04             | 178             |
| TP5MR-900  | 900               | 35.43             | 180             |
| TP5MR-925  | 925               | 36.42             | 185             |
| TP5MR-950  | 950               | 37.40             | 190             |
| TP5MR-975  | 975               | 38.39             | 195             |
| TP5MR-985  | 985               | 38.78             | 197             |
| TP5MR-1000 | 1000              | 39.37             | 200             |
| TP5MR-1050 | 1050              | 41.34             | 210             |
| TP5MR-1115 | 1115              | 43.91             | 223             |
| TP5MR-1125 | 1125              | 44.29             | 225             |
| TP5MR-1150 | 1150              | 45.28             | 230             |
| TP5MR-1195 | 1195              | 47.05             | 239             |
| TP5MR-1250 | 1250              | 49.21             | 250             |
| TP5MR-1270 | 1270              | 50.00             | 254             |
| TP5MR-1295 | 1295              | 50.98             | 259             |
| TP5MR-1300 | 1300              | 51.18             | 260             |
| TP5MR-1375 | 1375              | 54.13             | 275             |
| TP5MR-1420 | 1420              | 55.91             | 284             |

| Part No.   | Pitch Length (mm) | Pitch Length (in) | Number of Teeth |
|------------|-------------------|-------------------|-----------------|
| TP5MR-1450 | 1450              | 57.09             | 290             |
| TP5MR-1575 | 1575              | 62.01             | 315             |
| TP5MR-1595 | 1595              | 62.80             | 319             |
| TP5MR-1635 | 1635              | 64.37             | 327             |
| TP5MR-1690 | 1690              | 66.54             | 338             |
| TP5MR-1790 | 1790              | 70.47             | 358             |
| TP5MR-1800 | 1800              | 70.87             | 360             |
| TP5MR-1895 | 1895              | 74.61             | 379             |
| TP5MR-1945 | 1945              | 76.57             | 389             |
| TP5MR-2000 | 2000              | 78.74             | 400             |
| TP5MR-2110 | 2110              | 83.07             | 422             |
| TP5MR-2250 | 2250              | 88.58             | 450             |
| TP5MR-2525 | 2525              | 99.41             | 505             |
| TP5MR-2760 | 2760              | 108.66            | 552             |
| TP5MR-3120 | 3120              | 122.83            | 624             |
| TP5MR-3170 | 3170              | 124.80            | 634             |
| TP5MR-3200 | 3200              | 125.98            | 640             |
| TP5MR-3430 | 3430              | 135.04            | 686             |
| TP5MR-3800 | 3800              | 149.61            | 760             |

TWIN POWER BELTS





# PowerGrip® HTD® Twin Power® Belts

Recommended Sprockets  
PowerGrip® HTD® Sprockets

**Notes**

3mm pitch are made to order. Minimum order quantities will apply on all lengths and widths. 5mm pitch in standard widths are standard/non-stock. Minimum order quantities are not required on standard lengths and widths.

| 3M HTD Standard Belt Widths |                 |                  |
|-----------------------------|-----------------|------------------|
| Belt Width Code             | Belt Width (mm) | Belt Width (in.) |
| 06                          | 6               | 0.236            |
| 09                          | 9               | 0.354            |
| 15                          | 15              | 0.591            |

| 5M HTD Standard Belt Widths |                 |                  |
|-----------------------------|-----------------|------------------|
| Belt Width Code             | Belt Width (mm) | Belt Width (in.) |
| 09                          | 9               | 0.354            |
| 15                          | 15              | 0.591            |
| 25                          | 25              | 0.984            |

PowerGrip HTD Twin Power part numbers are comprised of pitch, pitch length and width. For example; part number TP444-3M-09 denotes "TP" for Twin Power, 444mm pitch length, 3mm pitch and 9mm width.

Belt pitch is the distance in millimeters between two adjacent tooth centers as measured on the pitch line of the belt. Belt pitch length is the total length (circumference) in millimeters as measured along the pitch line. The theoretical pitch line of a PowerGrip HTD Twin Power belt lies within the tensile member.

## Product No. Series 9252

### 3mm Pitch

| Part No. | Number of Teeth | Pitch Length (in) | Pitch Length (mm) |
|----------|-----------------|-------------------|-------------------|
| TP381-3M | 127             | 15.00             | 381               |
| TP396-3M | 132             | 15.59             | 396               |
| TP399-3M | 133             | 15.71             | 399               |
| TP405-3M | 135             | 15.94             | 404               |
| TP411-3M | 137             | 16.18             | 410               |
| TP417-3M | 139             | 16.42             | 417               |
| TP420-3M | 140             | 16.54             | 420               |
| TP426-3M | 142             | 16.77             | 425               |
| TP432-3M | 144             | 17.01             | 432               |
| TP435-3M | 145             | 17.13             | 435               |
| TP438-3M | 146             | 17.24             | 437               |
| TP447-3M | 149             | 17.60             | 447               |
| TP468-3M | 156             | 18.43             | 468               |
| TP471-3M | 157             | 18.54             | 470               |
| TP474-3M | 158             | 18.66             | 473               |
| TP480-3M | 160             | 18.90             | 480               |
| TP486-3M | 162             | 19.13             | 485               |
| TP489-3M | 163             | 19.25             | 488               |
| TP492-3M | 164             | 19.37             | 492               |
| TP873-3M | 291             | 34.37             | 873               |
| TP882-3M | 294             | 34.72             | 881               |
| TP891-3M | 297             | 35.08             | 891               |
| TP900-3M | 300             | 35.43             | 899               |
| TP915-3M | 305             | 36.02             | 914               |
| TP945-3M | 315             | 37.20             | 944               |
| TP951-3M | 317             | 37.44             | 950               |

| Part No.  | Number of Teeth | Pitch Length (in) | Pitch Length (mm) |
|-----------|-----------------|-------------------|-------------------|
| TP501-3M  | 167             | 19.72             | 500               |
| TP510-3M  | 170             | 20.08             | 510               |
| TP513-3M  | 171             | 20.20             | 513               |
| TP525-3M  | 175             | 20.67             | 525               |
| TP528-3M  | 176             | 20.79             | 528               |
| TP531-3M  | 177             | 20.91             | 531               |
| TP537-3M  | 179             | 21.14             | 536               |
| TP558-3M  | 186             | 21.97             | 558               |
| TP564-3M  | 188             | 22.20             | 563               |
| TP570-3M  | 190             | 22.44             | 569               |
| TP576-3M  | 192             | 22.68             | 576               |
| TP585-3M  | 195             | 23.03             | 584               |
| TP591-3M  | 197             | 23.07             | 585               |
| TP597-3M  | 199             | 23.50             | 596               |
| TP600-3M  | 200             | 23.62             | 599               |
| TP606-3M  | 202             | 23.86             | 606               |
| TP609-3M  | 203             | 23.98             | 609               |
| TP612-3M  | 204             | 24.09             | 611               |
| TP627-3M  | 209             | 24.69             | 627               |
| TP981-3M  | 327             | 38.62             | 980               |
| TP1002-3M | 334             | 39.45             | 1002              |
| TP1026-3M | 342             | 40.39             | 1025              |
| TP1035-3M | 345             | 40.75             | 1035              |
| TP1062-3M | 354             | 41.81             | 1061              |
| TP1125-3M | 375             | 44.29             | 1124              |
| TP1155-3M | 385             | 45.47             | 1154              |

| Part No.  | Number of Teeth | Pitch Length (in) | Pitch Length (mm) |
|-----------|-----------------|-------------------|-------------------|
| TP633-3M  | 211             | 24.92             | 632               |
| TP639-3M  | 213             | 25.16             | 639               |
| TP645-3M  | 215             | 25.39             | 644               |
| TP648-3M  | 216             | 25.51             | 647               |
| TP654-3M  | 218             | 25.75             | 657               |
| TP657-3M  | 219             | 25.87             | 662               |
| TP663-3M  | 221             | 26.10             | 669               |
| TP669-3M  | 223             | 26.34             | 669               |
| TP684-3M  | 228             | 26.93             | 684               |
| TP687-3M  | 229             | 27.05             | 687               |
| TP696-3M  | 232             | 27.40             | 695               |
| TP711-3M  | 237             | 27.99             | 710               |
| TP735-3M  | 245             | 28.94             | 735               |
| TP738-3M  | 246             | 29.06             | 738               |
| TP753-3M  | 251             | 29.65             | 753               |
| TP795-3M  | 265             | 31.30             | 795               |
| TP822-3M  | 274             | 32.36             | 821               |
| TP837-3M  | 279             | 32.95             | 836               |
| TP843-3M  | 281             | 33.19             | 843               |
| TP1191-3M | 397             | 46.89             | 1191              |
| TP1263-3M | 421             | 49.72             | 1262              |
| TP1500-3M | 500             | 59.06             | 1500              |
| TP1512-3M | 504             | 59.53             | 1512              |
| TP1587-3M | 529             | 62.48             | 1587              |
| TP1956-3M | 652             | 77.01             | 1956              |
| TP2004-3M | 668             | 78.90             | 2004              |

TWIN POWER BELTS



# PowerGrip® HTD® Twin Power® Belts

**Product No. Series 9252 (continued)**

**5mm Pitch**

| Part No. | Number of Teeth | Pitch Length (in) | Pitch Length (mm) |
|----------|-----------------|-------------------|-------------------|
| TP400-5M | 80              | 15.75             | 400               |
| TP415-5M | 83              | 16.34             | 415               |
| TP425-5M | 85              | 16.73             | 425               |
| TP450-5M | 90              | 17.72             | 450               |
| TP460-5M | 92              | 18.11             | 460               |
| TP475-5M | 95              | 18.70             | 475               |
| TP480-5M | 96              | 18.90             | 480               |
| TP495-5M | 99              | 19.49             | 495               |
| TP500-5M | 100             | 19.69             | 500               |
| TP520-5M | 104             | 20.47             | 520               |
| TP535-5M | 107             | 21.06             | 535               |
| TP555-5M | 111             | 21.85             | 555               |
| TP565-5M | 113             | 22.24             | 565               |
| TP580-5M | 116             | 22.83             | 580               |
| TP585-5M | 117             | 23.03             | 585               |
| TP600-5M | 120             | 23.62             | 600               |
| TP615-5M | 123             | 24.21             | 615               |
| TP635-5M | 127             | 25.00             | 635               |
| TP655-5M | 131             | 25.79             | 655               |
| TP665-5M | 133             | 26.18             | 665               |
| TP670-5M | 134             | 26.38             | 671               |
| TP680-5M | 136             | 26.77             | 680               |
| TP685-5M | 137             | 29.97             | 685               |

| Part No.  | Number of Teeth | Pitch Length (in) | Pitch Length (mm) |
|-----------|-----------------|-------------------|-------------------|
| TP695-5M  | 139             | 29.36             | 695               |
| TP710-5M  | 142             | 27.95             | 710               |
| TP740-5M  | 148             | 29.13             | 740               |
| TP745-5M  | 149             | 29.33             | 745               |
| TP765-5M  | 153             | 30.12             | 765               |
| TP790-5M  | 158             | 31.10             | 790               |
| TP800-5M  | 160             | 31.50             | 800               |
| TP830-5M  | 166             | 32.68             | 830               |
| TP835-5M  | 167             | 32.87             | 835               |
| TP850-5M  | 170             | 33.46             | 850               |
| TP870-5M  | 174             | 34.25             | 870               |
| TP890-5M  | 178             | 35.04             | 890               |
| TP925-5M  | 185             | 36.42             | 925               |
| TP950-5M  | 190             | 37.40             | 950               |
| TP975-5M  | 195             | 38.39             | 975               |
| TP985-5M  | 197             | 38.78             | 985               |
| TP1000-5M | 200             | 39.37             | 1000              |
| TP1050-5M | 210             | 41.34             | 1050              |
| TP1115-5M | 223             | 43.90             | 1115              |
| TP1125-5M | 225             | 44.29             | 1125              |
| TP1195-5M | 239             | 47.05             | 1195              |
| TP1250-5M | 250             | 49.21             | 1250              |
| TP1270-5M | 254             | 50.00             | 1270              |

| Part No.  | Number of Teeth | Pitch Length (in) | Pitch Length (mm) |
|-----------|-----------------|-------------------|-------------------|
| TP1295-5M | 259             | 50.98             | 1295              |
| TP1375-5M | 275             | 54.13             | 1629              |
| TP1420-5M | 284             | 55.91             | 1420              |
| TP1575-5M | 315             | 62.01             | 1575              |
| TP1595-5M | 319             | 62.80             | 1595              |
| TP1635-5M | 327             | 64.37             | 1635              |
| TP1690-5M | 338             | 66.54             | 1690              |
| TP1720-5M | 344             | 67.72             | 1720              |
| TP1790-5M | 358             | 70.47             | 1790              |
| TP1800-5M | 360             | 70.87             | 1800              |
| TP1895-5M | 379             | 74.61             | 1895              |
| TP1945-5M | 389             | 76.57             | 1945              |
| TP1980-5M | 396             | 77.95             | 1980              |
| TP2000-5M | 400             | 78.74             | 2000              |
| TP2110-5M | 422             | 83.07             | 2110              |
| TP2250-5M | 450             | 88.58             | 2250              |
| TP2525-5M | 505             | 99.41             | 2525              |
| TP2760-5M | 552             | 108.66            | 2760              |
| TP3120-5M | 624             | 122.83            | 3120              |
| TP3170-5M | 634             | 124.80            | 3170              |
| TP3430-5M | 686             | 135.04            | 3430              |
| TP3800-5M | 760             | 149.61            | 3800              |

TWIN POWER BELTS





# PowerGrip® Twin Power® Timing Belts

## Recommended Pulleys

PowerGrip Timing Pulleys

### Notes

Gates PowerGrip Twin Power Timing belt part numbers are comprised of pitch length, pitch and width. TP denotes Twin Power.

Length - The length is shown in the first part of the belt designation. The first number is the pitch length in tenths of an inch. A TP300L075 has a 30.0" pitch length.

Pitch - The pitch of a PowerGrip Twin Power Timing belt is the distance from center to center of the teeth (in inches). It is shown in the second part of the belt designation by a letter or letters. Part number TP300L075 has a .375" pitch. The letters correspond to pitches as follows: XL = Extra Light = 0.200" pitch; L = Light = 0.375" pitch; H = Heavy = 0.500" pitch.

Width - The width is shown in the last part of the belt designation. Part number TP300L075 is .75" wide.

## Product No. Series 9246

### 1/5" Pitch (.200"/XL) — 1/4" Wide

| Part No.                | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.                | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-------------------------|-------------|-----------------|-------------------|---------------|-------------------------|-------------|-----------------|-------------------|---------------|
| <sup>2</sup> TP126XL025 | 9246-1169   | 63              | 12.60             | .008          | TP250XL025              | 9246-1119   | 125             | 25.00             | .017          |
| TP130XL025              | 9246-1107   | 65              | 13.00             | .009          | <sup>2</sup> TP254XL025 | 9246-8111   | 127             | 25.40             | .017          |
| <sup>2</sup> TP132XL025 | 9246-1171   | 66              | 13.20             | .009          | <sup>2</sup> TP258XL025 | 9246-8112   | 129             | 25.80             | .017          |
| <sup>2</sup> TP134XL025 | 9246-1172   | 67              | 13.40             | .009          | TP260XL025              | 9246-1120   | 130             | 26.00             | .018          |
| <sup>2</sup> TP136XL025 | 9246-1173   | 68              | 13.60             | .009          | <sup>2</sup> TP262XL025 | 9246-8113   | 131             | 26.20             | .018          |
| <sup>2</sup> TP138XL025 | 9246-1174   | 69              | 13.80             | .009          | <sup>2</sup> TP264XL025 | 9246-8114   | 132             | 26.40             | .018          |
| <sup>2</sup> TP140XL025 | 9246-1108   | 70              | 14.00             | .009          | <sup>2</sup> TP266XL025 | 9246-8115   | 133             | 26.60             | .018          |
| <sup>2</sup> TP142XL025 | 9246-1175   | 71              | 14.20             | .010          | <sup>2</sup> TP268XL025 | 9246-8116   | 134             | 26.80             | .018          |
| <sup>2</sup> TP144XL025 | 9246-1176   | 72              | 14.40             | .010          | <sup>2</sup> TP274XL025 | 9246-8117   | 137             | 27.40             | .018          |
| TP146XL025              | 9246-1177   | 73              | 14.60             | .010          | TP280XL025              | 9246-1122   | 140             | 28.00             | .019          |
| <sup>2</sup> TP148XL025 | 9246-1178   | 74              | 14.80             | .010          | <sup>2</sup> TP286XL025 | 9246-8118   | 143             | 28.60             | .019          |
| TP150XL025              | 9246-1109   | 75              | 15.00             | .010          | TP290XL025              | 9246-1123   | 145             | 29.00             | .020          |
| <sup>2</sup> TP152XL025 | 9246-1179   | 76              | 15.20             | .010          | <sup>2</sup> TP296XL025 | 9246-8119   | 148             | 29.60             | .020          |
| TP156XL025              | 9246-1181   | 78              | 15.60             | .011          | TP300XL025              | 9246-1124   | 150             | 30.00             | .020          |
| <sup>2</sup> TP158XL025 | 9246-1182   | 79              | 15.80             | .011          | <sup>2</sup> TP306XL025 | 9246-8120   | 153             | 30.60             | .021          |
| TP160XL025              | 9246-1110   | 80              | 16.00             | .011          | TP310XL025              | 9246-1125   | 155             | 31.00             | .021          |
| <sup>2</sup> TP162XL025 | 9246-1183   | 81              | 16.20             | .011          | TP316XL025              | 9246-8121   | 158             | 31.60             | .021          |
| <sup>2</sup> TP166XL025 | 9246-1185   | 83              | 16.60             | .011          | TP320XL025              | 9246-8122   | 160             | 32.00             | .022          |
| <sup>2</sup> TP168XL025 | 9246-1186   | 84              | 16.80             | .011          | <sup>2</sup> TP322XL025 | 9246-8123   | 161             | 32.20             | .022          |
| TP170XL025              | 9246-1111   | 85              | 17.00             | .011          | TP330XL025              | 9246-1126   | 165             | 33.00             | .022          |
| <sup>2</sup> TP172XL025 | 9246-1187   | 86              | 17.20             | .012          | <sup>2</sup> TP338XL025 | 9246-8124   | 169             | 33.80             | .023          |
| <sup>2</sup> TP174XL025 | 9246-1188   | 87              | 17.40             | .012          | <sup>2</sup> TP340XL025 | 9246-1128   | 170             | 34.00             | .023          |
| TP176XL025              | 9246-1189   | 88              | 17.60             | .012          | TP344XL025              | 9246-8125   | 172             | 34.40             | .023          |
| <sup>2</sup> TP178XL025 | 9246-1190   | 89              | 17.80             | .012          | <sup>2</sup> TP348XL025 | 9246-8126   | 174             | 34.80             | .023          |
| TP180XL025              | 9246-1112   | 90              | 18.00             | .012          | <sup>2</sup> TP350XL025 | 9246-1127   | 175             | 35.00             | .024          |
| TP182XL025              | 9246-1191   | 91              | 18.20             | .012          | TP352XL025              | 9246-8146   | 176             | 35.20             | .024          |
| <sup>2</sup> TP184XL025 | 9246-1192   | 92              | 18.40             | .012          | TP362XL025              | 9246-8127   | 181             | 36.20             | .024          |
| <sup>2</sup> TP186XL025 | 9246-1193   | 93              | 18.60             | .013          | TP370XL025              | 9246-1129   | 185             | 37.00             | .025          |
| TP188XL025              | 9246-1194   | 94              | 18.80             | .013          | TP380XL025              | 9246-1130   | 190             | 38.00             | .026          |
| TP190XL025              | 9246-1113   | 95              | 19.00             | .013          | TP384XL025              | 9246-8128   | 192             | 38.40             | .026          |
| <sup>2</sup> TP192XL025 | 9246-1195   | 96              | 19.20             | .013          | TP390XL025              | 9246-1131   | 195             | 39.00             | .026          |
| TP200XL025              | 9246-1114   | 100             | 20.00             | .013          | <sup>2</sup> TP400XL025 | 9246-1132   | 200             | 40.00             | .027          |
| TP202XL025              | 9246-1197   | 101             | 20.20             | .014          | <sup>2</sup> TP412XL025 | 9246-8129   | 206             | 41.20             | .028          |
| <sup>2</sup> TP204XL025 | 9246-1198   | 102             | 20.40             | .014          | <sup>2</sup> TP420XL025 | 9246-1133   | 210             | 42.00             | .028          |
| <sup>2</sup> TP206XL025 | 9246-1199   | 103             | 20.60             | .014          | <sup>2</sup> TP424XL025 | 9246-8130   | 212             | 42.40             | .029          |
| TP210XL025              | 9246-1115   | 105             | 21.00             | .014          | <sup>2</sup> TP432XL025 | 9246-8131   | 216             | 43.20             | .029          |
| TP212XL025              | 9246-8100   | 106             | 21.20             | .014          | <sup>2</sup> TP438XL025 | 9246-8132   | 219             | 43.80             | .030          |
| TP214XL025              | 9246-8101   | 107             | 21.40             | .014          | <sup>2</sup> TP444XL025 | 9246-8133   | 222             | 44.40             | .030          |
| TP218XL025              | 9246-8102   | 109             | 21.80             | .015          | TP450XL025              | 9246-1134   | 225             | 45.00             | .030          |
| TP220XL025              | 9246-1116   | 110             | 22.00             | .015          | TP454XL025              | 9246-8134   | 227             | 45.40             | .031          |
| <sup>2</sup> TP222XL025 | 9246-8103   | 111             | 22.20             | .015          | TP460XL025              | 9246-1135   | 230             | 46.00             | .031          |
| <sup>2</sup> TP226XL025 | 9246-8104   | 113             | 22.60             | .015          | <sup>2</sup> TP468XL025 | 9246-8135   | 234             | 46.80             | .032          |
| <sup>2</sup> TP228XL025 | 9246-8105   | 114             | 22.80             | .015          | <sup>2</sup> TP480XL025 | 9246-1136   | 240             | 48.00             | .032          |
| TP230XL025              | 9246-1117   | 115             | 23.00             | .016          | TP492XL025              | 9246-8136   | 246             | 49.20             | .033          |
| <sup>2</sup> TP232XL025 | 9246-8106   | 116             | 23.20             | .016          | TP498XL025              | 9246-8137   | 249             | 49.80             | .034          |
| TP234XL025              | 9246-8107   | 117             | 23.40             | .016          | <sup>2</sup> TP500XL025 | 9246-1137   | 250             | 50.00             | .034          |
| <sup>2</sup> TP236XL025 | 9246-8108   | 118             | 23.60             | .016          | <sup>2</sup> TP506XL025 | 9246-8138   | 253             | 50.60             | .034          |
| TP240XL025              | 9246-1118   | 120             | 24.00             | .016          | <sup>2</sup> TP524XL025 | 9246-8139   | 262             | 52.40             | .035          |
| <sup>2</sup> TP244XL025 | 9246-8109   | 122             | 24.40             | .016          | <sup>2</sup> TP570XL025 | 9246-1138   | 285             | 57.00             | .038          |
| TP246XL025              | 9246-8110   | 123             | 24.60             | .017          | <sup>2</sup> TP580XL025 | 9246-8140   | 290             | 58.00             | .039          |

2 MTO Minimum Required. Check with Customer Service for availability.



# PowerGrip® Twin Power® Timing Belts

## Product No. Series 9246 (continued)

### 1/5" Pitch (.200"/XL) — 1/4" Wide (continued)

| Part No.                | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-------------------------|-------------|-----------------|-------------------|---------------|
| <sup>2</sup> TP592XL025 | 9246-8141   | 296             | 59.20             | .040          |
| <sup>2</sup> TP612XL025 | 9246-8142   | 306             | 61.20             | .041          |
| <sup>2</sup> TP630XL025 | 9246-1139   | 315             | 63.00             | .042          |
| <sup>2</sup> TP672XL025 | 9246-8143   | 336             | 67.20             | .045          |

| Part No.                | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-------------------------|-------------|-----------------|-------------------|---------------|
| TP690XL025              | 9246-8147   | 345             | 69.00             | .047          |
| <sup>2</sup> TP770XL025 | 9246-1140   | 385             | 77.00             | .052          |
| <sup>2</sup> TP850XL025 | 9246-8145   | 425             | 85.00             | .057          |

### 1/5" Pitch (.200"/XL) — 3/8" Wide

| Part No.                | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-------------------------|-------------|-----------------|-------------------|---------------|
| <sup>2</sup> TP126XL037 | 9246-1369   | 63              | 12.60             | .013          |
| TP130XL037              | 9246-1307   | 65              | 13.00             | .013          |
| <sup>2</sup> TP132XL037 | 9246-1371   | 66              | 13.20             | .013          |
| <sup>2</sup> TP134XL037 | 9246-1372   | 67              | 13.40             | .014          |
| <sup>2</sup> TP136XL037 | 9246-1373   | 68              | 13.60             | .014          |
| <sup>2</sup> TP138XL037 | 9246-1374   | 69              | 13.80             | .014          |
| TP140XL037              | 9246-1308   | 70              | 14.00             | .014          |
| <sup>2</sup> TP142XL037 | 9246-1375   | 71              | 14.20             | .014          |
| <sup>2</sup> TP144XL037 | 9246-1376   | 72              | 14.40             | .015          |
| TP146XL037              | 9246-1377   | 73              | 14.60             | .015          |
| <sup>2</sup> TP148XL037 | 9246-1378   | 74              | 14.80             | .015          |
| TP150XL037              | 9246-1309   | 75              | 15.00             | .015          |
| <sup>2</sup> TP152XL037 | 9246-1379   | 76              | 15.20             | .015          |
| TP156XL037              | 9246-1381   | 78              | 15.60             | .016          |
| <sup>2</sup> TP158XL037 | 9246-1382   | 79              | 15.80             | .016          |
| TP160XL037              | 9246-1310   | 80              | 16.00             | .016          |
| <sup>2</sup> TP162XL037 | 9246-1383   | 81              | 16.20             | .016          |
| <sup>2</sup> TP166XL037 | 9246-1385   | 83              | 16.60             | .017          |
| <sup>2</sup> TP168XL037 | 9246-1386   | 84              | 16.80             | .017          |
| TP170XL037              | 9246-1311   | 85              | 17.00             | .017          |
| <sup>2</sup> TP172XL037 | 9246-1387   | 86              | 17.20             | .017          |
| <sup>2</sup> TP174XL037 | 9246-1388   | 87              | 17.40             | .018          |
| TP176XL037              | 9246-1389   | 88              | 17.60             | .018          |
| <sup>2</sup> TP178XL037 | 9246-1390   | 89              | 17.80             | .018          |
| TP180XL037              | 9246-1312   | 90              | 18.00             | .018          |
| TP182XL037              | 9246-1391   | 91              | 18.20             | .018          |
| <sup>2</sup> TP184XL037 | 9246-1392   | 92              | 18.40             | .019          |
| <sup>2</sup> TP186XL037 | 9246-1393   | 93              | 18.60             | .019          |
| TP188XL037              | 9246-1394   | 94              | 18.80             | .019          |
| TP190XL037              | 9246-1313   | 95              | 19.00             | .019          |
| <sup>2</sup> TP192XL037 | 9246-1395   | 96              | 19.20             | .019          |
| TP200XL037              | 9246-1314   | 100             | 20.00             | .020          |
| TP202XL037              | 9246-1397   | 101             | 20.20             | .020          |
| <sup>2</sup> TP204XL037 | 9246-1398   | 102             | 20.40             | .021          |
| <sup>2</sup> TP206XL037 | 9246-1399   | 103             | 20.60             | .021          |
| TP210XL037              | 9246-1315   | 105             | 21.00             | .021          |
| TP212XL037              | 9246-8300   | 106             | 21.20             | .021          |
| TP214XL037              | 9246-8301   | 107             | 21.40             | .022          |
| <sup>2</sup> TP218XL037 | 9246-8302   | 109             | 21.80             | .022          |
| TP220XL037              | 9246-1316   | 110             | 22.00             | .022          |
| <sup>2</sup> TP222XL037 | 9246-8303   | 111             | 22.20             | .022          |
| <sup>2</sup> TP226XL037 | 9246-8304   | 113             | 22.60             | .023          |
| <sup>2</sup> TP228XL037 | 9246-8305   | 114             | 22.80             | .023          |
| TP230XL037              | 9246-1317   | 115             | 23.00             | .023          |
| <sup>2</sup> TP232XL037 | 9246-8306   | 116             | 23.20             | .023          |
| TP234XL037              | 9246-8307   | 117             | 23.40             | .024          |
| <sup>2</sup> TP236XL037 | 9246-8308   | 118             | 23.60             | .024          |
| TP240XL037              | 9246-1318   | 120             | 24.00             | .024          |
| <sup>2</sup> TP244XL037 | 9246-8309   | 122             | 24.40             | .025          |
| <sup>2</sup> TP246XL037 | 9246-8310   | 123             | 24.60             | .025          |

| Part No.                | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-------------------------|-------------|-----------------|-------------------|---------------|
| TP250XL037              | 9246-1319   | 125             | 25.00             | .025          |
| <sup>2</sup> TP254XL037 | 9246-8311   | 127             | 25.40             | .026          |
| <sup>2</sup> TP258XL037 | 9246-8312   | 129             | 25.80             | .026          |
| TP260XL037              | 9246-1320   | 130             | 26.00             | .026          |
| <sup>2</sup> TP262XL037 | 9246-8313   | 131             | 26.20             | .026          |
| <sup>2</sup> TP264XL037 | 9246-8314   | 132             | 26.40             | .027          |
| <sup>2</sup> TP266XL037 | 9246-8315   | 133             | 26.60             | .027          |
| <sup>2</sup> TP268XL037 | 9246-8316   | 134             | 26.80             | .027          |
| <sup>2</sup> TP274XL037 | 9246-8317   | 137             | 27.40             | .028          |
| TP280XL037              | 9246-1322   | 140             | 28.00             | .028          |
| <sup>2</sup> TP286XL037 | 9246-8318   | 143             | 28.60             | .029          |
| <sup>2</sup> TP290XL037 | 9246-1323   | 145             | 29.00             | .029          |
| <sup>2</sup> TP296XL037 | 9246-8319   | 148             | 29.60             | .030          |
| TP300XL037              | 9246-1324   | 150             | 30.00             | .030          |
| <sup>2</sup> TP306XL037 | 9246-8320   | 153             | 30.60             | .031          |
| TP310XL037              | 9246-1325   | 155             | 31.00             | .031          |
| TP316XL037              | 9246-8321   | 158             | 31.60             | .032          |
| TP320XL037              | 9246-8322   | 160             | 32.00             | .032          |
| <sup>2</sup> TP322XL037 | 9246-8323   | 161             | 32.20             | .033          |
| TP330XL037              | 9246-1326   | 165             | 33.00             | .033          |
| <sup>2</sup> TP338XL037 | 9246-8324   | 169             | 33.80             | .034          |
| TP340XL037              | 9246-1328   | 170             | 34.00             | .034          |
| TP344XL037              | 9246-8325   | 172             | 34.40             | .035          |
| <sup>2</sup> TP348XL037 | 9246-8326   | 174             | 34.80             | .035          |
| TP350XL037              | 9246-1327   | 175             | 35.00             | .035          |
| TP352XL037              | 9246-8346   | 176             | 35.20             | .036          |
| TP362XL037              | 9246-8327   | 181             | 36.20             | .037          |
| TP370XL037              | 9246-1329   | 185             | 37.00             | .037          |
| TP380XL037              | 9246-1330   | 190             | 38.00             | .038          |
| TP384XL037              | 9246-8328   | 192             | 38.40             | .039          |
| TP390XL037              | 9246-1331   | 195             | 39.00             | .039          |
| <sup>2</sup> TP400XL037 | 9246-1332   | 200             | 40.00             | .040          |
| <sup>2</sup> TP412XL037 | 9246-8329   | 206             | 41.20             | .042          |
| TP420XL037              | 9246-1333   | 210             | 42.00             | .042          |
| <sup>2</sup> TP424XL037 | 9246-8330   | 212             | 42.40             | .043          |
| <sup>2</sup> TP432XL037 | 9246-8331   | 216             | 43.20             | .044          |
| <sup>2</sup> TP438XL037 | 9246-8332   | 219             | 43.80             | .044          |
| <sup>2</sup> TP444XL037 | 9246-8333   | 222             | 44.40             | .045          |
| TP450XL037              | 9246-1334   | 225             | 45.00             | .046          |
| TP454XL037              | 9246-8334   | 227             | 45.40             | .046          |
| TP460XL037              | 9246-1335   | 230             | 46.00             | .047          |
| <sup>2</sup> TP468XL037 | 9246-8335   | 234             | 46.80             | .047          |
| <sup>2</sup> TP480XL037 | 9246-1336   | 240             | 48.00             | .049          |
| TP492XL037              | 9246-8336   | 246             | 49.20             | .050          |
| TP498XL037              | 9246-8337   | 249             | 49.80             | .050          |
| <sup>2</sup> TP500XL037 | 9246-1337   | 250             | 50.00             | .051          |
| <sup>2</sup> TP506XL037 | 9246-8338   | 253             | 50.60             | .051          |
| <sup>2</sup> TP524XL037 | 9246-8339   | 262             | 52.40             | .053          |
| <sup>2</sup> TP570XL037 | 9246-1338   | 285             | 57.00             | .058          |
| <sup>2</sup> TP580XL037 | 9246-8340   | 290             | 58.00             | .059          |

TWIN POWER BELTS

<sup>2</sup> MTO Minimum Required. Check with Customer Service for availability.



# PowerGrip® Twin Power® Timing Belts

## Product No. Series 9246 (continued)

### 1/5" Pitch (.200"/XL) — 3/8" Wide (continued)

| Part No.                | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-------------------------|-------------|-----------------|-------------------|---------------|
| <sup>2</sup> TP592XL037 | 9246-8341   | 296             | 59.20             | .060          |
| <sup>2</sup> TP612XL037 | 9246-8342   | 306             | 61.20             | .062          |
| <sup>2</sup> TP630XL037 | 9246-1339   | 315             | 63.00             | .064          |
| <sup>2</sup> TP672XL037 | 9246-8343   | 336             | 67.20             | .068          |

| Part No.                | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-------------------------|-------------|-----------------|-------------------|---------------|
| TP690XL037              | 9246-8347   | 345             | 69.00             | .070          |
| <sup>2</sup> TP770XL037 | 9246-1340   | 385             | 77.00             | .078          |
| <sup>2</sup> TP850XL037 | 9246-8345   | 425             | 85.00             | .086          |

### 3/8" Pitch (.375"/L) — 1/2" Wide

| Part No.               | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|------------------------|-------------|-----------------|-------------------|---------------|
| TP150L050              | 9246-2101   | 40              | 15.00             | .034          |
| <sup>2</sup> TP154L050 | 9246-2127   | 41              | 15.38             | .035          |
| <sup>2</sup> TP158L050 | 9246-2128   | 42              | 15.75             | .036          |
| <sup>2</sup> TP165L050 | 9246-2121   | 44              | 16.50             | .037          |
| <sup>2</sup> TP176L050 | 9246-7133   | 47              | 17.63             | .040          |
| TP187L050              | 9246-2102   | 50              | 18.75             | .042          |
| <sup>2</sup> TP195L050 | 9246-2122   | 52              | 19.50             | .044          |
| <sup>2</sup> TP199L050 | 9246-7134   | 53              | 19.88             | .045          |
| TP210L050              | 9246-2103   | 56              | 21.00             | .048          |
| TP218L050              | 9246-7136   | 58              | 21.75             | .050          |
| TP225L050              | 9246-2104   | 60              | 22.50             | .051          |
| TP240L050              | 9246-2105   | 64              | 24.00             | .055          |
| <sup>2</sup> TP248L050 | 9246-7137   | 66              | 24.75             | .056          |
| TP255L050              | 9246-2106   | 68              | 25.50             | .058          |
| <sup>2</sup> TP263L050 | 9246-7138   | 70              | 26.25             | .060          |
| TP270L050              | 9246-2107   | 72              | 27.00             | .061          |
| TP285L050              | 9246-2108   | 76              | 28.50             | .065          |
| TP300L050              | 9246-2109   | 80              | 30.00             | .068          |

| Part No.               | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|------------------------|-------------|-----------------|-------------------|---------------|
| <sup>2</sup> TP315L050 | 9246-2123   | 84              | 31.50             | .072          |
| TP322L050              | 9246-2110   | 86              | 32.25             | .073          |
| TP345L050              | 9246-2111   | 92              | 34.50             | .078          |
| TP367L050              | 9246-2112   | 98              | 36.75             | .083          |
| <sup>2</sup> TP375L050 | 9246-7139   | 100             | 37.50             | .085          |
| TP390L050              | 9246-2113   | 104             | 39.00             | .089          |
| TP420L050              | 9246-2114   | 112             | 42.00             | .095          |
| <sup>2</sup> TP446L050 | 9246-7140   | 119             | 44.63             | .101          |
| TP450L050              | 9246-2115   | 120             | 45.00             | .102          |
| TP480L050              | 9246-2116   | 128             | 48.00             | .109          |
| TP510L050              | 9246-2117   | 136             | 51.00             | .116          |
| TP540L050              | 9246-2118   | 144             | 54.00             | .123          |
| <sup>2</sup> TP566L050 | 9246-7141   | 151             | 56.63             | .129          |
| TP600L050              | 9246-2119   | 160             | 60.00             | .136          |
| TP660L050              | 9246-2120   | 176             | 66.00             | .150          |
| TP817L050              | 9246-2125   | 218             | 81.75             | .186          |
| <sup>2</sup> TP900L050 | 9246-2126   | 240             | 90.00             | .204          |
| <sup>2</sup> TP945L050 | 9246-7148   | 252             | 94.50             | .215          |

### 3/8" Pitch (.375"/L) — 3/4" Wide

| Part No.               | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|------------------------|-------------|-----------------|-------------------|---------------|
| TP150L075              | 9246-2201   | 40              | 15.00             | .051          |
| <sup>2</sup> TP154L075 | 9246-2227   | 41              | 15.38             | .052          |
| <sup>2</sup> TP158L075 | 9246-2228   | 42              | 15.75             | .054          |
| <sup>2</sup> TP165L075 | 9246-2221   | 44              | 16.50             | .056          |
| <sup>2</sup> TP176L075 | 9246-7223   | 47              | 17.63             | .060          |
| TP187L075              | 9246-2202   | 50              | 18.75             | .064          |
| <sup>2</sup> TP195L075 | 9246-2222   | 52              | 19.50             | .066          |
| <sup>2</sup> TP199L075 | 9246-7234   | 53              | 19.88             | .068          |
| TP210L075              | 9246-2203   | 56              | 21.00             | .072          |
| <sup>2</sup> TP218L075 | 9246-7236   | 58              | 21.75             | .074          |
| TP225L075              | 9246-2204   | 60              | 22.50             | .077          |
| TP240L075              | 9246-2205   | 64              | 24.00             | .082          |
| <sup>2</sup> TP248L075 | 9246-7237   | 66              | 24.75             | .084          |
| TP255L075              | 9246-2206   | 68              | 25.50             | .087          |
| <sup>2</sup> TP263L075 | 9246-7238   | 70              | 26.25             | .090          |
| TP270L075              | 9246-2207   | 72              | 27.00             | .092          |
| TP285L075              | 9246-2208   | 76              | 28.50             | .097          |
| TP300L075              | 9246-2209   | 80              | 30.00             | .102          |

| Part No.               | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|------------------------|-------------|-----------------|-------------------|---------------|
| <sup>2</sup> TP315L075 | 9246-2223   | 84              | 31.50             | .107          |
| TP322L075              | 9246-2210   | 86              | 32.25             | .110          |
| TP345L075              | 9246-2211   | 92              | 34.50             | .118          |
| TP367L075              | 9246-2212   | 98              | 36.75             | .125          |
| <sup>2</sup> TP375L075 | 9246-7239   | 100             | 37.50             | .128          |
| TP390L075              | 9246-2213   | 104             | 39.00             | .133          |
| TP420L075              | 9246-2214   | 112             | 42.00             | .143          |
| <sup>2</sup> TP446L075 | 9246-7240   | 119             | 44.63             | .152          |
| TP450L075              | 9246-2215   | 120             | 45.00             | .153          |
| TP480L075              | 9246-2216   | 128             | 48.00             | .164          |
| TP510L075              | 9246-2217   | 136             | 51.00             | .174          |
| TP540L075              | 9246-2218   | 144             | 54.00             | .184          |
| <sup>2</sup> TP566L075 | 9246-7241   | 151             | 56.63             | .193          |
| TP600L075              | 9246-2219   | 160             | 60.00             | .204          |
| TP660L075              | 9246-2220   | 176             | 66.00             | .225          |
| TP817L075              | 9246-2225   | 218             | 81.75             | .278          |
| <sup>2</sup> TP900L075 | 9246-2226   | 240             | 90.00             | .307          |
| <sup>2</sup> TP945L075 | 9246-7248   | 252             | 94.50             | .322          |

### 3/8" Pitch (.375"/L) — 1" Wide

| Part No.               | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|------------------------|-------------|-----------------|-------------------|---------------|
| TP150L100              | 9246-2301   | 40              | 15.00             | .068          |
| <sup>2</sup> TP154L100 | 9246-2327   | 41              | 15.38             | .070          |
| <sup>2</sup> TP158L100 | 9246-2328   | 42              | 15.75             | .072          |
| <sup>2</sup> TP165L100 | 9246-2321   | 44              | 16.50             | .075          |

| Part No.               | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|------------------------|-------------|-----------------|-------------------|---------------|
| <sup>2</sup> TP176L100 | 9246-7333   | 47              | 17.63             | .080          |
| TP187L100              | 9246-2302   | 50              | 18.75             | .085          |
| <sup>2</sup> TP195L100 | 9246-2322   | 52              | 19.50             | .089          |
| <sup>2</sup> TP199L100 | 9246-7334   | 53              | 19.88             | .090          |

<sup>2</sup> MTO Minimum Required. Check with Customer Service for availability.



# PowerGrip® Twin Power® Timing Belts

## Product No. Series 9246 (continued)

### 3/8" Pitch (.375"/L) — 1" Wide (continued)

| Part No.               | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.               | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|------------------------|-------------|-----------------|-------------------|---------------|------------------------|-------------|-----------------|-------------------|---------------|
| TP210L100              | 9246-2303   | 56              | 21.00             | .095          | <sup>2</sup> TP375L100 | 9246-7339   | 100             | 37.50             | .170          |
| <sup>2</sup> TP218L100 | 9246-7336   | 58              | 21.75             | .099          | TP390L100              | 9246-2313   | 104             | 39.00             | .177          |
| TP225L100              | 9246-2304   | 60              | 22.50             | .102          | TP420L100              | 9246-2314   | 112             | 42.00             | .191          |
| TP240L100              | 9246-2305   | 64              | 24.00             | .109          | <sup>2</sup> TP446L100 | 9246-7340   | 119             | 44.63             | .203          |
| <sup>2</sup> TP248L100 | 9246-7337   | 66              | 24.75             | .113          | TP450L100              | 9246-2315   | 120             | 45.00             | .204          |
| TP255L100              | 9246-2306   | 68              | 25.50             | .116          | TP480L100              | 9246-2316   | 128             | 48.00             | .218          |
| <sup>2</sup> TP263L100 | 9246-7338   | 70              | 26.25             | .119          | TP510L100              | 9246-2317   | 136             | 51.00             | .232          |
| TP270L100              | 9246-2307   | 72              | 27.00             | .123          | TP540L100              | 9246-2318   | 144             | 54.00             | .245          |
| TP285L100              | 9246-2308   | 76              | 28.50             | .129          | <sup>2</sup> TP566L100 | 9246-7341   | 151             | 56.63             | .257          |
| TP300L100              | 9246-2309   | 80              | 30.00             | .136          | TP600L100              | 9246-2319   | 160             | 60.00             | .273          |
| <sup>2</sup> TP315L100 | 9246-2323   | 84              | 31.50             | .143          | TP660L100              | 9246-2320   | 176             | 66.00             | .300          |
| TP322L100              | 9246-2310   | 86              | 32.25             | .146          | TP817L100              | 9246-2325   | 218             | 81.75             | .371          |
| TP345L100              | 9246-2311   | 92              | 34.50             | .157          | TP900L100              | 9246-2326   | 240             | 90.00             | .409          |
| TP367L100              | 9246-2312   | 98              | 36.75             | .167          | <sup>2</sup> TP945L100 | 9246-7348   | 252             | 94.50             | .429          |

### 1/2" Pitch (.500"/H) — 3/4" Wide

| Part No.               | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.                | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|------------------------|-------------|-----------------|-------------------|---------------|-------------------------|-------------|-----------------|-------------------|---------------|
| <sup>2</sup> TP210H075 | 9246-3125   | 42              | 21.00             | .103          | <sup>2</sup> TP585H075  | 9246-3136   | 117             | 58.50             | .286          |
| <sup>2</sup> TP220H075 | 9246-3126   | 44              | 22.00             | .108          | TP600H075               | 9246-3112   | 120             | 60.00             | .294          |
| <sup>2</sup> TP225H075 | 9246-3145   | 45              | 22.50             | .110          | <sup>2</sup> TP605H075  | 9246-8155   | 121             | 60.50             | .296          |
| <sup>2</sup> TP230H075 | 9246-3127   | 46              | 23.00             | .113          | TP630H075               | 9246-3113   | 126             | 63.00             | .308          |
| TP240H075              | 9246-3100   | 48              | 24.00             | .118          | <sup>2</sup> TP645H075  | 9246-3137   | 129             | 64.50             | .316          |
| TP270H075              | 9246-3101   | 54              | 27.00             | .132          | <sup>2</sup> TP655H075  | 9246-8156   | 131             | 65.50             | .321          |
| TP300H075              | 9246-3102   | 60              | 30.00             | .147          | TP660H075               | 9246-3114   | 132             | 66.00             | .323          |
| <sup>2</sup> TP310H075 | 9246-3103   | 62              | 31.00             | .152          | TP700H075               | 9246-3115   | 140             | 70.00             | .343          |
| <sup>2</sup> TP315H075 | 9246-3147   | 63              | 31.50             | .154          | <sup>2</sup> TP730H075  | 9246-3138   | 146             | 73.00             | .357          |
| <sup>2</sup> TP320H075 | 9246-3128   | 64              | 32.00             | .157          | TP750H075               | 9246-3116   | 150             | 75.00             | .367          |
| TP330H075              | 9246-3124   | 66              | 33.00             | .162          | <sup>2</sup> TP775H075  | 9246-8158   | 155             | 77.50             | .379          |
| <sup>2</sup> TP340H075 | 9246-3129   | 68              | 34.00             | .166          | <sup>2</sup> TP780H075  | 9246-3139   | 156             | 78.00             | .382          |
| <sup>2</sup> TP350H075 | 9246-3130   | 70              | 35.00             | .171          | TP800H075               | 9246-3117   | 160             | 80.00             | .392          |
| TP360H075              | 9246-3104   | 72              | 36.00             | .176          | <sup>2</sup> TP820H075  | 9246-3140   | 164             | 82.00             | .402          |
| <sup>2</sup> TP370H075 | 9246-3131   | 74              | 37.00             | .181          | <sup>2</sup> TP840H075  | 9246-3141   | 168             | 84.00             | .411          |
| TP390H075              | 9246-3105   | 78              | 39.00             | .191          | TP850H075               | 9246-3118   | 170             | 85.00             | .416          |
| <sup>2</sup> TP400H075 | 9246-3132   | 80              | 40.00             | .196          | TP900H075               | 9246-3119   | 180             | 90.00             | .441          |
| <sup>2</sup> TP410H075 | 9246-3133   | 82              | 41.00             | .201          | <sup>2</sup> TP960H075  | 9246-3142   | 192             | 96.00             | .470          |
| <sup>2</sup> TP415H075 | 9246-3148   | 83              | 41.50             | .203          | TP1000H075              | 9246-3120   | 200             | 100.00            | .490          |
| TP420H075              | 9246-3106   | 84              | 42.00             | .206          | TP1100H075              | 9246-3121   | 220             | 110.00            | .539          |
| <sup>2</sup> TP445H075 | 9246-3149   | 89              | 44.50             | .218          | TP1140H075              | 9246-3143   | 228             | 114.00            | .558          |
| TP450H075              | 9246-3107   | 90              | 45.00             | .220          | <sup>2</sup> TP1180H075 | 9246-8161   | 236             | 118.00            | .578          |
| <sup>2</sup> TP455H075 | 9246-8150   | 91              | 45.50             | .223          | TP1250H075              | 9246-3122   | 250             | 125.00            | .612          |
| <sup>2</sup> TP465H075 | 9246-8151   | 93              | 46.50             | .228          | TP1400H075              | 9246-3123   | 280             | 140.00            | .686          |
| TP480H075              | 9246-3108   | 96              | 48.00             | .235          | <sup>2</sup> TP1510H075 | 9246-8165   | 302             | 151.00            | .739          |
| <sup>2</sup> TP490H075 | 9246-3134   | 98              | 49.00             | .240          | <sup>2</sup> TP1550H075 | 9246-3144   | 310             | 155.00            | .759          |
| <sup>2</sup> TP495H075 | 9246-8152   | 99              | 49.50             | .242          | TP1645H075              | 9246-8166   | 329             | 164.50            | .806          |
| TP510H075              | 9246-3109   | 102             | 51.00             | .250          | <sup>2</sup> TP1680H075 | 9246-8167   | 336             | 168.00            | .823          |
| TP525H075              | 9246-8153   | 105             | 52.50             | .257          | TP1700H075              | 9246-3146   | 340             | 170.00            | .832          |
| TP540H075              | 9246-3110   | 108             | 54.00             | .264          | <sup>2</sup> TP2090H075 | 9246-8168   | 418             | 209.00            | 1.023         |
| <sup>2</sup> TP555H075 | 9246-8154   | 111             | 55.50             | .272          | <sup>2</sup> TP2100H075 | 9246-8169   | 420             | 210.00            | 1.028         |
| TP560H075              | 9246-3135   | 112             | 56.00             | .274          | <sup>2</sup> TP2120H075 | 9246-8170   | 424             | 212.00            | 1.038         |
| TP570H075              | 9246-3111   | 114             | 57.00             | .279          | <sup>2</sup> TP2330H075 | 9246-8171   | 466             | 233.00            | 1.141         |

### 1/2" Pitch (.500"/H) — 1" Wide

| Part No.               | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.               | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|------------------------|-------------|-----------------|-------------------|---------------|------------------------|-------------|-----------------|-------------------|---------------|
| <sup>2</sup> TP210H100 | 9246-3225   | 42              | 21.00             | .137          | <sup>2</sup> TP225H100 | 9246-3245   | 45              | 22.50             | .147          |
| <sup>2</sup> TP220H100 | 9246-3226   | 44              | 22.00             | .144          | <sup>2</sup> TP230H100 | 9246-3227   | 46              | 23.00             | .150          |

2 MTO Minimum Required. Check with Customer Service for availability.



# PowerGrip® Twin Power® Timing Belts

## Product No. Series 9246 (continued)

### 1/2" Pitch (.500"/H) — 1" Wide (continued)

| Part No.               | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.                | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|------------------------|-------------|-----------------|-------------------|---------------|-------------------------|-------------|-----------------|-------------------|---------------|
| TP240H100              | 9246-3200   | 48              | 24.00             | .157          | <sup>2</sup> TP605H100  | 9246-8255   | 121             | 60.50             | .395          |
| TP270H100              | 9246-3201   | 54              | 27.00             | .176          | TP630H100               | 9246-3213   | 126             | 63.00             | .411          |
| TP300H100              | 9246-3202   | 60              | 30.00             | .196          | TP645H100               | 9246-3237   | 129             | 64.50             | .421          |
| <sup>2</sup> TP310H100 | 9246-3203   | 62              | 31.00             | .202          | <sup>2</sup> TP655H100  | 9246-8256   | 131             | 65.50             | .428          |
| <sup>2</sup> TP315H100 | 9246-3247   | 63              | 31.50             | .206          | TP660H100               | 9246-3214   | 132             | 66.00             | .431          |
| <sup>2</sup> TP320H100 | 9246-3228   | 64              | 32.00             | .209          | TP700H100               | 9246-3215   | 140             | 70.00             | .457          |
| TP330H100              | 9246-3224   | 66              | 33.00             | .215          | TP730H100               | 9246-3238   | 146             | 73.00             | .477          |
| <sup>2</sup> TP340H100 | 9246-3229   | 68              | 34.00             | .222          | TP750H100               | 9246-3216   | 150             | 75.00             | .490          |
| <sup>2</sup> TP350H100 | 9246-3230   | 70              | 35.00             | .229          | <sup>2</sup> TP775H100  | 9246-8258   | 155             | 77.50             | .506          |
| TP360H100              | 9246-3204   | 72              | 36.00             | .235          | TP780H100               | 9246-3239   | 156             | 78.00             | .509          |
| <sup>2</sup> TP370H100 | 9246-3231   | 74              | 37.00             | .242          | TP800H100               | 9246-3217   | 160             | 80.00             | .522          |
| TP390H100              | 9246-3205   | 78              | 39.00             | .255          | TP820H100               | 9246-3240   | 164             | 82.00             | .535          |
| TP400H100              | 9246-3232   | 80              | 40.00             | .261          | <sup>2</sup> TP840H100  | 9246-3241   | 168             | 84.00             | .548          |
| <sup>2</sup> TP410H100 | 9246-3233   | 82              | 41.00             | .268          | TP850H100               | 9246-3218   | 170             | 85.00             | .555          |
| <sup>2</sup> TP415H100 | 9246-3248   | 83              | 41.50             | .271          | TP900H100               | 9246-3219   | 180             | 90.00             | .588          |
| TP420H100              | 9246-3206   | 84              | 42.00             | .274          | <sup>2</sup> TP960H100  | 9246-3242   | 192             | 96.00             | .627          |
| TP445H100              | 9246-3249   | 89              | 44.50             | .291          | TP1000H100              | 9246-3220   | 200             | 100.00            | .653          |
| TP450H100              | 9246-3207   | 90              | 45.00             | .294          | TP1100H100              | 9246-3221   | 220             | 110.00            | .718          |
| <sup>2</sup> TP455H100 | 9246-8250   | 91              | 45.50             | .297          | TP1140H100              | 9246-3243   | 228             | 114.00            | .744          |
| <sup>2</sup> TP465H100 | 9246-8251   | 93              | 46.50             | .304          | TP1180H100              | 9246-8261   | 236             | 118.00            | .770          |
| TP480H100              | 9246-3208   | 96              | 48.00             | .313          | TP1250H100              | 9246-3222   | 250             | 125.00            | .816          |
| TP490H100              | 9246-3234   | 98              | 49.00             | .320          | TP1400H100              | 9246-3223   | 280             | 140.00            | .914          |
| <sup>2</sup> TP495H100 | 9246-8252   | 99              | 49.50             | .323          | <sup>2</sup> TP1510H100 | 9246-8265   | 302             | 151.00            | .986          |
| TP510H100              | 9246-3209   | 102             | 51.00             | .333          | <sup>2</sup> TP1550H100 | 9246-3244   | 310             | 155.00            | 1.012         |
| <sup>2</sup> TP525H100 | 9246-8253   | 105             | 52.50             | .343          | TP1645H100              | 9246-8266   | 329             | 164.50            | 1.074         |
| TP540H100              | 9246-3210   | 108             | 54.00             | .353          | <sup>2</sup> TP1680H100 | 9246-8267   | 336             | 168.00            | 1.097         |
| TP555H100              | 9246-8254   | 111             | 55.50             | .362          | TP1700H100              | 9246-3246   | 340             | 170.00            | 1.110         |
| TP560H100              | 9246-3235   | 112             | 56.00             | .366          | TP2090H100              | 9246-8268   | 418             | 209.00            | 1.365         |
| TP570H100              | 9246-3211   | 114             | 57.00             | .372          | <sup>2</sup> TP2100H100 | 9246-8269   | 420             | 210.00            | 1.371         |
| <sup>2</sup> TP585H100 | 9246-3236   | 117             | 58.50             | .382          | <sup>2</sup> TP2120H100 | 9246-8270   | 424             | 212.00            | 1.384         |
| TP600H100              | 9246-3212   | 120             | 60.00             | .392          | <sup>2</sup> TP2330H100 | 9246-8271   | 466             | 233.00            | 1.521         |

### 1/2" Pitch (.500"/H) — 1 1/2" Wide

| Part No.               | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.               | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|------------------------|-------------|-----------------|-------------------|---------------|------------------------|-------------|-----------------|-------------------|---------------|
| <sup>2</sup> TP210H150 | 9246-3325   | 42              | 21.00             | .206          | TP465H150              | 9246-8351   | 93              | 46.50             | .455          |
| <sup>2</sup> TP220H150 | 9246-3326   | 44              | 22.00             | .215          | TP480H150              | 9246-3308   | 96              | 48.00             | .470          |
| <sup>2</sup> TP225H150 | 9246-3345   | 45              | 22.50             | .220          | <sup>2</sup> TP490H150 | 9246-3334   | 98              | 49.00             | .480          |
| <sup>2</sup> TP230H150 | 9246-3327   | 46              | 23.00             | .225          | <sup>2</sup> TP495H150 | 9246-8352   | 99              | 49.50             | .485          |
| TP240H150              | 9246-3300   | 48              | 24.00             | .235          | TP510H150              | 9246-3309   | 102             | 51.00             | .499          |
| TP270H150              | 9246-3301   | 54              | 27.00             | .264          | <sup>2</sup> TP525H150 | 9246-8353   | 105             | 52.50             | .514          |
| <sup>2</sup> TP300H150 | 9246-3302   | 60              | 30.00             | .294          | TP540H150              | 9246-3310   | 108             | 54.00             | .529          |
| <sup>2</sup> TP310H150 | 9246-3303   | 62              | 31.00             | .304          | <sup>2</sup> TP555H150 | 9246-8354   | 111             | 55.50             | .544          |
| <sup>2</sup> TP315H150 | 9246-3347   | 63              | 31.50             | .308          | TP560H150              | 9246-3335   | 112             | 56.00             | .548          |
| <sup>2</sup> TP320H150 | 9246-3328   | 64              | 32.00             | .313          | TP570H150              | 9246-3311   | 114             | 57.00             | .558          |
| TP330H150              | 9246-3324   | 66              | 33.00             | .323          | <sup>2</sup> TP585H150 | 9246-3336   | 117             | 58.50             | .573          |
| <sup>2</sup> TP340H150 | 9246-3329   | 68              | 34.00             | .333          | TP600H150              | 9246-3312   | 120             | 60.00             | .588          |
| <sup>2</sup> TP350H150 | 9246-3330   | 70              | 35.00             | .343          | TP605H150              | 9246-8355   | 121             | 60.50             | .593          |
| TP360H150              | 9246-3304   | 72              | 36.00             | .353          | TP630H150              | 9246-3313   | 126             | 63.00             | .617          |
| <sup>2</sup> TP370H150 | 9246-3331   | 74              | 37.00             | .362          | <sup>2</sup> TP645H150 | 9246-3337   | 129             | 64.50             | .632          |
| TP390H150              | 9246-3305   | 78              | 39.00             | .382          | <sup>2</sup> TP655H150 | 9246-8356   | 131             | 65.50             | .641          |
| <sup>2</sup> TP400H150 | 9246-3332   | 80              | 40.00             | .392          | TP660H150              | 9246-3314   | 132             | 66.00             | .646          |
| <sup>2</sup> TP410H150 | 9246-3333   | 82              | 41.00             | .402          | TP700H150              | 9246-3315   | 140             | 70.00             | .686          |
| <sup>2</sup> TP415H150 | 9246-3348   | 83              | 41.50             | .406          | <sup>2</sup> TP730H150 | 9246-3338   | 146             | 73.00             | .715          |
| TP420H150              | 9246-3306   | 84              | 42.00             | .411          | TP750H150              | 9246-3316   | 150             | 75.00             | .735          |
| <sup>2</sup> TP445H150 | 9246-3349   | 89              | 44.50             | .436          | <sup>2</sup> TP775H150 | 9246-8358   | 155             | 77.50             | .759          |
| TP450H150              | 9246-3307   | 90              | 45.00             | .441          | <sup>2</sup> TP780H150 | 9246-3339   | 156             | 78.00             | .764          |
| <sup>2</sup> TP455H150 | 9246-8350   | 91              | 45.50             | .446          | TP800H150              | 9246-3317   | 160             | 80.00             | .783          |

<sup>2</sup> MTO Minimum Required. Check with Customer Service for availability.



# PowerGrip® Twin Power® Timing Belts

## Product No. Series 9246 (continued)

### 1/2" Pitch (.500"/H) — 1 1/2" Wide (continued)

| Part No.                | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.                | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|-------------------------|-------------|-----------------|-------------------|---------------|-------------------------|-------------|-----------------|-------------------|---------------|
| <sup>2</sup> TP820H150  | 9246-3340   | 164             | 82.00             | .803          | TP1400H150              | 9246-3323   | 280             | 140.00            | 1.371         |
| <sup>2</sup> TP840H150  | 9246-3341   | 168             | 84.00             | .823          | TP1510H150              | 9246-8365   | 302             | 151.00            | 1.479         |
| TP850H150               | 9246-3318   | 170             | 85.00             | .832          | <sup>2</sup> TP1550H150 | 9246-3344   | 310             | 155.00            | 1.518         |
| TP900H150               | 9246-3319   | 180             | 90.00             | .881          | TP1645H150              | 9246-8366   | 329             | 164.50            | 1.611         |
| <sup>2</sup> TP960H150  | 9246-3342   | 192             | 96.00             | .940          | <sup>2</sup> TP1680H150 | 9246-8367   | 336             | 168.00            | 1.645         |
| TP1000H150              | 9246-3320   | 200             | 100.00            | .979          | TP1700H150              | 9246-3346   | 340             | 170.00            | 1.665         |
| TP1100H150              | 9246-3321   | 220             | 110.00            | 1.077         | TP2090H150              | 9246-8368   | 418             | 209.00            | 2.047         |
| TP1140H150              | 9246-3343   | 228             | 114.00            | 1.116         | <sup>2</sup> TP2100H150 | 9246-8369   | 420             | 210.00            | 2.057         |
| <sup>2</sup> TP1180H150 | 9246-8361   | 236             | 118.00            | 1.156         | <sup>2</sup> TP2120H150 | 9246-8370   | 424             | 212.00            | 2.076         |
| TP1250H150              | 9246-3322   | 250             | 125.00            | 1.224         | TP2330H150              | 9246-8371   | 466             | 233.00            | 2.282         |

### 1/2" Pitch (.500"/H) — 2" Wide

| Part No.               | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.                | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|------------------------|-------------|-----------------|-------------------|---------------|-------------------------|-------------|-----------------|-------------------|---------------|
| <sup>2</sup> TP210H200 | 9246-3425   | 42              | 21.00             | .274          | <sup>2</sup> TP585H200  | 9246-3436   | 117             | 58.50             | .764          |
| <sup>2</sup> TP220H200 | 9246-3426   | 44              | 22.00             | .287          | TP600H200               | 9246-3412   | 120             | 60.00             | .783          |
| <sup>2</sup> TP225H200 | 9246-3445   | 45              | 22.50             | .294          | <sup>2</sup> TP605H200  | 9246-8455   | 121             | 60.50             | .790          |
| <sup>2</sup> TP230H200 | 9246-3427   | 46              | 23.00             | .300          | TP630H200               | 9246-3413   | 126             | 63.00             | .823          |
| <sup>2</sup> TP240H200 | 9246-3400   | 48              | 24.00             | .313          | <sup>2</sup> TP645H200  | 9246-3437   | 129             | 64.50             | .842          |
| TP270H200              | 9246-3401   | 54              | 27.00             | .353          | <sup>2</sup> TP655H200  | 9246-8456   | 131             | 65.50             | .855          |
| TP300H200              | 9246-3402   | 60              | 30.00             | .392          | TP660H200               | 9246-3414   | 132             | 66.00             | .862          |
| <sup>2</sup> TP310H200 | 9246-3403   | 62              | 31.00             | .405          | TP700H200               | 9246-3415   | 140             | 70.00             | .914          |
| <sup>2</sup> TP315H200 | 9246-3447   | 63              | 31.50             | .411          | <sup>2</sup> TP730H200  | 9246-3438   | 146             | 73.00             | .953          |
| <sup>2</sup> TP320H200 | 9246-3428   | 64              | 32.00             | .418          | TP750H200               | 9246-3416   | 150             | 75.00             | .979          |
| TP330H200              | 9246-3424   | 66              | 33.00             | .431          | <sup>2</sup> TP775H200  | 9246-8458   | 155             | 77.50             | 1.012         |
| <sup>2</sup> TP340H200 | 9246-3429   | 68              | 34.00             | .444          | <sup>2</sup> TP780H200  | 9246-3439   | 156             | 78.00             | 1.019         |
| <sup>2</sup> TP350H200 | 9246-3430   | 70              | 35.00             | .457          | TP800H200               | 9246-3417   | 160             | 80.00             | 1.045         |
| TP360H200              | 9246-3404   | 72              | 36.00             | .470          | <sup>2</sup> TP820H200  | 9246-3440   | 164             | 82.00             | 1.071         |
| <sup>2</sup> TP370H200 | 9246-3431   | 74              | 37.00             | .483          | <sup>2</sup> TP840H200  | 9246-3441   | 168             | 84.00             | 1.097         |
| TP390H200              | 9246-3405   | 78              | 39.00             | .509          | TP850H200               | 9246-3418   | 170             | 85.00             | 1.110         |
| <sup>2</sup> TP400H200 | 9246-3432   | 80              | 40.00             | .522          | TP900H200               | 9246-3419   | 180             | 90.00             | 1.175         |
| <sup>2</sup> TP410H200 | 9246-3433   | 82              | 41.00             | .535          | <sup>2</sup> TP960H200  | 9246-3442   | 192             | 96.00             | 1.254         |
| <sup>2</sup> TP415H200 | 9246-3448   | 83              | 41.50             | .542          | TP1000H200              | 9246-3420   | 200             | 100.00            | 1.306         |
| TP420H200              | 9246-3406   | 84              | 42.00             | .548          | TP1100H200              | 9246-3421   | 220             | 110.00            | 1.436         |
| <sup>2</sup> TP445H200 | 9246-3449   | 89              | 44.50             | .581          | TP1140H200              | 9246-3443   | 228             | 114.00            | 1.489         |
| TP450H200              | 9246-3407   | 90              | 45.00             | .588          | <sup>2</sup> TP1180H200 | 9246-8461   | 236             | 118.00            | 1.541         |
| <sup>2</sup> TP455H200 | 9246-8450   | 91              | 45.50             | .594          | TP1250H200              | 9246-3422   | 250             | 125.00            | 1.632         |
| <sup>2</sup> TP465H200 | 9246-8451   | 93              | 46.50             | .607          | TP1400H200              | 9246-3423   | 280             | 140.00            | 1.828         |
| TP480H200              | 9246-3408   | 96              | 48.00             | .627          | <sup>2</sup> TP1510H200 | 9246-8465   | 302             | 151.00            | 1.972         |
| <sup>2</sup> TP490H200 | 9246-3434   | 98              | 49.00             | .640          | <sup>2</sup> TP1550H200 | 9246-3444   | 310             | 155.00            | 2.024         |
| <sup>2</sup> TP495H200 | 9246-8452   | 99              | 49.50             | .646          | TP1645H200              | 9246-8466   | 329             | 164.50            | 2.148         |
| TP510H200              | 9246-3409   | 102             | 51.00             | .666          | <sup>2</sup> TP1680H200 | 9246-8467   | 336             | 168.00            | 2.194         |
| <sup>2</sup> TP525H200 | 9246-8453   | 105             | 52.50             | .686          | TP1700H200              | 9246-3446   | 340             | 170.00            | 2.220         |
| TP540H200              | 9246-3410   | 108             | 54.00             | .705          | <sup>2</sup> TP2090H200 | 9246-8468   | 418             | 209.00            | 2.729         |
| <sup>2</sup> TP555H200 | 9246-8454   | 111             | 55.50             | .725          | <sup>2</sup> TP2100H200 | 9246-8469   | 420             | 210.00            | 2.742         |
| TP560H200              | 9246-3435   | 112             | 56.00             | .731          | <sup>2</sup> TP2120H200 | 9246-8470   | 424             | 212.00            | 2.768         |
| TP570H200              | 9246-3411   | 114             | 57.00             | .744          | <sup>2</sup> TP2330H200 | 9246-8471   | 466             | 233.00            | 3.043         |

### 1/2" Pitch (.500"/H) — 3" Wide

| Part No.               | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.               | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|------------------------|-------------|-----------------|-------------------|---------------|------------------------|-------------|-----------------|-------------------|---------------|
| <sup>2</sup> TP210H300 | 9246-3525   | 42              | 21.00             | .411          | TP300H300              | 9246-3502   | 60              | 30.00             | .588          |
| <sup>2</sup> TP220H300 | 9246-3526   | 44              | 22.00             | .431          | <sup>2</sup> TP310H300 | 9246-3503   | 62              | 31.00             | .607          |
| <sup>2</sup> TP225H300 | 9246-3545   | 45              | 22.50             | .441          | <sup>2</sup> TP315H300 | 9246-3547   | 63              | 31.50             | .617          |
| <sup>2</sup> TP230H300 | 9246-3527   | 46              | 23.00             | .451          | <sup>2</sup> TP320H300 | 9246-3528   | 64              | 32.00             | .627          |
| TP240H300              | 9246-3500   | 48              | 24.00             | .470          | TP330H300              | 9246-3524   | 66              | 33.00             | .646          |
| TP270H300              | 9246-3501   | 54              | 27.00             | .529          | <sup>2</sup> TP340H300 | 9246-3529   | 68              | 34.00             | .666          |

<sup>2</sup> MTO Minimum Required. Check with Customer Service for availability.

TWIN POWER BELTS





# PowerGrip® Twin Power® Timing Belts

Product No. Series 9246 (continued)

1/2" Pitch (.500"/H) — 3" Wide (continued)

| Part No.               | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No.                | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|------------------------|-------------|-----------------|-------------------|---------------|-------------------------|-------------|-----------------|-------------------|---------------|
| <sup>2</sup> TP350H300 | 9246-3530   | 70              | 35.00             | .686          | TP660H300               | 9246-3514   | 132             | 66.00             | 1.293         |
| TP360H300              | 9246-3504   | 72              | 36.00             | .705          | TP700H300               | 9246-3515   | 140             | 70.00             | 1.371         |
| <sup>2</sup> TP370H300 | 9246-3531   | 74              | 37.00             | .725          | TP730H300               | 9246-3538   | 146             | 73.00             | 1.430         |
| TP390H300              | 9246-3505   | 78              | 39.00             | .764          | TP750H300               | 9246-3516   | 150             | 75.00             | 1.469         |
| <sup>2</sup> TP400H300 | 9246-3532   | 80              | 40.00             | .783          | <sup>2</sup> TP775H300  | 9246-8558   | 155             | 77.50             | 1.518         |
| <sup>2</sup> TP410H300 | 9246-3533   | 82              | 41.00             | .803          | <sup>2</sup> TP780H300  | 9246-3539   | 156             | 78.00             | 1.528         |
| <sup>2</sup> TP415H300 | 9246-3548   | 83              | 41.50             | .813          | TP800H300               | 9246-3517   | 160             | 80.00             | 1.567         |
| TP420H300              | 9246-3506   | 84              | 42.00             | .823          | <sup>2</sup> TP820H300  | 9246-3540   | 164             | 82.00             | 1.606         |
| <sup>2</sup> TP445H300 | 9246-3549   | 89              | 44.50             | .872          | TP840H300               | 9246-3541   | 168             | 84.00             | 1.645         |
| TP450H300              | 9246-3507   | 90              | 45.00             | .881          | TP850H300               | 9246-3518   | 170             | 85.00             | 1.665         |
| <sup>2</sup> TP455H300 | 9246-8550   | 91              | 45.50             | .891          | TP900H300               | 9246-3519   | 180             | 90.00             | 1.763         |
| <sup>2</sup> TP465H300 | 9246-8551   | 93              | 46.50             | .911          | TP960H300               | 9246-3542   | 192             | 96.00             | 1.880         |
| <sup>2</sup> TP480H300 | 9246-3508   | 96              | 48.00             | .940          | TP1000H300              | 9246-3520   | 200             | 100.00            | 1.959         |
| <sup>2</sup> TP490H300 | 9246-3534   | 98              | 49.00             | .960          | TP1100H300              | 9246-3521   | 220             | 110.00            | 2.155         |
| <sup>2</sup> TP495H300 | 9246-8552   | 99              | 49.50             | .970          | TP1140H300              | 9246-3543   | 228             | 114.00            | 2.233         |
| TP510H300              | 9246-3509   | 102             | 51.00             | .999          | <sup>2</sup> TP1180H300 | 9246-8561   | 236             | 118.00            | 2.311         |
| <sup>2</sup> TP525H300 | 9246-8553   | 105             | 52.50             | 1.028         | TP1250H300              | 9246-3522   | 250             | 125.00            | 2.448         |
| TP540H300              | 9246-3510   | 108             | 54.00             | 1.058         | TP1400H300              | 9246-3523   | 280             | 140.00            | 2.742         |
| <sup>2</sup> TP555H300 | 9246-8554   | 111             | 55.50             | 1.087         | <sup>2</sup> TP1510H300 | 9246-8565   | 302             | 151.00            | 2.958         |
| TP560H300              | 9246-3535   | 112             | 56.00             | 1.097         | <sup>2</sup> TP1550H300 | 9246-3544   | 310             | 155.00            | 3.036         |
| <sup>2</sup> TP570H300 | 9246-3511   | 114             | 57.00             | 1.116         | TP1645H300              | 9246-8566   | 329             | 164.50            | 3.222         |
| <sup>2</sup> TP585H300 | 9246-3536   | 117             | 58.50             | 1.146         | <sup>2</sup> TP1680H300 | 9246-8567   | 336             | 168.00            | 3.291         |
| TP600H300              | 9246-3512   | 120             | 60.00             | 1.175         | TP1700H300              | 9246-3546   | 340             | 170.00            | 3.330         |
| <sup>2</sup> TP605H300 | 9246-8555   | 121             | 60.50             | 1.185         | TP2090H300              | 9246-8568   | 418             | 209.00            | 4.094         |
| <sup>2</sup> TP630H300 | 9246-3513   | 126             | 63.00             | 1.234         | <sup>2</sup> TP2100H300 | 9246-8569   | 420             | 210.00            | 4.113         |
| <sup>2</sup> TP645H300 | 9246-3537   | 129             | 64.50             | 1.263         | <sup>2</sup> TP2120H300 | 9246-8570   | 424             | 212.00            | 4.152         |
| <sup>2</sup> TP655H300 | 9246-8556   | 131             | 65.50             | 1.283         | <sup>2</sup> TP2330H300 | 9246-8571   | 466             | 233.00            | 4.564         |

TWIN POWER BELTS

<sup>2</sup> MTO Minimum Required. Check with Customer Service for availability.



# Long-Length Poly Chain® GT® Carbon™ Belting

## Recommended Sprockets

Poly Chain GT Sprockets

### Notes

Minimum order length for Poly Chain GT Carbon belting is 50 feet, ordered in 50 foot increments thereafter. Continuous lengths, if needed, must be specified when ordering, and must be ordered in increments of the minimum order quantity. Continuous lengths may require lead times.

Minimum order quantities may vary for non-standard widths. Check with Customer Service.

Poly Chain GT Carbon belting can be used on existing drives as replacement for Poly Chain GT belting.

## Product No. Series 9302

### 8mm Pitch

| Part No.   | Product No. | Width (mm) | Weight (Lbs.) | Min. Order Qty. | Max. Cont. Length |
|------------|-------------|------------|---------------|-----------------|-------------------|
| LL8MGT-012 | 9302-1000   | 12         | .040          | 50 ft.          | 900 ft.           |
| LL8MGT-021 | 9302-1100   | 21         | .070          | 50 ft.          | 504 ft.           |
| LL8MGT-036 | 9302-1200   | 36         | .110          | 50 ft.          | 298 ft.           |

### 14mm Pitch

| Part No.    | Product No. | Width (mm) | Weight (Lbs.) | Min. Order Qty. | Max. Cont. Length |
|-------------|-------------|------------|---------------|-----------------|-------------------|
| LL14MGT-020 | 9302-1300   | 20         | .110          | 50 ft.          | 522 ft.           |
| LL14MGT-037 | 9302-1400   | 37         | .190          | 50 ft.          | 298 ft.           |



# Long-Length PowerGrip® GT®2 Belting

## Recommended Sprockets

PowerGrip GT Sprockets

### Notes

Continuous lengths, if needed, must be specified when ordering, and must be ordered in increments of the minimum order quantity (unless ordering the maximum continuous lengths).

Minimum order lengths for belting is 50 feet, ordered in 50 foot increments thereafter.

Minimum order quantities may vary for non-standard widths. Continuous lengths may require lead times. Check with Customer Service.

## Product No. Series 9396

### 2mm Pitch

| Part No. | Product No. | Width (mm) | Weight (Lbs.) | Min. Order Qty. | Max. Cont. Length |
|----------|-------------|------------|---------------|-----------------|-------------------|
| LL2MR04  | 9396-0033   | 4          | .005          | 50 ft.          | 300 ft.           |
| LL2MR06  | 9396-0009   | 6          | .014          | 50 ft.          | 300 ft.           |
| LL2MR09  | 9396-0052   | 9          | .020          | 50 ft.          | 300 ft.           |

### 3mm Pitch

| Part No. | Product No. | Width (mm) | Weight (Lbs.) | Min. Order Qty. | Max. Cont. Length |
|----------|-------------|------------|---------------|-----------------|-------------------|
| LL3MR06  | 9396-0002   | 6          | .020          | 50 ft.          | 600 ft.           |
| LL3MR09  | 9396-0012   | 9          | .026          | 50 ft.          | 385 ft.           |
| LL3MR15  | 9396-0021   | 15         | .040          | 50 ft.          | 240 ft.           |

### 5mm Pitch

| Part No. | Product No. | Width (mm) | Weight (Lbs.) | Min. Order Qty. | Max. Cont. Length |
|----------|-------------|------------|---------------|-----------------|-------------------|
| LL5MR09  | 9396-0020   | 9          | .030          | 50 ft.          | 360 ft.           |
| LL5MR15  | 9396-0025   | 15         | .040          | 50 ft.          | 230 ft.           |

### 8mm Pitch

| Part No. | Product No. | Width (mm) | Weight (Lbs.) | Min. Order Qty. | Max. Cont. Length |
|----------|-------------|------------|---------------|-----------------|-------------------|
| LL8MR20  | 9396-0029   | 20         | .080          | 50 ft.          | 590 ft.           |
| LL8MR30  | 9396-0030   | 30         | .130          | 50 ft.          | 590 ft.           |
| LL8MR50  | 9396-0031   | 50         | .210          | 50 ft.          | 590 ft.           |
| LL8MR85  | 9396-0032   | 85         | .360          | 50 ft.          | 590 ft.           |

### Steel Tensile - 5mm Pitch

| Part No.   | Product No. | Width (mm) | Weight (Lbs.) | Min. Order Qty. | Max. Cont. Length |
|------------|-------------|------------|---------------|-----------------|-------------------|
| LL5MR15 ST | 9396-10043  | 15         | .180          | 50 ft.          | 392 ft.           |
| LL5MR25 ST | 9396-40417  | 25         | .230          | 50 ft.          | 392 ft.           |

### Steel Tensile - 8mm Pitch

| Part No.   | Product No. | Width (mm) | Weight (Lbs.) | Min. Order Qty. | Max. Cont. Length |
|------------|-------------|------------|---------------|-----------------|-------------------|
| LL8MR20 ST | 9396-10049  | 20         | .290          | 50 ft.          | 392 ft.           |
| LL8MR30 ST | 9396-10050  | 30         | .370          | 50 ft.          | 392 ft.           |
| LL8MR50 ST | 9396-40433  | 50         | .530          | 50 ft.          | 392 ft.           |



# Long-Length PowerGrip® HTD® Belting

## Recommended Sprockets

PowerGrip HTD Sprockets

### Notes

Continuous lengths may require lead times.

Continuous lengths, if needed, must be specified when ordering, and must be ordered in increments of the minimum order quantity (unless ordering the maximum continuous lengths).

Minimum order lengths for fiberglass tensile cord belting is 50 feet, ordered in 50 foot increments thereafter.

Minimum order lengths for steel tensile belting is 98 feet, ordered in 98 foot increments thereafter.

Minimum order quantities may vary for non-standard widths. Check with Customer Service.

## Product No. Series 9308

### 3mm Pitch

| Part No. | Product No. | Width (mm) | Weight (Lbs.) | Min. Order Qty. | Max. Cont. Length |
|----------|-------------|------------|---------------|-----------------|-------------------|
| LL3M06   | 9308-0044   | 6          | .011          | 50 ft.          | 300 ft.           |
| LL3M09   | 9308-0003   | 9          | .015          | 50 ft.          | 300 ft.           |
| LL3M15   | 9308-0084   | 15         | .025          | 50 ft.          | 185 ft.           |

### 5mm Pitch

| Part No. | Product No. | Width (mm) | Weight (Lbs.) | Min. Order Qty. | Max. Cont. Length |
|----------|-------------|------------|---------------|-----------------|-------------------|
| LL5M09   | 9308-0045   | 9          | .024          | 50 ft.          | 300 ft.           |
| LL5M15   | 9308-0033   | 15         | .040          | 50 ft.          | 185 ft.           |
| LL5M25   | 9308-0025   | 25         | .050          | 50 ft.          | 100 ft.           |

### 8mm Pitch

| Part No.             | Product No. | Width (mm) | Weight (Lbs.) | Min. Order Qty. | Max. Cont. Length |
|----------------------|-------------|------------|---------------|-----------------|-------------------|
| <sup>17</sup> LL8M20 | 9308-0001   | 20         | .080          | 50 ft.          | 170 ft.           |
| <sup>17</sup> LL8M30 | 9308-0004   | 30         | .130          | 50 ft.          | 300 ft.           |
| <sup>17</sup> LL8M50 | 9308-0005   | 50         | .210          | 50 ft.          | 300 ft.           |
| <sup>17</sup> LL8M85 | 9308-0006   | 85         | .360          | 50 ft.          | 300 ft.           |

### 14mm Pitch

| Part No. | Product No. | Width (mm) | Weight (Lbs.) | Min. Order Qty. | Max. Cont. Length |
|----------|-------------|------------|---------------|-----------------|-------------------|
| LL14M40  | 9308-10009  | 40         | .260          | 98 ft.          | 392 ft.           |
| LL14M55  | 9308-10020  | 55         | .350          | 98 ft.          | 392 ft.           |
| LL14M85  | 9308-10057  | 85         | .550          | 98 ft.          | 392 ft.           |

### Steel Tensile - 14mm Pitch

| Part No.   | Product No. | Width (mm) | Weight (Lbs.) | Min. Order Qty. | Max. Cont. Length |
|------------|-------------|------------|---------------|-----------------|-------------------|
| LL14M40 ST | 9308-10016  | 40         | .760          | 98 ft.          | 392 ft.           |
| LL14M55 ST | 9308-10051  | 55         | 1.020         | 98 ft.          | 392 ft.           |
| LL14M85 ST | 9308-10084  | 85         | 1.510         | 98 ft.          | 392 ft.           |

LONG-LENGTH BELTING

<sup>17</sup> Longer continuous lengths may be available by special order, contact Customer Service.



# Long-Length PowerGrip® Timing Belting

## Recommended Pulleys

PowerGrip Timing Pulleys

### Notes

Continuous lengths may require lead times.

Continuous lengths, if needed, must be specified when ordering, and must be ordered in increments of the minimum order quantity (unless ordering the maximum continuous lengths).

Minimum order lengths for fiberglass tensile cord belting is 50 feet, ordered in 50 foot increments thereafter.

Minimum order lengths for steel tensile belting is 98 feet, ordered in 98 foot increments thereafter.

Minimum order quantities may vary for non-standard widths. Check with Customer Service.

## Product No. Series 9314

### MXL (.080" Pitch)

| Part No. | Product No. | Width (in) | Weight (Lbs.) | Min. Order Qty. | Max. Cont. Length |
|----------|-------------|------------|---------------|-----------------|-------------------|
| LL025MXL | 9314-2020   | 1/4        | .006          | 50 ft.          | 475 ft.           |
| LL037MXL | 9314-2014   | 3/8        | .009          | 50 ft.          | 300 ft.           |
| LL050MXL | 9314-2038   | 1/2        | .020          | 50 ft.          | 240 ft.           |

### XL (.200" Pitch)

| Part No. | Product No. | Width (in) | Weight (Lbs.) | Min. Order Qty. | Max. Cont. Length |
|----------|-------------|------------|---------------|-----------------|-------------------|
| LL025XL  | 9314-0001   | 1/4        | .011          | 50 ft.          | 460 ft.           |
| LL037XL  | 9314-0002   | 3/8        | .020          | 50 ft.          | 300 ft.           |
| LL050XL  | 9314-2012   | 1/2        | .030          | 50 ft.          | 225 ft.           |

### L (.375" Pitch)

| Part No. | Product No. | Width (in) | Weight (Lbs.) | Min. Order Qty. | Max. Cont. Length |
|----------|-------------|------------|---------------|-----------------|-------------------|
| LL037L   | 9314-2089   | 3/8        | .030          | 50 ft.          | 575 ft.           |
| LL050L   | 9314-0004   | 1/2        | .020          | 50 ft.          | 430 ft.           |
| LL075L   | 9314-0007   | 3/4        | .040          | 50 ft.          | 275 ft.           |
| LL100L   | 9314-0015   | 1          | .050          | 50 ft.          | 200 ft.           |

### H (.500" Pitch)

| Part No.             | Product No. | Width (in) | Weight (Lbs.) | Min. Order Qty. | Max. Cont. Length |
|----------------------|-------------|------------|---------------|-----------------|-------------------|
| <sup>17</sup> LL050H | 9314-0003   | 1/2        | .040          | 50 ft.          | 400 ft.           |
| <sup>17</sup> LL075H | 9314-0006   | 3/4        | .060          | 50 ft.          | 275 ft.           |
| <sup>17</sup> LL100H | 9314-0008   | 1          | .120          | 50 ft.          | 200 ft.           |
| LL150H               | 9314-0017   | 1 1/2      | .120          | 50 ft.          | 656 ft.           |
| LL200H               | 9314-0021   | 2          | .130          | 50 ft.          | 656 ft.           |
| LL300H               | 9314-0025   | 3          | .270          | 50 ft.          | 656 ft.           |

### Steel Tensile - H (.500 Pitch)

| Part No.  | Product No. | Width (in) | Weight (Lbs.) | Min. Order Qty. | Max. Cont. Length |
|-----------|-------------|------------|---------------|-----------------|-------------------|
| LL075H ST | 9314-10011  | 3/4        | .220          | 98 ft.          | 492 ft.           |
| LL100H ST | 9314-10037  | 1          | .250          | 98 ft.          | 492 ft.           |

<sup>17</sup> Longer continuous lengths may be available by special order, contact Customer Service.



# Synchro-Power® Polyurethane Belting

Recommended Pulleys  
PowerGrip® Timing Pulleys

**Notes**

Synchro-Power LL belting is made to order. Contact Customer Service for price and availability.

## Product No. Series 7787

| Available Pitches |                 |
|-------------------|-----------------|
| Metric            | Timing          |
| T5                | XL              |
| T10               | L               |
| WT10 (Wide Width) | H               |
| T20               | XH              |
| AT5               | WH (Wide Width) |
| AT10              |                 |
| AT20              |                 |
| 5M HTD            |                 |
| 8M HTD            |                 |
| 14M HTD           |                 |

| Constructions Available |
|-------------------------|
| Steel Tensile           |
| High Flex Steel Tensile |
| Kevlar Tensile          |
| Nylon Tooth             |
| Nylon Backing           |
| Heavy Backing           |
| FDA                     |





# Synchro-Power® Polyurethane Belts

## Recommended Sprockets

Contact the Gates Made-To-Order Metals Team.

### Notes

See end of this section for Made-to-Order lengths available. The minimum order quantity is full sleeve yield +/- 10%. Sleeve widths are 300mm unless otherwise noted. Minimum belt width is 4mm. Please contact Customer Service for price and availability.

Synchro-Power belts listed on the following pages are available in custom widths as Standard/Non-Stock with no minimum order quantities required. Contact Customer Service for minimum and maximum width range.

## Product No. Series 7762

### T5 Pitch — 4mm Wide

| Part No. | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) | Part No.  | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|----------|-------------|-----------------|-------------------|---------------|-----------|-------------|-----------------|-------------------|---------------|
| T5-150-4 | 7762-1000   | 48              | 150               | .003          | T5-525-4  | 7762-1034   | 105             | 525               | .010          |
| T5-165-4 | 7762-1001   | 33              | 165               | .003          | T5-545-4  | 7762-1035   | 109             | 545               | .011          |
| T5-180-4 | 7762-1002   | 58              | 180               | .003          | T5-550-4  | 7762-1036   | 110             | 550               | .011          |
| T5-185-4 | 7762-1003   | 37              | 185               | .004          | T5-560-4  | 7762-1037   | 112             | 560               | .011          |
| T5-200-4 | 7762-1004   | 40              | 200               | .004          | T5-575-4  | 7762-1038   | 115             | 575               | .011          |
| T5-215-4 | 7762-1005   | 43              | 215               | .004          | T5-590-4  | 7762-0490   | 118             | 590               | .011          |
| T5-220-4 | 7762-1006   | 44              | 220               | .004          | T5-600-4  | 7762-0478   | 120             | 600               | .012          |
| T5-225-4 | 7762-1007   | 45              | 225               | .004          | T5-610-4  | 7762-1039   | 122             | 610               | .012          |
| T5-245-4 | 7762-1008   | 49              | 245               | .005          | T5-620-4  | 7762-1040   | 124             | 620               | .012          |
| T5-250-4 | 7762-1009   | 50              | 250               | .005          | T5-630-4  | 7762-1041   | 126             | 630               | .012          |
| T5-255-4 | 7762-1010   | 51              | 255               | .005          | T5-640-4  | 7762-1042   | 128             | 640               | .012          |
| T5-260-4 | 7762-1011   | 52              | 260               | .005          | T5-650-4  | 7762-1043   | 130             | 650               | .013          |
| T5-270-4 | 7762-1012   | 54              | 270               | .005          | T5-660-4  | 7762-1044   | 132             | 660               | .013          |
| T5-275-4 | 7762-1013   | 55              | 275               | .005          | T5-675-4  | 7762-1045   | 135             | 675               | .013          |
| T5-280-4 | 7762-1014   | 56              | 280               | .005          | T5-690-4  | 7762-1046   | 138             | 690               | .013          |
| T5-295-4 | 7762-1015   | 59              | 295               | .006          | T5-700-4  | 7762-1047   | 140             | 700               | .014          |
| T5-305-4 | 7762-1016   | 61              | 305               | .006          | T5-720-4  | 7762-1048   | 144             | 720               | .014          |
| T5-330-4 | 7762-1018   | 66              | 330               | .006          | T5-725-4  | 7762-0454   | 145             | 725               | .014          |
| T5-340-4 | 7762-1019   | 68              | 340               | .007          | T5-750-4  | 7762-1049   | 150             | 750               | .015          |
| T5-350-4 | 7762-1020   | 70              | 350               | .007          | T5-780-4  | 7762-1050   | 156             | 780               | .015          |
| T5-355-4 | 7762-1021   | 71              | 355               | .007          | T5-800-4  | 7762-0363   | 160             | 800               | .015          |
| T5-365-4 | 7762-1022   | 73              | 365               | .007          | T5-815-4  | 7762-1051   | 163             | 815               | .016          |
| T5-390-4 | 7762-1023   | 78              | 390               | .008          | T5-830-4  | 7762-0604   | 166             | 830               | .016          |
| T5-400-4 | 7762-1024   | 80              | 400               | .008          | T5-840-4  | 7762-1052   | 168             | 840               | .016          |
| T5-410-4 | 7762-1025   | 82              | 410               | .008          | T5-850-4  | 7762-0377   | 170             | 850               | .016          |
| T5-420-4 | 7762-1026   | 84              | 420               | .008          | T5-900-4  | 7762-1053   | 180             | 900               | .017          |
| T5-445-4 | 7762-1027   | 89              | 445               | .009          | T5-940-4  | 7762-1054   | 188             | 940               | .018          |
| T5-450-4 | 7762-1028   | 90              | 450               | .009          | T5-990-4  | 7762-1055   | 198             | 990               | .019          |
| T5-455-4 | 7762-1029   | 91              | 455               | .009          | T5-1075-4 | 7762-1056   | 215             | 1075              | .021          |
| T5-475-4 | 7762-1030   | 95              | 475               | .009          | T5-1100-4 | 7762-1057   | 220             | 1100              | .021          |
| T5-480-4 | 7762-1031   | 96              | 480               | .009          | T5-1215-4 | 7762-1058   | 243             | 1215              | .024          |
| T5-500-4 | 7762-1032   | 100             | 500               | .010          | T5-1315-4 | 7762-1059   | 263             | 1315              | .025          |
| T5-510-4 | 7762-1033   | 102             | 510               | .010          | T5-1380-4 | 7762-1060   | 276             | 1380              | .027          |

### T5 Pitch — 6mm Wide

| Part No. | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) | Part No. | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|----------|-------------|-----------------|-------------------|---------------|----------|-------------|-----------------|-------------------|---------------|
| T5-150-6 | 7762-1070   | 30              | 150               | .004          | T5-280-6 | 7762-1084   | 56              | 280               | .008          |
| T5-165-6 | 7762-1071   | 33              | 165               | .005          | T5-295-6 | 7762-1085   | 59              | 295               | .009          |
| T5-180-6 | 7762-1072   | 36              | 180               | .005          | T5-305-6 | 7762-1086   | 61              | 305               | .009          |
| T5-185-6 | 7762-1073   | 37              | 185               | .005          | T5-330-6 | 7762-1088   | 66              | 330               | .010          |
| T5-200-6 | 7762-1074   | 40              | 200               | .006          | T5-340-6 | 7762-1089   | 68              | 340               | .010          |
| T5-215-6 | 7762-1075   | 43              | 215               | .006          | T5-350-6 | 7762-1090   | 70              | 350               | .010          |
| T5-220-6 | 7762-1076   | 44              | 220               | .006          | T5-355-6 | 7762-1091   | 71              | 355               | .010          |
| T5-225-6 | 7762-1077   | 45              | 225               | .007          | T5-365-6 | 7762-1092   | 73              | 365               | .011          |
| T5-245-6 | 7762-1078   | 49              | 245               | .007          | T5-390-6 | 7762-1093   | 78              | 390               | .011          |
| T5-250-6 | 7762-1079   | 50              | 250               | .007          | T5-400-6 | 7762-1094   | 80              | 400               | .012          |
| T5-255-6 | 7762-1080   | 51              | 255               | .007          | T5-410-6 | 7762-1095   | 82              | 410               | .012          |
| T5-260-6 | 7762-1081   | 52              | 260               | .008          | T5-420-6 | 7762-1096   | 84              | 420               | .012          |
| T5-270-6 | 7762-1082   | 54              | 270               | .008          | T5-445-6 | 7762-1097   | 89              | 445               | .013          |
| T5-275-6 | 7762-1083   | 55              | 275               | .008          | T5-450-6 | 7762-1098   | 90              | 450               | .013          |



# Synchro-Power® Polyurethane Belts

## Product No. Series 7762 (continued)

### T5 Pitch — 6mm Wide (continued)

| Part No. | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) | Part No.  | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|----------|-------------|-----------------|-------------------|---------------|-----------|-------------|-----------------|-------------------|---------------|
| T5-455-6 | 7762-1099   | 91              | 455               | .013          | T5-690-6  | 7762-1116   | 138             | 690               | .020          |
| T5-475-6 | 7762-1100   | 95              | 475               | .014          | T5-700-6  | 7762-1117   | 140             | 700               | .020          |
| T5-480-6 | 7762-1101   | 96              | 480               | .014          | T5-720-6  | 7762-1118   | 144             | 720               | .021          |
| T5-500-6 | 7762-1102   | 100             | 500               | .015          | T5-725-6  | 7762-0455   | 145             | 725               | .021          |
| T5-510-6 | 7762-1103   | 102             | 510               | .015          | T5-750-6  | 7762-1119   | 150             | 750               | .022          |
| T5-525-6 | 7762-1104   | 105             | 525               | .015          | T5-780-6  | 7762-1120   | 156             | 780               | .023          |
| T5-545-6 | 7762-1105   | 109             | 545               | .016          | T5-800-6  | 7762-0364   | 160             | 800               | .023          |
| T5-550-6 | 7762-1106   | 110             | 550               | .016          | T5-815-6  | 7762-1121   | 163             | 815               | .024          |
| T5-560-6 | 7762-1107   | 112             | 560               | .016          | T5-830-6  | 7762-0605   | 166             | 830               | .024          |
| T5-575-6 | 7762-1108   | 115             | 575               | .017          | T5-840-6  | 7762-1122   | 168             | 840               | .024          |
| T5-590-6 | 7762-0491   | 118             | 590               | .017          | T5-850-6  | 7762-0378   | 170             | 850               | .025          |
| T5-600-6 | 7762-0479   | 120             | 600               | .017          | T5-900-6  | 7762-1123   | 180             | 900               | .026          |
| T5-610-6 | 7762-1109   | 122             | 610               | .018          | T5-940-6  | 7762-1124   | 188             | 940               | .027          |
| T5-620-6 | 7762-1110   | 124             | 620               | .018          | T5-990-6  | 7762-1125   | 198             | 990               | .029          |
| T5-630-6 | 7762-1111   | 126             | 630               | .018          | T5-1075-6 | 7762-1126   | 215             | 1075              | .031          |
| T5-640-6 | 7762-1112   | 128             | 640               | .019          | T5-1100-6 | 7762-1127   | 220             | 1100              | .032          |
| T5-650-6 | 7762-1113   | 130             | 650               | .019          | T5-1215-6 | 7762-1128   | 243             | 1215              | .035          |
| T5-660-6 | 7762-1114   | 132             | 660               | .019          | T5-1315-6 | 7762-1129   | 263             | 1315              | .038          |
| T5-675-6 | 7762-1115   | 135             | 675               | .020          | T5-1380-6 | 7762-1130   | 276             | 1380              | .040          |

### T5 Pitch — 8mm Wide

| Part No. | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) | Part No.  | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|----------|-------------|-----------------|-------------------|---------------|-----------|-------------|-----------------|-------------------|---------------|
| T5-150-8 | 7762-1140   | 30              | 150               | .006          | T5-525-8  | 7762-1174   | 105             | 525               | .020          |
| T5-165-8 | 7762-1141   | 33              | 165               | .006          | T5-545-8  | 7762-1175   | 109             | 545               | .021          |
| T5-180-8 | 7762-1142   | 36              | 180               | .007          | T5-550-8  | 7762-1176   | 110             | 550               | .021          |
| T5-185-8 | 7762-1143   | 37              | 185               | .007          | T5-560-8  | 7762-1177   | 112             | 560               | .022          |
| T5-200-8 | 7762-1144   | 40              | 200               | .008          | T5-575-8  | 7762-1178   | 115             | 575               | .022          |
| T5-215-8 | 7762-1145   | 43              | 215               | .008          | T5-590-8  | 7762-0492   | 118             | 590               | .023          |
| T5-220-8 | 7762-1146   | 44              | 220               | .009          | T5-600-8  | 7762-0480   | 120             | 600               | .023          |
| T5-225-8 | 7762-1147   | 45              | 225               | .009          | T5-610-8  | 7762-1179   | 122             | 610               | .024          |
| T5-245-8 | 7762-1148   | 49              | 245               | .009          | T5-620-8  | 7762-1180   | 124             | 620               | .024          |
| T5-250-8 | 7762-1149   | 50              | 250               | .010          | T5-630-8  | 7762-1181   | 126             | 630               | .024          |
| T5-255-8 | 7762-1150   | 51              | 255               | .010          | T5-640-8  | 7762-1182   | 128             | 640               | .025          |
| T5-260-8 | 7762-1151   | 52              | 260               | .010          | T5-650-8  | 7762-1183   | 130             | 650               | .025          |
| T5-270-8 | 7762-1152   | 54              | 270               | .010          | T5-660-8  | 7762-1184   | 132             | 660               | .026          |
| T5-275-8 | 7762-1153   | 55              | 275               | .011          | T5-675-8  | 7762-1185   | 135             | 675               | .026          |
| T5-280-8 | 7762-1154   | 56              | 280               | .011          | T5-690-8  | 7762-1186   | 138             | 690               | .027          |
| T5-295-8 | 7762-1155   | 59              | 295               | .011          | T5-700-8  | 7762-1187   | 140             | 700               | .027          |
| T5-305-8 | 7762-1156   | 61              | 305               | .012          | T5-720-8  | 7762-1188   | 144             | 720               | .028          |
| T5-330-8 | 7762-1158   | 66              | 330               | .013          | T5-725-8  | 7762-0456   | 145             | 725               | .028          |
| T5-340-8 | 7762-1159   | 68              | 340               | .013          | T5-750-8  | 7762-1189   | 150             | 750               | .029          |
| T5-350-8 | 7762-1160   | 70              | 350               | .014          | T5-780-8  | 7762-1190   | 156             | 780               | .030          |
| T5-355-8 | 7762-1161   | 71              | 355               | .014          | T5-800-8  | 7762-0365   | 160             | 800               | .031          |
| T5-365-8 | 7762-1162   | 73              | 365               | .014          | T5-815-8  | 7762-1191   | 163             | 815               | .032          |
| T5-390-8 | 7762-1163   | 78              | 390               | .015          | T5-830-8  | 7762-0606   | 166             | 830               | .032          |
| T5-400-8 | 7762-1164   | 80              | 400               | .015          | T5-840-8  | 7762-1192   | 168             | 840               | .033          |
| T5-410-8 | 7762-1165   | 82              | 410               | .016          | T5-850-8  | 7762-0379   | 170             | 850               | .033          |
| T5-420-8 | 7762-1166   | 84              | 420               | .016          | T5-900-8  | 7762-1193   | 180             | 900               | .035          |
| T5-445-8 | 7762-1167   | 89              | 445               | .017          | T5-940-8  | 7762-1194   | 188             | 940               | .036          |
| T5-450-8 | 7762-1168   | 90              | 450               | .017          | T5-990-8  | 7762-1195   | 198             | 990               | .038          |
| T5-455-8 | 7762-1169   | 91              | 455               | .018          | T5-1075-8 | 7762-1196   | 215             | 1075              | .042          |
| T5-475-8 | 7762-1170   | 95              | 475               | .018          | T5-1100-8 | 7762-1197   | 220             | 1100              | .043          |
| T5-480-8 | 7762-1171   | 96              | 480               | .019          | T5-1215-8 | 7762-1198   | 243             | 1215              | .047          |
| T5-500-8 | 7762-1172   | 100             | 500               | .019          | T5-1315-8 | 7762-1199   | 263             | 1315              | .051          |
| T5-510-8 | 7762-1173   | 102             | 510               | .020          | T5-1380-8 | 7762-1200   | 276             | 1380              | .053          |



# Synchro-Power® Polyurethane Belts

## Product No. Series 7762 (continued)

### T5 Pitch — 10mm Wide

| Part No.  | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) | Part No.   | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|-----------|-------------|-----------------|-------------------|---------------|------------|-------------|-----------------|-------------------|---------------|
| T5-150-10 | 7762-1210   | 30              | 150               | .007          | T5-525-10  | 7762-1244   | 105             | 525               | .025          |
| T5-165-10 | 7762-1211   | 33              | 165               | .008          | T5-545-10  | 7762-1245   | 109             | 545               | .026          |
| T5-180-10 | 7762-1212   | 36              | 180               | .009          | T5-550-10  | 7762-1246   | 110             | 550               | .027          |
| T5-185-10 | 7762-1213   | 37              | 185               | .009          | T5-560-10  | 7762-1247   | 112             | 560               | .027          |
| T5-200-10 | 7762-1214   | 40              | 200               | .010          | T5-575-10  | 7762-1248   | 115             | 575               | .028          |
| T5-215-10 | 7762-1215   | 43              | 215               | .010          | T5-590-10  | 7762-0493   | 118             | 590               | .029          |
| T5-220-10 | 7762-1216   | 44              | 220               | .011          | T5-600-10  | 7762-0481   | 120             | 600               | .029          |
| T5-225-10 | 7762-1217   | 45              | 225               | .011          | T5-610-10  | 7762-1249   | 122             | 610               | .030          |
| T5-245-10 | 7762-1218   | 49              | 245               | .012          | T5-620-10  | 7762-1250   | 124             | 620               | .030          |
| T5-250-10 | 7762-1219   | 50              | 250               | .012          | T5-630-10  | 7762-1251   | 126             | 630               | .030          |
| T5-255-10 | 7762-1220   | 51              | 255               | .012          | T5-640-10  | 7762-1252   | 128             | 640               | .031          |
| T5-260-10 | 7762-1221   | 52              | 260               | .013          | T5-650-10  | 7762-1253   | 130             | 650               | .031          |
| T5-270-10 | 7762-1222   | 54              | 270               | .013          | T5-660-10  | 7762-1254   | 132             | 660               | .032          |
| T5-275-10 | 7762-1223   | 55              | 275               | .013          | T5-675-10  | 7762-1255   | 135             | 675               | .033          |
| T5-280-10 | 7762-1224   | 56              | 280               | .014          | T5-690-10  | 7762-1256   | 138             | 690               | .033          |
| T5-295-10 | 7762-1225   | 59              | 295               | .014          | T5-700-10  | 7762-1257   | 140             | 700               | .034          |
| T5-305-10 | 7762-1226   | 61              | 305               | .015          | T5-720-10  | 7762-1258   | 144             | 720               | .035          |
| T5-330-10 | 7762-1228   | 66              | 330               | .016          | T5-725-10  | 7762-0457   | 145             | 725               | .035          |
| T5-340-10 | 7762-1229   | 68              | 340               | .016          | T5-750-10  | 7762-1259   | 150             | 750               | .036          |
| T5-350-10 | 7762-1230   | 70              | 350               | .017          | T5-780-10  | 7762-1260   | 156             | 780               | .038          |
| T5-355-10 | 7762-1231   | 71              | 355               | .017          | T5-800-10  | 7762-0366   | 160             | 800               | .039          |
| T5-365-10 | 7762-1232   | 73              | 365               | .018          | T5-815-10  | 7762-1261   | 163             | 815               | .039          |
| T5-390-10 | 7762-1233   | 78              | 390               | .019          | T5-830-10  | 7762-0607   | 166             | 830               | .040          |
| T5-400-10 | 7762-1234   | 80              | 400               | .019          | T5-840-10  | 7762-1262   | 168             | 840               | .041          |
| T5-410-10 | 7762-1235   | 82              | 410               | .020          | T5-850-10  | 7762-0380   | 170             | 850               | .041          |
| T5-420-10 | 7762-1236   | 84              | 420               | .020          | T5-900-10  | 7762-1263   | 180             | 900               | .044          |
| T5-445-10 | 7762-1237   | 89              | 445               | .022          | T5-940-10  | 7762-1264   | 188             | 940               | .045          |
| T5-450-10 | 7762-1238   | 90              | 450               | .022          | T5-990-10  | 7762-1265   | 198             | 990               | .048          |
| T5-455-10 | 7762-1239   | 91              | 455               | .022          | T5-1075-10 | 7762-1266   | 215             | 1075              | .052          |
| T5-475-10 | 7762-1240   | 95              | 475               | .023          | T5-1100-10 | 7762-1267   | 220             | 1100              | .053          |
| T5-480-10 | 7762-1241   | 96              | 480               | .023          | T5-1215-10 | 7762-1268   | 243             | 1215              | .059          |
| T5-500-10 | 7762-1242   | 100             | 500               | .024          | T5-1315-10 | 7762-1269   | 263             | 1315              | .064          |
| T5-510-10 | 7762-1243   | 102             | 510               | .025          | T5-1380-10 | 7762-1270   | 276             | 1380              | .067          |

### T5 Pitch — 12mm Wide

| Part No.  | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) | Part No.  | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|-----------|-------------|-----------------|-------------------|---------------|-----------|-------------|-----------------|-------------------|---------------|
| T5-150-12 | 7762-1280   | 30              | 150               | .009          | T5-365-12 | 7762-1302   | 73              | 365               | .021          |
| T5-165-12 | 7762-1281   | 33              | 165               | .010          | T5-390-12 | 7762-1303   | 78              | 390               | .023          |
| T5-180-12 | 7762-1282   | 36              | 180               | .010          | T5-400-12 | 7762-1304   | 80              | 400               | .023          |
| T5-185-12 | 7762-1283   | 37              | 185               | .011          | T5-410-12 | 7762-1305   | 82              | 410               | .024          |
| T5-200-12 | 7762-1284   | 40              | 200               | .012          | T5-420-12 | 7762-1306   | 84              | 420               | .024          |
| T5-215-12 | 7762-1285   | 43              | 215               | .012          | T5-445-12 | 7762-1307   | 89              | 445               | .026          |
| T5-220-12 | 7762-1286   | 44              | 220               | .013          | T5-450-12 | 7762-1308   | 90              | 450               | .026          |
| T5-225-12 | 7762-1287   | 45              | 225               | .013          | T5-455-12 | 7762-1309   | 91              | 455               | .026          |
| T5-245-12 | 7762-1288   | 49              | 245               | .014          | T5-475-12 | 7762-1310   | 95              | 475               | .028          |
| T5-250-12 | 7762-1289   | 50              | 250               | .015          | T5-480-12 | 7762-1311   | 96              | 480               | .028          |
| T5-255-12 | 7762-1290   | 51              | 255               | .015          | T5-500-12 | 7762-1312   | 100             | 500               | .029          |
| T5-260-12 | 7762-1291   | 52              | 260               | .015          | T5-510-12 | 7762-1313   | 102             | 510               | .030          |
| T5-270-12 | 7762-1292   | 54              | 270               | .016          | T5-525-12 | 7762-1314   | 105             | 525               | .030          |
| T5-275-12 | 7762-1293   | 55              | 275               | .016          | T5-545-12 | 7762-1315   | 109             | 545               | .032          |
| T5-280-12 | 7762-1294   | 56              | 280               | .016          | T5-550-12 | 7762-1316   | 110             | 550               | .032          |
| T5-295-12 | 7762-1295   | 59              | 295               | .017          | T5-560-12 | 7762-1317   | 112             | 560               | .033          |
| T5-305-12 | 7762-1296   | 61              | 305               | .018          | T5-575-12 | 7762-1318   | 115             | 575               | .033          |
| T5-330-12 | 7762-1298   | 66              | 330               | .019          | T5-590-12 | 7762-0494   | 118             | 590               | .034          |
| T5-340-12 | 7762-1299   | 68              | 340               | .020          | T5-600-12 | 7762-0482   | 120             | 600               | .035          |
| T5-350-12 | 7762-1300   | 70              | 350               | .020          | T5-610-12 | 7762-1319   | 122             | 610               | .035          |
| T5-355-12 | 7762-1301   | 71              | 355               | .021          | T5-620-12 | 7762-1320   | 124             | 620               | .036          |

SYNCHRO-POWER BELTS



# Synchro-Power® Polyurethane Belts

## Product No. Series 7762 (continued)

### T5 Pitch — 12mm Wide (continued)

| Part No.  | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) | Part No.   | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|-----------|-------------|-----------------|-------------------|---------------|------------|-------------|-----------------|-------------------|---------------|
| T5-630-12 | 7762-1321   | 126             | 630               | .037          | T5-815-12  | 7762-1331   | 163             | 815               | .047          |
| T5-640-12 | 7762-1322   | 128             | 640               | .037          | T5-830-12  | 7762-0608   | 166             | 830               | .048          |
| T5-650-12 | 7762-1323   | 130             | 650               | .038          | T5-840-12  | 7762-1332   | 168             | 840               | .049          |
| T5-660-12 | 7762-1324   | 132             | 660               | .038          | T5-850-12  | 7762-0381   | 170             | 850               | .049          |
| T5-675-12 | 7762-1325   | 135             | 675               | .039          | T5-900-12  | 7762-1333   | 180             | 900               | .052          |
| T5-690-12 | 7762-1326   | 138             | 690               | .040          | T5-940-12  | 7762-1334   | 188             | 940               | .055          |
| T5-700-12 | 7762-1327   | 140             | 700               | .041          | T5-990-12  | 7762-1335   | 198             | 990               | .057          |
| T5-720-12 | 7762-1328   | 144             | 720               | .042          | T5-1075-12 | 7762-1336   | 215             | 1075              | .062          |
| T5-725-12 | 7762-0458   | 145             | 725               | .042          | T5-1100-12 | 7762-1337   | 220             | 1100              | .064          |
| T5-750-12 | 7762-1329   | 150             | 750               | .044          | T5-1215-12 | 7762-1338   | 243             | 1215              | .071          |
| T5-780-12 | 7762-1330   | 156             | 780               | .045          | T5-1315-12 | 7762-1339   | 263             | 1315              | .076          |
| T5-800-12 | 7762-0367   | 160             | 800               | .046          | T5-1380-12 | 7762-1340   | 276             | 1380              | .080          |

### T5 Pitch — 16mm Wide

| Part No.  | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) | Part No.   | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|-----------|-------------|-----------------|-------------------|---------------|------------|-------------|-----------------|-------------------|---------------|
| T5-150-16 | 7762-1350   | 30              | 150               | .012          | T5-525-16  | 7762-1384   | 105             | 525               | .041          |
| T5-165-16 | 7762-1351   | 33              | 165               | .013          | T5-545-16  | 7762-1385   | 109             | 545               | .042          |
| T5-180-16 | 7762-1352   | 36              | 180               | .014          | T5-550-16  | 7762-1386   | 110             | 550               | .043          |
| T5-185-16 | 7762-1353   | 37              | 185               | .014          | T5-560-16  | 7762-1387   | 112             | 560               | .043          |
| T5-200-16 | 7762-1354   | 40              | 200               | .015          | T5-575-16  | 7762-1388   | 115             | 575               | .045          |
| T5-215-16 | 7762-1355   | 43              | 215               | .017          | T5-590-16  | 7762-0495   | 118             | 590               | .046          |
| T5-220-16 | 7762-1356   | 44              | 220               | .017          | T5-600-16  | 7762-0483   | 120             | 600               | .046          |
| T5-225-16 | 7762-1357   | 45              | 225               | .017          | T5-610-16  | 7762-1389   | 122             | 610               | .047          |
| T5-245-16 | 7762-1358   | 49              | 245               | .019          | T5-620-16  | 7762-1390   | 124             | 620               | .048          |
| T5-250-16 | 7762-1359   | 50              | 250               | .019          | T5-630-16  | 7762-1391   | 126             | 630               | .049          |
| T5-255-16 | 7762-1360   | 51              | 255               | .020          | T5-640-16  | 7762-1392   | 128             | 640               | .050          |
| T5-260-16 | 7762-1361   | 52              | 260               | .020          | T5-650-16  | 7762-1393   | 130             | 650               | .050          |
| T5-270-16 | 7762-1362   | 54              | 270               | .021          | T5-660-16  | 7762-1394   | 132             | 660               | .051          |
| T5-275-16 | 7762-1363   | 55              | 275               | .021          | T5-675-16  | 7762-1395   | 135             | 675               | .052          |
| T5-280-16 | 7762-1364   | 56              | 280               | .022          | T5-690-16  | 7762-1396   | 138             | 690               | .053          |
| T5-295-16 | 7762-1365   | 59              | 295               | .023          | T5-700-16  | 7762-1397   | 140             | 700               | .054          |
| T5-305-16 | 7762-1366   | 61              | 305               | .024          | T5-720-16  | 7762-1398   | 144             | 720               | .056          |
| T5-330-16 | 7762-1368   | 66              | 330               | .026          | T5-725-16  | 7762-0459   | 145             | 725               | .056          |
| T5-340-16 | 7762-1369   | 68              | 340               | .026          | T5-750-16  | 7762-1399   | 150             | 750               | .058          |
| T5-350-16 | 7762-1370   | 70              | 350               | .027          | T5-780-16  | 7762-1400   | 156             | 780               | .060          |
| T5-355-16 | 7762-1371   | 71              | 355               | .027          | T5-800-16  | 7762-0369   | 160             | 800               | .062          |
| T5-365-16 | 7762-1372   | 73              | 365               | .028          | T5-815-16  | 7762-1401   | 163             | 815               | .063          |
| T5-390-16 | 7762-1373   | 78              | 390               | .030          | T5-830-16  | 7762-0609   | 166             | 830               | .064          |
| T5-400-16 | 7762-1374   | 80              | 400               | .031          | T5-840-16  | 7762-1402   | 168             | 840               | .065          |
| T5-410-16 | 7762-1375   | 82              | 410               | .032          | T5-850-16  | 7762-0383   | 170             | 850               | .066          |
| T5-420-16 | 7762-1376   | 84              | 420               | .033          | T5-900-16  | 7762-1403   | 180             | 900               | .070          |
| T5-445-16 | 7762-1377   | 89              | 445               | .034          | T5-940-16  | 7762-1404   | 188             | 940               | .073          |
| T5-450-16 | 7762-1378   | 90              | 450               | .035          | T5-990-16  | 7762-1405   | 198             | 990               | .077          |
| T5-455-16 | 7762-1379   | 91              | 455               | .035          | T5-1075-16 | 7762-1406   | 215             | 1075              | .083          |
| T5-475-16 | 7762-1380   | 95              | 475               | .037          | T5-1100-16 | 7762-1407   | 220             | 1100              | .085          |
| T5-480-16 | 7762-1381   | 96              | 480               | .037          | T5-1215-16 | 7762-1408   | 243             | 1215              | .094          |
| T5-500-16 | 7762-1382   | 100             | 500               | .039          | T5-1315-16 | 7762-1409   | 263             | 1315              | .102          |
| T5-510-16 | 7762-1383   | 102             | 510               | .039          | T5-1380-16 | 7762-1410   | 276             | 1380              | .107          |

### T5 Pitch — 20mm Wide

| Part No.  | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) | Part No.  | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|-----------|-------------|-----------------|-------------------|---------------|-----------|-------------|-----------------|-------------------|---------------|
| T5-150-20 | 7762-1420   | 30              | 150               | .015          | T5-200-20 | 7762-1424   | 40              | 200               | .019          |
| T5-165-20 | 7762-1421   | 33              | 165               | .016          | T5-215-20 | 7762-1425   | 43              | 215               | .021          |
| T5-180-20 | 7762-1422   | 36              | 180               | .017          | T5-220-20 | 7762-1426   | 44              | 220               | .021          |
| T5-185-20 | 7762-1423   | 37              | 185               | .018          | T5-225-20 | 7762-1427   | 45              | 225               | .022          |



# Synchro-Power® Polyurethane Belts

## Product No. Series 7762 (continued)

### T5 Pitch — 20mm Wide (continued)

| Part No.  | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) | Part No.   | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|-----------|-------------|-----------------|-------------------|---------------|------------|-------------|-----------------|-------------------|---------------|
| T5-245-20 | 7762-1428   | 49              | 245               | .024          | T5-575-20  | 7762-1458   | 115             | 575               | .056          |
| T5-250-20 | 7762-1429   | 50              | 250               | .024          | T5-590-20  | 7762-0496   | 118             | 590               | .057          |
| T5-255-20 | 7762-1430   | 51              | 255               | .025          | T5-600-20  | 7762-0484   | 120             | 600               | .058          |
| T5-260-20 | 7762-1431   | 52              | 260               | .025          | T5-610-20  | 7762-1459   | 122             | 610               | .059          |
| T5-270-20 | 7762-1432   | 54              | 270               | .026          | T5-620-20  | 7762-1460   | 124             | 620               | .060          |
| T5-275-20 | 7762-1433   | 55              | 275               | .027          | T5-630-20  | 7762-1461   | 126             | 630               | .061          |
| T5-280-20 | 7762-1434   | 56              | 280               | .027          | T5-640-20  | 7762-1462   | 128             | 640               | .062          |
| T5-295-20 | 7762-1435   | 59              | 295               | .029          | T5-650-20  | 7762-1463   | 130             | 650               | .063          |
| T5-305-20 | 7762-1436   | 61              | 305               | .030          | T5-660-20  | 7762-1464   | 132             | 660               | .064          |
| T5-330-20 | 7762-1438   | 66              | 330               | .032          | T5-675-20  | 7762-1465   | 135             | 675               | .065          |
| T5-340-20 | 7762-1439   | 68              | 340               | .033          | T5-690-20  | 7762-1466   | 138             | 690               | .067          |
| T5-350-20 | 7762-1440   | 70              | 350               | .034          | T5-700-20  | 7762-1467   | 140             | 700               | .068          |
| T5-355-20 | 7762-1441   | 71              | 355               | .034          | T5-720-20  | 7762-1468   | 144             | 720               | .070          |
| T5-365-20 | 7762-1442   | 73              | 365               | .035          | T5-725-20  | 7762-0460   | 145             | 725               | .070          |
| T5-390-20 | 7762-1443   | 78              | 390               | .038          | T5-750-20  | 7762-1469   | 150             | 750               | .073          |
| T5-400-20 | 7762-1444   | 80              | 400               | .039          | T5-780-20  | 7762-1470   | 156             | 780               | .076          |
| T5-410-20 | 7762-1445   | 82              | 410               | .040          | T5-800-20  | 7762-0370   | 160             | 800               | .077          |
| T5-420-20 | 7762-1446   | 84              | 420               | .041          | T5-815-20  | 7762-1471   | 163             | 815               | .079          |
| T5-445-20 | 7762-1447   | 89              | 445               | .043          | T5-830-20  | 7762-0610   | 166             | 830               | .080          |
| T5-450-20 | 7762-1448   | 90              | 450               | .044          | T5-840-20  | 7762-1472   | 168             | 840               | .081          |
| T5-455-20 | 7762-1449   | 91              | 455               | .044          | T5-850-20  | 7762-0384   | 170             | 850               | .082          |
| T5-475-20 | 7762-1450   | 95              | 475               | .046          | T5-900-20  | 7762-1473   | 180             | 900               | .087          |
| T5-480-20 | 7762-1451   | 96              | 480               | .046          | T5-940-20  | 7762-1474   | 188             | 940               | .091          |
| T5-500-20 | 7762-1452   | 100             | 500               | .048          | T5-990-20  | 7762-1475   | 198             | 990               | .096          |
| T5-510-20 | 7762-1453   | 102             | 510               | .049          | T5-1075-20 | 7762-1476   | 215             | 1075              | .104          |
| T5-525-20 | 7762-1454   | 105             | 525               | .051          | T5-1100-20 | 7762-1477   | 220             | 1100              | .106          |
| T5-545-20 | 7762-1455   | 109             | 545               | .053          | T5-1215-20 | 7762-1478   | 243             | 1215              | .118          |
| T5-550-20 | 7762-1456   | 110             | 550               | .053          | T5-1315-20 | 7762-1479   | 263             | 1315              | .127          |
| T5-560-20 | 7762-1457   | 112             | 560               | .054          | T5-1380-20 | 7762-1480   | 276             | 1380              | .134          |

### T5 Pitch — 25mm Wide

| Part No.  | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) | Part No.  | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|-----------|-------------|-----------------|-------------------|---------------|-----------|-------------|-----------------|-------------------|---------------|
| T5-150-25 | 7762-1490   | 30              | 150               | .018          | T5-420-25 | 7762-1516   | 84              | 420               | .051          |
| T5-165-25 | 7762-1491   | 33              | 165               | .020          | T5-445-25 | 7762-1517   | 89              | 445               | .054          |
| T5-180-25 | 7762-1492   | 36              | 180               | .022          | T5-450-25 | 7762-1518   | 90              | 450               | .054          |
| T5-185-25 | 7762-1493   | 37              | 185               | .022          | T5-455-25 | 7762-1519   | 91              | 455               | .055          |
| T5-200-25 | 7762-1494   | 40              | 200               | .024          | T5-475-25 | 7762-1520   | 95              | 475               | .057          |
| T5-215-25 | 7762-1495   | 43              | 215               | .026          | T5-480-25 | 7762-1521   | 96              | 480               | .058          |
| T5-220-25 | 7762-1496   | 44              | 220               | .027          | T5-500-25 | 7762-1522   | 100             | 500               | .061          |
| T5-225-25 | 7762-1497   | 45              | 225               | .027          | T5-510-25 | 7762-1523   | 102             | 510               | .062          |
| T5-245-25 | 7762-1498   | 49              | 245               | .030          | T5-525-25 | 7762-1524   | 105             | 525               | .064          |
| T5-250-25 | 7762-1499   | 50              | 250               | .030          | T5-545-25 | 7762-1525   | 109             | 545               | .066          |
| T5-255-25 | 7762-1500   | 51              | 255               | .031          | T5-550-25 | 7762-1526   | 110             | 550               | .067          |
| T5-260-25 | 7762-1501   | 52              | 260               | .031          | T5-560-25 | 7762-1527   | 112             | 560               | .068          |
| T5-270-25 | 7762-1502   | 54              | 270               | .033          | T5-575-25 | 7762-1528   | 115             | 575               | .070          |
| T5-275-25 | 7762-1503   | 55              | 275               | .033          | T5-590-25 | 7762-0497   | 118             | 590               | .071          |
| T5-280-25 | 7762-1504   | 56              | 280               | .034          | T5-600-25 | 7762-0485   | 120             | 600               | .073          |
| T5-295-25 | 7762-1505   | 59              | 295               | .036          | T5-610-25 | 7762-1529   | 122             | 610               | .074          |
| T5-305-25 | 7762-1506   | 61              | 305               | .037          | T5-620-25 | 7762-1530   | 124             | 620               | .075          |
| T5-330-25 | 7762-1508   | 66              | 330               | .040          | T5-630-25 | 7762-1531   | 126             | 630               | .076          |
| T5-340-25 | 7762-1509   | 68              | 340               | .041          | T5-640-25 | 7762-1532   | 128             | 640               | .077          |
| T5-350-25 | 7762-1510   | 70              | 350               | .042          | T5-650-25 | 7762-1533   | 130             | 650               | .079          |
| T5-355-25 | 7762-1511   | 71              | 355               | .043          | T5-660-25 | 7762-1534   | 132             | 660               | .080          |
| T5-365-25 | 7762-1512   | 73              | 365               | .044          | T5-675-25 | 7762-1535   | 135             | 675               | .082          |
| T5-390-25 | 7762-1513   | 78              | 390               | .047          | T5-690-25 | 7762-1536   | 138             | 690               | .083          |
| T5-400-25 | 7762-1514   | 80              | 400               | .048          | T5-700-25 | 7762-1537   | 140             | 700               | .085          |
| T5-410-25 | 7762-1515   | 82              | 410               | .050          | T5-720-25 | 7762-1538   | 144             | 720               | .087          |



# Synchro-Power® Polyurethane Belts

## Product No. Series 7762 (continued)

### T5 Pitch — 25mm Wide (continued)

| Part No.  | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) | Part No.   | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|-----------|-------------|-----------------|-------------------|---------------|------------|-------------|-----------------|-------------------|---------------|
| T5-725-25 | 7762-0461   | 145             | 725               | .088          | T5-900-25  | 7762-1543   | 180             | 900               | .109          |
| T5-750-25 | 7762-1539   | 150             | 750               | .091          | T5-940-25  | 7762-1544   | 188             | 940               | .114          |
| T5-780-25 | 7762-1540   | 156             | 780               | .094          | T5-990-25  | 7762-1545   | 198             | 990               | .120          |
| T5-800-25 | 7762-0371   | 160             | 800               | .097          | T5-1075-25 | 7762-1546   | 215             | 1075              | .130          |
| T5-815-25 | 7762-1541   | 163             | 815               | .099          | T5-1100-25 | 7762-1547   | 220             | 1100              | .133          |
| T5-830-25 | 7762-0611   | 166             | 830               | .100          | T5-1215-25 | 7762-1548   | 243             | 1215              | .147          |
| T5-840-25 | 7762-1542   | 168             | 840               | .102          | T5-1315-25 | 7762-1549   | 263             | 1315              | .159          |
| T5-850-25 | 7762-0385   | 170             | 850               | .103          | T5-1380-25 | 7762-1550   | 276             | 1380              | .167          |

### T5 Pitch — 32mm Wide

| Part No.  | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) | Part No.   | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|-----------|-------------|-----------------|-------------------|---------------|------------|-------------|-----------------|-------------------|---------------|
| T5-150-32 | 7762-1560   | 30              | 150               | .023          | T5-525-32  | 7762-1594   | 105             | 525               | .081          |
| T5-165-32 | 7762-1561   | 33              | 165               | .026          | T5-545-32  | 7762-1595   | 109             | 545               | .084          |
| T5-180-32 | 7762-1562   | 36              | 180               | .028          | T5-550-32  | 7762-1596   | 110             | 550               | .085          |
| T5-185-32 | 7762-1563   | 37              | 185               | .029          | T5-560-32  | 7762-1597   | 112             | 560               | .087          |
| T5-200-32 | 7762-1564   | 40              | 200               | .031          | T5-575-32  | 7762-1598   | 115             | 575               | .089          |
| T5-215-32 | 7762-1565   | 43              | 215               | .033          | T5-590-32  | 7762-0498   | 118             | 590               | .091          |
| T5-220-32 | 7762-1566   | 44              | 220               | .034          | T5-600-32  | 7762-0486   | 120             | 600               | .093          |
| T5-225-32 | 7762-1567   | 45              | 225               | .035          | T5-610-32  | 7762-1599   | 122             | 610               | .094          |
| T5-245-32 | 7762-1568   | 49              | 245               | .038          | T5-620-32  | 7762-1600   | 124             | 620               | .096          |
| T5-250-32 | 7762-1569   | 50              | 250               | .039          | T5-630-32  | 7762-1601   | 126             | 630               | .098          |
| T5-255-32 | 7762-1570   | 51              | 255               | .039          | T5-640-32  | 7762-1602   | 128             | 640               | .099          |
| T5-260-32 | 7762-1571   | 52              | 260               | .040          | T5-650-32  | 7762-1603   | 130             | 650               | .101          |
| T5-270-32 | 7762-1572   | 54              | 270               | .042          | T5-660-32  | 7762-1604   | 132             | 660               | .102          |
| T5-275-32 | 7762-1573   | 55              | 275               | .043          | T5-675-32  | 7762-1605   | 135             | 675               | .105          |
| T5-280-32 | 7762-1574   | 56              | 280               | .043          | T5-690-32  | 7762-1606   | 138             | 690               | .107          |
| T5-295-32 | 7762-1575   | 59              | 295               | .046          | T5-700-32  | 7762-1607   | 140             | 700               | .108          |
| T5-305-32 | 7762-1576   | 61              | 305               | .047          | T5-720-32  | 7762-1608   | 144             | 720               | .112          |
| T5-330-32 | 7762-1578   | 66              | 330               | .051          | T5-725-32  | 7762-0462   | 145             | 725               | .112          |
| T5-340-32 | 7762-1579   | 68              | 340               | .053          | T5-750-32  | 7762-1609   | 150             | 750               | .116          |
| T5-350-32 | 7762-1580   | 70              | 350               | .054          | T5-780-32  | 7762-1610   | 156             | 780               | .121          |
| T5-355-32 | 7762-1581   | 71              | 355               | .055          | T5-800-32  | 7762-0372   | 160             | 800               | .124          |
| T5-365-32 | 7762-1582   | 73              | 365               | .057          | T5-815-32  | 7762-1611   | 163             | 815               | .126          |
| T5-390-32 | 7762-1583   | 78              | 390               | .060          | T5-830-32  | 7762-0612   | 166             | 830               | .129          |
| T5-400-32 | 7762-1584   | 80              | 400               | .062          | T5-840-32  | 7762-1612   | 168             | 840               | .130          |
| T5-410-32 | 7762-1585   | 82              | 410               | .064          | T5-850-32  | 7762-0386   | 170             | 850               | .132          |
| T5-420-32 | 7762-1586   | 84              | 420               | .065          | T5-900-32  | 7762-1613   | 180             | 900               | .139          |
| T5-445-32 | 7762-1587   | 89              | 445               | .069          | T5-940-32  | 7762-1614   | 188             | 940               | .146          |
| T5-450-32 | 7762-1588   | 90              | 450               | .070          | T5-990-32  | 7762-1615   | 198             | 990               | .153          |
| T5-455-32 | 7762-1589   | 91              | 455               | .070          | T5-1075-32 | 7762-1616   | 215             | 1075              | .166          |
| T5-475-32 | 7762-1590   | 95              | 475               | .074          | T5-1100-32 | 7762-1617   | 220             | 1100              | .170          |
| T5-480-32 | 7762-1591   | 96              | 480               | .074          | T5-1215-32 | 7762-1618   | 243             | 1215              | .188          |
| T5-500-32 | 7762-1592   | 100             | 500               | .077          | T5-1315-32 | 7762-1619   | 263             | 1315              | .204          |
| T5-510-32 | 7762-1593   | 102             | 510               | .079          | T5-1380-32 | 7762-1620   | 276             | 1380              | .214          |

### T5 Pitch — 50mm Wide

| Part No.  | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) | Part No.  | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|-----------|-------------|-----------------|-------------------|---------------|-----------|-------------|-----------------|-------------------|---------------|
| T5-150-50 | 7762-1630   | 30              | 150               | .036          | T5-245-50 | 7762-1638   | 49              | 245               | .059          |
| T5-165-50 | 7762-1631   | 33              | 165               | .040          | T5-250-50 | 7762-1639   | 50              | 250               | .061          |
| T5-180-50 | 7762-1632   | 36              | 180               | .044          | T5-255-50 | 7762-1640   | 51              | 255               | .062          |
| T5-185-50 | 7762-1633   | 37              | 185               | .045          | T5-260-50 | 7762-1641   | 52              | 260               | .063          |
| T5-200-50 | 7762-1634   | 40              | 200               | .048          | T5-270-50 | 7762-1642   | 54              | 270               | .065          |
| T5-215-50 | 7762-1635   | 43              | 215               | .052          | T5-275-50 | 7762-1643   | 55              | 275               | .067          |
| T5-220-50 | 7762-1636   | 44              | 220               | .053          | T5-280-50 | 7762-1644   | 56              | 280               | .068          |
| T5-225-50 | 7762-1637   | 45              | 225               | .054          | T5-295-50 | 7762-1645   | 59              | 295               | .071          |

SYNCHRO-POWER BELTS





# Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

T5 Pitch — 50mm Wide (continued)

| Part No.  | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) | Part No.   | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|-----------|-------------|-----------------|-------------------|---------------|------------|-------------|-----------------|-------------------|---------------|
| T5-305-50 | 7762-1646   | 61              | 305               | .074          | T5-620-50  | 7762-1670   | 124             | 620               | .150          |
| T5-330-50 | 7762-1648   | 66              | 330               | .080          | T5-630-50  | 7762-1671   | 126             | 630               | .152          |
| T5-340-50 | 7762-1649   | 68              | 340               | .082          | T5-640-50  | 7762-1672   | 128             | 640               | .155          |
| T5-350-50 | 7762-1650   | 70              | 350               | .085          | T5-650-50  | 7762-1673   | 130             | 650               | .157          |
| T5-355-50 | 7762-1651   | 71              | 355               | .086          | T5-660-50  | 7762-1674   | 132             | 660               | .160          |
| T5-365-50 | 7762-1652   | 73              | 365               | .088          | T5-675-50  | 7762-1675   | 135             | 675               | .163          |
| T5-390-50 | 7762-1653   | 78              | 390               | .094          | T5-690-50  | 7762-1676   | 138             | 690               | .167          |
| T5-400-50 | 7762-1654   | 80              | 400               | .097          | T5-700-50  | 7762-1677   | 140             | 700               | .169          |
| T5-410-50 | 7762-1655   | 82              | 410               | .099          | T5-720-50  | 7762-1678   | 144             | 720               | .174          |
| T5-420-50 | 7762-1656   | 84              | 420               | .102          | T5-725-50  | 7762-0463   | 145             | 725               | .175          |
| T5-445-50 | 7762-1657   | 89              | 445               | .108          | T5-750-50  | 7762-1679   | 150             | 750               | .182          |
| T5-450-50 | 7762-1658   | 90              | 450               | .109          | T5-780-50  | 7762-1680   | 156             | 780               | .189          |
| T5-455-50 | 7762-1659   | 91              | 455               | .110          | T5-800-50  | 7762-0373   | 160             | 800               | .194          |
| T5-475-50 | 7762-1660   | 95              | 475               | .115          | T5-815-50  | 7762-1681   | 163             | 815               | .197          |
| T5-480-50 | 7762-1661   | 96              | 480               | .116          | T5-830-50  | 7762-0613   | 166             | 830               | .201          |
| T5-500-50 | 7762-1662   | 100             | 500               | .121          | T5-840-50  | 7762-1682   | 168             | 840               | .203          |
| T5-510-50 | 7762-1663   | 102             | 510               | .123          | T5-850-50  | 7762-0387   | 170             | 850               | .206          |
| T5-525-50 | 7762-1664   | 105             | 525               | .127          | T5-900-50  | 7762-1683   | 180             | 900               | .218          |
| T5-545-50 | 7762-1665   | 109             | 545               | .132          | T5-940-50  | 7762-1684   | 188             | 940               | .227          |
| T5-550-50 | 7762-1666   | 110             | 550               | .133          | T5-990-50  | 7762-1685   | 198             | 990               | .240          |
| T5-560-50 | 7762-1667   | 112             | 560               | .136          | T5-1075-50 | 7762-1686   | 215             | 1075              | .260          |
| T5-575-50 | 7762-1668   | 115             | 575               | .139          | T5-1100-50 | 7762-1687   | 220             | 1100              | .266          |
| T5-590-50 | 7762-0499   | 118             | 590               | .143          | T5-1215-50 | 7762-1688   | 243             | 1215              | .294          |
| T5-600-50 | 7762-0487   | 120             | 600               | .145          | T5-1315-50 | 7762-1689   | 263             | 1315              | .318          |
| T5-610-50 | 7762-1669   | 122             | 610               | .148          | T5-1380-50 | 7762-1690   | 276             | 1380              | .334          |

T5 Pitch — 75mm Wide

| Part No.  | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) | Part No.  | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|-----------|-------------|-----------------|-------------------|---------------|-----------|-------------|-----------------|-------------------|---------------|
| T5-150-75 | 7762-1700   | 30              | 150               | .054          | T5-480-75 | 7762-1731   | 96              | 480               | .174          |
| T5-165-75 | 7762-1701   | 33              | 165               | .060          | T5-500-75 | 7762-1732   | 100             | 500               | .182          |
| T5-180-75 | 7762-1702   | 36              | 180               | .065          | T5-510-75 | 7762-1733   | 102             | 510               | .185          |
| T5-185-75 | 7762-1703   | 37              | 185               | .067          | T5-525-75 | 7762-1734   | 105             | 525               | .191          |
| T5-200-75 | 7762-1704   | 40              | 200               | .073          | T5-545-75 | 7762-1735   | 109             | 545               | .198          |
| T5-215-75 | 7762-1705   | 43              | 215               | .078          | T5-550-75 | 7762-1736   | 110             | 550               | .200          |
| T5-220-75 | 7762-1706   | 44              | 220               | .080          | T5-560-75 | 7762-1737   | 112             | 560               | .203          |
| T5-225-75 | 7762-1707   | 45              | 225               | .082          | T5-575-75 | 7762-1738   | 115             | 575               | .209          |
| T5-245-75 | 7762-1708   | 49              | 245               | .089          | T5-590-75 | 7762-0500   | 118             | 590               | .214          |
| T5-250-75 | 7762-1709   | 50              | 250               | .091          | T5-600-75 | 7762-0488   | 120             | 600               | .218          |
| T5-255-75 | 7762-1710   | 51              | 255               | .093          | T5-610-75 | 7762-1739   | 122             | 610               | .221          |
| T5-260-75 | 7762-1711   | 52              | 260               | .094          | T5-620-75 | 7762-1740   | 124             | 620               | .225          |
| T5-270-75 | 7762-1712   | 54              | 270               | .098          | T5-630-75 | 7762-1741   | 126             | 630               | .229          |
| T5-275-75 | 7762-1713   | 55              | 275               | .100          | T5-640-75 | 7762-1742   | 128             | 640               | .232          |
| T5-280-75 | 7762-1714   | 56              | 280               | .102          | T5-650-75 | 7762-1743   | 130             | 650               | .236          |
| T5-295-75 | 7762-1715   | 59              | 295               | .107          | T5-660-75 | 7762-1744   | 132             | 660               | .240          |
| T5-305-75 | 7762-1716   | 61              | 305               | .111          | T5-675-75 | 7762-1745   | 135             | 675               | .245          |
| T5-330-75 | 7762-1718   | 66              | 330               | .120          | T5-690-75 | 7762-1746   | 138             | 690               | .250          |
| T5-340-75 | 7762-1719   | 68              | 340               | .123          | T5-700-75 | 7762-1747   | 140             | 700               | .254          |
| T5-350-75 | 7762-1720   | 70              | 350               | .127          | T5-720-75 | 7762-1748   | 144             | 720               | .261          |
| T5-355-75 | 7762-1721   | 71              | 355               | .129          | T5-725-75 | 7762-0464   | 145             | 725               | .263          |
| T5-365-75 | 7762-1722   | 73              | 365               | .132          | T5-750-75 | 7762-1749   | 150             | 750               | .272          |
| T5-390-75 | 7762-1723   | 78              | 390               | .142          | T5-780-75 | 7762-1750   | 156             | 780               | .283          |
| T5-400-75 | 7762-1724   | 80              | 400               | .145          | T5-800-75 | 7762-0374   | 160             | 800               | .290          |
| T5-410-75 | 7762-1725   | 82              | 410               | .149          | T5-815-75 | 7762-1751   | 163             | 815               | .296          |
| T5-420-75 | 7762-1726   | 84              | 420               | .152          | T5-830-75 | 7762-0614   | 166             | 830               | .301          |
| T5-445-75 | 7762-1727   | 89              | 445               | .162          | T5-840-75 | 7762-1752   | 168             | 840               | .305          |
| T5-450-75 | 7762-1728   | 90              | 450               | .163          | T5-850-75 | 7762-0388   | 170             | 850               | .309          |
| T5-455-75 | 7762-1729   | 91              | 455               | .165          | T5-900-75 | 7762-1753   | 180             | 900               | .327          |
| T5-475-75 | 7762-1730   | 95              | 475               | .172          | T5-940-75 | 7762-1754   | 188             | 940               | .341          |



# Synchro-Power® Polyurethane Belts

## Product No. Series 7762 (continued)

### T5 Pitch — 75mm Wide (continued)

| Part No.   | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) | Part No.   | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|------------|-------------|-----------------|-------------------|---------------|------------|-------------|-----------------|-------------------|---------------|
| T5-990-75  | 7762-1755   | 198             | 990               | .359          | T5-1215-75 | 7762-1758   | 243             | 1215              | .441          |
| T5-1075-75 | 7762-1756   | 215             | 1075              | .390          | T5-1315-75 | 7762-1759   | 263             | 1315              | .477          |
| T5-1100-75 | 7762-1757   | 220             | 1100              | .399          | T5-1380-75 | 7762-1760   | 276             | 1380              | .501          |

### T5 Pitch — 200mm Wide

| Part No.   | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) | Part No.   | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|------------|-------------|-----------------|-------------------|---------------|------------|-------------|-----------------|-------------------|---------------|
| T5-750-200 | 7762-1819   | 150             | 750               | .726          | T5-830-200 | 7762-0615   | 166             | 830               | .803          |
| T5-780-200 | 7762-1820   | 156             | 780               | .755          |            |             |                 |                   |               |

### T10 Pitch — 10mm Wide

| Part No.   | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) | Part No.    | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|------------|-------------|-----------------|-------------------|---------------|-------------|-------------|-----------------|-------------------|---------------|
| T10-260-10 | 7762-2000   | 26              | 260               | .025          | T10-980-10  | 7762-2028   | 98              | 980               | .093          |
| T10-370-10 | 7762-2001   | 37              | 370               | .035          | T10-1000-10 | 7762-0352   | 100             | 1000              | .095          |
| T10-400-10 | 7762-2002   | 40              | 400               | .038          | T10-1010-10 | 7762-2029   | 101             | 1010              | .096          |
| T10-410-10 | 7762-2003   | 41              | 410               | .039          | T10-1080-10 | 7762-2030   | 108             | 1080              | .102          |
| T10-440-10 | 7762-2004   | 44              | 440               | .042          | T10-1100-10 | 7762-2031   | 110             | 1100              | .104          |
| T10-450-10 | 7762-2005   | 45              | 450               | .043          | T10-1110-10 | 7762-2032   | 111             | 1110              | .105          |
| T10-500-10 | 7762-2006   | 50              | 500               | .047          | T10-1140-10 | 7762-2033   | 114             | 1140              | .108          |
| T10-530-10 | 7762-2007   | 53              | 530               | .050          | T10-1150-10 | 7762-2034   | 115             | 1150              | .109          |
| T10-560-10 | 7762-2008   | 56              | 560               | .053          | T10-1210-10 | 7762-2035   | 121             | 1210              | .114          |
| T10-600-10 | 7762-2009   | 60              | 600               | .057          | T10-1240-10 | 7762-2036   | 124             | 1240              | .117          |
| T10-610-10 | 7762-2010   | 61              | 610               | .058          | T10-1250-10 | 7762-2037   | 125             | 1250              | .118          |
| T10-630-10 | 7762-2011   | 63              | 630               | .060          | T10-1300-10 | 7762-2038   | 130             | 1300              | .123          |
| T10-660-10 | 7762-2012   | 66              | 660               | .062          | T10-1320-10 | 7762-2039   | 132             | 1320              | .125          |
| T10-690-10 | 7762-2013   | 69              | 690               | .065          | T10-1350-10 | 7762-2040   | 135             | 1350              | .128          |
| T10-700-10 | 7762-2014   | 70              | 700               | .066          | T10-1390-10 | 7762-2041   | 139             | 1390              | .131          |
| T10-720-10 | 7762-2015   | 72              | 720               | .068          | T10-1400-10 | 7762-2042   | 140             | 1400              | .132          |
| T10-730-10 | 7762-2016   | 73              | 730               | .069          | T10-1420-10 | 7762-2043   | 142             | 1420              | .134          |
| T10-750-10 | 7762-2017   | 75              | 750               | .071          | T10-1450-10 | 7762-2044   | 145             | 1450              | .137          |
| T10-780-10 | 7762-2018   | 78              | 780               | .074          | T10-1460-10 | 7762-2045   | 146             | 1460              | .138          |
| T10-800-10 | 7762-0326   | 80              | 800               | .076          | T10-1500-10 | 7762-2046   | 150             | 1500              | .142          |
| T10-810-10 | 7762-2019   | 81              | 810               | .077          | T10-1560-10 | 7762-2047   | 156             | 1560              | .148          |
| T10-840-10 | 7762-2020   | 84              | 840               | .079          | T10-1600-10 | 7762-0616   | 160             | 1600              | .151          |
| T10-880-10 | 7762-2021   | 88              | 880               | .083          | T10-1610-10 | 7762-2048   | 161             | 1610              | .152          |
| T10-890-10 | 7762-2022   | 89              | 890               | .084          | T10-1700-10 | 7762-0593   | 170             | 1700              | .161          |
| T10-900-10 | 7762-2023   | 90              | 900               | .085          | T10-1750-10 | 7762-2049   | 175             | 1750              | .166          |
| T10-910-10 | 7762-2024   | 91              | 910               | .086          | T10-1780-10 | 7762-2050   | 178             | 1780              | .168          |
| T10-920-10 | 7762-2025   | 92              | 920               | .087          | T10-1880-10 | 7762-2051   | 188             | 1880              | .178          |
| T10-950-10 | 7762-0339   | 95              | 950               | .090          | T10-1960-10 | 7762-2052   | 196             | 1960              | .185          |
| T10-960-10 | 7762-2026   | 96              | 960               | .091          | T10-2250-10 | 7762-2053   | 225             | 2250              | .213          |
| T10-970-10 | 7762-2027   | 97              | 970               | .092          |             |             |                 |                   |               |

### T10 Pitch — 12mm Wide

| Part No.   | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) | Part No.   | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|------------|-------------|-----------------|-------------------|---------------|------------|-------------|-----------------|-------------------|---------------|
| T10-260-12 | 7762-2054   | 26              | 260               | .030          | T10-600-12 | 7762-2063   | 60              | 600               | .068          |
| T10-370-12 | 7762-2055   | 37              | 370               | .042          | T10-610-12 | 7762-2064   | 61              | 610               | .069          |
| T10-400-12 | 7762-2056   | 40              | 400               | .045          | T10-630-12 | 7762-2065   | 63              | 630               | .072          |
| T10-410-12 | 7762-2057   | 41              | 410               | .047          | T10-660-12 | 7762-2066   | 66              | 660               | .075          |
| T10-440-12 | 7762-2058   | 44              | 440               | .050          | T10-690-12 | 7762-2067   | 69              | 690               | .078          |
| T10-450-12 | 7762-2059   | 45              | 450               | .051          | T10-700-12 | 7762-2068   | 70              | 700               | .079          |
| T10-500-12 | 7762-2060   | 50              | 500               | .057          | T10-720-12 | 7762-2069   | 72              | 720               | .082          |
| T10-530-12 | 7762-2061   | 53              | 530               | .060          | T10-730-12 | 7762-2070   | 73              | 730               | .083          |
| T10-560-12 | 7762-2062   | 56              | 560               | .064          | T10-750-12 | 7762-2071   | 75              | 750               | .085          |



# Synchro-Power® Polyurethane Belts

## Product No. Series 7762 (continued)

### T10 Pitch — 12mm Wide (continued)

| Part No.    | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|
| T10-780-12  | 7762-2072   | 78              | 780               | .089          |
| T10-800-12  | 7762-0327   | 80              | 800               | .091          |
| T10-810-12  | 7762-2073   | 81              | 810               | .092          |
| T10-840-12  | 7762-2074   | 84              | 840               | .095          |
| T10-880-12  | 7762-2075   | 88              | 880               | .100          |
| T10-890-12  | 7762-2076   | 89              | 890               | .101          |
| T10-900-12  | 7762-2077   | 90              | 900               | .102          |
| T10-910-12  | 7762-2078   | 91              | 910               | .103          |
| T10-920-12  | 7762-2079   | 92              | 920               | .104          |
| T10-950-12  | 7762-0340   | 95              | 950               | .108          |
| T10-960-12  | 7762-2080   | 96              | 960               | .109          |
| T10-970-12  | 7762-2081   | 97              | 970               | .110          |
| T10-980-12  | 7762-2082   | 98              | 980               | .111          |
| T10-1000-12 | 7762-0353   | 100             | 1000              | .114          |
| T10-1010-12 | 7762-2083   | 101             | 1010              | .115          |
| T10-1080-12 | 7762-2084   | 108             | 1080              | .123          |
| T10-1100-12 | 7762-2085   | 110             | 1100              | .125          |
| T10-1110-12 | 7762-2086   | 111             | 1110              | .126          |
| T10-1140-12 | 7762-2087   | 114             | 1140              | .129          |
| T10-1150-12 | 7762-2088   | 115             | 1150              | .131          |
| T10-1210-12 | 7762-2089   | 121             | 1210              | .137          |

| Part No.    | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|
| T10-1240-12 | 7762-2090   | 124             | 1240              | .141          |
| T10-1250-12 | 7762-2091   | 125             | 1250              | .142          |
| T10-1300-12 | 7762-2092   | 130             | 1300              | .148          |
| T10-1320-12 | 7762-2093   | 132             | 1320              | .150          |
| T10-1350-12 | 7762-2094   | 135             | 1350              | .153          |
| T10-1390-12 | 7762-2095   | 139             | 1390              | .158          |
| T10-1400-12 | 7762-2096   | 140             | 1400              | .159          |
| T10-1420-12 | 7762-2097   | 142             | 1420              | .161          |
| T10-1450-12 | 7762-2098   | 145             | 1450              | .165          |
| T10-1460-12 | 7762-2099   | 146             | 1460              | .166          |
| T10-1500-12 | 7762-2100   | 150             | 1500              | .170          |
| T10-1560-12 | 7762-2101   | 156             | 1560              | .177          |
| T10-1600-12 | 7762-0617   | 160             | 1600              | .182          |
| T10-1610-12 | 7762-2102   | 161             | 1610              | .183          |
| T10-1700-12 | 7762-0594   | 170             | 1700              | .193          |
| T10-1750-12 | 7762-2103   | 175             | 1750              | .199          |
| T10-1780-12 | 7762-2104   | 178             | 1780              | .202          |
| T10-1880-12 | 7762-2105   | 188             | 1880              | .213          |
| T10-1960-12 | 7762-2106   | 196             | 1960              | .222          |
| T10-2250-12 | 7762-2107   | 225             | 2250              | .255          |

### T10 Pitch — 14mm Wide

| Part No.   | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|------------|-------------|-----------------|-------------------|---------------|
| T10-260-14 | 7762-2108   | 26              | 260               | .034          |
| T10-370-14 | 7762-2109   | 37              | 370               | .049          |
| T10-400-14 | 7762-2110   | 40              | 400               | .053          |
| T10-410-14 | 7762-2111   | 41              | 410               | .054          |
| T10-440-14 | 7762-2112   | 44              | 440               | .058          |
| T10-450-14 | 7762-2113   | 45              | 450               | .060          |
| T10-500-14 | 7762-2114   | 50              | 500               | .066          |
| T10-530-14 | 7762-2115   | 53              | 530               | .070          |
| T10-560-14 | 7762-2116   | 56              | 560               | .074          |
| T10-600-14 | 7762-2117   | 60              | 600               | .079          |
| T10-610-14 | 7762-2118   | 61              | 610               | .081          |
| T10-630-14 | 7762-2119   | 63              | 630               | .083          |
| T10-660-14 | 7762-2120   | 66              | 660               | .087          |
| T10-690-14 | 7762-2121   | 69              | 690               | .091          |
| T10-700-14 | 7762-2122   | 70              | 700               | .093          |
| T10-720-14 | 7762-2123   | 72              | 720               | .095          |
| T10-730-14 | 7762-2124   | 73              | 730               | .097          |
| T10-750-14 | 7762-2125   | 75              | 750               | .099          |
| T10-780-14 | 7762-2126   | 78              | 780               | .103          |
| T10-800-14 | 7762-0328   | 80              | 800               | .106          |
| T10-810-14 | 7762-2127   | 81              | 810               | .107          |
| T10-840-14 | 7762-2128   | 84              | 840               | .111          |
| T10-880-14 | 7762-2129   | 88              | 880               | .117          |
| T10-890-14 | 7762-2130   | 89              | 890               | .118          |
| T10-900-14 | 7762-2131   | 90              | 900               | .119          |
| T10-910-14 | 7762-2132   | 91              | 910               | .121          |
| T10-920-14 | 7762-2133   | 92              | 920               | .122          |
| T10-950-14 | 7762-0341   | 95              | 950               | .126          |
| T10-960-14 | 7762-2134   | 96              | 960               | .127          |
| T10-970-14 | 7762-2135   | 97              | 970               | .128          |

| Part No.    | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|
| T10-980-14  | 7762-2136   | 98              | 980               | .130          |
| T10-1000-14 | 7762-0354   | 100             | 1000              | .132          |
| T10-1010-14 | 7762-2137   | 101             | 1010              | .134          |
| T10-1080-14 | 7762-2138   | 108             | 1080              | .143          |
| T10-1100-14 | 7762-2139   | 110             | 1100              | .146          |
| T10-1110-14 | 7762-2140   | 111             | 1110              | .147          |
| T10-1140-14 | 7762-2141   | 114             | 1140              | .151          |
| T10-1150-14 | 7762-2142   | 115             | 1150              | .152          |
| T10-1210-14 | 7762-2143   | 121             | 1210              | .160          |
| T10-1240-14 | 7762-2144   | 124             | 1240              | .164          |
| T10-1250-14 | 7762-2145   | 125             | 1250              | .166          |
| T10-1300-14 | 7762-2146   | 130             | 1300              | .172          |
| T10-1320-14 | 7762-2147   | 132             | 1320              | .175          |
| T10-1350-14 | 7762-2148   | 135             | 1350              | .179          |
| T10-1390-14 | 7762-2149   | 139             | 1390              | .184          |
| T10-1400-14 | 7762-2150   | 140             | 1400              | .185          |
| T10-1420-14 | 7762-2151   | 142             | 1420              | .188          |
| T10-1450-14 | 7762-2152   | 145             | 1450              | .192          |
| T10-1460-14 | 7762-2153   | 146             | 1460              | .193          |
| T10-1500-14 | 7762-2154   | 150             | 1500              | .199          |
| T10-1560-14 | 7762-2155   | 156             | 1560              | .207          |
| T10-1600-14 | 7762-0618   | 160             | 1600              | .212          |
| T10-1610-14 | 7762-2156   | 161             | 1610              | .213          |
| T10-1700-14 | 7762-0595   | 170             | 1700              | .225          |
| T10-1750-14 | 7762-2157   | 175             | 1750              | .232          |
| T10-1780-14 | 7762-2158   | 178             | 1780              | .236          |
| T10-1880-14 | 7762-2159   | 188             | 1880              | .249          |
| T10-1960-14 | 7762-2160   | 196             | 1960              | .260          |
| T10-2250-14 | 7762-2161   | 225             | 2250              | .298          |



# Synchro-Power® Polyurethane Belts

## Product No. Series 7762 (continued)

### T10 Pitch — 16mm Wide

| Part No.   | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) | Part No.    | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|------------|-------------|-----------------|-------------------|---------------|-------------|-------------|-----------------|-------------------|---------------|
| T10-260-16 | 7762-2165   | 26              | 260               | .039          | T10-980-16  | 7762-2193   | 98              | 980               | .148          |
| T10-370-16 | 7762-2166   | 37              | 370               | .056          | T10-1000-16 | 7762-0355   | 100             | 1000              | .151          |
| T10-400-16 | 7762-2167   | 40              | 400               | .061          | T10-1010-16 | 7762-2194   | 101             | 1010              | .153          |
| T10-410-16 | 7762-2168   | 41              | 410               | .062          | T10-1080-16 | 7762-2195   | 108             | 1080              | .163          |
| T10-440-16 | 7762-2169   | 44              | 440               | .067          | T10-1100-16 | 7762-2196   | 110             | 1100              | .166          |
| T10-450-16 | 7762-2170   | 45              | 450               | .068          | T10-1110-16 | 7762-2197   | 111             | 1110              | .168          |
| T10-500-16 | 7762-2171   | 50              | 500               | .076          | T10-1140-16 | 7762-2198   | 114             | 1140              | .173          |
| T10-530-16 | 7762-2172   | 53              | 530               | .080          | T10-1150-16 | 7762-2199   | 115             | 1150              | .174          |
| T10-560-16 | 7762-2173   | 56              | 560               | .085          | T10-1210-16 | 7762-2200   | 121             | 1210              | .183          |
| T10-600-16 | 7762-2174   | 60              | 600               | .091          | T10-1240-16 | 7762-2201   | 124             | 1240              | .188          |
| T10-610-16 | 7762-2175   | 61              | 610               | .092          | T10-1250-16 | 7762-2202   | 125             | 1250              | .189          |
| T10-630-16 | 7762-2176   | 63              | 630               | .095          | T10-1300-16 | 7762-2203   | 130             | 1300              | .197          |
| T10-660-16 | 7762-2177   | 66              | 660               | .100          | T10-1320-16 | 7762-2204   | 132             | 1320              | .200          |
| T10-690-16 | 7762-2178   | 69              | 690               | .104          | T10-1350-16 | 7762-2205   | 135             | 1350              | .204          |
| T10-700-16 | 7762-2179   | 70              | 700               | .106          | T10-1390-16 | 7762-2206   | 139             | 1390              | .210          |
| T10-720-16 | 7762-2180   | 72              | 720               | .109          | T10-1400-16 | 7762-2207   | 140             | 1400              | .212          |
| T10-730-16 | 7762-2181   | 73              | 730               | .110          | T10-1420-16 | 7762-2208   | 142             | 1420              | .215          |
| T10-750-16 | 7762-2182   | 75              | 750               | .114          | T10-1450-16 | 7762-2209   | 145             | 1450              | .219          |
| T10-780-16 | 7762-2183   | 78              | 780               | .118          | T10-1460-16 | 7762-2210   | 146             | 1460              | .221          |
| T10-800-16 | 7762-0329   | 80              | 800               | .121          | T10-1500-16 | 7762-2211   | 150             | 1500              | .227          |
| T10-810-16 | 7762-2184   | 81              | 810               | .123          | T10-1560-16 | 7762-2212   | 156             | 1560              | .236          |
| T10-840-16 | 7762-2185   | 84              | 840               | .127          | T10-1600-16 | 7762-0619   | 160             | 1600              | .242          |
| T10-880-16 | 7762-2186   | 88              | 880               | .133          | T10-1610-16 | 7762-2213   | 161             | 1610              | .244          |
| T10-890-16 | 7762-2187   | 89              | 890               | .135          | T10-1700-16 | 7762-0596   | 170             | 1700              | .257          |
| T10-900-16 | 7762-2188   | 90              | 900               | .136          | T10-1750-16 | 7762-2214   | 175             | 1750              | .265          |
| T10-910-16 | 7762-2189   | 91              | 910               | .138          | T10-1780-16 | 7762-2215   | 178             | 1780              | .269          |
| T10-920-16 | 7762-2190   | 92              | 920               | .139          | T10-1880-16 | 7762-2216   | 188             | 1880              | .285          |
| T10-950-16 | 7762-0342   | 95              | 950               | .144          | T10-1960-16 | 7762-2217   | 196             | 1960              | .297          |
| T10-960-16 | 7762-2191   | 96              | 960               | .145          | T10-2250-16 | 7762-2218   | 225             | 2250              | .341          |
| T10-970-16 | 7762-2192   | 97              | 970               | .147          |             |             |                 |                   |               |

### T10 Pitch — 20mm Wide

| Part No.   | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) | Part No.    | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|------------|-------------|-----------------|-------------------|---------------|-------------|-------------|-----------------|-------------------|---------------|
| T10-260-20 | 7762-2220   | 26              | 260               | .049          | T10-910-20  | 7762-2244   | 91              | 910               | .172          |
| T10-370-20 | 7762-2221   | 37              | 370               | .070          | T10-920-20  | 7762-2245   | 92              | 920               | .174          |
| T10-400-20 | 7762-2222   | 40              | 400               | .076          | T10-950-20  | 7762-0343   | 95              | 950               | .180          |
| T10-410-20 | 7762-2223   | 41              | 410               | .078          | T10-960-20  | 7762-2246   | 96              | 960               | .182          |
| T10-440-20 | 7762-2224   | 44              | 440               | .083          | T10-970-20  | 7762-2247   | 97              | 970               | .184          |
| T10-450-20 | 7762-2225   | 45              | 450               | .085          | T10-980-20  | 7762-2248   | 98              | 980               | .185          |
| T10-500-20 | 7762-2226   | 50              | 500               | .095          | T10-1000-20 | 7762-0356   | 100             | 1000              | .189          |
| T10-530-20 | 7762-2227   | 53              | 530               | .100          | T10-1010-20 | 7762-2249   | 101             | 1010              | .191          |
| T10-560-20 | 7762-2228   | 56              | 560               | .106          | T10-1080-20 | 7762-2250   | 108             | 1080              | .204          |
| T10-600-20 | 7762-2229   | 60              | 600               | .114          | T10-1100-20 | 7762-2251   | 110             | 1100              | .208          |
| T10-610-20 | 7762-2230   | 61              | 610               | .115          | T10-1110-20 | 7762-2252   | 111             | 1110              | .210          |
| T10-630-20 | 7762-2231   | 63              | 630               | .119          | T10-1140-20 | 7762-2253   | 114             | 1140              | .216          |
| T10-660-20 | 7762-2232   | 66              | 660               | .125          | T10-1150-20 | 7762-2254   | 115             | 1150              | .218          |
| T10-690-20 | 7762-2233   | 69              | 690               | .131          | T10-1210-20 | 7762-2255   | 121             | 1210              | .229          |
| T10-700-20 | 7762-2234   | 70              | 700               | .132          | T10-1240-20 | 7762-2256   | 124             | 1240              | .235          |
| T10-720-20 | 7762-2235   | 72              | 720               | .136          | T10-1250-20 | 7762-2257   | 125             | 1250              | .237          |
| T10-730-20 | 7762-2236   | 73              | 730               | .138          | T10-1300-20 | 7762-2258   | 130             | 1300              | .246          |
| T10-750-20 | 7762-2237   | 75              | 750               | .142          | T10-1320-20 | 7762-2259   | 132             | 1320              | .250          |
| T10-780-20 | 7762-2238   | 78              | 780               | .148          | T10-1350-20 | 7762-2260   | 135             | 1350              | .255          |
| T10-800-20 | 7762-0330   | 80              | 800               | .151          | T10-1390-20 | 7762-2261   | 139             | 1390              | .263          |
| T10-810-20 | 7762-2239   | 81              | 810               | .153          | T10-1400-20 | 7762-2262   | 140             | 1400              | .265          |
| T10-840-20 | 7762-2240   | 84              | 840               | .159          | T10-1420-20 | 7762-2263   | 142             | 1420              | .269          |
| T10-880-20 | 7762-2241   | 88              | 880               | .166          | T10-1450-20 | 7762-2264   | 145             | 1450              | .274          |
| T10-890-20 | 7762-2242   | 89              | 890               | .168          | T10-1460-20 | 7762-2265   | 146             | 1460              | .276          |
| T10-900-20 | 7762-2243   | 90              | 900               | .170          | T10-1500-20 | 7762-2266   | 150             | 1500              | .284          |



# Synchro-Power® Polyurethane Belts

## Product No. Series 7762 (continued)

### T10 Pitch — 20mm Wide (continued)

| Part No.    | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|
| T10-1560-20 | 7762-2267   | 156             | 1560              | .295          |
| T10-1600-20 | 7762-0620   | 160             | 1600              | .303          |
| T10-1610-20 | 7762-2268   | 161             | 1610              | .305          |
| T10-1700-20 | 7762-0597   | 170             | 1700              | .322          |
| T10-1750-20 | 7762-2269   | 175             | 1750              | .331          |

| Part No.    | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|
| T10-1780-20 | 7762-2270   | 178             | 1780              | .337          |
| T10-1880-20 | 7762-2271   | 188             | 1880              | .356          |
| T10-1960-20 | 7762-2272   | 196             | 1960              | .371          |
| T10-2250-20 | 7762-2273   | 225             | 2250              | .426          |

### T10 Pitch — 25mm Wide

| Part No.   | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|------------|-------------|-----------------|-------------------|---------------|
| T10-260-25 | 7762-2275   | 26              | 260               | .061          |
| T10-370-25 | 7762-2276   | 37              | 370               | .088          |
| T10-400-25 | 7762-2277   | 40              | 400               | .095          |
| T10-410-25 | 7762-2278   | 41              | 410               | .097          |
| T10-440-25 | 7762-2279   | 44              | 440               | .104          |
| T10-450-25 | 7762-2280   | 45              | 450               | .106          |
| T10-500-25 | 7762-2281   | 50              | 500               | .118          |
| T10-530-25 | 7762-2282   | 53              | 530               | .125          |
| T10-560-25 | 7762-2283   | 56              | 560               | .132          |
| T10-600-25 | 7762-2284   | 60              | 600               | .142          |
| T10-610-25 | 7762-2285   | 61              | 610               | .144          |
| T10-630-25 | 7762-2286   | 63              | 630               | .149          |
| T10-660-25 | 7762-2287   | 66              | 660               | .156          |
| T10-690-25 | 7762-2288   | 69              | 690               | .163          |
| T10-700-25 | 7762-2289   | 70              | 700               | .166          |
| T10-720-25 | 7762-2290   | 72              | 720               | .170          |
| T10-730-25 | 7762-2291   | 73              | 730               | .173          |
| T10-750-25 | 7762-2292   | 75              | 750               | .177          |
| T10-780-25 | 7762-2293   | 78              | 780               | .184          |
| T10-800-25 | 7762-0331   | 80              | 800               | .189          |
| T10-810-25 | 7762-2294   | 81              | 810               | .192          |
| T10-840-25 | 7762-2295   | 84              | 840               | .199          |
| T10-880-25 | 7762-2296   | 88              | 880               | .208          |
| T10-890-25 | 7762-2297   | 89              | 890               | .210          |
| T10-900-25 | 7762-2298   | 90              | 900               | .213          |
| T10-910-25 | 7762-2299   | 91              | 910               | .215          |
| T10-920-25 | 7762-2300   | 92              | 920               | .218          |
| T10-950-25 | 7762-0344   | 95              | 950               | .225          |
| T10-960-25 | 7762-2301   | 96              | 960               | .227          |
| T10-970-25 | 7762-2302   | 97              | 970               | .229          |

| Part No.    | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|
| T10-980-25  | 7762-2303   | 98              | 980               | .232          |
| T10-1000-25 | 7762-0357   | 100             | 1000              | .237          |
| T10-1010-25 | 7762-2304   | 101             | 1010              | .239          |
| T10-1080-25 | 7762-2305   | 108             | 1080              | .255          |
| T10-1100-25 | 7762-2306   | 110             | 1100              | .260          |
| T10-1110-25 | 7762-2307   | 111             | 1110              | .263          |
| T10-1140-25 | 7762-2308   | 114             | 1140              | .270          |
| T10-1150-25 | 7762-2309   | 115             | 1150              | .272          |
| T10-1210-25 | 7762-2310   | 121             | 1210              | .286          |
| T10-1240-25 | 7762-2311   | 124             | 1240              | .293          |
| T10-1250-25 | 7762-2312   | 125             | 1250              | .296          |
| T10-1300-25 | 7762-2313   | 130             | 1300              | .307          |
| T10-1320-25 | 7762-2314   | 132             | 1320              | .312          |
| T10-1350-25 | 7762-2315   | 135             | 1350              | .319          |
| T10-1390-25 | 7762-2316   | 139             | 1390              | .329          |
| T10-1400-25 | 7762-2317   | 140             | 1400              | .331          |
| T10-1420-25 | 7762-2318   | 142             | 1420              | .336          |
| T10-1450-25 | 7762-2319   | 145             | 1450              | .343          |
| T10-1460-25 | 7762-2320   | 146             | 1460              | .345          |
| T10-1500-25 | 7762-2321   | 150             | 1500              | .355          |
| T10-1560-25 | 7762-2322   | 156             | 1560              | .369          |
| T10-1600-25 | 7762-0621   | 160             | 1600              | .378          |
| T10-1610-25 | 7762-2323   | 161             | 1610              | .381          |
| T10-1700-25 | 7762-0598   | 170             | 1700              | .402          |
| T10-1750-25 | 7762-2324   | 175             | 1750              | .414          |
| T10-1780-25 | 7762-2325   | 178             | 1780              | .421          |
| T10-1880-25 | 7762-2326   | 188             | 1880              | .445          |
| T10-1960-25 | 7762-2327   | 196             | 1960              | .464          |
| T10-2250-25 | 7762-2328   | 225             | 2250              | .532          |

### T10 Pitch — 32mm Wide

| Part No.   | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|------------|-------------|-----------------|-------------------|---------------|
| T10-260-32 | 7762-2330   | 26              | 260               | .079          |
| T10-370-32 | 7762-2331   | 37              | 370               | .112          |
| T10-400-32 | 7762-2332   | 40              | 400               | .121          |
| T10-410-32 | 7762-2333   | 41              | 410               | .124          |
| T10-440-32 | 7762-2334   | 44              | 440               | .133          |
| T10-450-32 | 7762-2335   | 45              | 450               | .136          |
| T10-500-32 | 7762-2336   | 50              | 500               | .151          |
| T10-530-32 | 7762-2337   | 53              | 530               | .160          |
| T10-560-32 | 7762-2338   | 56              | 560               | .170          |
| T10-600-32 | 7762-2339   | 60              | 600               | .182          |
| T10-610-32 | 7762-2340   | 61              | 610               | .185          |
| T10-630-32 | 7762-2341   | 63              | 630               | .191          |
| T10-660-32 | 7762-2342   | 66              | 660               | .200          |
| T10-690-32 | 7762-2343   | 69              | 690               | .209          |

| Part No.   | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|------------|-------------|-----------------|-------------------|---------------|
| T10-700-32 | 7762-2344   | 70              | 700               | .212          |
| T10-720-32 | 7762-2345   | 72              | 720               | .218          |
| T10-730-32 | 7762-2346   | 73              | 730               | .221          |
| T10-750-32 | 7762-2347   | 75              | 750               | .227          |
| T10-780-32 | 7762-2348   | 78              | 780               | .236          |
| T10-800-32 | 7762-0332   | 80              | 800               | .242          |
| T10-810-32 | 7762-2349   | 81              | 810               | .245          |
| T10-840-32 | 7762-2350   | 84              | 840               | .254          |
| T10-880-32 | 7762-2351   | 88              | 880               | .266          |
| T10-890-32 | 7762-2352   | 89              | 890               | .269          |
| T10-900-32 | 7762-2353   | 90              | 900               | .272          |
| T10-910-32 | 7762-2354   | 91              | 910               | .275          |
| T10-920-32 | 7762-2355   | 92              | 920               | .279          |
| T10-950-32 | 7762-0345   | 95              | 950               | .288          |



# Synchro-Power® Polyurethane Belts

## Product No. Series 7762 (continued)

### T10 Pitch — 32mm Wide (continued)

| Part No.    | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) | Part No.    | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|-------------|-------------|-----------------|-------------------|---------------|
| T10-960-32  | 7762-2356   | 96              | 960               | .291          | T10-1390-32 | 7762-2371   | 139             | 1390              | .421          |
| T10-970-32  | 7762-2357   | 97              | 970               | .294          | T10-1400-32 | 7762-2372   | 140             | 1400              | .424          |
| T10-980-32  | 7762-2358   | 98              | 980               | .297          | T10-1420-32 | 7762-2373   | 142             | 1420              | .430          |
| T10-1000-32 | 7762-0358   | 100             | 1000              | .303          | T10-1450-32 | 7762-2374   | 145             | 1450              | .439          |
| T10-1010-32 | 7762-2359   | 101             | 1010              | .306          | T10-1460-32 | 7762-2375   | 146             | 1460              | .442          |
| T10-1080-32 | 7762-2360   | 108             | 1080              | .327          | T10-1500-32 | 7762-2376   | 150             | 1500              | .454          |
| T10-1100-32 | 7762-2361   | 110             | 1100              | .333          | T10-1560-32 | 7762-2377   | 156             | 1560              | .472          |
| T10-1110-32 | 7762-2362   | 111             | 1110              | .336          | T10-1600-32 | 7762-0622   | 160             | 1600              | .484          |
| T10-1140-32 | 7762-2363   | 114             | 1140              | .345          | T10-1610-32 | 7762-2378   | 161             | 1610              | .487          |
| T10-1150-32 | 7762-2364   | 115             | 1150              | .348          | T10-1700-32 | 7762-0599   | 170             | 1700              | .515          |
| T10-1210-32 | 7762-2365   | 121             | 1210              | .366          | T10-1750-32 | 7762-2379   | 175             | 1750              | .530          |
| T10-1240-32 | 7762-2366   | 124             | 1240              | .375          | T10-1780-32 | 7762-2380   | 178             | 1780              | .539          |
| T10-1250-32 | 7762-2367   | 125             | 1250              | .378          | T10-1880-32 | 7762-2381   | 188             | 1880              | .569          |
| T10-1300-32 | 7762-2368   | 130             | 1300              | .394          | T10-1960-32 | 7762-2382   | 196             | 1960              | .593          |
| T10-1320-32 | 7762-2369   | 132             | 1320              | .400          | T10-2250-32 | 7762-2383   | 225             | 2250              | .681          |
| T10-1350-32 | 7762-2370   | 135             | 1350              | .409          |             |             |                 |                   |               |

### T10 Pitch — 50mm Wide

| Part No.   | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) | Part No.    | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|------------|-------------|-----------------|-------------------|---------------|-------------|-------------|-----------------|-------------------|---------------|
| T10-260-50 | 7762-2385   | 26              | 260               | .123          | T10-980-50  | 7762-2413   | 98              | 980               | .464          |
| T10-370-50 | 7762-2386   | 37              | 370               | .175          | T10-1000-50 | 7762-0359   | 100             | 1000              | .473          |
| T10-400-50 | 7762-2387   | 40              | 400               | .189          | T10-1010-50 | 7762-2414   | 101             | 1010              | .478          |
| T10-410-50 | 7762-2388   | 41              | 410               | .194          | T10-1080-50 | 7762-2415   | 108             | 1080              | .511          |
| T10-440-50 | 7762-2389   | 44              | 440               | .208          | T10-1100-50 | 7762-2416   | 110             | 1100              | .520          |
| T10-450-50 | 7762-2390   | 45              | 450               | .213          | T10-1110-50 | 7762-2417   | 111             | 1110              | .525          |
| T10-500-50 | 7762-2391   | 50              | 500               | .237          | T10-1140-50 | 7762-2418   | 114             | 1140              | .539          |
| T10-530-50 | 7762-2392   | 53              | 530               | .251          | T10-1150-50 | 7762-2419   | 115             | 1150              | .544          |
| T10-560-50 | 7762-2393   | 56              | 560               | .265          | T10-1210-50 | 7762-2420   | 121             | 1210              | .572          |
| T10-600-50 | 7762-2394   | 60              | 600               | .284          | T10-1240-50 | 7762-2421   | 124             | 1240              | .587          |
| T10-610-50 | 7762-2395   | 61              | 610               | .289          | T10-1250-50 | 7762-2422   | 125             | 1250              | .591          |
| T10-630-50 | 7762-2396   | 63              | 630               | .298          | T10-1300-50 | 7762-2423   | 130             | 1300              | .615          |
| T10-660-50 | 7762-2397   | 66              | 660               | .312          | T10-1320-50 | 7762-2424   | 132             | 1320              | .624          |
| T10-690-50 | 7762-2398   | 69              | 690               | .326          | T10-1350-50 | 7762-2425   | 135             | 1350              | .639          |
| T10-700-50 | 7762-2399   | 70              | 700               | .331          | T10-1390-50 | 7762-2426   | 139             | 1390              | .657          |
| T10-720-50 | 7762-2400   | 72              | 720               | .341          | T10-1400-50 | 7762-2427   | 140             | 1400              | .662          |
| T10-730-50 | 7762-2401   | 73              | 730               | .345          | T10-1420-50 | 7762-2428   | 142             | 1420              | .672          |
| T10-750-50 | 7762-2402   | 75              | 750               | .355          | T10-1450-50 | 7762-2429   | 145             | 1450              | .686          |
| T10-780-50 | 7762-2403   | 78              | 780               | .369          | T10-1460-50 | 7762-2430   | 146             | 1460              | .691          |
| T10-800-50 | 7762-0333   | 80              | 800               | .378          | T10-1500-50 | 7762-2431   | 150             | 1500              | .710          |
| T10-810-50 | 7762-2404   | 81              | 810               | .383          | T10-1560-50 | 7762-2432   | 156             | 1560              | .738          |
| T10-840-50 | 7762-2405   | 84              | 840               | .397          | T10-1600-50 | 7762-0623   | 160             | 1600              | .757          |
| T10-880-50 | 7762-2406   | 88              | 880               | .416          | T10-1610-50 | 7762-2433   | 161             | 1610              | .762          |
| T10-890-50 | 7762-2407   | 89              | 890               | .421          | T10-1700-50 | 7762-0600   | 170             | 1700              | .804          |
| T10-900-50 | 7762-2408   | 90              | 900               | .426          | T10-1750-50 | 7762-2434   | 175             | 1750              | .828          |
| T10-910-50 | 7762-2409   | 91              | 910               | .430          | T10-1780-50 | 7762-2435   | 178             | 1780              | .842          |
| T10-920-50 | 7762-2410   | 92              | 920               | .435          | T10-1880-50 | 7762-2436   | 188             | 1880              | .889          |
| T10-950-50 | 7762-0346   | 95              | 950               | .449          | T10-1960-50 | 7762-2437   | 196             | 1960              | .927          |
| T10-960-50 | 7762-2411   | 96              | 960               | .454          | T10-2250-50 | 7762-2438   | 225             | 2250              | 1.064         |
| T10-970-50 | 7762-2412   | 97              | 970               | .459          |             |             |                 |                   |               |

### T10 Pitch — 75mm Wide

| Part No.   | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) | Part No.   | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|------------|-------------|-----------------|-------------------|---------------|------------|-------------|-----------------|-------------------|---------------|
| T10-260-75 | 7762-2450   | 26              | 260               | .184          | T10-410-75 | 7762-2453   | 41              | 410               | .291          |
| T10-370-75 | 7762-2451   | 37              | 370               | .263          | T10-440-75 | 7762-2454   | 44              | 440               | .312          |
| T10-400-75 | 7762-2452   | 40              | 400               | .284          | T10-450-75 | 7762-2455   | 45              | 450               | .319          |





# Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

T10 Pitch — 75mm Wide (continued)

| Part No.    | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|
| T10-500-75  | 7762-2456   | 50              | 500               | .355          |
| T10-530-75  | 7762-2457   | 53              | 530               | .376          |
| T10-560-75  | 7762-2458   | 56              | 560               | .397          |
| T10-600-75  | 7762-2459   | 60              | 600               | .426          |
| T10-610-75  | 7762-2460   | 61              | 610               | .433          |
| T10-630-75  | 7762-2461   | 63              | 630               | .447          |
| T10-660-75  | 7762-2462   | 66              | 660               | .468          |
| T10-690-75  | 7762-2463   | 69              | 690               | .490          |
| T10-700-75  | 7762-2464   | 70              | 700               | .497          |
| T10-720-75  | 7762-2465   | 72              | 720               | .511          |
| T10-730-75  | 7762-2466   | 73              | 730               | .518          |
| T10-750-75  | 7762-2467   | 75              | 750               | .532          |
| T10-780-75  | 7762-2468   | 78              | 780               | .553          |
| T10-800-75  | 7762-0334   | 80              | 800               | .568          |
| T10-810-75  | 7762-2469   | 81              | 810               | .575          |
| T10-840-75  | 7762-2470   | 84              | 840               | .596          |
| T10-880-75  | 7762-2471   | 88              | 880               | .624          |
| T10-890-75  | 7762-2472   | 89              | 890               | .631          |
| T10-900-75  | 7762-2473   | 90              | 900               | .639          |
| T10-910-75  | 7762-2474   | 91              | 910               | .646          |
| T10-920-75  | 7762-2475   | 92              | 920               | .653          |
| T10-950-75  | 7762-0347   | 95              | 950               | .674          |
| T10-960-75  | 7762-2476   | 96              | 960               | .681          |
| T10-970-75  | 7762-2477   | 97              | 970               | .688          |
| T10-980-75  | 7762-2478   | 98              | 980               | .695          |
| T10-1000-75 | 7762-0360   | 100             | 1000              | .710          |
| T10-1010-75 | 7762-2479   | 101             | 1010              | .717          |

| Part No.    | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|
| T10-1080-75 | 7762-2480   | 108             | 1080              | .766          |
| T10-1100-75 | 7762-2481   | 110             | 1100              | .780          |
| T10-1110-75 | 7762-2482   | 111             | 1110              | .788          |
| T10-1140-75 | 7762-2483   | 114             | 1140              | .809          |
| T10-1150-75 | 7762-2484   | 115             | 1150              | .816          |
| T10-1210-75 | 7762-2485   | 121             | 1210              | .858          |
| T10-1240-75 | 7762-2486   | 124             | 1240              | .880          |
| T10-1250-75 | 7762-2487   | 125             | 1250              | .887          |
| T10-1300-75 | 7762-2488   | 130             | 1300              | .922          |
| T10-1320-75 | 7762-2489   | 132             | 1320              | .937          |
| T10-1350-75 | 7762-2490   | 135             | 1350              | .958          |
| T10-1390-75 | 7762-2491   | 139             | 1390              | .986          |
| T10-1400-75 | 7762-2492   | 140             | 1400              | .993          |
| T10-1420-75 | 7762-2493   | 142             | 1420              | 1.007         |
| T10-1450-75 | 7762-2494   | 145             | 1450              | 1.029         |
| T10-1460-75 | 7762-2495   | 146             | 1460              | 1.036         |
| T10-1500-75 | 7762-2496   | 150             | 1500              | 1.064         |
| T10-1560-75 | 7762-2497   | 156             | 1560              | 1.107         |
| T10-1600-75 | 7762-0624   | 160             | 1600              | 1.135         |
| T10-1610-75 | 7762-2498   | 161             | 1610              | 1.142         |
| T10-1700-75 | 7762-0601   | 170             | 1700              | 1.206         |
| T10-1750-75 | 7762-2499   | 175             | 1750              | 1.242         |
| T10-1780-75 | 7762-2500   | 178             | 1780              | 1.263         |
| T10-1880-75 | 7762-2501   | 188             | 1880              | 1.334         |
| T10-1960-75 | 7762-2502   | 196             | 1960              | 1.391         |
| T10-2250-75 | 7762-2503   | 225             | 2250              | 1.596         |

T10 Pitch — 100mm Wide

| Part No.    | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|
| T10-260-100 | 7762-2505   | 26              | 260               | .246          |
| T10-370-100 | 7762-2506   | 37              | 370               | .350          |
| T10-400-100 | 7762-2507   | 40              | 400               | .378          |
| T10-410-100 | 7762-2508   | 41              | 410               | .388          |
| T10-440-100 | 7762-2509   | 44              | 440               | .416          |
| T10-450-100 | 7762-2510   | 45              | 450               | .426          |
| T10-500-100 | 7762-2511   | 50              | 500               | .473          |
| T10-530-100 | 7762-2512   | 43              | 530               | .501          |
| T10-560-100 | 7762-2513   | 56              | 560               | .530          |
| T10-600-100 | 7762-2514   | 60              | 600               | .568          |
| T10-610-100 | 7762-2515   | 61              | 610               | .577          |
| T10-630-100 | 7762-2516   | 63              | 630               | .596          |
| T10-660-100 | 7762-2517   | 66              | 660               | .624          |
| T10-690-100 | 7762-2518   | 69              | 690               | .653          |
| T10-700-100 | 7762-2519   | 70              | 700               | .662          |
| T10-720-100 | 7762-2520   | 72              | 720               | .681          |
| T10-730-100 | 7762-2521   | 73              | 730               | .691          |
| T10-750-100 | 7762-2522   | 75              | 750               | .710          |
| T10-780-100 | 7762-2523   | 78              | 780               | .738          |
| T10-800-100 | 7762-0335   | 80              | 800               | .757          |
| T10-810-100 | 7762-2524   | 81              | 810               | .766          |
| T10-840-100 | 7762-2525   | 84              | 840               | .795          |
| T10-880-100 | 7762-2526   | 88              | 880               | .832          |
| T10-890-100 | 7762-2527   | 89              | 890               | .842          |
| T10-900-100 | 7762-2528   | 90              | 900               | .851          |
| T10-910-100 | 7762-2529   | 91              | 910               | .861          |
| T10-920-100 | 7762-2530   | 92              | 920               | .870          |

| Part No.     | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|
| T10-950-100  | 7762-0348   | 95              | 950               | .899          |
| T10-960-100  | 7762-2531   | 96              | 960               | .908          |
| T10-970-100  | 7762-2532   | 97              | 970               | .918          |
| T10-980-100  | 7762-2533   | 98              | 980               | .927          |
| T10-1000-100 | 7762-0361   | 100             | 1000              | .946          |
| T10-1010-100 | 7762-2534   | 101             | 1010              | .955          |
| T10-1080-100 | 7762-2535   | 108             | 1080              | 1.022         |
| T10-1100-100 | 7762-2536   | 110             | 1100              | 1.041         |
| T10-1110-100 | 7762-2537   | 111             | 1110              | 1.050         |
| T10-1140-100 | 7762-2538   | 114             | 1140              | 1.078         |
| T10-1150-100 | 7762-2539   | 115             | 1150              | 1.088         |
| T10-1210-100 | 7762-2540   | 121             | 1210              | 1.145         |
| T10-1240-100 | 7762-2541   | 124             | 1240              | 1.173         |
| T10-1250-100 | 7762-2542   | 125             | 1250              | 1.183         |
| T10-1300-100 | 7762-2543   | 130             | 1300              | 1.230         |
| T10-1320-100 | 7762-2544   | 132             | 1320              | 1.249         |
| T10-1350-100 | 7762-2545   | 135             | 1350              | 1.277         |
| T10-1390-100 | 7762-2546   | 139             | 1390              | 1.315         |
| T10-1400-100 | 7762-2547   | 140             | 1400              | 1.324         |
| T10-1420-100 | 7762-2548   | 142             | 1420              | 1.343         |
| T10-1450-100 | 7762-2549   | 145             | 1450              | 1.372         |
| T10-1460-100 | 7762-2550   | 146             | 1460              | 1.381         |
| T10-1500-100 | 7762-2551   | 150             | 1500              | 1.419         |
| T10-1560-100 | 7762-2552   | 156             | 1560              | 1.476         |
| T10-1600-100 | 7762-0625   | 160             | 1600              | 1.514         |
| T10-1610-100 | 7762-2553   | 161             | 1610              | 1.523         |
| T10-1700-100 | 7762-0602   | 170             | 1700              | 1.608         |



# Synchro-Power® Polyurethane Belts

## Product No. Series 7762 (continued)

### T10 Pitch — 100mm Wide (continued)

| Part No.     | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|
| T10-1750-100 | 7762-2554   | 175             | 1750              | 1.656         |
| T10-1780-100 | 7762-2555   | 178             | 1780              | 1.684         |
| T10-1880-100 | 7762-2556   | 188             | 1880              | 1.778         |

| Part No.     | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|
| T10-1960-100 | 7762-2557   | 196             | 1960              | 1.854         |
| T10-2250-100 | 7762-2558   | 225             | 2250              | 2.129         |

### T10 Pitch — 200mm Wide

| Part No.     | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|
| T10-750-200  | 7762-2577   | 75              | 750               | 1.419         |
| T10-1560-200 | 7762-2607   | 156             | 1560              | 2.952         |

| Part No.     | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|
| T10-1700-200 | 7762-0603   | 170             | 1700              | 3.216         |

### AT5 Pitch — 4mm Wide

| Part No.  | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|-----------|-------------|-----------------|-------------------|---------------|
| AT5-255-4 | 7762-3001   | 51              | 255               | .007          |
| AT5-275-4 | 7762-3002   | 55              | 275               | .008          |
| AT5-280-4 | 7762-3003   | 56              | 280               | .008          |
| AT5-300-4 | 7762-3004   | 60              | 300               | .008          |
| AT5-340-4 | 7762-3005   | 68              | 340               | .010          |
| AT5-375-4 | 7762-3006   | 75              | 375               | .011          |
| AT5-390-4 | 7762-3007   | 78              | 390               | .011          |
| AT5-420-4 | 7762-3008   | 84              | 420               | .012          |
| AT5-455-4 | 7762-3009   | 91              | 455               | .013          |
| AT5-500-4 | 7762-3010   | 100             | 500               | .014          |
| AT5-545-4 | 7762-3011   | 109             | 545               | .015          |
| AT5-600-4 | 7762-3012   | 120             | 600               | .017          |

| Part No.   | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|------------|-------------|-----------------|-------------------|---------------|
| AT5-610-4  | 7762-3013   | 122             | 610               | .017          |
| AT5-630-4  | 7762-3014   | 126             | 630               | .018          |
| AT5-660-4  | 7762-3015   | 132             | 660               | .019          |
| AT5-720-4  | 7762-3016   | 144             | 720               | .020          |
| AT5-750-4  | 7762-3017   | 150             | 750               | .021          |
| AT5-780-4  | 7762-3018   | 156             | 780               | .022          |
| AT5-825-4  | 7762-3019   | 165             | 825               | .023          |
| AT5-975-4  | 7762-3020   | 195             | 975               | .027          |
| AT5-1050-4 | 7762-3021   | 210             | 1050              | .030          |
| AT5-1125-4 | 7762-3022   | 225             | 1125              | .032          |
| AT5-1500-4 | 7762-3311   | 300             | 1500              | .042          |

### AT5 Pitch — 6mm Wide

| Part No.  | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|-----------|-------------|-----------------|-------------------|---------------|
| AT5-255-6 | 7762-3025   | 51              | 255               | .011          |
| AT5-275-6 | 7762-3026   | 55              | 275               | .012          |
| AT5-280-6 | 7762-3027   | 56              | 280               | .012          |
| AT5-300-6 | 7762-3028   | 60              | 300               | .013          |
| AT5-340-6 | 7762-3029   | 68              | 340               | .014          |
| AT5-375-6 | 7762-3030   | 75              | 375               | .016          |
| AT5-390-6 | 7762-3031   | 78              | 390               | .016          |
| AT5-420-6 | 7762-3032   | 84              | 420               | .018          |
| AT5-455-6 | 7762-3033   | 91              | 455               | .019          |
| AT5-500-6 | 7762-3034   | 100             | 500               | .021          |
| AT5-545-6 | 7762-3035   | 109             | 545               | .023          |
| AT5-600-6 | 7762-3036   | 120             | 600               | .025          |

| Part No.   | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|------------|-------------|-----------------|-------------------|---------------|
| AT5-610-6  | 7762-3037   | 122             | 610               | .026          |
| AT5-630-6  | 7762-3038   | 126             | 630               | .027          |
| AT5-660-6  | 7762-3039   | 132             | 660               | .028          |
| AT5-720-6  | 7762-3040   | 144             | 720               | .030          |
| AT5-750-6  | 7762-3041   | 150             | 750               | .032          |
| AT5-780-6  | 7762-3042   | 156             | 780               | .033          |
| AT5-825-6  | 7762-3043   | 165             | 825               | .035          |
| AT5-975-6  | 7762-3044   | 195             | 975               | .041          |
| AT5-1050-6 | 7762-3045   | 210             | 1050              | .044          |
| AT5-1125-6 | 7762-3046   | 225             | 1125              | .048          |
| AT5-1500-6 | 7762-3312   | 300             | 1500              | .063          |

### AT5 Pitch — 8mm Wide

| Part No.  | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|-----------|-------------|-----------------|-------------------|---------------|
| AT5-255-8 | 7762-3049   | 51              | 255               | .014          |
| AT5-275-8 | 7762-3050   | 55              | 275               | .015          |
| AT5-280-8 | 7762-3051   | 56              | 280               | .016          |
| AT5-300-8 | 7762-3052   | 60              | 300               | .017          |
| AT5-340-8 | 7762-3053   | 68              | 340               | .019          |
| AT5-375-8 | 7762-3054   | 75              | 375               | .021          |
| AT5-390-8 | 7762-3055   | 78              | 390               | .022          |
| AT5-420-8 | 7762-3056   | 84              | 420               | .024          |
| AT5-455-8 | 7762-3057   | 91              | 455               | .026          |

| Part No.  | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|-----------|-------------|-----------------|-------------------|---------------|
| AT5-500-8 | 7762-3058   | 100             | 500               | .028          |
| AT5-545-8 | 7762-3059   | 109             | 545               | .031          |
| AT5-600-8 | 7762-3060   | 120             | 600               | .034          |
| AT5-610-8 | 7762-3061   | 122             | 610               | .034          |
| AT5-630-8 | 7762-3062   | 126             | 630               | .035          |
| AT5-660-8 | 7762-3063   | 132             | 660               | .037          |
| AT5-720-8 | 7762-3064   | 144             | 720               | .041          |
| AT5-750-8 | 7762-3065   | 150             | 750               | .042          |
| AT5-780-8 | 7762-3066   | 156             | 780               | .044          |



# Synchro-Power® Polyurethane Belts

## Product No. Series 7762 (continued)

### AT5 Pitch — 8mm Wide (continued)

| Part No.   | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|------------|-------------|-----------------|-------------------|---------------|
| AT5-825-8  | 7762-3067   | 165             | 825               | .046          |
| AT5-975-8  | 7762-3068   | 195             | 975               | .055          |
| AT5-1050-8 | 7762-3069   | 210             | 1050              | .059          |

| Part No.   | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|------------|-------------|-----------------|-------------------|---------------|
| AT5-1125-8 | 7762-3070   | 225             | 1125              | .063          |
| AT5-1500-8 | 7762-3313   | 300             | 1500              | .084          |

### AT5 Pitch — 10mm Wide

| Part No.   | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|------------|-------------|-----------------|-------------------|---------------|
| AT5-255-10 | 7762-3073   | 51              | 255               | .018          |
| AT5-275-10 | 7762-3074   | 55              | 275               | .019          |
| AT5-280-10 | 7762-3075   | 56              | 280               | .020          |
| AT5-300-10 | 7762-3076   | 60              | 300               | .021          |
| AT5-340-10 | 7762-3077   | 68              | 340               | .024          |
| AT5-375-10 | 7762-3078   | 75              | 375               | .026          |
| AT5-390-10 | 7762-3079   | 78              | 390               | .027          |
| AT5-420-10 | 7762-3080   | 84              | 420               | .030          |
| AT5-455-10 | 7762-3081   | 91              | 455               | .032          |
| AT5-500-10 | 7762-3082   | 100             | 500               | .035          |
| AT5-545-10 | 7762-3083   | 109             | 545               | .038          |
| AT5-600-10 | 7762-3084   | 120             | 600               | .042          |

| Part No.    | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|
| AT5-610-10  | 7762-3085   | 122             | 610               | .043          |
| AT5-630-10  | 7762-3086   | 126             | 630               | .044          |
| AT5-660-10  | 7762-3087   | 132             | 660               | .046          |
| AT5-720-10  | 7762-3088   | 144             | 720               | .051          |
| AT5-750-10  | 7762-3089   | 150             | 750               | .053          |
| AT5-780-10  | 7762-3090   | 156             | 780               | .055          |
| AT5-825-10  | 7762-3091   | 165             | 825               | .058          |
| AT5-975-10  | 7762-3092   | 195             | 975               | .069          |
| AT5-1050-10 | 7762-3093   | 210             | 1050              | .074          |
| AT5-1125-10 | 7762-3094   | 225             | 1125              | .079          |
| AT5-1500-10 | 7762-3314   | 300             | 1500              | .106          |

### AT5 Pitch — 12mm Wide

| Part No.   | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|------------|-------------|-----------------|-------------------|---------------|
| AT5-255-12 | 7762-3097   | 51              | 255               | .022          |
| AT5-275-12 | 7762-3098   | 55              | 275               | .023          |
| AT5-280-12 | 7762-3099   | 56              | 280               | .024          |
| AT5-300-12 | 7762-3100   | 60              | 300               | .025          |
| AT5-340-12 | 7762-3101   | 68              | 340               | .029          |
| AT5-375-12 | 7762-3102   | 75              | 375               | .032          |
| AT5-390-12 | 7762-3103   | 78              | 390               | .033          |
| AT5-420-12 | 7762-3104   | 84              | 420               | .035          |
| AT5-455-12 | 7762-3105   | 91              | 455               | .038          |
| AT5-500-12 | 7762-3106   | 100             | 500               | .042          |
| AT5-545-12 | 7762-3107   | 109             | 545               | .046          |
| AT5-600-12 | 7762-3108   | 120             | 600               | .051          |

| Part No.    | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|
| AT5-610-12  | 7762-3109   | 122             | 610               | .052          |
| AT5-630-12  | 7762-3110   | 126             | 630               | .053          |
| AT5-660-12  | 7762-3111   | 132             | 660               | .056          |
| AT5-720-12  | 7762-3112   | 144             | 720               | .061          |
| AT5-750-12  | 7762-3113   | 150             | 750               | .063          |
| AT5-780-12  | 7762-3114   | 156             | 780               | .066          |
| AT5-825-12  | 7762-3115   | 165             | 825               | .070          |
| AT5-975-12  | 7762-3116   | 195             | 975               | .082          |
| AT5-1050-12 | 7762-3117   | 210             | 1050              | .089          |
| AT5-1125-12 | 7762-3118   | 225             | 1125              | .095          |
| AT5-1500-12 | 7762-3315   | 300             | 1500              | .127          |

### AT5 Pitch — 16mm Wide

| Part No.   | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|------------|-------------|-----------------|-------------------|---------------|
| AT5-255-16 | 7762-3121   | 51              | 255               | .029          |
| AT5-275-16 | 7762-3122   | 55              | 275               | .031          |
| AT5-280-16 | 7762-3123   | 56              | 280               | .032          |
| AT5-300-16 | 7762-3124   | 60              | 300               | .034          |
| AT5-340-16 | 7762-3125   | 68              | 340               | .038          |
| AT5-375-16 | 7762-3126   | 75              | 375               | .042          |
| AT5-390-16 | 7762-3127   | 78              | 390               | .044          |
| AT5-420-16 | 7762-3128   | 84              | 420               | .047          |
| AT5-455-16 | 7762-3129   | 91              | 455               | .051          |
| AT5-500-16 | 7762-3130   | 100             | 500               | .056          |
| AT5-545-16 | 7762-3131   | 109             | 545               | .061          |
| AT5-600-16 | 7762-3132   | 120             | 600               | .068          |

| Part No.    | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|
| AT5-610-16  | 7762-3133   | 122             | 610               | .069          |
| AT5-630-16  | 7762-3134   | 126             | 630               | .071          |
| AT5-660-16  | 7762-3135   | 132             | 660               | .074          |
| AT5-720-16  | 7762-3136   | 144             | 720               | .081          |
| AT5-750-16  | 7762-3137   | 150             | 750               | .084          |
| AT5-780-16  | 7762-3138   | 156             | 780               | .088          |
| AT5-825-16  | 7762-3139   | 165             | 825               | .093          |
| AT5-975-16  | 7762-3140   | 195             | 975               | .110          |
| AT5-1050-16 | 7762-3141   | 210             | 1050              | .118          |
| AT5-1125-16 | 7762-3142   | 225             | 1125              | .127          |
| AT5-1500-16 | 7762-3316   | 300             | 1500              | .169          |



# Synchro-Power® Polyurethane Belts

## Product No. Series 7762 (continued)

### AT5 Pitch — 20mm Wide

| Part No.   | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|------------|-------------|-----------------|-------------------|---------------|
| AT5-255-20 | 7762-3145   | 51              | 255               | .036          |
| AT5-275-20 | 7762-3146   | 55              | 275               | .039          |
| AT5-280-20 | 7762-3147   | 56              | 280               | .039          |
| AT5-300-20 | 7762-3148   | 60              | 300               | .042          |
| AT5-340-20 | 7762-3149   | 68              | 340               | .048          |
| AT5-375-20 | 7762-3150   | 75              | 375               | .053          |
| AT5-390-20 | 7762-3151   | 78              | 390               | .055          |
| AT5-420-20 | 7762-3152   | 84              | 420               | .059          |
| AT5-455-20 | 7762-3153   | 91              | 455               | .064          |
| AT5-500-20 | 7762-3154   | 100             | 500               | .070          |
| AT5-545-20 | 7762-3155   | 109             | 545               | .077          |
| AT5-600-20 | 7762-3156   | 120             | 600               | .084          |

| Part No.    | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|
| AT5-610-20  | 7762-3157   | 122             | 610               | .086          |
| AT5-630-20  | 7762-3158   | 126             | 630               | .089          |
| AT5-660-20  | 7762-3159   | 132             | 660               | .093          |
| AT5-720-20  | 7762-3160   | 144             | 720               | .101          |
| AT5-750-20  | 7762-3161   | 150             | 750               | .106          |
| AT5-780-20  | 7762-3162   | 156             | 780               | .110          |
| AT5-825-20  | 7762-3163   | 165             | 825               | .116          |
| AT5-975-20  | 7762-3164   | 195             | 975               | .137          |
| AT5-1050-20 | 7762-3165   | 210             | 1050              | .148          |
| AT5-1125-20 | 7762-3166   | 225             | 1125              | .158          |
| AT5-1500-20 | 7762-3317   | 300             | 1500              | .211          |

### AT5 Pitch — 25mm Wide

| Part No.   | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|------------|-------------|-----------------|-------------------|---------------|
| AT5-255-25 | 7762-3169   | 51              | 255               | .045          |
| AT5-275-25 | 7762-3170   | 55              | 275               | .048          |
| AT5-280-25 | 7762-3171   | 56              | 280               | .049          |
| AT5-300-25 | 7762-3172   | 60              | 300               | .053          |
| AT5-340-25 | 7762-3173   | 68              | 340               | .060          |
| AT5-375-25 | 7762-3174   | 75              | 375               | .066          |
| AT5-390-25 | 7762-3175   | 78              | 390               | .069          |
| AT5-420-25 | 7762-3176   | 84              | 420               | .074          |
| AT5-455-25 | 7762-3177   | 91              | 455               | .080          |
| AT5-500-25 | 7762-3178   | 100             | 500               | .088          |
| AT5-545-25 | 7762-3179   | 109             | 545               | .096          |
| AT5-600-25 | 7762-3180   | 120             | 600               | .106          |

| Part No.    | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|
| AT5-610-25  | 7762-3181   | 122             | 610               | .107          |
| AT5-630-25  | 7762-3182   | 126             | 630               | .111          |
| AT5-660-25  | 7762-3183   | 132             | 660               | .116          |
| AT5-720-25  | 7762-3184   | 144             | 720               | .127          |
| AT5-750-25  | 7762-3185   | 150             | 750               | .132          |
| AT5-780-25  | 7762-3186   | 156             | 780               | .137          |
| AT5-825-25  | 7762-3187   | 165             | 825               | .145          |
| AT5-975-25  | 7762-3188   | 195             | 975               | .172          |
| AT5-1050-25 | 7762-3189   | 210             | 1050              | .185          |
| AT5-1125-25 | 7762-3190   | 225             | 1125              | .198          |
| AT5-1500-25 | 7762-3318   | 300             | 1500              | .264          |

### AT5 Pitch — 32mm Wide

| Part No.   | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|------------|-------------|-----------------|-------------------|---------------|
| AT5-255-32 | 7762-3193   | 51              | 255               | .057          |
| AT5-275-32 | 7762-3194   | 55              | 275               | .062          |
| AT5-280-32 | 7762-3195   | 56              | 280               | .063          |
| AT5-300-32 | 7762-3196   | 60              | 300               | .068          |
| AT5-340-32 | 7762-3197   | 68              | 340               | .077          |
| AT5-375-32 | 7762-3198   | 75              | 375               | .084          |
| AT5-390-32 | 7762-3199   | 78              | 390               | .088          |
| AT5-420-32 | 7762-3200   | 84              | 420               | .095          |
| AT5-455-32 | 7762-3201   | 91              | 455               | .103          |
| AT5-500-32 | 7762-3202   | 100             | 500               | .113          |
| AT5-545-32 | 7762-3203   | 109             | 545               | .123          |
| AT5-600-32 | 7762-3204   | 120             | 600               | .135          |

| Part No.    | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|
| AT5-610-32  | 7762-3205   | 122             | 610               | .137          |
| AT5-630-32  | 7762-3206   | 126             | 630               | .142          |
| AT5-660-32  | 7762-3207   | 132             | 660               | .149          |
| AT5-720-32  | 7762-3208   | 144             | 720               | .162          |
| AT5-750-32  | 7762-3209   | 150             | 750               | .169          |
| AT5-780-32  | 7762-3210   | 156             | 780               | .176          |
| AT5-825-32  | 7762-3211   | 165             | 825               | .186          |
| AT5-975-32  | 7762-3212   | 195             | 975               | .220          |
| AT5-1050-32 | 7762-3213   | 210             | 1050              | .237          |
| AT5-1125-32 | 7762-3214   | 225             | 1125              | .253          |
| AT5-1500-32 | 7762-3319   | 300             | 1500              | .338          |

### AT5 Pitch — 50mm Wide

| Part No.   | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|------------|-------------|-----------------|-------------------|---------------|
| AT5-255-50 | 7762-3217   | 51              | 255               | .090          |
| AT5-275-50 | 7762-3218   | 55              | 275               | .097          |
| AT5-280-50 | 7762-3219   | 56              | 280               | .099          |
| AT5-300-50 | 7762-3220   | 60              | 300               | .106          |
| AT5-340-50 | 7762-3221   | 68              | 340               | .120          |
| AT5-375-50 | 7762-3222   | 75              | 375               | .132          |
| AT5-390-50 | 7762-3223   | 78              | 390               | .137          |
| AT5-420-50 | 7762-3224   | 84              | 420               | .148          |

| Part No.   | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|------------|-------------|-----------------|-------------------|---------------|
| AT5-455-50 | 7762-3225   | 91              | 455               | .160          |
| AT5-500-50 | 7762-3226   | 100             | 500               | .176          |
| AT5-545-50 | 7762-3227   | 109             | 545               | .192          |
| AT5-600-50 | 7762-3228   | 120             | 600               | .211          |
| AT5-610-50 | 7762-3229   | 122             | 610               | .215          |
| AT5-630-50 | 7762-3230   | 126             | 630               | .222          |
| AT5-660-50 | 7762-3231   | 132             | 660               | .232          |
| AT5-720-50 | 7762-3232   | 144             | 720               | .253          |



# Synchro-Power® Polyurethane Belts

## Product No. Series 7762 (continued)

### AT5 Pitch — 50mm Wide (continued)

| Part No.   | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|------------|-------------|-----------------|-------------------|---------------|
| AT5-750-50 | 7762-3233   | 150             | 750               | .264          |
| AT5-780-50 | 7762-3234   | 156             | 780               | .275          |
| AT5-825-50 | 7762-3235   | 165             | 825               | .290          |
| AT5-975-50 | 7762-3236   | 195             | 975               | .343          |

| Part No.    | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|
| AT5-1050-50 | 7762-3237   | 210             | 1050              | .370          |
| AT5-1125-50 | 7762-3238   | 225             | 1125              | .396          |
| AT5-1500-50 | 7762-3320   | 300             | 1500              | .528          |

### AT5 Pitch — 75mm Wide

| Part No.   | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|------------|-------------|-----------------|-------------------|---------------|
| AT5-255-75 | 7762-3241   | 51              | 255               | .135          |
| AT5-275-75 | 7762-3242   | 55              | 275               | .145          |
| AT5-280-75 | 7762-3243   | 56              | 280               | .148          |
| AT5-300-75 | 7762-3244   | 60              | 300               | .158          |
| AT5-340-75 | 7762-3245   | 68              | 340               | .180          |
| AT5-375-75 | 7762-3246   | 75              | 375               | .198          |
| AT5-390-75 | 7762-3247   | 78              | 390               | .206          |
| AT5-420-75 | 7762-3248   | 84              | 420               | .222          |
| AT5-455-75 | 7762-3249   | 91              | 455               | .240          |
| AT5-500-75 | 7762-3250   | 100             | 500               | .264          |
| AT5-545-75 | 7762-3251   | 109             | 545               | .288          |
| AT5-600-75 | 7762-3252   | 120             | 600               | .317          |

| Part No.    | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|
| AT5-610-75  | 7762-3253   | 122             | 610               | .322          |
| AT5-630-75  | 7762-3254   | 126             | 630               | .333          |
| AT5-660-75  | 7762-3255   | 132             | 660               | .348          |
| AT5-720-75  | 7762-3256   | 144             | 720               | .380          |
| AT5-750-75  | 7762-3257   | 150             | 750               | .396          |
| AT5-780-75  | 7762-3258   | 156             | 780               | .412          |
| AT5-825-75  | 7762-3259   | 165             | 825               | .436          |
| AT5-975-75  | 7762-3260   | 195             | 975               | .515          |
| AT5-1050-75 | 7762-3261   | 210             | 1050              | .554          |
| AT5-1125-75 | 7762-3262   | 225             | 1125              | .594          |
| AT5-1500-75 | 7762-3321   | 300             | 1500              | .792          |

### AT5 Pitch — 100mm Wide

| Part No.    | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|
| AT5-225-100 | 7762-3264   | 45              | 225               | .158          |
| AT5-255-100 | 7762-3265   | 51              | 255               | .180          |
| AT5-275-100 | 7762-3266   | 55              | 275               | .194          |
| AT5-280-100 | 7762-3267   | 56              | 280               | .197          |
| AT5-300-100 | 7762-3268   | 60              | 300               | .211          |
| AT5-340-100 | 7762-3269   | 68              | 340               | .239          |
| AT5-375-100 | 7762-3270   | 75              | 375               | .264          |
| AT5-390-100 | 7762-3271   | 78              | 390               | .275          |
| AT5-420-100 | 7762-3272   | 84              | 420               | .296          |
| AT5-455-100 | 7762-3273   | 91              | 455               | .320          |
| AT5-500-100 | 7762-3274   | 100             | 500               | .352          |
| AT5-545-100 | 7762-3275   | 109             | 545               | .384          |

| Part No.     | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|
| AT5-600-100  | 7762-3276   | 120             | 600               | .422          |
| AT5-610-100  | 7762-3277   | 122             | 610               | .429          |
| AT5-630-100  | 7762-3278   | 126             | 630               | .444          |
| AT5-660-100  | 7762-3279   | 132             | 660               | .465          |
| AT5-720-100  | 7762-3280   | 144             | 720               | .507          |
| AT5-750-100  | 7762-3281   | 150             | 750               | .528          |
| AT5-780-100  | 7762-3282   | 156             | 780               | .549          |
| AT5-825-100  | 7762-3283   | 165             | 825               | .581          |
| AT5-975-100  | 7762-3284   | 195             | 975               | .686          |
| AT5-1050-100 | 7762-3285   | 210             | 1050              | .739          |
| AT5-1125-100 | 7762-3286   | 225             | 1125              | .792          |
| AT5-1500-100 | 7762-3322   | 300             | 1500              | 1.056         |

### AT10 Pitch — 12mm Wide

| Part No.    | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|
| AT10-500-12 | 7762-4000   | 50              | 500               | .074          |
| AT10-560-12 | 7762-4001   | 56              | 560               | .083          |
| AT10-610-12 | 7762-4002   | 61              | 610               | .090          |
| AT10-660-12 | 7762-4003   | 66              | 660               | .098          |
| AT10-700-12 | 7762-4004   | 70              | 700               | .103          |
| AT10-730-12 | 7762-4005   | 73              | 730               | .108          |
| AT10-780-12 | 7762-4006   | 78              | 780               | .115          |
| AT10-800-12 | 7762-4007   | 80              | 800               | .118          |
| AT10-810-12 | 7762-4008   | 81              | 810               | .120          |
| AT10-840-12 | 7762-4009   | 84              | 840               | .124          |
| AT10-890-12 | 7762-4010   | 89              | 890               | .132          |
| AT10-920-12 | 7762-4011   | 92              | 920               | .136          |
| AT10-960-12 | 7762-4012   | 96              | 960               | .142          |

| Part No.     | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|
| AT10-980-12  | 7762-4013   | 98              | 980               | .145          |
| AT10-1010-12 | 7762-4014   | 101             | 1010              | .149          |
| AT10-1050-12 | 7762-4015   | 105             | 1050              | .155          |
| AT10-1080-12 | 7762-4016   | 108             | 1080              | .160          |
| AT10-1150-12 | 7762-4017   | 115             | 1150              | .170          |
| AT10-1210-12 | 7762-4018   | 121             | 1210              | .179          |
| AT10-1250-12 | 7762-4019   | 125             | 1250              | .185          |
| AT10-1320-12 | 7762-4020   | 132             | 1320              | .195          |
| AT10-1400-12 | 7762-4021   | 140             | 1400              | .207          |
| AT10-1500-12 | 7762-4022   | 150             | 1500              | .222          |
| AT10-1600-12 | 7762-4023   | 160             | 1600              | .237          |
| AT10-1700-12 | 7762-4024   | 170             | 1700              | .251          |
| AT10-1800-12 | 7762-4226   | 180             | 1800              | .266          |



# Synchro-Power® Polyurethane Belts

## Product No. Series 7762 (continued)

### AT10 Pitch — 16mm Wide

| Part No.    | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) | Part No.     | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|--------------|-------------|-----------------|-------------------|---------------|
| AT10-500-16 | 7762-4025   | 50              | 500               | .099          | AT10-980-16  | 7762-4038   | 98              | 980               | .193          |
| AT10-560-16 | 7762-4026   | 56              | 560               | .110          | AT10-1010-16 | 7762-4039   | 101             | 1010              | .199          |
| AT10-610-16 | 7762-4027   | 61              | 610               | .120          | AT10-1050-16 | 7762-4040   | 105             | 1050              | .207          |
| AT10-660-16 | 7762-4028   | 66              | 660               | .130          | AT10-1080-16 | 7762-4041   | 108             | 1080              | .213          |
| AT10-700-16 | 7762-4029   | 70              | 700               | .138          | AT10-1150-16 | 7762-4042   | 115             | 1150              | .227          |
| AT10-730-16 | 7762-4030   | 73              | 730               | .144          | AT10-1210-16 | 7762-4043   | 121             | 1210              | .239          |
| AT10-780-16 | 7762-4031   | 78              | 780               | .154          | AT10-1250-16 | 7762-4044   | 125             | 1250              | .246          |
| AT10-800-16 | 7762-4032   | 80              | 800               | .158          | AT10-1320-16 | 7762-4045   | 132             | 1320              | .260          |
| AT10-810-16 | 7762-4033   | 81              | 810               | .160          | AT10-1400-16 | 7762-4046   | 140             | 1400              | .276          |
| AT10-840-16 | 7762-4034   | 84              | 840               | .166          | AT10-1500-16 | 7762-4047   | 150             | 1500              | .296          |
| AT10-890-16 | 7762-4035   | 89              | 890               | .175          | AT10-1600-16 | 7762-4048   | 160             | 1600              | .315          |
| AT10-920-16 | 7762-4036   | 92              | 920               | .181          | AT10-1700-16 | 7762-4049   | 170             | 1700              | .335          |
| AT10-960-16 | 7762-4037   | 96              | 960               | .189          | AT10-1800-16 | 7762-4228   | 180             | 1800              | .355          |

### AT10 Pitch — 20mm Wide

| Part No.    | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) | Part No.     | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|--------------|-------------|-----------------|-------------------|---------------|
| AT10-500-20 | 7762-4050   | 50              | 500               | .123          | AT10-980-20  | 7762-4063   | 98              | 980               | .241          |
| AT10-560-20 | 7762-4051   | 56              | 560               | .138          | AT10-1010-20 | 7762-4064   | 101             | 1010              | .249          |
| AT10-610-20 | 7762-4052   | 61              | 610               | .150          | AT10-1050-20 | 7762-4065   | 105             | 1050              | .259          |
| AT10-660-20 | 7762-4053   | 66              | 660               | .163          | AT10-1080-20 | 7762-4066   | 108             | 1080              | .266          |
| AT10-700-20 | 7762-4054   | 70              | 700               | .172          | AT10-1150-20 | 7762-4067   | 115             | 1150              | .283          |
| AT10-730-20 | 7762-4055   | 73              | 730               | .180          | AT10-1210-20 | 7762-4068   | 121             | 1210              | .298          |
| AT10-780-20 | 7762-4056   | 78              | 780               | .192          | AT10-1250-20 | 7762-4069   | 125             | 1250              | .308          |
| AT10-800-20 | 7762-4057   | 80              | 800               | .197          | AT10-1320-20 | 7762-4070   | 132             | 1320              | .325          |
| AT10-810-20 | 7762-4058   | 81              | 810               | .200          | AT10-1400-20 | 7762-4071   | 140             | 1400              | .345          |
| AT10-840-20 | 7762-4059   | 84              | 840               | .207          | AT10-1500-20 | 7762-4072   | 150             | 1500              | .370          |
| AT10-890-20 | 7762-4060   | 89              | 890               | .219          | AT10-1600-20 | 7762-4073   | 160             | 1600              | .394          |
| AT10-920-20 | 7762-4061   | 92              | 920               | .227          | AT10-1700-20 | 7762-4074   | 170             | 1700              | .419          |
| AT10-960-20 | 7762-4062   | 96              | 960               | .237          | AT10-1800-20 | 7762-4230   | 180             | 1800              | .444          |

### AT10 Pitch — 25mm Wide

| Part No.    | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) | Part No.     | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|--------------|-------------|-----------------|-------------------|---------------|
| AT10-500-25 | 7762-4075   | 50              | 500               | .154          | AT10-980-25  | 7762-4088   | 98              | 980               | .302          |
| AT10-560-25 | 7762-4076   | 56              | 560               | .172          | AT10-1010-25 | 7762-4089   | 101             | 1010              | .311          |
| AT10-610-25 | 7762-4077   | 61              | 610               | .188          | AT10-1050-25 | 7762-4090   | 105             | 1050              | .323          |
| AT10-660-25 | 7762-4078   | 66              | 660               | .203          | AT10-1080-25 | 7762-4091   | 108             | 1080              | .333          |
| AT10-700-25 | 7762-4079   | 70              | 700               | .216          | AT10-1150-25 | 7762-4092   | 115             | 1150              | .354          |
| AT10-730-25 | 7762-4080   | 73              | 730               | .225          | AT10-1210-25 | 7762-4093   | 121             | 1210              | .373          |
| AT10-780-25 | 7762-4081   | 78              | 780               | .240          | AT10-1250-25 | 7762-4094   | 125             | 1250              | .385          |
| AT10-800-25 | 7762-4082   | 80              | 800               | .246          | AT10-1320-25 | 7762-4095   | 132             | 1320              | .407          |
| AT10-810-25 | 7762-4083   | 81              | 810               | .249          | AT10-1400-25 | 7762-4096   | 140             | 1400              | .431          |
| AT10-840-25 | 7762-4084   | 84              | 840               | .259          | AT10-1500-25 | 7762-4097   | 150             | 1500              | .462          |
| AT10-890-25 | 7762-4085   | 89              | 890               | .274          | AT10-1600-25 | 7762-4098   | 160             | 1600              | .493          |
| AT10-920-25 | 7762-4086   | 92              | 920               | .283          | AT10-1700-25 | 7762-4099   | 170             | 1700              | .524          |
| AT10-960-25 | 7762-4087   | 96              | 960               | .296          | AT10-1800-25 | 7762-4242   | 180             | 1800              | .554          |

### AT10 Pitch — 32mm Wide

| Part No.    | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) | Part No.    | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|-------------|-------------|-----------------|-------------------|---------------|
| AT10-500-32 | 7762-4100   | 50              | 500               | .197          | AT10-730-32 | 7762-4105   | 73              | 730               | .288          |
| AT10-560-32 | 7762-4101   | 56              | 560               | .221          | AT10-780-32 | 7762-4106   | 78              | 780               | .308          |
| AT10-610-32 | 7762-4102   | 61              | 610               | .240          | AT10-800-32 | 7762-4107   | 80              | 800               | .315          |
| AT10-660-32 | 7762-4103   | 66              | 660               | .260          | AT10-810-32 | 7762-4108   | 81              | 810               | .319          |
| AT10-700-32 | 7762-4104   | 70              | 700               | .276          | AT10-840-32 | 7762-4109   | 84              | 840               | .331          |





# Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

AT10 Pitch — 32mm Wide (continued)

| Part No.     | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) | Part No.     | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|--------------|-------------|-----------------|-------------------|---------------|
| AT10-890-32  | 7762-4110   | 89              | 890               | .351          | AT10-1210-32 | 7762-4118   | 121             | 1210              | .477          |
| AT10-920-32  | 7762-4111   | 92              | 920               | .363          | AT10-1250-32 | 7762-4119   | 125             | 1250              | .493          |
| AT10-960-32  | 7762-4112   | 96              | 960               | .378          | AT10-1320-32 | 7762-4120   | 132             | 1320              | .520          |
| AT10-980-32  | 7762-4113   | 98              | 980               | .386          | AT10-1400-32 | 7762-4121   | 140             | 1400              | .552          |
| AT10-1010-32 | 7762-4114   | 101             | 1010              | .398          | AT10-1500-32 | 7762-4122   | 150             | 1500              | .591          |
| AT10-1050-32 | 7762-4115   | 105             | 1050              | .414          | AT10-1600-32 | 7762-4123   | 160             | 1600              | .631          |
| AT10-1080-32 | 7762-4116   | 108             | 1080              | .426          | AT10-1700-32 | 7762-4124   | 170             | 1700              | .670          |
| AT10-1150-32 | 7762-4117   | 115             | 1150              | .453          | AT10-1800-32 | 7762-4233   | 180             | 1800              | .710          |

AT10 Pitch — 50mm Wide

| Part No.    | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) | Part No.     | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|--------------|-------------|-----------------|-------------------|---------------|
| AT10-500-50 | 7762-4125   | 50              | 500               | .308          | AT10-980-50  | 7762-4138   | 98              | 980               | .604          |
| AT10-560-50 | 7762-4126   | 56              | 560               | .345          | AT10-1010-50 | 7762-4139   | 101             | 1010              | .622          |
| AT10-610-50 | 7762-4127   | 61              | 610               | .376          | AT10-1050-50 | 7762-4140   | 105             | 1050              | .647          |
| AT10-660-50 | 7762-4128   | 66              | 660               | .407          | AT10-1080-50 | 7762-4141   | 108             | 1080              | .665          |
| AT10-700-50 | 7762-4129   | 70              | 700               | .431          | AT10-1150-50 | 7762-4142   | 115             | 1150              | .708          |
| AT10-730-50 | 7762-4130   | 73              | 730               | .450          | AT10-1210-50 | 7762-4143   | 121             | 1210              | .745          |
| AT10-780-50 | 7762-4131   | 78              | 780               | .480          | AT10-1250-50 | 7762-4144   | 125             | 1250              | .770          |
| AT10-800-50 | 7762-4132   | 80              | 800               | .493          | AT10-1320-50 | 7762-4145   | 132             | 1320              | .813          |
| AT10-810-50 | 7762-4133   | 81              | 810               | .499          | AT10-1400-50 | 7762-4146   | 140             | 1400              | .862          |
| AT10-840-50 | 7762-4134   | 84              | 840               | .517          | AT10-1500-50 | 7762-4147   | 150             | 1500              | .924          |
| AT10-890-50 | 7762-4135   | 89              | 890               | .548          | AT10-1600-50 | 7762-4148   | 160             | 1600              | .986          |
| AT10-920-50 | 7762-4136   | 92              | 920               | .567          | AT10-1700-50 | 7762-4149   | 170             | 1700              | 1.047         |
| AT10-960-50 | 7762-4137   | 96              | 960               | .591          | AT10-1800-50 | 7762-4235   | 180             | 1800              | 1.109         |

AT10 Pitch — 75mm Wide

| Part No.    | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) | Part No.     | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|-------------|-------------|-----------------|-------------------|---------------|--------------|-------------|-----------------|-------------------|---------------|
| AT10-500-75 | 7762-4150   | 50              | 500               | .462          | AT10-980-75  | 7762-4163   | 98              | 980               | .906          |
| AT10-560-75 | 7762-4151   | 56              | 560               | .517          | AT10-1010-75 | 7762-4164   | 101             | 1010              | .933          |
| AT10-610-75 | 7762-4152   | 61              | 610               | .564          | AT10-1050-75 | 7762-4165   | 105             | 1050              | .970          |
| AT10-660-75 | 7762-4153   | 66              | 660               | .610          | AT10-1080-75 | 7762-4166   | 108             | 1080              | .998          |
| AT10-700-75 | 7762-4154   | 70              | 700               | .647          | AT10-1150-75 | 7762-4167   | 115             | 1150              | 1.063         |
| AT10-730-75 | 7762-4155   | 73              | 730               | .675          | AT10-1210-75 | 7762-4168   | 121             | 1210              | 1.118         |
| AT10-780-75 | 7762-4156   | 78              | 780               | .721          | AT10-1250-75 | 7762-4169   | 125             | 1250              | 1.155         |
| AT10-800-75 | 7762-4157   | 80              | 800               | .739          | AT10-1320-75 | 7762-4170   | 132             | 1320              | 1.220         |
| AT10-810-75 | 7762-4158   | 81              | 810               | .748          | AT10-1400-75 | 7762-4171   | 140             | 1400              | 1.294         |
| AT10-840-75 | 7762-4159   | 84              | 840               | .776          | AT10-1500-75 | 7762-4172   | 150             | 1500              | 1.386         |
| AT10-890-75 | 7762-4160   | 89              | 890               | .822          | AT10-1600-75 | 7762-4173   | 160             | 1600              | 1.478         |
| AT10-920-75 | 7762-4161   | 92              | 920               | .850          | AT10-1700-75 | 7762-4174   | 170             | 1700              | 1.571         |
| AT10-960-75 | 7762-4162   | 96              | 960               | .887          | AT10-1800-75 | 7762-4237   | 180             | 1800              | 1.663         |

AT10 Pitch — 100mm Wide

| Part No.     | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) | Part No.      | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|---------------|-------------|-----------------|-------------------|---------------|
| AT10-500-100 | 7762-4175   | 50              | 500               | .616          | AT10-890-100  | 7762-4185   | 89              | 890               | 1.096         |
| AT10-560-100 | 7762-4176   | 56              | 560               | .690          | AT10-920-100  | 7762-4186   | 92              | 920               | 1.133         |
| AT10-610-100 | 7762-4177   | 61              | 610               | .752          | AT10-960-100  | 7762-4187   | 96              | 960               | 1.183         |
| AT10-660-100 | 7762-4178   | 66              | 660               | .813          | AT10-980-100  | 7762-4188   | 98              | 980               | 1.207         |
| AT10-700-100 | 7762-4179   | 70              | 700               | .862          | AT10-1010-100 | 7762-4189   | 101             | 1010              | 1.244         |
| AT10-730-100 | 7762-4180   | 73              | 730               | .899          | AT10-1050-100 | 7762-4190   | 105             | 1050              | 1.294         |
| AT10-780-100 | 7762-4181   | 78              | 780               | .961          | AT10-1080-100 | 7762-4191   | 108             | 1080              | 1.331         |
| AT10-800-100 | 7762-4182   | 80              | 800               | .986          | AT10-1150-100 | 7762-4192   | 115             | 1150              | 1.417         |
| AT10-810-100 | 7762-4183   | 81              | 810               | .998          | AT10-1210-100 | 7762-4193   | 121             | 1210              | 1.491         |
| AT10-840-100 | 7762-4184   | 84              | 840               | 1.035         | AT10-1250-100 | 7762-4194   | 125             | 1250              | 1.540         |



# Synchro-Power<sup>®</sup> Polyurethane Belts

**Product No. Series 7762 (continued)**

**AT10 Pitch — 100mm Wide (continued)**

| Part No.      | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) | Part No.      | Product No. | Number of Teeth | Pitch Length (mm) | Weight (Lbs.) |
|---------------|-------------|-----------------|-------------------|---------------|---------------|-------------|-----------------|-------------------|---------------|
| AT10-1320-100 | 7762-4195   | 132             | 1320              | 1.626         | AT10-1600-100 | 7762-4198   | 160             | 1600              | 1.971         |
| AT10-1400-100 | 7762-4196   | 140             | 1400              | 1.725         | AT10-1700-100 | 7762-4199   | 170             | 1700              | 2.094         |
| AT10-1500-100 | 7762-4197   | 150             | 1500              | 1.848         | AT10-1800-100 | 7762-4239   | 180             | 1800              | 2.218         |

SYNCHRO-POWER BELTS



# Synchro-Power® Polyurethane Belts

## Product No. Series 7762 (continued)

### Made-to-Order T2.5 Pitch\*

| Part No.              | Number of Teeth | Pitch Length (mm) | Part No.   | Number of Teeth | Pitch Length (mm) | Part No. | Number of Teeth | Pitch Length (mm) | Part No.  | Number of Teeth | Pitch Length (mm) |
|-----------------------|-----------------|-------------------|------------|-----------------|-------------------|----------|-----------------|-------------------|-----------|-----------------|-------------------|
| <sup>1</sup> T2.5-120 | 48              | 120               | T2.5-245   | 98              | 245               | T2.5-380 | 152             | 380               | T2.5-700  | 280             | 700               |
| <sup>1</sup> T2.5-145 | 58              | 145               | T2.5-265   | 106             | 265               | T2.5-420 | 168             | 420               | T2.5-780  | 312             | 780               |
| T2.5-160              | 64              | 160               | T2.5-277.5 | 111             | 277.5             | T2.5-480 | 192             | 480               | T2.5-880  | 352             | 880               |
| T2.5-177.5            | 71              | 177.5             | T2.5-285   | 114             | 285               | T2.5-500 | 200             | 500               | T2.5-915  | 366             | 915               |
| T2.5-180              | 72              | 180               | T2.5-290   | 116             | 290               | T2.5-540 | 216             | 540               | T2.5-950  | 380             | 950               |
| T2.5-182.5            | 73              | 182.5             | T2.5-305   | 122             | 305               | T2.5-600 | 240             | 600               | T2.5-1185 | 474             | 1185              |
| T2.5-200              | 80              | 200               | T2.5-317.5 | 127             | 317.5             | T2.5-620 | 248             | 620               |           |                 |                   |
| T2.5-210              | 84              | 210               | T2.5-330   | 132             | 330               | T2.5-650 | 260             | 650               |           |                 |                   |
| T2.5-230              | 92              | 230               | T2.5-342.5 | 137             | 342.5             | T2.5-680 | 272             | 680               |           |                 |                   |

### Made-to-Order T5 Pitch\*

| Part No.            | Number of Teeth | Pitch Length (mm) | Part No. | Number of Teeth | Pitch Length (mm) | Part No. | Number of Teeth | Pitch Length (mm) | Part No. | Number of Teeth | Pitch Length (mm) |
|---------------------|-----------------|-------------------|----------|-----------------|-------------------|----------|-----------------|-------------------|----------|-----------------|-------------------|
| <sup>1</sup> T5-120 | 24              | 120               | T5-460   | 92              | 460               | T5-920   | 184             | 920               | T5-1440  | 288             | 1440              |
| T5-210              | 42              | 210               | T5-515   | 103             | 515               | T5-1160  | 232             | 1160              | T5-1470  | 294             | 1470              |
| T5-300              | 60              | 300               | T5-765   | 153             | 765               | T5-1200  | 240             | 1200              | T5-1500  | 300             | 1500              |
| T5-375              | 75              | 375               | T5-830   | 166             | 830               | T5-1275  | 255             | 1275              | T5-1580  | 316             | 1580              |
| T5-425              | 85              | 425               | T5-860   | 172             | 860               | T5-1280  | 256             | 1280              | T5-1955  | 391             | 1955              |
| T5-440              | 88              | 440               | T5-885   | 177             | 885               | T5-1355  | 271             | 1355              |          |                 |                   |

### Made-to-Order T10 Pitch\*

| Part No. | Number of Teeth | Pitch Length (mm) | Part No. | Number of Teeth | Pitch Length (mm) | Part No. | Number of Teeth | Pitch Length (mm) | Part No. | Number of Teeth | Pitch Length (mm) |
|----------|-----------------|-------------------|----------|-----------------|-------------------|----------|-----------------|-------------------|----------|-----------------|-------------------|
| T10-320  | 32              | 320               | T10-550  | 55              | 550               | T10-1050 | 105             | 1050              | T10-1700 | 170             | 1700              |
| T10-340  | 34              | 340               | T10-650  | 65              | 650               | T10-1200 | 120             | 1200              |          |                 |                   |
| T10-390  | 39              | 390               | T10-680  | 68              | 680               | T10-1440 | 144             | 1440              |          |                 |                   |
| T10-480  | 48              | 480               | T10-850  | 85              | 850               | T10-1600 | 160             | 1600              |          |                 |                   |

### Made-to-Order AT5 Pitch\*

| Part No. | Number of Teeth | Pitch Length (mm) | Part No. | Number of Teeth | Pitch Length (mm) | Part No. | Number of Teeth | Pitch Length (mm) |
|----------|-----------------|-------------------|----------|-----------------|-------------------|----------|-----------------|-------------------|
| AT5-225  | 45              | 225               | AT5-480  | 96              | 480               | AT5-710  | 142             | 710               |
| AT5-330  | 66              | 330               | AT5-525  | 105             | 525               | AT5-860  | 172             | 860               |
| AT5-450  | 90              | 450               | AT5-670  | 134             | 670               | AT5-2000 | 400             | 2000              |

### Made-to-Order AT10 Pitch\*

| Part No.  | Number of Teeth | Pitch Length (mm) | Part No.  | Number of Teeth | Pitch Length (mm) | Part No.  | Number of Teeth | Pitch Length (mm) | Part No.  | Number of Teeth | Pitch Length (mm) |
|-----------|-----------------|-------------------|-----------|-----------------|-------------------|-----------|-----------------|-------------------|-----------|-----------------|-------------------|
| AT10-370  | 37              | 370               | AT10-1100 | 110             | 1100              | AT10-1280 | 128             | 1280              | AT10-1630 | 163             | 1630              |
| AT10-580  | 58              | 580               | AT10-1190 | 119             | 1190              | AT10-1300 | 130             | 1300              | AT10-1720 | 172             | 1720              |
| AT10-600  | 60              | 600               | AT10-1200 | 120             | 1200              | AT10-1350 | 135             | 1350              | AT10-1860 | 186             | 1860              |
| AT10-630  | 63              | 630               | AT10-1220 | 122             | 1220              | AT10-1360 | 136             | 1360              | AT10-1940 | 194             | 1940              |
| AT10-880  | 88              | 880               | AT10-1230 | 123             | 1230              | AT10-1420 | 142             | 1420              |           |                 |                   |
| AT10-1000 | 100             | 1000              | AT10-1240 | 124             | 1240              | AT10-1480 | 148             | 1480              |           |                 |                   |

\*Minimum order quantity is full sleeve yield +/- 10%. Unless otherwise noted, sleeve width is 300mm. Minimum cut belt width is 4 mm.

Contact customer service for pricing and availability.

<sup>1</sup> 240mm sleeve



# Synchro-Power® Polyurethane Belts

## Product No. Series 7762 (continued)

### Made-to-Order DT5 Pitch\*

| Part No. | Number of Teeth | Pitch Length (mm) | Part No. | Number of Teeth | Pitch Length (mm) | Part No. | Number of Teeth | Pitch Length (mm) | Part No. | Number of Teeth | Pitch Length (mm) |
|----------|-----------------|-------------------|----------|-----------------|-------------------|----------|-----------------|-------------------|----------|-----------------|-------------------|
| DT5-410  | 82              | 410               | DT5-550  | 110             | 550               | DT5-700  | 140             | 700               | DT5-860  | 172             | 860               |
| DT5-460  | 92              | 460               | DT5-590  | 118             | 590               | DT5-750  | 150             | 750               | DT5-940  | 188             | 940               |
| DT5-515  | 103             | 515               | DT5-620  | 124             | 620               | DT5-815  | 163             | 815               | DT5-1100 | 220             | 1100              |
| DT5-525  | 105             | 525               | DT5-685  | 137             | 685               | DT5-840  | 168             | 840               |          |                 |                   |

### Made-to-Order DT10 Pitch\*

| Part No. | Number of Teeth | Pitch Length (mm) | Part No. | Number of Teeth | Pitch Length (mm) | Part No.  | Number of Teeth | Pitch Length (mm) | Part No.  | Number of Teeth | Pitch Length (mm) |
|----------|-----------------|-------------------|----------|-----------------|-------------------|-----------|-----------------|-------------------|-----------|-----------------|-------------------|
| DT10-260 | 26              | 260               | DT10-720 | 72              | 720               | DT10-1100 | 110             | 1100              | DT10-1350 | 135             | 1350              |
| DT10-530 | 53              | 530               | DT10-840 | 84              | 840               | DT10-1210 | 121             | 1210              | DT10-1420 | 142             | 1420              |
| DT10-630 | 63              | 630               | DT10-900 | 90              | 900               | DT10-1240 | 124             | 1240              | DT10-1610 | 161             | 1610              |
| DT10-660 | 66              | 660               | DT10-920 | 92              | 920               | DT10-1250 | 125             | 1250              | DT10-1880 | 188             | 1880              |
| DT10-700 | 70              | 700               | DT10-980 | 98              | 980               | DT10-1320 | 132             | 1320              |           |                 |                   |

\*Minimum order quantity is full sleeve yield +/- 10%. Unless otherwise noted, sleeve width is 300mm. Minimum cut belt width is 4 mm. Contact customer service for pricing and availability.



# Synchro-Power® Polyurethane Timing Belts

## Recommended Sprockets

Contact the Gates Made-To-Order Metals Team.

### Notes

See end of this section for Made-to-Order lengths available. The minimum order quantity is full sleeve yield +/- 10%. Sleeve widths are 300mm unless otherwise noted. Minimum belt width is 4mm. Please contact Customer Service for price and availability.

Synchro-Power belts listed on the following pages are available in custom widths as Standard/Non-Stock with no minimum order quantities required. Contact Customer Service for minimum and maximum width range.

## Product No. Series 7758

### 3/8" Pitch (.375"/L) — 1/2" Wide

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------|-------------|-----------------|-------------------|---------------|
| 150L050U | 7758-0050   | 40              | 15.00             | .037          |
| 187L050U | 7758-0053   | 50              | 18.75             | .046          |
| 202L050U | 7758-0056   | 54              | 20.25             | .050          |
| 210L050U | 7758-0059   | 56              | 21.00             | .052          |
| 225L050U | 7758-0062   | 60              | 22.50             | .056          |
| 240L050U | 7758-0065   | 64              | 24.00             | .060          |
| 255L050U | 7758-0068   | 68              | 25.50             | .063          |
| 270L050U | 7758-0071   | 72              | 27.00             | .067          |

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------|-------------|-----------------|-------------------|---------------|
| 285L050U | 7758-0074   | 76              | 28.50             | .071          |
| 300L050U | 7758-0077   | 80              | 30.00             | .075          |
| 322L050U | 7758-0080   | 86              | 32.25             | .080          |
| 345L050U | 7758-0083   | 92              | 34.50             | .086          |
| 367L050U | 7758-0086   | 98              | 36.75             | .091          |
| 390L050U | 7758-0089   | 104             | 39.00             | .097          |
| 420L050U | 7758-0092   | 112             | 42.00             | .104          |

### 3/8" Pitch (.375"/L) — 3/4" Wide

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------|-------------|-----------------|-------------------|---------------|
| 150L075U | 7758-0051   | 40              | 15.00             | .056          |
| 187L075U | 7758-0054   | 50              | 18.75             | .070          |
| 202L075U | 7758-0057   | 54              | 20.25             | .075          |
| 210L075U | 7758-0060   | 56              | 21.00             | .078          |
| 225L075U | 7758-0063   | 60              | 22.50             | .084          |
| 240L075U | 7758-0066   | 64              | 24.00             | .089          |
| 255L075U | 7758-0069   | 68              | 25.50             | .095          |
| 270L075U | 7758-0072   | 72              | 27.00             | .101          |

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------|-------------|-----------------|-------------------|---------------|
| 285L075U | 7758-0075   | 76              | 28.50             | .106          |
| 300L075U | 7758-0078   | 80              | 30.00             | .112          |
| 322L075U | 7758-0081   | 86              | 32.25             | .120          |
| 345L075U | 7758-0084   | 92              | 34.50             | .129          |
| 367L075U | 7758-0087   | 98              | 36.75             | .137          |
| 390L075U | 7758-0090   | 104             | 39.00             | .145          |
| 420L075U | 7758-0093   | 112             | 42.00             | .156          |

### 3/8" Pitch (.375"/L) — 1" Wide

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------|-------------|-----------------|-------------------|---------------|
| 150L100U | 7758-0052   | 40              | 15.00             | .075          |
| 187L100U | 7758-0055   | 50              | 18.75             | .093          |
| 202L100U | 7758-0058   | 54              | 20.25             | .100          |
| 210L100U | 7758-0061   | 56              | 21.00             | .104          |
| 225L100U | 7758-0064   | 60              | 22.50             | .112          |
| 240L100U | 7758-0067   | 64              | 24.00             | .119          |
| 255L100U | 7758-0070   | 68              | 25.50             | .127          |
| 270L100U | 7758-0073   | 72              | 27.00             | .134          |

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------|-------------|-----------------|-------------------|---------------|
| 285L100U | 7758-0076   | 76              | 28.50             | .142          |
| 300L100U | 7758-0079   | 80              | 30.00             | .149          |
| 322L100U | 7758-0082   | 86              | 32.25             | .160          |
| 345L100U | 7758-0085   | 92              | 34.50             | .171          |
| 367L100U | 7758-0088   | 98              | 36.75             | .182          |
| 390L100U | 7758-0091   | 104             | 39.00             | .194          |
| 420L100U | 7758-0094   | 112             | 42.00             | .209          |

### 1/2" Pitch (.500"/H) — 3/4" Wide

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------|-------------|-----------------|-------------------|---------------|
| 240H075U | 7758-0000   | 48              | 24.00             | .100          |
| 270H075U | 7758-0005   | 54              | 27.00             | .112          |
| 300H075U | 7758-0010   | 60              | 30.00             | .125          |
| 330H075U | 7758-0015   | 66              | 33.00             | .137          |
| 360H075U | 7758-0020   | 72              | 36.00             | .149          |

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------|-------------|-----------------|-------------------|---------------|
| 390H075U | 7758-0025   | 78              | 39.00             | .162          |
| 420H075U | 7758-0030   | 84              | 42.00             | .174          |
| 450H075U | 7758-0035   | 90              | 45.00             | .187          |
| 480H075U | 7758-0040   | 96              | 48.00             | .199          |
| 510H075U | 7758-0045   | 102             | 51.00             | .212          |



# Synchro-Power® Polyurethane Timing Belts

## Product No. Series 7758 (continued)

### 1/2" Pitch (.500"/H) — 1" Wide

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------|-------------|-----------------|-------------------|---------------|----------|-------------|-----------------|-------------------|---------------|
| 240H100U | 7758-0001   | 48              | 24.00             | .133          | 390H100U | 7758-0026   | 78              | 39.00             | .216          |
| 270H100U | 7758-0006   | 54              | 27.00             | .149          | 420H100U | 7758-0031   | 84              | 42.00             | .232          |
| 300H100U | 7758-0011   | 60              | 30.00             | .166          | 450H100U | 7758-0036   | 90              | 45.00             | .249          |
| 330H100U | 7758-0016   | 66              | 33.00             | .183          | 480H100U | 7758-0041   | 96              | 48.00             | .266          |
| 360H100U | 7758-0021   | 72              | 36.00             | .199          | 510H100U | 7758-0046   | 102             | 51.00             | .282          |

### 1/2" Pitch (.500"/H) — 1 1/2" Wide

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------|-------------|-----------------|-------------------|---------------|----------|-------------|-----------------|-------------------|---------------|
| 240H150U | 7758-0002   | 48              | 24.00             | .199          | 390H150U | 7758-0027   | 78              | 39.00             | .324          |
| 270H150U | 7758-0007   | 54              | 27.00             | .224          | 420H150U | 7758-0032   | 84              | 42.00             | .349          |
| 300H150U | 7758-0012   | 60              | 30.00             | .249          | 450H150U | 7758-0037   | 90              | 45.00             | .374          |
| 330H150U | 7758-0017   | 66              | 33.00             | .274          | 480H150U | 7758-0042   | 96              | 48.00             | .399          |
| 360H150U | 7758-0022   | 72              | 36.00             | .299          | 510H150U | 7758-0047   | 102             | 51.00             | .423          |

### 1/2" Pitch (.500"/H) — 2" Wide

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------|-------------|-----------------|-------------------|---------------|----------|-------------|-----------------|-------------------|---------------|
| 240H200U | 7758-0003   | 48              | 24.00             | .266          | 390H200U | 7758-0028   | 78              | 39.00             | .432          |
| 270H200U | 7758-0008   | 54              | 27.00             | .299          | 420H200U | 7758-0033   | 84              | 42.00             | .465          |
| 300H200U | 7758-0013   | 60              | 30.00             | .332          | 450H200U | 7758-0038   | 90              | 45.00             | .498          |
| 330H200U | 7758-0018   | 66              | 33.00             | .365          | 480H200U | 7758-0043   | 96              | 48.00             | .531          |
| 360H200U | 7758-0023   | 72              | 36.00             | .399          | 510H200U | 7758-0048   | 102             | 51.00             | .565          |

### 1/2" Pitch (.500"/H) — 3" Wide

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------|-------------|-----------------|-------------------|---------------|----------|-------------|-----------------|-------------------|---------------|
| 240H300U | 7758-0004   | 48              | 24.00             | .399          | 390H300U | 7758-0029   | 78              | 39.00             | .648          |
| 270H300U | 7758-0009   | 54              | 27.00             | .448          | 420H300U | 7758-0034   | 84              | 42.00             | .697          |
| 300H300U | 7758-0014   | 60              | 30.00             | .498          | 450H300U | 7758-0039   | 90              | 45.00             | .747          |
| 330H300U | 7758-0019   | 66              | 33.00             | .548          | 480H300U | 7758-0044   | 96              | 48.00             | .797          |
| 360H300U | 7758-0024   | 72              | 36.00             | .598          | 510H300U | 7758-0049   | 102             | 51.00             | .847          |





# Synchro-Power® Polyurethane Timing Belts

SYNCHRO-POWER BELTS

**Product No. Series 7758 (continued)**  
**Made-to-Order 2/25" Pitch (.080"/MXL)\***

| Part No. | No. of Teeth | Pitch Length (mm) | Part No. | No. of Teeth | Pitch Length (mm) | Part No. | No. of Teeth | Pitch Length (mm) | Part No. | No. of Teeth | Pitch Length (mm) |
|----------|--------------|-------------------|----------|--------------|-------------------|----------|--------------|-------------------|----------|--------------|-------------------|
| 440 MXL  | 55           | 4.40              | 736 MXL  | 92           | 7.36              | 1080 MXL | 135          | 10.80             | 2464 MXL | 308          | 24.64             |
| 456 MXL  | 57           | 4.56              | 768 MXL  | 96           | 7.68              | 1120 MXL | 140          | 11.20             | 2656 MXL | 332          | 26.56             |
| 480 MXL  | 60           | 4.80              | 808 MXL  | 101          | 8.08              | 1160 MXL | 145          | 11.60             | 2816 MXL | 352          | 28.16             |
| 560 MXL  | 70           | 5.60              | 816 MXL  | 102          | 8.16              | 1200 MXL | 150          | 12.00             | 2880 MXL | 360          | 28.80             |
| 576 MXL  | 72           | 5.76              | 824 MXL  | 103          | 8.24              | 1240 MXL | 155          | 12.40             | 3160 MXL | 395          | 31.60             |
| 600 MXL  | 75           | 6.00              | 840 MXL  | 105          | 8.40              | 1400 MXL | 175          | 14.00             | 3240 MXL | 405          | 32.40             |
| 608 MXL  | 76           | 6.08              | 880 MXL  | 110          | 8.80              | 1520 MXL | 190          | 15.20             | 3296 MXL | 412          | 32.96             |
| 632 MXL  | 79           | 6.32              | 912 MXL  | 114          | 9.12              | 1600 MXL | 200          | 16.00             | 3456 MXL | 432          | 34.56             |
| 640 MXL  | 80           | 6.40              | 944 MXL  | 118          | 9.44              | 1768 MXL | 221          | 17.68             | 3632 MXL | 454          | 36.32             |
| 656 MXL  | 82           | 6.56              | 960 MXL  | 120          | 9.60              | 2048 MXL | 256          | 20.48             | 3880 MXL | 485          | 38.80             |
| 704 MXL  | 88           | 7.04              | 1040 MXL | 130          | 10.40             | 2240 MXL | 280          | 22.40             |          |              |                   |
| 728 MXL  | 91           | 7.28              | 1056 MXL | 132          | 10.56             | 2280 MXL | 285          | 22.80             |          |              |                   |

**Made-to-Order 1/5" Pitch (.200"/XL)\***

| Part No. | No. of Teeth | Pitch Length (mm) | Part No. | No. of Teeth | Pitch Length (mm) | Part No. | No. of Teeth | Pitch Length (mm) | Part No. | No. of Teeth | Pitch Length (mm) |
|----------|--------------|-------------------|----------|--------------|-------------------|----------|--------------|-------------------|----------|--------------|-------------------|
| 60 XL    | 30           | 6.00              | 120 XL   | 60           | 12.00             | 194 XL   | 97           | 19.40             | 288 XL   | 144          | 28.80             |
| 70 XL    | 35           | 7.00              | 130 XL   | 65           | 13.00             | 200 XL   | 100          | 20.00             | 290 XL   | 145          | 29.00             |
| 76 XL    | 38           | 7.60              | 134 XL   | 67           | 13.40             | 210 XL   | 105          | 21.00             | 300 XL   | 150          | 30.00             |
| 80 XL    | 40           | 8.00              | 140 XL   | 70           | 14.00             | 220 XL   | 110          | 22.00             | 356 XL   | 178          | 35.60             |
| 90 XL    | 45           | 9.00              | 150 XL   | 75           | 15.00             | 230 XL   | 115          | 23.00             | 414 XL   | 207          | 41.40             |
| 96 XL    | 48           | 9.60              | 160 XL   | 80           | 16.00             | 240 XL   | 120          | 24.00             | 450 XL   | 225          | 45.00             |
| 100 XL   | 50           | 10.00             | 170 XL   | 85           | 17.00             | 250 XL   | 125          | 25.00             | 566 XL   | 283          | 56.60             |
| 106 XL   | 53           | 10.60             | 180 XL   | 90           | 18.00             | 260 XL   | 130          | 26.00             |          |              |                   |
| 110 XL   | 55           | 11.00             | 190 XL   | 95           | 19.00             | 270 XL   | 135          | 27.00             |          |              |                   |

**Made-to-Order 3/8" Pitch (.375"/L)- L Pitch\***

| Part No. | No. of Teeth | Pitch Length (mm) | Part No. | No. of Teeth | Pitch Length (mm) | Part No. | No. of Teeth | Pitch Length (mm) |
|----------|--------------|-------------------|----------|--------------|-------------------|----------|--------------|-------------------|
| 86 L     | 23           | 8.60              | 450 L    | 120          | 45.00             | 540 L    | 144          | 54.00             |
| 124 L    | 33           | 12.38             | 480 L    | 128          | 48.00             | 570 L    | 152          | 57.00             |
| 173 L    | 46           | 17.25             | 510 L    | 136          | 51.00             | 600 L    | 160          | 60.00             |

**Made-to-Order 1/2" (.500"/H)- H Pitch\***

| Part No. | No. of Teeth | Pitch Length (mm) |
|----------|--------------|-------------------|
| 230 H    | 46           | 23.00             |

\*Minimum order quantity is full sleeve yield +/- 10%. Unless otherwise noted, sleeve width is 300mm. Minimum cut belt width is 4mm. Contact customer service for pricing and availability.

- <sup>1</sup> 100mm sleeve
- <sup>2</sup> 120mm sleeve
- <sup>3</sup> 270mm sleeve




# Predator® Single Belts

**Notes**

Predator belts do not meet RMA requirements for belt static conductivity.  
When application requires Predator belt sets, request belts with same group/match number.

**Product No. Series 9185**



**AP Section**

| Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Part No. | Product No. | O.C. (in) | Weight (Lbs.) |
|----------|-------------|-----------|---------------|----------|-------------|-----------|---------------|----------|-------------|-----------|---------------|
| AP31     | 9185-0031   | 33.00     | .240          | AP48     | 9185-0048   | 50.00     | .370          | AP62     | 9185-0062   | 64.00     | .470          |
| AP33     | 9185-0033   | 35.00     | .260          | AP50     | 9185-0050   | 52.00     | .380          | AP63     | 9185-0063   | 65.00     | .480          |
| AP35     | 9185-0035   | 37.00     | .270          | AP51     | 9185-0051   | 53.00     | .390          | AP64     | 9185-0064   | 66.00     | .480          |
| AP38     | 9185-0038   | 40.00     | .290          | AP52     | 9185-0052   | 54.00     | .400          | AP66     | 9185-0066   | 68.00     | .500          |
| AP40     | 9185-0040   | 42.00     | .310          | AP53     | 9185-0053   | 55.00     | .400          | AP68     | 9185-0068   | 70.00     | .510          |
| AP41     | 9185-0041   | 43.00     | .320          | AP54     | 9185-0054   | 56.00     | .410          | AP70     | 9185-0070   | 72.00     | .530          |
| AP42     | 9185-0042   | 44.00     | .320          | AP55     | 9185-0055   | 57.00     | .420          | AP71     | 9185-0071   | 73.00     | .540          |
| AP43     | 9185-0043   | 45.00     | .330          | AP56     | 9185-0056   | 58.00     | .430          | AP85     | 9185-0085   | 87.00     | .640          |
| AP44     | 9185-0044   | 46.00     | .340          | AP58     | 9185-0058   | 60.00     | .440          | AP87     | 9185-0087   | 89.00     | .650          |
| AP45     | 9185-0045   | 47.00     | .350          | AP59     | 9185-0059   | 61.00     | .450          | AP90     | 9185-0090   | 92.00     | .680          |
| AP46     | 9185-0046   | 48.00     | .350          | AP60     | 9185-0060   | 62.00     | .460          | AP91     | 9185-0091   | 93.00     | .690          |
| AP47     | 9185-0047   | 49.00     | .360          | AP61     | 9185-0061   | 63.00     | .460          |          |             |           |               |

**Product No. Series 9186**



**BP Section**

| Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Part No. | Product No. | O.C. (in) | Weight (Lbs.) |
|----------|-------------|-----------|---------------|----------|-------------|-----------|---------------|----------|-------------|-----------|---------------|
| BP32     | 9186-0032   | 35.00     | .390          | BP65     | 9186-0065   | 68.00     | .760          | BP103    | 9186-0103   | 106.00    | 1.190         |
| BP38     | 9186-0038   | 41.00     | .460          | BP66     | 9186-0066   | 69.00     | .770          | BP105    | 9186-0105   | 108.00    | 1.210         |
| BP40     | 9186-0040   | 43.00     | .480          | BP67     | 9186-0067   | 70.00     | .770          | BP108    | 9186-0108   | 111.00    | 1.240         |
| BP41     | 9186-0041   | 44.00     | .490          | BP68     | 9186-0068   | 71.00     | .800          | BP110    | 9186-0110   | 113.00    | 1.230         |
| BP42     | 9186-0042   | 45.00     | .500          | BP69     | 9186-0069   | 72.00     | .790          | BP112    | 9186-0112   | 115.00    | 1.290         |
| BP43     | 9186-0043   | 46.00     | .510          | BP70     | 9186-0070   | 73.00     | .820          | BP115    | 9186-0115   | 118.00    | 1.290         |
| BP44     | 9186-0044   | 47.00     | .530          | BP71     | 9186-0071   | 74.00     | .830          | BP116    | 9186-0116   | 119.00    | 1.300         |
| BP45     | 9186-0045   | 48.00     | .530          | BP72     | 9186-0072   | 75.00     | .820          | BP120    | 9186-0120   | 123.00    | 1.380         |
| BP46     | 9186-0046   | 49.00     | .550          | BP73     | 9186-0073   | 76.00     | .820          | BP124    | 9186-0124   | 127.00    | 1.420         |
| BP47     | 9186-0047   | 50.00     | .550          | BP74     | 9186-0074   | 77.00     | .830          | BP128    | 9186-0128   | 131.00    | 1.470         |
| BP48     | 9186-0048   | 51.00     | .570          | BP75     | 9186-0075   | 78.00     | .870          | BP130    | 9186-0130   | 133.00    | 1.490         |
| BP49     | 9186-0049   | 52.00     | .520          | BP76     | 9186-0076   | 79.00     | .860          | BP133    | 9186-0133   | 136.00    | 1.520         |
| BP50     | 9186-0050   | 53.00     | .590          | BP77     | 9186-0077   | 80.00     | .870          | BP135    | 9186-0135   | 138.00    | 1.540         |
| BP51     | 9186-0051   | 54.00     | .610          | BP78     | 9186-0078   | 81.00     | .910          | BP136    | 9186-0136   | 139.00    | 1.560         |
| BP52     | 9186-0052   | 55.00     | .620          | BP79     | 9186-0079   | 82.00     | .930          | BP140    | 9186-0140   | 143.00    | 1.600         |
| BP53     | 9186-0053   | 56.00     | .630          | BP80     | 9186-0080   | 83.00     | .930          | BP142    | 9186-0142   | 145.00    | 1.620         |
| BP54     | 9186-0054   | 57.00     | .640          | BP81     | 9186-0081   | 84.00     | .940          | BP144    | 9186-0144   | 147.00    | 1.650         |
| BP55     | 9186-0055   | 58.00     | .650          | BP83     | 9186-0083   | 86.00     | .960          | BP148    | 9186-0148   | 151.00    | 1.680         |
| BP56     | 9186-0056   | 59.00     | .660          | BP85     | 9186-0085   | 88.00     | .990          | BP150    | 9186-0150   | 153.00    | 1.710         |
| BP57     | 9186-0057   | 60.00     | .670          | BP87     | 9186-0087   | 90.00     | .980          | BP154    | 9186-0154   | 157.00    | 1.750         |
| BP58     | 9186-0058   | 61.00     | .680          | BP89     | 9186-0089   | 92.00     | .960          | BP158    | 9186-0158   | 161.00    | 1.800         |
| BP59     | 9186-0059   | 62.00     | .690          | BP90     | 9186-0090   | 93.00     | 1.040         | BP162    | 9186-0162   | 165.00    | 1.840         |
| BP60     | 9186-0060   | 63.00     | .710          | BP93     | 9186-0093   | 96.00     | 1.080         | BP173    | 9186-0173   | 176.00    | 1.970         |
| BP61     | 9186-0061   | 64.00     | .720          | BP95     | 9186-0095   | 98.00     | 1.100         | BP180    | 9186-0180   | 183.00    | 2.040         |
| BP62     | 9186-0062   | 65.00     | .730          | BP97     | 9186-0097   | 100.00    | 1.120         | BP195    | 9186-0195   | 198.00    | 2.220         |
| BP63     | 9186-0063   | 66.00     | .740          | BP99     | 9186-0099   | 102.00    | 1.150         |          |             |           |               |
| BP64     | 9186-0064   | 67.00     | .750          | BP100    | 9186-0100   | 103.00    | 1.150         |          |             |           |               |

**Product No. Series 9187**



**CP Section**

| Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Part No. | Product No. | O.C. (in) | Weight (Lbs.) |
|----------|-------------|-----------|---------------|----------|-------------|-----------|---------------|----------|-------------|-----------|---------------|
| CP85     | 9187-0085   | 89.00     | 1.860         | CP96     | 9187-0096   | 100.00    | 2.090         | CP100    | 9187-0100   | 104.00    | 2.170         |
| CP90     | 9187-0090   | 94.00     | 1.960         | CP99     | 9187-0099   | 103.00    | 2.150         | CP105    | 9187-0105   | 109.00    | 2.270         |

HEAVY DUTY V-BELTS



# Predator® Single Belts

## Product No. Series 9187 (continued)

### CP Section (continued)

| Part No. | Product No. | O.C. (in) | Weight (Lbs.) |
|----------|-------------|-----------|---------------|
| CP112    | 9187-0112   | 116.00    | 2.420         |
| CP120    | 9187-0120   | 124.00    | 2.590         |
| CP128    | 9187-0128   | 132.00    | 2.750         |
| CP136    | 9187-0136   | 140.00    | 2.920         |

| Part No. | Product No. | O.C. (in) | Weight (Lbs.) |
|----------|-------------|-----------|---------------|
| CP144    | 9187-0144   | 148.00    | 3.090         |
| CP158    | 9187-0158   | 162.00    | 3.380         |
| CP162    | 9187-0162   | 166.00    | 3.460         |
| CP173    | 9187-0173   | 177.00    | 3.690         |

| Part No. | Product No. | O.C. (in) | Weight (Lbs.) |
|----------|-------------|-----------|---------------|
| CP180    | 9187-0180   | 184.00    | 3.840         |
| CP195    | 9187-0195   | 199.00    | 4.150         |
| CP240    | 9187-0240   | 242.00    | 5.050         |



## Product No. Series 9188

### 5VP Section

| Part No. | Product No. | O.C. (in) | Weight (Lbs.) |
|----------|-------------|-----------|---------------|
| 5VP800   | 9188-0080   | 80.00     | 1.020         |
| 5VP850   | 9188-0085   | 85.00     | 1.080         |
| 5VP900   | 9188-0090   | 90.00     | 1.150         |
| 5VP950   | 9188-0095   | 95.00     | 1.210         |
| 5VP1000  | 9188-0100   | 100.00    | 1.280         |
| 5VP1060  | 9188-0106   | 106.00    | 1.350         |
| 5VP1120  | 9188-0112   | 112.00    | 1.430         |
| 5VP1180  | 9188-0118   | 118.00    | 1.500         |
| 5VP1250  | 9188-0125   | 125.00    | 1.590         |

| Part No. | Product No. | O.C. (in) | Weight (Lbs.) |
|----------|-------------|-----------|---------------|
| 5VP1320  | 9188-0132   | 132.00    | 1.680         |
| 5VP1400  | 9188-0140   | 140.00    | 1.790         |
| 5VP1500  | 9188-0150   | 150.00    | 1.910         |
| 5VP1600  | 9188-0160   | 160.00    | 2.040         |
| 5VP1700  | 9188-0170   | 170.00    | 2.170         |
| 5VP1800  | 9188-0180   | 180.00    | 2.300         |
| 5VP1900  | 9188-0190   | 190.00    | 2.420         |
| 5VP2000  | 9188-0200   | 200.00    | 2.550         |
| 5VP2120  | 9188-0212   | 212.00    | 2.700         |

| Part No. | Product No. | O.C. (in) | Weight (Lbs.) |
|----------|-------------|-----------|---------------|
| 5VP2240  | 9188-0224   | 224.00    | 2.860         |
| 5VP2360  | 9188-0236   | 236.00    | 3.010         |
| 5VP2500  | 9188-0250   | 250.00    | 3.190         |
| 5VP2650  | 9188-0265   | 265.00    | 3.380         |
| 5VP2800  | 9188-0280   | 280.00    | 3.570         |
| 5VP3000  | 9188-0300   | 300.00    | 3.830         |
| 5VP3150  | 9188-0315   | 315.00    | 4.020         |
| 5VP3350  | 9188-0335   | 335.00    | 4.270         |
| 5VP3550  | 9188-0355   | 355.00    | 4.530         |




## Product No. Series 9189

### 8VP Section

| Part No. | Product No. | O.C. (in) | Weight (Lbs.) |
|----------|-------------|-----------|---------------|
| 8VP1600  | 9189-0160   | 160.00    | 5.290         |
| 8VP1700  | 9189-0170   | 170.00    | 5.620         |
| 8VP1800  | 9189-0180   | 180.00    | 5.950         |
| 8VP1900  | 9189-0190   | 190.00    | 6.280         |
| 8VP2000  | 9189-0200   | 200.00    | 6.610         |

| Part No. | Product No. | O.C. (in) | Weight (Lbs.) |
|----------|-------------|-----------|---------------|
| 8VP2120  | 9189-0212   | 212.00    | 7.000         |
| 8VP2240  | 9189-0224   | 224.00    | 7.400         |
| 8VP2360  | 9189-0236   | 236.00    | 7.800         |
| 8VP2500  | 9189-0250   | 250.00    | 8.260         |
| 8VP2650  | 9189-0265   | 265.00    | 8.750         |

| Part No. | Product No. | O.C. (in) | Weight (Lbs.) |
|----------|-------------|-----------|---------------|
| 8VP2800  | 9189-0280   | 280.00    | 9.250         |
| 8VP3000  | 9189-0300   | 300.00    | 9.910         |
| 8VP3150  | 9189-0315   | 315.00    | 10.410        |
| 8VP3350  | 9189-0335   | 335.00    | 11.070        |
| 8VP3550  | 9189-0355   | 355.00    | 11.730        |



## Product No. Series 9190

### SPBP Section

| Part No. | Product No. | Pitch Length (mm) | Weight (Lbs.) |
|----------|-------------|-------------------|---------------|
| SPB1260P | 9190-01260  | 1260              | .660          |
| SPB1500P | 9190-01500  | 1500              | .790          |
| SPB1600P | 9190-01600  | 1600              | .840          |
| SPB1700P | 9190-01700  | 1700              | .900          |
| SPB1800P | 9190-01800  | 1800              | .950          |
| SPB1900P | 9190-01900  | 1900              | 1.000         |
| SPB2000P | 9190-02000  | 2000              | 1.050         |
| SPB2120P | 9190-02120  | 2120              | 1.120         |
| SPB2240P | 9190-02240  | 2240              | 1.180         |
| SPB2360P | 9190-02360  | 2360              | 1.240         |
| SPB2500P | 9190-02500  | 2500              | 1.320         |


| Part No. | Product No. | Pitch Length (mm) | Weight (Lbs.) |
|----------|-------------|-------------------|---------------|
| SPB2650P | 9190-02650  | 2650              | 1.400         |
| SPB2800P | 9190-02800  | 2800              | 1.480         |
| SPB3000P | 9190-03000  | 3000              | 1.580         |
| SPB3150P | 9190-03150  | 3150              | 1.660         |
| SPB3350P | 9190-03350  | 3350              | 1.770         |
| SPB3550P | 9190-03550  | 3550              | 1.870         |
| SPB3750P | 9190-03750  | 3750              | 1.980         |
| SPB4000P | 9190-04000  | 4000              | 2.110         |
| SPB4250P | 9190-04250  | 4250              | 2.240         |
| SPB4500P | 9190-04500  | 4500              | 2.370         |
| SPB4750P | 9190-04750  | 4750              | 2.500         |

| Part No. | Product No. | Pitch Length (mm) | Weight (Lbs.) |
|----------|-------------|-------------------|---------------|
| SPB5000P | 9190-05000  | 5000              | 2.640         |
| SPB5300P | 9190-05300  | 5300              | 2.790         |
| SPB5600P | 9190-05600  | 5600              | 2.950         |
| SPB6000P | 9190-06000  | 6000              | 3.160         |
| SPB6300P | 9190-06300  | 6300              | 3.320         |
| SPB6700P | 9190-06700  | 6700              | 3.530         |
| SPB7100P | 9190-07100  | 7100              | 3.740         |
| SPB7500P | 9190-07500  | 7500              | 3.960         |
| SPB8000P | 9190-08000  | 8000              | 4.220         |

HEAVY DUTY V-BELTS



# Predator® Single Belts



**Product No. Series 9191**

**SPCP Section**

| Part No. | Product No. | Pitch Length (mm) | Weight (Lbs.) |
|----------|-------------|-------------------|---------------|
| SPC2000P | 9191-02000  | 2000              | 1.910         |
| SPC2120P | 9191-02120  | 2120              | 2.030         |
| SPC2240P | 9191-02240  | 2240              | 2.140         |
| SPC2360P | 9191-02360  | 2360              | 2.260         |
| SPC2500P | 9191-02500  | 2500              | 2.390         |
| SPC2650P | 9191-02650  | 2650              | 2.530         |
| SPC2800P | 9191-02800  | 2800              | 2.680         |
| SPC3000P | 9191-03000  | 3000              | 2.870         |
| SPC3150P | 9191-03150  | 3150              | 3.010         |
| SPC3350P | 9191-03350  | 3350              | 3.200         |

| Part No. | Product No. | Pitch Length (mm) | Weight (Lbs.) |
|----------|-------------|-------------------|---------------|
| SPC3550P | 9191-03550  | 3550              | 3.390         |
| SPC3750P | 9191-03750  | 3750              | 3.580         |
| SPC4000P | 9191-04000  | 4000              | 3.820         |
| SPC4250P | 9191-04250  | 4250              | 4.060         |
| SPC4500P | 9191-04500  | 4500              | 4.300         |
| SPC4750P | 9191-04750  | 4750              | 4.540         |
| SPC5000P | 9191-05000  | 5000              | 4.780         |
| SPC5300P | 9191-05300  | 5300              | 5.070         |
| SPC5600P | 9191-05600  | 5600              | 5.350         |
| SPC6000P | 9191-06000  | 6000              | 5.730         |

| Part No. | Product No. | Pitch Length (mm) | Weight (Lbs.) |
|----------|-------------|-------------------|---------------|
| SPC6300P | 9191-06300  | 6300              | 6.020         |
| SPC6700P | 9191-06700  | 6700              | 6.400         |
| SPC7100P | 9191-07100  | 7100              | 6.790         |
| SPC7500P | 9191-07500  | 7500              | 7.170         |
| SPC8000P | 9191-08000  | 8000              | 7.650         |
| SPC8500P | 9191-08500  | 8500              | 8.120         |
| SPC9000P | 9191-09000  | 9000              | 8.600         |
| SPC9500P | 9191-09500  | 9500              | 8.590         |

HEAVY DUTY V-BELTS



# Predator® PowerBand® Belts

## Recommended Sheaves

Super HC Sheaves as recommended by DesignFlex® Pro™ drive analysis.

## Notes

Belt part number is constructed by placing the (#) number of strands required followed by a slash (/) in front of the belt size. For example, 5/3VP800 represents a 3VP800 with 5 joined strands.

Belt product number is 8 or 9 digits constructed of product series prefix, number of strands, and belt length. For example, 91805080 represents a "3VP" section PowerBand (9180) with 5 strands (5) that is 80.0 inches (080) long.

Predator belts do not meet RMA requirements for belt static conductivity.

When application requires Predator PowerBand belt sets, request same group/match number.

## Product No. Series 9184



### CP Section

| Size<br>(# = strands) | O.C. (in) | Wt. Per Strand<br>(Lbs.) | Belt Width In Number of Strands |          |          |          |          |          |          |          |           |           |           |  |
|-----------------------|-----------|--------------------------|---------------------------------|----------|----------|----------|----------|----------|----------|----------|-----------|-----------|-----------|--|
|                       |           |                          | 2 Strand                        | 3 Strand | 4 Strand | 5 Strand | 6 Strand | 7 Strand | 8 Strand | 9 Strand | 10 Strand | 11 Strand | 12 Strand |  |
|                       |           |                          | 9184-                           | 9184-    | 9184-    | 9184-    | 9184-    | 9184-    | 9184-    | 9184-    | 9184-     | 9184-     | 9184-     |  |
| #/CP81                | 85.00     | 1.86                     | 2081                            | 3081     | 4081     | 5081     | 6081     | 7081     | 8081     | 9081     | 10081     | 11081     | 12081     |  |
| #/CP85                | 89.00     | 1.95                     | 2085                            | 3085     | 4085     | 5085     | 6085     | 7085     | 8085     | 9085     | 10085     | 11085     | 12085     |  |
| #/CP90                | 94.00     | 2.06                     | 2090                            | 3090     | 4090     | 5090     | 6090     | 7090     | 8090     | 9090     | 10090     | 11090     | 12090     |  |
| #/CP99                | 103.00    | 2.26                     | 2099                            | 3099     | 4099     | 5099     | 6099     | 7099     | 8099     | 9099     | 10099     | 11099     | 12099     |  |
| #/CP112               | 116.00    | 2.54                     | 2112                            | 3112     | 4112     | 5112     | 6112     | 7112     | 8112     | 9112     | 10112     | 11112     | 12112     |  |
| #/CP120               | 124.00    | 2.72                     | 2120                            | 3120     | 4120     | 5120     | 6120     | 7120     | 8120     | 9120     | 10120     | 11120     | 12120     |  |
| #/CP158               | 162.00    | 3.55                     | 2158                            | 3158     | 4158     | 5158     | 6158     | 7158     | 8158     | 9158     | 10158     | 11158     | 12158     |  |
| #/CP195               | 199.00    | 4.36                     | 2195                            | 3195     | 4195     | 5195     | 6195     | 7195     | 8195     | 9195     | 10195     | 11195     | 12195     |  |
| #/CP225               | 227.00    | 4.97                     | 2225                            | 3225     | 4225     | 5225     | 6225     | 7225     | 8225     | 9225     | 10225     | 11225     | 12225     |  |
| #/CP240               | 242.00    | 5.30                     | 2240                            | 3240     | 4240     | 5240     | 6240     | 7240     | 8240     | 9240     | 10240     | 11240     | 12240     |  |
| #/CP255               | 257.00    | 5.63                     | 2255                            | 3255     | 4255     | 5255     | 6255     | 7255     | 8255     | 9255     | 10255     | 11255     | 12255     |  |
| #/CP300               | 302.00    | 6.62                     | 2300                            | 3300     | 4300     | 5300     | 6300     | 7300     | 8300     | 9300     | 10300     | 11300     | 12300     |  |
| #/CP330               | 332.00    | 7.27                     | 2330                            | 3330     | 4330     | 5330     | 6330     | 7330     | 8330     | 9330     | 10330     | 11330     | 12330     |  |
| #/CP345               | 347.00    | 7.60                     | 2345                            | 3345     | 4345     | 5345     | 6345     | 7345     | 8345     | 9345     | 10345     | 11345     | 12345     |  |
| #/CP360               | 362.00    | 7.93                     | 2360                            | 3360     | 4360     | 5360     | 6360     | 7360     | 8360     | 9360     | 10360     | 11360     | 12360     |  |

## Product No. Series 9180



### 3VP Section

| Size<br>(# = strands) | O.C. (in) | Wt. Per Strand<br>(Lbs.) | Belt Width In Number of Strands |          |          |          |          |          |          |          |           |  |
|-----------------------|-----------|--------------------------|---------------------------------|----------|----------|----------|----------|----------|----------|----------|-----------|--|
|                       |           |                          | 2 Strand                        | 3 Strand | 4 Strand | 5 Strand | 6 Strand | 7 Strand | 8 Strand | 9 Strand | 10 Strand |  |
|                       |           |                          | 9180-                           | 9180-    | 9180-    | 9180-    | 9180-    | 9180-    | 9180-    | 9180-    | 9180-     |  |
| #/3VP450              | 45.00     | .28                      | 2045                            | 3045     | 4045     | 5045     | 6045     | 7045     | 8045     | 9045     | 10045     |  |
| #/3VP475              | 47.50     | .29                      | 2047                            | 3047     | 4047     | 5047     | 6047     | 7047     | 8047     | 9047     | 10047     |  |
| #/3VP500              | 50.00     | .30                      | 2050                            | 3050     | 4050     | 5050     | 6050     | 7050     | 8050     | 9050     | 10050     |  |
| #/3VP530              | 53.00     | .33                      | 2053                            | 3053     | 4053     | 5053     | 6053     | 7053     | 8053     | 9053     | 10053     |  |
| #/3VP560              | 56.00     | .34                      | 2056                            | 3056     | 4056     | 5056     | 6056     | 7056     | 8056     | 9056     | 10056     |  |
| #/3VP600              | 60.00     | .37                      | 2060                            | 3060     | 4060     | 5060     | 6060     | 7060     | 8060     | 9060     | 10060     |  |
| #/3VP630              | 63.00     | .40                      | 2063                            | 3063     | 4063     | 5063     | 6063     | 7063     | 8063     | 9063     | 10063     |  |
| #/3VP670              | 67.00     | .41                      | 2067                            | 3067     | 4067     | 5067     | 6067     | 7067     | 8067     | 9067     | 10067     |  |
| #/3VP710              | 71.00     | .44                      | 2071                            | 3071     | 4071     | 5071     | 6071     | 7071     | 8071     | 9071     | 10071     |  |
| #/3VP750              | 75.00     | .46                      | 2075                            | 3075     | 4075     | 5075     | 6075     | 7075     | 8075     | 9075     | 10075     |  |
| #/3VP800              | 80.00     | .50                      | 2080                            | 3080     | 4080     | 5080     | 6080     | 7080     | 8080     | 9080     | 10080     |  |
| #/3VP850              | 85.00     | .53                      | 2085                            | 3085     | 4085     | 5085     | 6085     | 7085     | 8085     | 9085     | 10085     |  |
| #/3VP900              | 90.00     | .56                      | 2090                            | 3090     | 4090     | 5090     | 6090     | 7090     | 8090     | 9090     | 10090     |  |
| #/3VP950              | 95.00     | .60                      | 2095                            | 3095     | 4095     | 5095     | 6095     | 7095     | 8095     | 9095     | 10095     |  |
| #/3VP1000             | 100.00    | .63                      | 2100                            | 3100     | 4100     | 5100     | 6100     | 7100     | 8100     | 9100     | 10100     |  |
| #/3VP1060             | 106.00    | .66                      | 2106                            | 3106     | 4106     | 5106     | 6106     | 7106     | 8106     | 9106     | 10106     |  |
| #/3VP1120             | 112.00    | .70                      | 2112                            | 3112     | 4112     | 5112     | 6112     | 7112     | 8112     | 9112     | 10112     |  |
| #/3VP1180             | 118.00    | .74                      | 2118                            | 3118     | 4118     | 5118     | 6118     | 7118     | 8118     | 9118     | 10118     |  |
| #/3VP1250             | 125.00    | .79                      | 2125                            | 3125     | 4125     | 5125     | 6125     | 7125     | 8125     | 9125     | 10125     |  |
| #/3VP1320             | 132.00    | .83                      | 2132                            | 3132     | 4132     | 5132     | 6132     | 7132     | 8132     | 9132     | 10132     |  |
| #/3VP1400             | 140.00    | .88                      | 2140                            | 3140     | 4140     | 5140     | 6140     | 7140     | 8140     | 9140     | 10140     |  |

HEAVY DUTY V-BELTS




**Product No. Series 9181**

**5VP Section**

HEAVY DUTY V-BELTS

| Size<br>(# = strands) | O.C. (in) | Wt. Per Strand<br>(Lbs.) | Belt Width In Number of Strands |          |          |          |          |          |          |          |           |           |           |  |
|-----------------------|-----------|--------------------------|---------------------------------|----------|----------|----------|----------|----------|----------|----------|-----------|-----------|-----------|--|
|                       |           |                          | 2 Strand                        | 3 Strand | 4 Strand | 5 Strand | 6 Strand | 7 Strand | 8 Strand | 9 Strand | 10 Strand | 11 Strand | 12 Strand | 13 to 16 Strand<br>Maximum<br>(## = strands) |
|                       |           |                          | 9181-                           | 9181-    | 9181-    | 9181-    | 9181-    | 9181-    | 9181-    | 9181-    | 9181-     | 9181-     | 9181-     | 9181-  |
| #/5VP600              | 60.00     | .96                      | 2060                            | 3060     | 4060     | 5060     | 6060     | 7060     | 8060     | 9060     | 10060     | 11060     | 12060     | ##060  |
| #/5VP630              | 63.00     | 1.00                     | 2063                            | 3063     | 4063     | 5063     | 6063     | 7063     | 8063     | 9063     | 10063     | 11063     | 12063     | ##063  |
| #/5VP670              | 67.00     | 1.04                     | 2067                            | 3067     | 4067     | 5067     | 6067     | 7067     | 8067     | 9067     | 10067     | 11067     | 12067     | ##067  |
| #/5VP710              | 71.00     | 1.18                     | 2071                            | 3071     | 4071     | 5071     | 6071     | 7071     | 8071     | 9071     | 10071     | 11071     | 12071     | ##071  |
| #/5VP730              | 73.00     | 1.20                     | 2073                            | 3073     | 4073     | 5073     | 6073     | 7073     | 8073     | 9073     | 10073     | 11073     | 12073     | ##073  |
| #/5VP750              | 75.00     | 1.21                     | 2075                            | 3075     | 4075     | 5075     | 6075     | 7075     | 8075     | 9075     | 10075     | 11075     | 12075     | ##075  |
| #/5VP800              | 80.00     | 1.25                     | 2080                            | 3080     | 4080     | 5080     | 6080     | 7080     | 8080     | 9080     | 10080     | 11080     | 12080     | ##080  |
| #/5VP850              | 85.00     | 1.36                     | 2085                            | 3085     | 4085     | 5085     | 6085     | 7085     | 8085     | 9085     | 10085     | 11085     | 12085     | ##085  |
| #/5VP870              | 87.00     | 1.39                     | 2087                            | 3087     | 4087     | 5087     | 6087     | 7087     | 8087     | 9087     | 10087     | 11087     | 12087     | ##087  |
| #/5VP900              | 90.00     | 1.50                     | 2090                            | 3090     | 4090     | 5090     | 6090     | 7090     | 8090     | 9090     | 10090     | 11090     | 12090     | ##090  |
| #/5VP950              | 95.00     | 1.57                     | 2095                            | 3095     | 4095     | 5095     | 6095     | 7095     | 8095     | 9095     | 10095     | 11095     | 12095     | ##095  |
| #/5VP1000             | 100.00    | 1.57                     | 2100                            | 3100     | 4100     | 5100     | 6100     | 7100     | 8100     | 9100     | 10100     | 11100     | 12100     | ##100  |
| #/5VP1060             | 106.00    | 1.79                     | 2106                            | 3106     | 4106     | 5106     | 6106     | 7106     | 8106     | 9106     | 10106     | 11106     | 12106     | ##106  |
| #/5VP1120             | 112.00    | 1.86                     | 2112                            | 3112     | 4112     | 5112     | 6112     | 7112     | 8112     | 9112     | 10112     | 11112     | 12112     | ##112  |
| #/5VP1180             | 118.00    | 1.86                     | 2118                            | 3118     | 4118     | 5118     | 6118     | 7118     | 8118     | 9118     | 10118     | 11118     | 12118     | ##118  |
| #/5VP1250             | 125.00    | 2.00                     | 2125                            | 3125     | 4125     | 5125     | 6125     | 7125     | 8125     | 9125     | 10125     | 11125     | 12125     | ##125  |
| #/5VP1320             | 132.00    | 2.11                     | 2132                            | 3132     | 4132     | 5132     | 6132     | 7132     | 8132     | 9132     | 10132     | 11132     | 12132     | ##132  |
| #/5VP1400             | 140.00    | 2.25                     | 2140                            | 3140     | 4140     | 5140     | 6140     | 7140     | 8140     | 9140     | 10140     | 11140     | 12140     | ##140  |
| #/5VP1500             | 150.00    | 2.39                     | 2150                            | 3150     | 4150     | 5150     | 6150     | 7150     | 8150     | 9150     | 10150     | 11150     | 12150     | ##150  |
| #/5VP1600             | 160.00    | 2.57                     | 2160                            | 3160     | 4160     | 5160     | 6160     | 7160     | 8160     | 9160     | 10160     | 11160     | 12160     | ##160  |
| #/5VP1700             | 170.00    | 2.75                     | 2170                            | 3170     | 4170     | 5170     | 6170     | 7170     | 8170     | 9170     | 10170     | 11170     | 12170     | ##170  |
| #/5VP1800             | 180.00    | 2.89                     | 2180                            | 3180     | 4180     | 5180     | 6180     | 7180     | 8180     | 9180     | 10180     | 11180     | 12180     | ##180  |
| #/5VP1900             | 190.00    | 3.07                     | 2190                            | 3190     | 4190     | 5190     | 6190     | 7190     | 8190     | 9190     | 10190     | 11190     | 12190     | ##190  |
| #/5VP2000             | 200.00    | 3.25                     | 2200                            | 3200     | 4200     | 5200     | 6200     | 7200     | 8200     | 9200     | 10200     | 11200     | 12200     | ##200  |
| #/5VP2030             | 203.00    | 3.30                     | 2203                            | 3203     | 4203     | 5203     | 6203     | 7203     | 8203     | 9203     | 10203     | 11203     | 12203     | ##203  |
| #/5VP2120             | 212.00    | 3.46                     | 2212                            | 3212     | 4212     | 5212     | 6212     | 7212     | 8212     | 9212     | 10212     | 11212     | 12212     | ##212  |
| #/5VP2240             | 224.00    | 3.68                     | 2224                            | 3224     | 4224     | 5224     | 6224     | 7224     | 8224     | 9224     | 10224     | 11224     | 12224     | ##224  |
| #/5VP2360             | 236.00    | 3.89                     | 2236                            | 3236     | 4236     | 5236     | 6236     | 7236     | 8236     | 9236     | 10236     | 11236     | 12236     | ##236  |
| #/5VP2500             | 250.00    | 4.07                     | 2250                            | 3250     | 4250     | 5250     | 6250     | 7250     | 8250     | 9250     | 10250     | 11250     | 12250     | ##250  |
| #/5VP2650             | 265.00    | 4.32                     | 2265                            | 3265     | 4265     | 5265     | 6265     | 7265     | 8265     | 9265     | 10265     | 11265     | 12265     | ##265  |
| #/5VP2800             | 280.00    | 4.57                     | 2280                            | 3280     | 4280     | 5280     | 6280     | 7280     | 8280     | 9280     | 10280     | 11280     | 12280     | ##280  |
| #/5VP3000             | 300.00    | 4.89                     | 2300                            | 3300     | 4300     | 5300     | 6300     | 7300     | 8300     | 9300     | 10300     | 11300     | 12300     | ##300  |
| #/5VP3150             | 315.00    | 5.18                     | 2315                            | 3315     | 4315     | 5315     | 6315     | 7315     | 8315     | 9315     | 10315     | 11315     | 12315     | ##315  |
| #/5VP3350             | 335.00    | 5.50                     | 2335                            | 3335     | 4335     | 5335     | 6335     | 7335     | 8335     | 9335     | 10335     | 11335     | 12335     | ##335  |
| #/5VP3550             | 355.00    | 5.79                     | 2355                            | 3355     | 4355     | 5355     | 6355     | 7355     | 8355     | 9355     | 10355     | 11355     | 12355     | ##355  |



**Product No. Series 9182**

**8VP Section**

| Size<br>(# = strands) | O.C. (in) | Wt. Per Strand<br>(Lbs.) | Belt Width In Number of Strands |          |          |          |          |          |          |          |           |           |           |        |
|-----------------------|-----------|--------------------------|---------------------------------|----------|----------|----------|----------|----------|----------|----------|-----------|-----------|-----------|--------|
|                       |           |                          | 2 Strand                        | 3 Strand | 4 Strand | 5 Strand | 6 Strand | 7 Strand | 8 Strand | 9 Strand | 10 Strand | 11 Strand | 12 Strand |        |
|                       |           |                          | 9182-                           | 9182-    | 9182-    | 9182-    | 9182-    | 9182-    | 9182-    | 9182-    | 9182-     | 9182-     | 9182-     | 9182-  |
| #/8VP1000             | 100.00    | 3.90                     | 2100                            | 3100     | 4100     | 5100     | 6100     | 7100     | 8100     | 9100     | 10100     | 11100     | 12100     | ##1000 |
| #/8VP1060             | 106.00    | 4.15                     | 2106                            | 3106     | 4106     | 5106     | 6106     | 7106     | 8106     | 9106     | 10106     | 11106     | 12106     | ##1060 |
| #/8VP1120             | 112.00    | 4.42                     | 2112                            | 3112     | 4112     | 5112     | 6112     | 7112     | 8112     | 9112     | 10112     | 11112     | 12112     | ##1120 |
| #/8VP1180             | 118.00    | 4.67                     | 2118                            | 3118     | 4118     | 5118     | 6118     | 7118     | 8118     | 9118     | 10118     | 11118     | 12118     | ##1180 |
| #/8VP1250             | 125.00    | 5.00                     | 2125                            | 3125     | 4125     | 5125     | 6125     | 7125     | 8125     | 9125     | 10125     | 11125     | 12125     | ##1250 |
| #/8VP1320             | 132.00    | 5.25                     | 2132                            | 3132     | 4132     | 5132     | 6132     | 7132     | 8132     | 9132     | 10132     | 11132     | 12132     | ##1320 |
| #/8VP1400             | 140.00    | 5.58                     | 2140                            | 3140     | 4140     | 5140     | 6140     | 7140     | 8140     | 9140     | 10140     | 11140     | 12140     | ##1400 |
| #/8VP1500             | 150.00    | 6.00                     | 2150                            | 3150     | 4150     | 5150     | 6150     | 7150     | 8150     | 9150     | 10150     | 11150     | 12150     | ##1500 |





# Predator<sup>®</sup> PowerBand<sup>®</sup> Belts

Product No. Series 9182 (continued)

8VP Section (continued)

| Size<br>(# = strands) | O.C. (in) | Wt. Per<br>Strand<br>(Lbs.) | Belt Width In Number of Strands |             |             |             |             |             |             |             |              |              |              |
|-----------------------|-----------|-----------------------------|---------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|--------------|--------------|
|                       |           |                             | 2<br>Strand                     | 3<br>Strand | 4<br>Strand | 5<br>Strand | 6<br>Strand | 7<br>Strand | 8<br>Strand | 9<br>Strand | 10<br>Strand | 11<br>Strand | 12<br>Strand |
|                       |           |                             | 9182-                           | 9182-       | 9182-       | 9182-       | 9182-       | 9182-       | 9182-       | 9182-       | 9182-        | 9182-        | 9182-        |
| #/8VP1600             | 160.00    | 6.33                        | 2160                            | 3160        | 4160        | 5160        | 6160        | 7160        | 8160        | 9160        | 10160        | 11160        | 12160        |
| #/8VP1700             | 170.00    | 6.75                        | 2170                            | 3170        | 4170        | 5170        | 6170        | 7170        | 8170        | 9170        | 10170        | 11170        | 12170        |
| #/8VP1800             | 180.00    | 7.25                        | 2180                            | 3180        | 4180        | 5180        | 6180        | 7180        | 8180        | 9180        | 10180        | 11180        | 12180        |
| #/8VP1900             | 190.00    | 7.65                        | 2190                            | 3190        | 4190        | 5190        | 6190        | 7190        | 8190        | 9190        | 10190        |              | 12190        |
| #/8VP2000             | 200.00    | 8.00                        | 2200                            | 3200        | 4200        | 5200        | 6200        | 7200        | 8200        | 9200        | 10200        | 11200        | 12200        |
| #/8VP2120             | 212.00    | 8.50                        | 2212                            | 3212        | 4212        | 5212        | 6212        | 7212        | 8212        | 9212        | 10212        |              | 12212        |
| #/8VP2240             | 224.00    | 9.00                        | 2224                            | 3224        | 4224        | 5224        | 6224        | 7224        | 8224        | 9224        | 10224        | 11224        | 12224        |
| #/8VP2360             | 236.00    | 9.42                        | 2236                            | 3236        | 4236        | 5236        | 6236        | 7236        | 8236        | 9236        | 10236        | 11236        | 12236        |
| #/8VP2500             | 250.00    | 10.00                       | 2250                            | 3250        | 4250        | 5250        | 6250        | 7250        | 8250        | 9250        | 10250        | 11250        | 12250        |
| #/8VP2650             | 265.00    | 10.58                       | 2265                            | 3265        | 4265        | 5265        | 6265        | 7265        | 8265        | 9265        | 10265        | 11265        | 12265        |
| #/8VP2800             | 280.00    | 11.33                       | 2280                            | 3280        | 4280        | 5280        | 6280        | 7280        | 8280        | 9280        | 10280        | 11280        | 12280        |
| #/8VP3000             | 300.00    | 12.08                       | 2300                            | 3300        | 4300        | 5300        | 6300        | 7300        | 8300        | 9300        | 10300        | 11300        | 12300        |
| #/8VP3150             | 315.00    | 12.75                       | 2315                            | 3315        | 4315        | 5315        | 6315        | 7315        | 8315        | 9315        | 10315        | 11315        | 12315        |
| #/8VP3350             | 335.00    | 13.58                       | 2335                            | 3335        | 4335        | 5335        | 6335        | 7335        | 8335        | 9335        | 10335        | 11335        | 12335        |
| #/8VP3550             | 355.00    | 14.33                       | 2355                            | 3355        | 4355        | 5355        | 6355        | 7355        | 8355        | 9355        | 10355        | 11355        | 12355        |
| #/8VP3750             | 375.00    | 15.08                       | 2375                            | 3375        | 4375        | 5375        | 6375        | 7375        | 8375        | 9375        | 10375        | 11375        | 12375        |
| #/8VP4000             | 400.00    | 16.08                       | 2400                            | 3400        | 4400        | 5400        | 6400        | 7400        | 8400        | 9400        | 10400        | 11400        | 12400        |
| #/8VP4250             | 425.00    | 17.08                       | 2425                            | 3425        | 4425        | 5425        | 6425        | 7425        | 8425        | 9425        | 10425        | 11425        | 12425        |
| #/8VP4500             | 450.00    | 18.08                       | 2450                            | 3450        | 4450        | 5450        | 6450        | 7450        | 8450        | 9450        |              | 11450        | 12450        |
| #/8VP4750             | 475.00    | 19.17                       | 2475                            | 3475        | 4475        | 5475        | 6475        | 7475        | 8475        | 9475        | 10475        | 11475        | 12475        |
| #/8VP5000             | 500.00    | 20.17                       | 2500                            | 3500        | 4500        | 5500        | 6500        | 7500        | 8500        | 9500        |              | 11500        | 12500        |
| #/8VP5600             | 560.00    | 22.75                       | 2560                            | 3560        | 4560        | 5560        | 6560        | 7560        | 8560        | 9560        |              | 11560        | 12560        |
| #/8VP6000             | 600.00    | 24.42                       | 2600                            | 3600        | 4600        | 5600        | 6600        | 7600        | 8600        | 9600        |              | 11600        | 12600        |

HEAVY DUTY BELTS




# Super HC<sup>®</sup> XP<sup>™</sup> (Notched Premium) Belts

## Recommended Sheaves

Super HC Sheaves as recommended by DesignFlex<sup>®</sup> Pro<sup>™</sup> drive analysis.

## Notes

When application requires XP belt sets, request same group/match number. XP belts are not part of the V80 length matching program.



## Product No. Series 9688

### 5VXP Section

HEAVY DUTY V-BELTS

| Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn | Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn |
|----------|-------------|-----------|---------------|-------------|----------|-------------|-----------|---------------|-------------|
| 5VXP600  | 9688-0600   | 60.00     | .580          | 10          | 5VXP1120 | 9688-1120   | 112.00    | 1.080         | 10          |
| 5VXP630  | 9688-0630   | 63.00     | .610          | 10          | 5VXP1180 | 9688-1180   | 118.00    | 1.140         | 10          |
| 5VXP670  | 9688-0670   | 67.00     | .670          | 10          | 5VXP1230 | 9688-1230   | 123.00    | 1.180         | 10          |
| 5VXP710  | 9688-0710   | 71.00     | .690          | 10          | 5VXP1250 | 9688-1250   | 125.00    | 1.200         | 10          |
| 5VXP750  | 9688-0750   | 75.00     | .730          | 10          | 5VXP1320 | 9688-1320   | 132.00    | 1.270         | 10          |
| 5VXP800  | 9688-0800   | 80.00     | .780          | 10          | 5VXP1400 | 9688-1400   | 140.00    | 1.350         | 10          |
| 5VXP850  | 9688-0850   | 85.00     | .820          | 10          | 5VXP1500 | 9688-1500   | 150.00    | 1.410         | 10          |
| 5VXP900  | 9688-0900   | 90.00     | .870          | 10          | 5VXP1600 | 9688-1600   | 160.00    | 1.500         | 10          |
| 5VXP950  | 9688-0950   | 95.00     | .920          | 10          | 5VXP1700 | 9688-1700   | 170.00    | 1.590         | 10          |
| 5VXP1000 | 9688-1000   | 100.00    | .970          | 10          | 5VXP1800 | 9688-1800   | 180.00    | 1.690         | 10          |
| 5VXP1030 | 9688-1030   | 103.00    | 1.000         | 10          | 5VXP1900 | 9688-1900   | 190.00    | 1.780         | 10          |
| 5VXP1060 | 9688-1060   | 106.00    | 1.020         | 10          | 5VXP2000 | 9688-2000   | 200.00    | 1.870         | 10          |
| 5VXP1080 | 9688-1080   | 108.00    | 1.050         | 10          |          |             |           |               |             |



# Super HC<sup>®</sup> XP<sup>™</sup> (Notched Premium) PowerBand<sup>®</sup> Belts

## Recommended Sheaves


Super HC Sheaves as recommended by DesignFlex<sup>®</sup> Pro<sup>™</sup> drive analysis.

## Notes

Belt part number is constructed by placing the (#) number of strands required followed by a slash (/) in front of the belt size. For example, 5/5VXP1000 represents a 5VXP1000 with 5 joined strands.

Belt product number is 8 or 9 digits constructed of product series prefix, number of strands, and belt length. For example, 96945125 represents a "5VXP" section PowerBand (9694) with 5 strands (5) that is 125.0 inches (125) long.

When application requires XP belt sets, request same group/match number. XP belts are not part of the V80 length matching program.



## Product No. Series 9694

### 5VXP Section

| Size<br>(# = strands) | O.C. (in) | Wt. Per<br>Strand<br>(Lbs.) | Belt Width In Number of Strands |             |             |             |             |
|-----------------------|-----------|-----------------------------|---------------------------------|-------------|-------------|-------------|-------------|
|                       |           |                             | 2<br>Strand                     | 3<br>Strand | 4<br>Strand | 5<br>Strand | 6<br>Strand |
|                       |           |                             | 9694-                           | 9694-       | 9694-       | 9694-       | 9694-       |
| #/5VXP710             | 71.96     | 1.21                        | 2071                            | 3071        | 4071        | 5071        | 6071        |
| #/5VXP750             | 75.96     | 1.24                        | 2075                            | 3075        | 4075        | 5075        | 6075        |
| #/5VXP800             | 80.96     | 1.28                        | 2080                            | 3080        | 4080        | 5080        | 6080        |
| #/5VXP850             | 85.96     | 1.39                        | 2085                            | 3085        | 4085        | 5085        | 6085        |
| #/5VXP900             | 90.96     | 1.42                        | 2090                            | 3090        | 4090        | 5090        | 6090        |
| #/5VXP950             | 95.96     | 1.53                        | 2095                            | 3095        | 4095        | 5095        | 6095        |
| #/5VXP1000            | 100.96    | 1.60                        | 2100                            | 3100        | 4100        | 5100        | 6100        |
| #/5VXP1060            | 106.96    | 1.74                        | 2106                            | 3106        | 4106        | 5106        | 6106        |
| #/5VXP1120            | 112.96    | 1.82                        | 2112                            | 3112        | 4112        | 5112        | 6112        |
| #/5VXP1180            | 118.96    | 1.89                        | 2118                            | 3118        | 4118        | 5118        | 6118        |
| #/5VXP1250            | 125.96    | 2.03                        | 2125                            | 3125        | 4125        | 5125        | 6125        |
| #/5VXP1320            | 132.96    | 2.14                        | 2132                            | 3132        | 4132        | 5132        | 6132        |
| #/5VXP1400            | 140.96    | 2.28                        | 2140                            | 3140        | 4140        | 5140        | 6140        |
| #/5VXP1500            | 150.00    | 2.42                        | 2150                            | 3150        | 4150        | 5150        | 6150        |
| #/5VXP1600            | 160.96    | 2.60                        | 2160                            | 3160        | 4160        | 5160        | 6160        |
| #/5VXP1800            | 180.96    | 2.92                        | 2180                            | 3180        | 4180        | 5180        | 6180        |
| #/5VXP1900            | 190.00    | 3.10                        | 2190                            | 3190        | 4190        | 5190        | 6190        |
| #/5VXP2000            | 200.00    | 3.28                        | 2200                            | 3200        | 4200        | 5200        | 6200        |

HEAVY DUTY V-BELTS




# Super HC<sup>®</sup> Molded Notch Belts

Recommended Sheaves  
Super HC Sheaves


**Notes**  
Gates Super HC Molded Notch belts are available in 3VX and 5VX cross-sections.

## Product No. Series 9412



### 3VX Section

| Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn | Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn |
|----------|-------------|-----------|---------------|-------------|----------|-------------|-----------|---------------|-------------|
| 3VX250   | 9412-0250   | 25.00     | .110          | 10          | 3VX600   | 9412-0600   | 60.00     | .240          | 10          |
| 3VX265   | 9412-0265   | 26.50     | .120          | 10          | 3VX616   | 9412-0616   | 61.60     | .250          | 100         |
| 3VX280   | 9412-0280   | 28.00     | .130          | 10          | 3VX630   | 9412-0630   | 63.00     | .250          | 10          |
| 3VX290   | 9412-0290   | 29.00     | .132          | 104         | 3VX650   | 9412-0650   | 65.00     | .260          | 10          |
| 3VX300   | 9412-0300   | 30.00     | .130          | 10          | 3VX670   | 9412-0670   | 67.00     | .270          | 10          |
| 3VX315   | 9412-0315   | 31.50     | .140          | 10          | 3VX690   | 9412-0690   | 69.00     | .275          | 10          |
| 3VX326   | 9412-0326   | 32.60     | .142          | 107         | 3VX710   | 9412-0710   | 71.00     | .285          | 10          |
| 3VX335   | 9412-0335   | 33.50     | .147          | 10          | 3VX750   | 9412-0750   | 75.00     | .295          | 10          |
| 3VX350   | 9412-0350   | 35.00     | .150          | 10          | 3VX771   | 9412-0771   | 77.10     | .300          | 10          |
| 3VX355   | 9412-0355   | 35.50     | .155          | 10          | 3VX800   | 9412-0800   | 80.00     | .315          | 10          |
| 3VX366   | 9412-0366   | 36.60     | .160          | 10          | 3VX826   | 9412-0826   | 82.60     | .320          | 10          |
| 3VX375   | 9412-0375   | 37.50     | .162          | 10          | 3VX850   | 9412-0850   | 85.00     | .330          | 10          |
| 3VX385   | 9412-0385   | 38.50     | .165          | 10          | 3VX900   | 9412-0900   | 90.00     | .350          | 10          |
| 3VX390   | 9412-0390   | 39.00     | .165          | 107         | 3VX926   | 9412-0926   | 92.60     | .355          | 10          |
| 3VX400   | 9412-0400   | 40.00     | .170          | 10          | 3VX950   | 9412-0950   | 95.00     | .370          | 10          |
| 3VX415   | 9412-0415   | 41.50     | .175          | 10          | 3VX974   | 9412-0974   | 97.40     | .375          | 54          |
| 3VX425   | 9412-0425   | 42.50     | .180          | 10          | 3VX1000  | 9412-1000   | 100.00    | .385          | 10          |
| 3VX450   | 9412-0450   | 45.00     | .190          | 10          | 3VX1027  | 9412-1027   | 102.70    | .395          | 10          |
| 3VX464   | 9412-0464   | 46.40     | .200          | 10          | 3VX1060  | 9412-1060   | 106.00    | .410          | 10          |
| 3VX475   | 9412-0475   | 47.50     | .200          | 10          | 3VX1088  | 9412-1088   | 108.80    | .420          | 54          |
| 3VX487   | 9412-0487   | 48.70     | .205          | 107         | 3VX1120  | 9412-1120   | 112.00    | .430          | 10          |
| 3VX500   | 9412-0500   | 50.00     | .205          | 10          | 3VX1146  | 9412-1146   | 114.60    | .440          | 54          |
| 3VX520   | 9412-0520   | 52.00     | .210          | 10          | 3VX1180  | 9412-1180   | 118.00    | .450          | 10          |
| 3VX530   | 9412-0530   | 53.00     | .215          | 10          | 3VX1224  | 9412-1224   | 122.40    | .470          | 10          |
| 3VX540   | 9412-0540   | 54.00     | .220          | 10          | 3VX1250  | 9412-1250   | 125.00    | .475          | 10          |
| 3VX550   | 9412-0550   | 55.00     | .225          | 10          | 3VX1296  | 9412-1296   | 129.60    | .490          | 54          |
| 3VX560   | 9412-0560   | 56.00     | .230          | 10          | 3VX1320  | 9412-1320   | 132.00    | .500          | 10          |
| 3VX570   | 9412-0570   | 57.00     | .235          | 10          | 3VX1400  | 9412-1400   | 140.00    | .530          | 10          |
| 3VX580   | 9412-0580   | 58.00     | .235          | 10          | 3VX1500  | 9412-1500   | 150.00    | .560          | 1           |
| 3VX590   | 9412-0590   | 59.00     | .240          | 10          |          |             |           |               |             |



## Product No. Series 9414



### 5VX Section

| Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn | Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn |
|----------|-------------|-----------|---------------|-------------|----------|-------------|-----------|---------------|-------------|
| 5VX350   | 9414-0350   | 35.00     | .360          | 10          | 5VX510   | 9414-0510   | 51.00     | .520          | 10          |
| 5VX362   | 9414-0362   | 36.20     | .370          | 68          | 5VX519   | 9414-0519   | 51.90     | .540          | 34          |
| 5VX372   | 9414-0372   | 37.20     | .380          | 68          | 5VX530   | 9414-0530   | 53.00     | .540          | 10          |
| 5VX382   | 9414-0382   | 38.20     | .400          | 68          | 5VX540   | 9414-0540   | 54.00     | .550          | 10          |
| 5VX392   | 9414-0392   | 39.20     | .400          | 68          | 5VX550   | 9414-0550   | 55.00     | .560          | 10          |
| 5VX402   | 9414-0402   | 40.20     | .410          | 68          | 5VX560   | 9414-0560   | 56.00     | .570          | 10          |
| 5VX412   | 9414-0412   | 41.20     | .420          | 68          | 5VX570   | 9414-0570   | 57.00     | .580          | 10          |
| 5VX422   | 9414-0422   | 42.20     | .430          | 68          | 5VX580   | 9414-0580   | 58.00     | .590          | 10          |
| 5VX433   | 9414-0433   | 43.30     | .450          | 68          | 5VX590   | 9414-0590   | 59.00     | .600          | 10          |
| 5VX450   | 9414-0450   | 45.00     | .460          | 10          | 5VX600   | 9414-0600   | 60.00     | .600          | 10          |
| 5VX459   | 9414-0459   | 45.90     | .460          | 68          | 5VX610   | 9414-0610   | 61.00     | .610          | 10          |
| 5VX470   | 9414-0470   | 47.00     | .480          | 10          | 5VX619   | 9414-0619   | 61.90     | .620          | 10          |
| 5VX479   | 9414-0479   | 47.90     | .490          | 34          | 5VX630   | 9414-0630   | 63.00     | .640          | 10          |
| 5VX490   | 9414-0490   | 49.00     | .500          | 10          | 5VX650   | 9414-0650   | 65.00     | .660          | 10          |
| 5VX500   | 9414-0500   | 50.00     | .510          | 10          | 5VX660   | 9414-0660   | 66.00     | .660          | 10          |

HEAVY DUTY V-BELTS




# Super HC<sup>®</sup> Molded Notch Belts

## Product No. Series 9414 (continued)

### 5VX Section (continued)

| Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn | Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn |
|----------|-------------|-----------|---------------|-------------|----------|-------------|-----------|---------------|-------------|
| 5VX670   | 9414-0670   | 67.00     | .680          | 10          | 5VX990   | 9414-0990   | 99.00     | .980          | 10          |
| 5VX680   | 9414-0680   | 68.00     | .680          | 10          | 5VX1000  | 9414-1000   | 100.00    | 1.000         | 10          |
| 5VX690   | 9414-0690   | 69.00     | .680          | 10          | 5VX1017  | 9414-1017   | 101.70    | 1.020         | 10          |
| 5VX700   | 9414-0700   | 70.00     | .700          | 10          | 5VX1030  | 9414-1030   | 103.00    | 1.030         | 10          |
| 5VX710   | 9414-0710   | 71.00     | .710          | 10          | 5VX1050  | 9414-1050   | 105.00    | 1.050         | 10          |
| 5VX720   | 9414-0720   | 72.00     | .720          | 10          | 5VX1060  | 9414-1060   | 106.00    | 1.060         | 10          |
| 5VX730   | 9414-0730   | 73.00     | .740          | 10          | 5VX1080  | 9414-1080   | 108.00    | 1.070         | 10          |
| 5VX740   | 9414-0740   | 74.00     | .750          | 10          | 5VX1108  | 9414-1108   | 110.80    | 1.100         | 10          |
| 5VX750   | 9414-0750   | 75.00     | .760          | 10          | 5VX1120  | 9414-1120   | 112.00    | 1.110         | 10          |
| 5VX760   | 9414-0760   | 76.00     | .760          | 10          | 5VX1139  | 9414-1139   | 113.90    | 1.140         | 10          |
| 5VX769   | 9414-0769   | 76.90     | .770          | 40          | 5VX1150  | 9414-1150   | 115.00    | 1.140         | 10          |
| 5VX780   | 9414-0780   | 78.00     | .780          | 10          | 5VX1160  | 9414-1160   | 116.00    | 1.150         | 10          |
| 5VX790   | 9414-0790   | 79.00     | .800          | 10          | 5VX1162  | 9414-1162   | 116.20    | 1.150         | 10          |
| 5VX800   | 9414-0800   | 80.00     | .810          | 10          | 5VX1180  | 9414-1180   | 118.00    | 1.170         | 10          |
| 5VX810   | 9414-0810   | 81.00     | .820          | 10          | 5VX1220  | 9414-1220   | 122.00    | 1.200         | 10          |
| 5VX830   | 9414-0830   | 83.00     | .830          | 10          | 5VX1230  | 9414-1230   | 123.00    | 1.220         | 10          |
| 5VX840   | 9414-0840   | 84.00     | .840          | 10          | 5VX1250  | 9414-1250   | 125.00    | 1.240         | 10          |
| 5VX850   | 9414-0850   | 85.00     | .850          | 10          | 5VX1277  | 9414-1277   | 127.70    | 1.270         | 10          |
| 5VX860   | 9414-0860   | 86.00     | .860          | 10          | 5VX1320  | 9414-1320   | 132.00    | 1.300         | 10          |
| 5VX867   | 9414-0867   | 86.70     | .860          | 34          | 5VX1374  | 9414-1374   | 137.40    | 1.360         | 10          |
| 5VX880   | 9414-0880   | 88.00     | .890          | 10          | 5VX1400  | 9414-1400   | 140.00    | 1.380         | 10          |
| 5VX890   | 9414-0890   | 89.00     | .900          | 10          | 5VX1469  | 9414-1469   | 146.90    | 1.460         | 10          |
| 5VX900   | 9414-0900   | 90.00     | .900          | 10          | 5VX1500  | 9414-1500   | 150.00    | 1.480         | 10          |
| 5VX918   | 9414-0918   | 91.80     | .920          | 10          | 5VX1600  | 9414-1600   | 160.00    | 1.560         | 10          |
| 5VX930   | 9414-0930   | 93.00     | .930          | 10          | 5VX1700  | 9414-1700   | 170.00    | 1.670         | 10          |
| 5VX940   | 9414-0940   | 94.00     | .930          | 10          | 5VX1701  | 9414-1701   | 170.10    | 1.670         | 10          |
| 5VX950   | 9414-0950   | 95.00     | .950          | 10          | 5VX1800  | 9414-1800   | 180.00    | 1.780         | 10          |
| 5VX960   | 9414-0960   | 96.00     | .960          | 10          | 5VX1900  | 9414-1900   | 190.00    | 1.880         | 10          |
| 5VX978   | 9414-0978   | 97.80     | .980          | 10          | 5VX2000  | 9414-2000   | 200.00    | 1.950         | 10          |

HEAVY DUTY V-BELTS



## Product No. Series 9516

### 8VX Section



| Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn | Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn |
|----------|-------------|-----------|---------------|-------------|----------|-------------|-----------|---------------|-------------|
| 8VX1000  | 9516-1000   | 100.00    | 2.710         | 10          | 8VX1500  | 9516-1500   | 150.00    | 4.110         | 5           |
| 8VX1060  | 9516-1060   | 106.00    | 2.870         | 10          | 8VX1600  | 9516-1600   | 160.00    | 4.380         | 5           |
| 8VX1120  | 9516-1120   | 112.00    | 3.030         | 10          | 8VX1700  | 9516-1700   | 170.00    | 4.550         | 5           |
| 8VX1180  | 9516-1180   | 118.00    | 3.240         | 10          | 8VX1800  | 9516-1800   | 180.00    | 4.920         | 5           |
| 8VX1250  | 9516-1250   | 125.00    | 3.380         | 10          | 8VX1900  | 9516-1900   | 190.00    | 5.190         | 5           |
| 8VX1320  | 9516-1320   | 132.00    | 3.580         | 10          | 8VX2000  | 9516-2000   | 200.00    | 5.460         | 5           |
| 8VX1400  | 9516-1400   | 140.00    | 3.840         | 5           |          |             |           |               |             |



# Super HC<sup>®</sup> Molded Notch PowerBand<sup>®</sup> Belts

Recommended Sheaves  
Super HC Sheaves

**Notes**

Belt part number is constructed by placing the (#) number of strands required followed by a slash (/) in front of the belt size. For example, 5/3VX800 represents a 3VX800 with 5 joined strands.  
Belt product number is 8 or 9 digits constructed of product series prefix, number of strands, and belt length. For example, 93885080 represents a "3VX" section PowerBand (9388) with 5 strands (5) that is 80.0 inches (080) long.


**Product No. Series 9388**



**3VX Section**

HEAVY DUTY V-BELTS

| Size<br>(# = strands) | O.C. (in) | Wt. Per Strand<br>(Lbs.) | Belt Width In Number of Strands |          |          |          |          |          |          |          |           |           |           |  |       |  |
|-----------------------|-----------|--------------------------|---------------------------------|----------|----------|----------|----------|----------|----------|----------|-----------|-----------|-----------|--|-------|--|
|                       |           |                          | 2 Strand                        | 3 Strand | 4 Strand | 5 Strand | 6 Strand | 7 Strand | 8 Strand | 9 Strand | 10 Strand | 11 Strand | 12 Strand | 13 to 22 Strand<br>Maximum<br>(## = strands) |       |  |
|                       |           |                          | 9388-                           | 9388-    | 9388-    | 9388-    | 9388-    | 9388-    | 9388-    | 9388-    | 9388-     | 9388-     | 9388-     | 9388-  |       |  |
| #/3VX250              | 25.00     | .10                      | 2025                            | 3025     | 4025     | 5025     |          |          |          |          |           |           |           |  |       |  |
| #/3VX265              | 26.50     | .14                      | 2026                            | 3026     | 4026     | 5026     |          |          |          |          |           |           |           |  |       |  |
| #/3VX280              | 28.00     | .16                      | 2028                            | 3028     | 4028     | 5028     |          |          |          |          |           |           |           |  |       |  |
| #/3VX300              | 30.00     | .18                      | 2030                            | 3030     | 4030     | 5030     | 6030     | 7030     | 8030     | 9030     | 10030     | 11030     | 12030     |  | ##030 |  |
| #/3VX315              | 31.50     | .20                      | 2031                            | 3031     | 4031     | 5031     | 6031     | 7031     | 8031     | 9031     | 10031     | 11031     | 12031     |  | ##031 |  |
| #/3VX335              | 33.50     | .20                      | 2033                            | 3033     | 4033     | 5033     | 6033     | 7033     | 8033     | 9033     | 10033     | 11033     | 12033     |  | ##033 |  |
| #/3VX355              | 35.50     | .20                      | 2035                            | 3035     | 4035     | 5035     | 6035     | 7035     | 8035     | 9035     | 10035     | 11035     | 12035     |  | ##035 |  |
| #/3VX375              | 37.50     | .22                      | 2037                            | 3037     | 4037     | 5037     | 6037     | 7037     | 8037     | 9037     | 10037     | 11037     | 12037     |  | ##037 |  |
| #/3VX400              | 40.00     | .24                      | 2040                            | 3040     | 4040     | 5040     | 6040     | 7040     | 8040     | 9040     | 10040     | 11040     | 12040     |  | ##040 |  |
| #/3VX425              | 42.50     | .26                      | 2042                            | 3042     | 4042     | 5042     | 6042     | 7042     | 8042     | 9042     | 10042     | 11042     | 12042     |  | ##042 |  |
| #/3VX450              | 45.00     | .28                      | 2045                            | 3045     | 4045     | 5045     | 6045     | 7045     | 8045     | 9045     | 10045     | 11045     | 12045     |  | ##045 |  |
| #/3VX475              | 47.50     | .29                      | 2047                            | 3047     | 4047     | 5047     | 6047     | 7047     | 8047     | 9047     | 10047     | 11047     | 12047     |  | ##047 |  |
| #/3VX500              | 50.00     | .30                      | 2050                            | 3050     | 4050     | 5050     | 6050     | 7050     | 8050     | 9050     | 10050     | 11050     | 12050     |  | ##050 |  |
| #/3VX530              | 53.00     | .33                      | 2053                            | 3053     | 4053     | 5053     | 6053     | 7053     | 8053     | 9053     | 10053     | 11053     | 12053     |  | ##053 |  |
| #/3VX560              | 56.00     | .34                      | 2056                            | 3056     | 4056     | 5056     | 6056     | 7056     | 8056     | 9056     | 10056     | 11056     | 12056     |  | ##056 |  |
| #/3VX600              | 60.00     | .37                      | 2060                            | 3060     | 4060     | 5060     | 6060     | 7060     | 8060     | 9060     | 10060     | 11060     | 12060     |  | ##060 |  |
| #/3VX630              | 63.00     | .40                      | 2063                            | 3063     | 4063     | 5063     | 6063     | 7063     | 8063     | 9063     | 10063     | 11063     | 12063     |  | ##063 |  |
| #/3VX670              | 67.00     | .41                      | 2067                            | 3067     | 4067     | 5067     | 6067     | 7067     | 8067     | 9067     | 10067     | 11067     | 12067     |  | ##067 |  |
| #/3VX710              | 71.00     | .44                      | 2071                            | 3071     | 4071     | 5071     | 6071     | 7071     | 8071     | 9071     | 10071     | 11071     | 12071     |  | ##071 |  |
| #/3VX750              | 75.00     | .46                      | 2075                            | 3075     | 4075     | 5075     | 6075     | 7075     | 8075     | 9075     | 10075     | 11075     | 12075     |  | ##075 |  |
| #/3VX800              | 80.00     | .50                      | 2080                            | 3080     | 4080     | 5080     | 6080     | 7080     | 8080     | 9080     | 10080     | 11080     | 12080     |  | ##080 |  |
| #/3VX820              | 82.00     | .51                      | 2082                            | 3082     | 4082     | 5082     | 6082     | 7082     | 8082     | 9082     | 10082     | 11082     | 12082     |  | ##082 |  |
| #/3VX850              | 85.00     | .53                      | 2085                            | 3085     | 4085     | 5085     | 6085     | 7085     | 8085     | 9085     | 10085     | 11085     | 12085     |  | ##085 |  |
| #/3VX900              | 90.00     | .56                      | 2090                            | 3090     | 4090     | 5090     | 6090     | 7090     | 8090     | 9090     | 10090     | 11090     | 12090     |  | ##090 |  |
| #/3VX950              | 95.00     | .60                      | 2095                            | 3095     | 4095     | 5095     | 6095     | 7095     | 8095     | 9095     | 10095     | 11095     | 12095     |  | ##095 |  |
| #/3VX1000             | 100.00    | .63                      | 2100                            | 3100     | 4100     | 5100     | 6100     | 7100     | 8100     | 9100     | 10100     | 11100     | 12100     |  | ##100 |  |
| #/3VX1060             | 106.00    | .66                      | 2106                            | 3106     | 4106     | 5106     | 6106     | 7106     | 8106     | 9106     | 10106     | 11106     | 12106     |  | ##106 |  |
| #/3VX1120             | 112.00    | .70                      | 2112                            | 3112     | 4112     | 5112     | 6112     | 7112     | 8112     | 9112     | 10112     | 11112     | 12112     |  | ##112 |  |
| #/3VX1180             | 118.00    | .74                      | 2118                            | 3118     | 4118     | 5118     | 6118     | 7118     | 8118     | 9118     | 10118     | 11118     | 12118     |  | ##118 |  |
| #/3VX1250             | 125.00    | .79                      | 2125                            | 3125     | 4125     | 5125     | 6125     | 7125     | 8125     | 9125     | 10125     | 11125     | 12125     |  | ##125 |  |
| #/3VX1320             | 132.00    | .83                      | 2132                            | 3132     | 4132     | 5132     | 6132     | 7132     | 8132     | 9132     | 10132     | 11132     | 12132     |  | ##132 |  |
| #/3VX1400             | 140.00    | .88                      | 2140                            | 3140     | 4140     | 5140     | 6140     | 7140     | 8140     | 9140     | 10140     | 11140     | 12140     |  | ##140 |  |



**Product No. Series 9389**



**5VX Section**

| Size<br>(# = strands) | O.C. (in) | Wt. Per Strand<br>(Lbs.) | Belt Width In Number of Strands |          |          |          |          |          |          |          |           |           |           |           |  |
|-----------------------|-----------|--------------------------|---------------------------------|----------|----------|----------|----------|----------|----------|----------|-----------|-----------|-----------|-----------|--|
|                       |           |                          | 2 Strand                        | 3 Strand | 4 Strand | 5 Strand | 6 Strand | 7 Strand | 8 Strand | 9 Strand | 10 Strand | 11 Strand | 12 Strand | 13 Strand |  |
|                       |           |                          | 9389-                           | 9389-    | 9389-    | 9389-    | 9389-    | 9389-    | 9389-    | 9389-    | 9389-     | 9389-     | 9389-     | 9389-     |  |
| #/5VX500              | 50.00     | .70                      | 2050                            | 3050     | 4050     | 5050     | 6050     | 7050     | 8050     | 9050     | 10050     | 11050     | 12050     | 13050     |  |
| #/5VX530              | 53.00     | .80                      | 2053                            | 3053     | 4053     | 5053     | 6053     | 7053     | 8053     | 9053     | 10053     | 11053     | 12053     | 13053     |  |
| #/5VX560              | 56.00     | .86                      | 2056                            | 3056     | 4056     | 5056     | 6056     | 7056     | 8056     | 9056     | 10056     | 11056     | 12056     | 13056     |  |
| #/5VX600              | 60.00     | .96                      | 2060                            | 3060     | 4060     | 5060     | 6060     | 7060     | 8060     | 9060     | 10060     | 11060     | 12060     | 13060     |  |
| #/5VX630              | 63.00     | 1.00                     | 2063                            | 3063     | 4063     | 5063     | 6063     | 7063     | 8063     | 9063     | 10063     | 11063     | 12063     | 13063     |  |





# Super HC<sup>®</sup> Molded Notch PowerBand<sup>®</sup> Belts

Product No. Series 9389 (continued)

5VX Section (continued)

| Size<br>(# = strands) | O.C. (in) | Wt. Per<br>Strand<br>(Lbs.) | Belt Width In Number of Strands |             |             |             |             |             |             |             |              |              |              |              |       |
|-----------------------|-----------|-----------------------------|---------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|--------------|--------------|--------------|-------|
|                       |           |                             | 2<br>Strand                     | 3<br>Strand | 4<br>Strand | 5<br>Strand | 6<br>Strand | 7<br>Strand | 8<br>Strand | 9<br>Strand | 10<br>Strand | 11<br>Strand | 12<br>Strand | 13<br>Strand |       |
|                       |           |                             | 9389-                           | 9389-       | 9389-       | 9389-       | 9389-       | 9389-       | 9389-       | 9389-       | 9389-        | 9389-        | 9389-        | 9389-        | 9389- |
| #/5VX670              | 67.00     | 1.04                        | 2067                            | 3067        | 4067        | 5067        | 6067        | 7067        | 8067        | 9067        | 10067        | 11067        | 12067        | 13067        |       |
| #/5VX710              | 71.00     | 1.18                        | 2071                            | 3071        | 4071        | 5071        | 6071        | 7071        | 8071        | 9071        | 10071        | 11071        | 12071        | 13071        |       |
| #/5VX750              | 75.00     | 1.21                        | 2075                            | 3075        | 4075        | 5075        | 6075        | 7075        | 8075        | 9075        | 10075        | 11075        | 12075        | 13075        |       |
| #/5VX800              | 80.00     | 1.25                        | 2080                            | 3080        | 4080        | 5080        | 6080        | 7080        | 8080        | 9080        | 10080        | 11080        | 12080        | 13080        |       |
| #/5VX850              | 85.00     | 1.36                        | 2085                            | 3085        | 4085        | 5085        | 6085        | 7085        | 8085        | 9085        | 10085        | 11085        | 12085        | 13085        |       |
| #/5VX900              | 90.00     | 1.39                        | 2090                            | 3090        | 4090        | 5090        | 6090        | 7090        | 8090        | 9090        | 10090        | 11090        | 12090        | 13090        |       |
| #/5VX950              | 95.00     | 1.50                        | 2095                            | 3095        | 4095        | 5095        | 6095        | 7095        | 8095        | 9095        | 10095        | 11095        | 12095        | 13095        |       |
| #/5VX1000             | 100.00    | 1.57                        | 2100                            | 3100        | 4100        | 5100        | 6100        | 7100        | 8100        | 9100        | 10100        | 11100        | 12100        | 13100        |       |
| #/5VX1060             | 106.00    | 1.71                        | 2106                            | 3106        | 4106        | 5106        | 6106        | 7106        | 8106        | 9106        | 10106        | 11106        | 12106        | 13106        |       |
| #/5VX1120             | 112.00    | 1.79                        | 2112                            | 3112        | 4112        | 5112        | 6112        | 7112        | 8112        | 9112        | 10112        | 11112        | 12112        | 13112        |       |
| #/5VX1180             | 118.00    | 1.86                        | 2118                            | 3118        | 4118        | 5118        | 6118        | 7118        | 8118        | 9118        | 10118        | 11118        | 12118        | 13118        |       |
| #/5VX1250             | 125.00    | 2.00                        | 2125                            | 3125        | 4125        | 5125        | 6125        | 7125        | 8125        | 9125        | 10125        | 11125        | 12125        | 13125        |       |
| #/5VX1320             | 132.00    | 2.11                        | 2132                            | 3132        | 4132        | 5132        | 6132        | 7132        | 8132        | 9132        | 10132        | 11132        | 12132        | 13132        |       |
| #/5VX1400             | 140.00    | 2.25                        | 2140                            | 3140        | 4140        | 5140        | 6140        | 7140        | 8140        | 9140        | 10140        | 11140        | 12140        | 13140        |       |
| #/5VX1500             | 150.00    | 2.39                        | 2150                            | 3150        | 4150        | 5150        | 6150        | 7150        | 8150        | 9150        | 10150        | 11150        | 12150        | 13150        |       |
| #/5VX1600             | 160.00    | 2.57                        | 2160                            | 3160        | 4160        | 5160        | 6160        | 7160        | 8160        | 9160        | 10160        | 11160        | 12160        | 13160        |       |
| #/5VX1700             | 170.00    | 2.75                        | 2170                            | 3170        | 4170        | 5170        | 6170        | 7170        | 8170        | 9170        | 10170        | 11170        | 12170        | 13170        |       |
| #/5VX1800             | 180.00    | 2.89                        | 2180                            | 3180        | 4180        | 5180        | 6180        | 7180        | 8180        | 9180        | 10180        | 11180        | 12180        | 13180        |       |
| #/5VX1900             | 190.00    | 3.07                        | 2190                            | 3190        | 4190        | 5190        | 6190        | 7190        | 8190        | 9190        | 10190        | 11190        | 12190        | 13190        |       |
| #/5VX2000             | 200.00    | 3.25                        | 2200                            | 3200        | 4200        | 5200        | 6200        | 7200        | 8200        | 9200        | 10200        | 11200        | 12200        | 13200        |       |

HEAVY DUTY BELTS



# Super HC® Belts

Recommended Sheaves  
Super HC Sheaves

**Notes**  
Gates Super HC belts are available in 3V, 5V, and 8V cross-sections.

## Product No. Series 9332




### 3V Section

| Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn | Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn |
|----------|-------------|-----------|---------------|-------------|----------|-------------|-----------|---------------|-------------|
| 3V250    | 9332-0250   | 25.00     | .120          | 10          | 3V650    | 9332-0650   | 65.00     | .310          | 100         |
| 3V265    | 9332-0265   | 26.50     | .125          | 10          | 3V670    | 9332-0670   | 67.00     | .320          | 10          |
| 3V280    | 9332-0280   | 28.00     | .130          | 10          | 3V710    | 9332-0710   | 71.00     | .335          | 10          |
| 3V300    | 9332-0300   | 30.00     | .140          | 10          | 3V730    | 9332-0730   | 73.00     | .340          | 10          |
| 3V315    | 9332-0315   | 31.50     | .150          | 10          | 3V750    | 9332-0750   | 75.00     | .350          | 10          |
| 3V335    | 9332-0335   | 33.50     | .160          | 10          | 3V800    | 9332-0800   | 80.00     | .380          | 10          |
| 3V355    | 9332-0355   | 35.50     | .170          | 10          | 3V810    | 9332-0810   | 81.00     | .380          | 76          |
| 3V375    | 9332-0375   | 37.50     | .175          | 10          | 3V830    | 9332-0830   | 83.00     | .390          | 10          |
| 3V400    | 9332-0400   | 40.00     | .190          | 10          | 3V850    | 9332-0850   | 85.00     | .400          | 10          |
| 3V420    | 9332-0420   | 42.00     | .200          | 150         | 3V900    | 9332-0900   | 90.00     | .430          | 10          |
| 3V425    | 9332-0425   | 42.50     | .200          | 10          | 3V950    | 9332-0950   | 95.00     | .450          | 10          |
| 3V450    | 9332-0450   | 45.00     | .210          | 10          | 3V1000   | 9332-1000   | 100.00    | .470          | 10          |
| 3V475    | 9332-0475   | 47.50     | .220          | 10          | 3V1060   | 9332-1060   | 106.00    | .500          | 10          |
| 3V500    | 9332-0500   | 50.00     | .240          | 10          | 3V1120   | 9332-1120   | 112.00    | .530          | 10          |
| 3V530    | 9332-0530   | 53.00     | .250          | 10          | 3V1180   | 9332-1180   | 118.00    | .560          | 10          |
| 3V560    | 9332-0560   | 56.00     | .260          | 10          | 3V1250   | 9332-1250   | 125.00    | .590          | 10          |
| 3V590    | 9332-0590   | 59.00     | .270          | 50          | 3V1320   | 9332-1320   | 132.00    | .620          | 10          |
| 3V600    | 9332-0600   | 60.00     | .280          | 10          | 3V1400   | 9332-1400   | 140.00    | .660          | 10          |
| 3V630    | 9332-0630   | 63.00     | .300          | 10          |          |             |           |               |             |

HEAVY DUTY V-BELTS

## Product No. Series 9334



### 5V Section

| Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn | Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn |
|----------|-------------|-----------|---------------|-------------|----------|-------------|-----------|---------------|-------------|
| 5V500    | 9334-0500   | 50.00     | .650          | 10          | 5V1500   | 9334-1500   | 150.00    | 2.000         | 10          |
| 5V530    | 9334-0530   | 53.00     | .730          | 10          | 5V1600   | 9334-1600   | 160.00    | 2.100         | 10          |
| 5V560    | 9334-0560   | 56.00     | .770          | 10          | 5V1630   | 9334-1630   | 163.00    | 2.150         | 26          |
| 5V600    | 9334-0600   | 60.00     | .800          | 10          | 5V1700   | 9334-1700   | 170.00    | 2.250         | 10          |
| 5V630    | 9334-0630   | 63.00     | .820          | 10          | 5V1710   | 9334-1710   | 171.00    | 2.250         | 26          |
| 5V670    | 9334-0670   | 67.00     | .890          | 10          | 5V1800   | 9334-1800   | 180.00    | 2.350         | 10          |
| 5V710    | 9334-0710   | 71.00     | .930          | 10          | 5V1900   | 9334-1900   | 190.00    | 2.500         | 10          |
| 5V750    | 9334-0750   | 75.00     | 1.000         | 10          | 5V2000   | 9334-2000   | 200.00    | 2.600         | 10          |
| 5V800    | 9334-0800   | 80.00     | 1.050         | 10          | 5V2120   | 9334-2120   | 212.00    | 2.800         | 10          |
| 5V850    | 9334-0850   | 85.00     | 1.100         | 10          | 5V2240   | 9334-2240   | 224.00    | 2.950         | 10          |
| 5V900    | 9334-0900   | 90.00     | 1.200         | 10          | 5V2360   | 9334-2360   | 236.00    | 3.100         | 10          |
| 5V950    | 9334-0950   | 95.00     | 1.250         | 10          | 5V2500   | 9334-2500   | 250.00    | 3.300         | 10          |
| 5V1000   | 9334-1000   | 100.00    | 1.320         | 10          | 5V2650   | 9334-2650   | 265.00    | 3.500         | 5           |
| 5V1060   | 9334-1060   | 106.00    | 1.400         | 10          | 5V2800   | 9334-2800   | 280.00    | 3.700         | 5           |
| 5V1120   | 9334-1120   | 112.00    | 1.500         | 10          | 5V3000   | 9334-3000   | 300.00    | 3.980         | 5           |
| 5V1180   | 9334-1180   | 118.00    | 1.550         | 10          | 5V3150   | 9334-3150   | 315.00    | 4.200         | 5           |
| 5V1250   | 9334-1250   | 125.00    | 1.640         | 10          | 5V3350   | 9334-3350   | 335.00    | 4.400         | 5           |
| 5V1320   | 9334-1320   | 132.00    | 1.740         | 10          | 5V3550   | 9334-3550   | 355.00    | 4.700         | 5           |
| 5V1400   | 9334-1400   | 140.00    | 1.820         | 10          |          |             |           |               |             |



# Super HC® Belts



## Product No. Series 9336

### 8V Section

| Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn | Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn |
|----------|-------------|-----------|---------------|-------------|----------|-------------|-----------|---------------|-------------|
| 8V1000   | 9336-1000   | 100.00    | 3.300         | 5           | 8V2360   | 9336-2360   | 236.00    | 7.950         | 3           |
| 8V1060   | 9336-1060   | 106.00    | 3.550         | 5           | 8V2500   | 9336-2500   | 250.00    | 8.500         | 3           |
| 8V1120   | 9336-1120   | 112.00    | 3.800         | 5           | 8V2650   | 9336-2650   | 265.00    | 9.000         | 3           |
| 8V1180   | 9336-1180   | 118.00    | 4.000         | 5           | 8V2800   | 9336-2800   | 280.00    | 9.450         | 3           |
| 8V1250   | 9336-1250   | 125.00    | 4.100         | 5           | 8V3000   | 9336-3000   | 300.00    | 10.450        | 3           |
| 8V1320   | 9336-1320   | 132.00    | 4.450         | 5           | 8V3150   | 9336-3150   | 315.00    | 10.850        | 3           |
| 8V1400   | 9336-1400   | 140.00    | 4.750         | 5           | 8V3350   | 9336-3350   | 335.00    | 11.400        | 1           |
| 8V1500   | 9336-1500   | 150.00    | 5.150         | 5           | 8V3550   | 9336-3550   | 355.00    | 12.150        | 1           |
| 8V1600   | 9336-1600   | 160.00    | 5.450         | 5           | 8V3750   | 9336-3750   | 375.00    | 12.900        | 1           |
| 8V1700   | 9336-1700   | 170.00    | 5.850         | 5           | 8V4000   | 9336-4000   | 400.00    | 13.700        | 1           |
| 8V1800   | 9336-1800   | 180.00    | 6.150         | 5           | 8V4250   | 9336-4250   | 425.00    | 14.650        | 1           |
| 8V1900   | 9336-1900   | 190.00    | 6.400         | 4           | 8V4500   | 9336-4500   | 450.00    | 15.400        | 1           |
| 8V2000   | 9336-2000   | 200.00    | 6.900         | 4           | 8V4750   | 9336-4750   | 475.00    | 16.290        | 1           |
| 8V2120   | 9336-2120   | 212.00    | 7.350         | 4           | 8V5000   | 9336-5000   | 500.00    | 17.100        | 1           |
| 8V2240   | 9336-2240   | 224.00    | 7.500         | 4           | 8V5600   | 9336-5600   | 560.00    | 19.100        | 1           |
| 8V2300   | 9336-2300   | 230.00    | 7.850         | 4           | 8V6000   | 9336-6000   | 600.00    | 20.500        | 1           |

HEAVY DUTY V-BELTS



# Super HC® PowerBand® Belts

## Recommended Sheaves

Super HC Sheaves

### Notes

Belt part number is constructed by placing the (#) number of strands required followed by a slash (/) in front of the belt size. For example, 5/3V800 represents a 3V800 with 5 joined strands.

Belt product number is 8 or 9 digits constructed of product series prefix, number of strands, and belt length. For example, 93855080 represents a "3V" section PowerBand (9385) with 5 strands (5) that is 80.0 inches (.080) long.

3V PowerBand Belts are non-notched, raw edge construction for sizes 3V300 through 3V750. Sizes 3V800 and longer are banded (covered) construction.


## Product No. Series 9385



### 3V Section

| Size<br>(# = strands) | O.C. (in) | Wt. Per Strand<br>(Lbs.) | Belt Width In Number of Strands |          |          |          |          |          |          |          |           |           |           |       | 13 to 30 Strand<br>Maximum<br>(## = strands) |
|-----------------------|-----------|--------------------------|---------------------------------|----------|----------|----------|----------|----------|----------|----------|-----------|-----------|-----------|-------|--|
|                       |           |                          | 2 Strand                        | 3 Strand | 4 Strand | 5 Strand | 6 Strand | 7 Strand | 8 Strand | 9 Strand | 10 Strand | 11 Strand | 12 Strand |       |  |
|                       |           |                          | 9385-                           | 9385-    | 9385-    | 9385-    | 9385-    | 9385-    | 9385-    | 9385-    | 9385-     | 9385-     | 9385-     | 9385- |  |
| <sup>14</sup> #/3V300 | 30.00     | .18                      | 2030                            | 3030     | 4030     | 5030     | 6030     | 7030     | 8030     | 9030     | 10030     | 11030     | 12030     | ##030 |  |
| <sup>14</sup> #/3V315 | 31.50     | .20                      | 2031                            | 3031     | 4031     | 5031     | 6031     | 7031     | 8031     | 9031     | 10031     | 11031     | 12031     | ##031 |  |
| <sup>14</sup> #/3V335 | 33.50     | .20                      | 2033                            | 3033     | 4033     | 5033     | 6033     | 7033     | 8033     | 9033     | 10033     | 11033     | 12033     | ##033 |  |
| <sup>14</sup> #/3V355 | 35.50     | .20                      | 2035                            | 3035     | 4035     | 5035     | 6035     | 7035     | 8035     | 9035     | 10035     | 11035     | 12035     | ##035 |  |
| <sup>14</sup> #/3V375 | 37.50     | .22                      | 2037                            | 3037     | 4037     | 5037     | 6037     | 7037     | 8037     | 9037     | 10037     | 11037     | 12037     | ##037 |  |
| <sup>14</sup> #/3V400 | 40.00     | .24                      | 2040                            | 3040     | 4040     | 5040     | 6040     | 7040     | 8040     | 9040     | 10040     | 11040     | 12040     | ##040 |  |
| <sup>14</sup> #/3V425 | 42.50     | .26                      | 2042                            | 3042     | 4042     | 5042     | 6042     | 7042     | 8042     | 9042     | 10042     | 11042     | 12042     | ##042 |  |
| <sup>14</sup> #/3V450 | 45.00     | .28                      | 2045                            | 3045     | 4045     | 5045     | 6045     | 7045     | 8045     | 9045     | 10045     | 11045     | 12045     | ##045 |  |
| <sup>14</sup> #/3V475 | 47.50     | .29                      | 2047                            | 3047     | 4047     | 5047     | 6047     | 7047     | 8047     | 9047     | 10047     | 11047     | 12047     | ##047 |  |
| <sup>14</sup> #/3V500 | 50.00     | .30                      | 2050                            | 3050     | 4050     | 5050     | 6050     | 7050     | 8050     | 9050     | 10050     | 11050     | 12050     | ##050 |  |
| <sup>14</sup> #/3V530 | 53.00     | .33                      | 2053                            | 3053     | 4053     | 5053     | 6053     | 7053     | 8053     | 9053     | 10053     | 11053     | 12053     | ##053 |  |
| <sup>14</sup> #/3V560 | 56.00     | .34                      | 2056                            | 3056     | 4056     | 5056     | 6056     | 7056     | 8056     | 9056     | 10056     | 11056     | 12056     | ##056 |  |
| <sup>14</sup> #/3V600 | 60.00     | .37                      | 2060                            | 3060     | 4060     | 5060     | 6060     | 7060     | 8060     | 9060     | 10060     | 11060     | 12060     | ##060 |  |
| <sup>14</sup> #/3V630 | 63.00     | .40                      | 2063                            | 3063     | 4063     | 5063     | 6063     | 7063     | 8063     | 9063     | 10063     | 11063     | 12063     | ##063 |  |
| <sup>14</sup> #/3V670 | 67.00     | .41                      | 2067                            | 3067     | 4067     | 5067     | 6067     | 7067     | 8067     | 9067     | 10067     | 11067     | 12067     | ##067 |  |
| <sup>14</sup> #/3V710 | 71.00     | .44                      | 2071                            | 3071     | 4071     | 5071     | 6071     | 7071     | 8071     | 9071     | 10071     | 11071     | 12071     | ##071 |  |
| <sup>14</sup> #/3V750 | 75.00     | .46                      | 2075                            | 3075     | 4075     | 5075     | 6075     | 7075     | 8075     | 9075     | 10075     | 11075     | 12075     | ##075 |  |
| #/3V800               | 80.00     | .50                      | 2080                            | 3080     | 4080     | 5080     | 6080     | 7080     | 8080     | 9080     | 10080     | 11080     | 12080     | ##080 |  |
| #/3V850               | 85.00     | .53                      | 2085                            | 3085     | 4085     | 5085     | 6085     | 7085     | 8085     | 9085     | 10085     | 11085     | 12085     | ##085 |  |
| #/3V900               | 90.00     | .56                      | 2090                            | 3090     | 4090     | 5090     | 6090     | 7090     | 8090     | 9090     | 10090     | 11090     | 12090     | ##090 |  |
| #/3V950               | 95.00     | .60                      | 2095                            | 3095     | 4095     | 5095     | 6095     | 7095     | 8095     | 9095     | 10095     | 11095     | 12095     | ##095 |  |
| #/3V1000              | 100.00    | .63                      | 2100                            | 3100     | 4100     | 5100     | 6100     | 7100     | 8100     | 9100     | 10100     | 11100     | 12100     | ##100 |  |
| #/3V1060              | 106.00    | .66                      | 2106                            | 3106     | 4106     | 5106     | 6106     | 7106     | 8106     | 9106     | 10106     | 11106     | 12106     | ##106 |  |
| #/3V1120              | 112.00    | .70                      | 2112                            | 3112     | 4112     | 5112     | 6112     | 7112     | 8112     | 9112     | 10112     | 11112     | 12112     | ##112 |  |
| #/3V1180              | 118.00    | .74                      | 2118                            | 3118     | 4118     | 5118     | 6118     | 7118     | 8118     | 9118     | 10118     | 11118     | 12118     | ##118 |  |
| #/3V1250              | 125.00    | .79                      | 2125                            | 3125     | 4125     | 5125     | 6125     | 7125     | 8125     | 9125     | 10125     | 11125     | 12125     | ##125 |  |
| #/3V1320              | 132.00    | .83                      | 2132                            | 3132     | 4132     | 5132     | 6132     | 7132     | 8132     | 9132     | 10132     | 11132     | 12132     | ##132 |  |
| #/3V1400              | 140.00    | .88                      | 2140                            | 3140     | 4140     | 5140     | 6140     | 7140     | 8140     | 9140     | 10140     | 11140     | 12140     | ##140 |  |

## Product No. Series 9386



### 5V Section

| Size<br>(# = strands) | O.C. (in) | Wt. Per Strand<br>(Lbs.) | Belt Width In Number of Strands |          |          |          |          |          |          |          |           |           |           |       | 13 to 18 Strand<br>Maximum<br>(## = strands) |
|-----------------------|-----------|--------------------------|---------------------------------|----------|----------|----------|----------|----------|----------|----------|-----------|-----------|-----------|-------|--|
|                       |           |                          | 2 Strand                        | 3 Strand | 4 Strand | 5 Strand | 6 Strand | 7 Strand | 8 Strand | 9 Strand | 10 Strand | 11 Strand | 12 Strand |       |  |
|                       |           |                          | 9386-                           | 9386-    | 9386-    | 9386-    | 9386-    | 9386-    | 9386-    | 9386-    | 9386-     | 9386-     | 9386-     | 9386- |  |
| <sup>15</sup> #/5V500 | 50.00     | .70                      | 2050                            | 3050     | 4050     | 5050     | 6050     | 7050     | 8050     | 9050     | 10050     | 11050     | 12050     | ##050 |  |
| <sup>15</sup> #/5V530 | 53.00     | .80                      | 2053                            | 3053     | 4053     | 5053     | 6053     | 7053     | 8053     | 9053     | 10053     | 11053     | 12053     | ##053 |  |
| <sup>15</sup> #/5V560 | 56.00     | .86                      | 2056                            | 3056     | 4056     | 5056     | 6056     | 7056     | 8056     | 9056     | 10056     | 11056     | 12056     | ##056 |  |
| <sup>15</sup> #/5V600 | 60.00     | .96                      | 2060                            | 3060     | 4060     | 5060     | 6060     | 7060     | 8060     | 9060     | 10060     | 11060     | 12060     | ##060 |  |
| <sup>15</sup> #/5V630 | 63.00     | 1.00                     | 2063                            | 3063     | 4063     | 5063     | 6063     | 7063     | 8063     | 9063     | 10063     | 11063     | 12063     | ##063 |  |

<sup>14</sup> Maximum width 22 strands. Not included in V-80 matching program.  
<sup>15</sup> Not included in V-80 matching program.




# Super HC<sup>®</sup> PowerBand<sup>®</sup> Belts

Product No. Series 9386 (continued)

5V Section (continued)

| Size<br>(# = strands) | O.C. (in) | Wt. Per<br>Strand<br>(Lbs.) | Belt Width In Number of Strands |          |          |          |          |          |          |          |           |           |           |   |
|-----------------------|-----------|-----------------------------|---------------------------------|----------|----------|----------|----------|----------|----------|----------|-----------|-----------|-----------|---|
|                       |           |                             | 2 Strand                        | 3 Strand | 4 Strand | 5 Strand | 6 Strand | 7 Strand | 8 Strand | 9 Strand | 10 Strand | 11 Strand | 12 Strand | 13 to 18<br>Strand<br>Maximum<br>(## = strands) |
|                       |           |                             | 9386-                           | 9386-    | 9386-    | 9386-    | 9386-    | 9386-    | 9386-    | 9386-    | 9386-     | 9386-     | 9386-     | 9386-   |
| #/5V670               | 67.00     | 1.04                        | 2067                            | 3067     | 4067     | 5067     | 6067     | 7067     | 8067     | 9067     | 10067     | 11067     | 12067     | ##067   |
| #/5V710               | 71.00     | 1.18                        | 2071                            | 3071     | 4071     | 5071     | 6071     | 7071     | 8071     | 9071     | 10071     | 11071     | 12071     | ##071   |
| #/5V750               | 75.00     | 1.18                        | 2075                            | 3075     | 4075     | 5075     | 6075     | 7075     | 8075     | 9075     | 10075     | 11075     | 12075     | ##075   |
| #/5V800               | 80.00     | 1.25                        | 2080                            | 3080     | 4080     | 5080     | 6080     | 7080     | 8080     | 9080     | 10080     | 11080     | 12080     | ##080   |
| #/5V850               | 85.00     | 1.36                        | 2085                            | 3085     | 4085     | 5085     | 6085     | 7085     | 8085     | 9085     | 10085     | 11085     | 12085     | ##085   |
| #/5V900               | 90.00     | 1.39                        | 2090                            | 3090     | 4090     | 5090     | 6090     | 7090     | 8090     | 9090     | 10090     | 11090     | 12090     | ##090   |
| #/5V950               | 95.00     | 1.50                        | 2095                            | 3095     | 4095     | 5095     | 6095     | 7095     | 8095     | 9095     | 10095     | 11095     | 12095     | ##095   |
| #/5V1000              | 100.00    | 1.57                        | 2100                            | 3100     | 4100     | 5100     | 6100     | 7100     | 8100     | 9100     | 10100     | 11100     | 12100     | ##100   |
| #/5V1060              | 106.00    | 1.71                        | 2106                            | 3106     | 4106     | 5106     | 6106     | 7106     | 8106     | 9106     | 10106     | 11106     | 12106     | ##106   |
| #/5V1120              | 112.00    | 1.79                        | 2112                            | 3112     | 4112     | 5112     | 6112     | 7112     | 8112     | 9112     | 10112     | 11112     | 12112     | ##112   |
| #/5V1180              | 118.00    | 1.86                        | 2118                            | 3118     | 4118     | 5118     | 6118     | 7118     | 8118     | 9118     | 10118     | 11118     | 12118     | ##118   |
| #/5V1200              | 120.00    | 1.90                        | 2120                            | 3120     | 4120     | 5120     | 6120     | 7120     | 8120     | 9120     | 10120     | 11120     | 12120     | ##120   |
| #/5V1210              | 121.00    | 1.92                        | 2121                            | 3121     | 4121     | 5121     | 6121     | 7121     | 8121     | 9121     | 10121     | 11121     | 12121     | ##121   |
| #/5V1250              | 125.00    | 2.00                        | 2125                            | 3125     | 4125     | 5125     | 6125     | 7125     | 8125     | 9125     | 10125     | 11125     | 12125     | ##125   |
| #/5V1320              | 132.00    | 2.11                        | 2132                            | 3132     | 4132     | 5132     | 6132     | 7132     | 8132     | 9132     | 10132     | 11132     | 12132     | ##132   |
| #/5V1400              | 140.00    | 2.25                        | 2140                            | 3140     | 4140     | 5140     | 6140     | 7140     | 8140     | 9140     | 10140     | 11140     | 12140     | ##140   |
| #/5V1500              | 150.00    | 2.39                        | 2150                            | 3150     | 4150     | 5150     | 6150     | 7150     | 8150     | 9150     | 10150     | 11150     | 12150     | ##150   |
| #/5V1600              | 160.00    | 2.57                        | 2160                            | 3160     | 4160     | 5160     | 6160     | 7160     | 8160     | 9160     | 10160     | 11160     | 12160     | ##160   |
| #/5V1700              | 170.00    | 2.75                        | 2170                            | 3170     | 4170     | 5170     | 6170     | 7170     | 8170     | 9170     | 10170     | 11170     | 12170     | ##170   |
| #/5V1800              | 180.00    | 2.89                        | 2180                            | 3180     | 4180     | 5180     | 6180     | 7180     | 8180     | 9180     | 10180     | 11180     | 12180     | ##180   |
| #/5V1900              | 190.00    | 3.07                        | 2190                            | 3190     | 4190     | 5190     | 6190     | 7190     | 8190     | 9190     | 10190     | 11190     | 12190     | ##190   |
| #/5V2000              | 200.00    | 3.25                        | 2200                            | 3200     | 4200     | 5200     | 6200     | 7200     | 8200     | 9200     | 10200     | 11200     | 12200     | ##200   |
| #/5V2120              | 212.00    | 3.46                        | 2212                            | 3212     | 4212     | 5212     | 6212     | 7212     | 8212     | 9212     | 10212     | 11212     | 12212     | ##212   |
| #/5V2240              | 224.00    | 3.68                        | 2224                            | 3224     | 4224     | 5224     | 6224     | 7224     | 8224     | 9224     | 10224     | 11224     | 12224     | ##224   |
| #/5V2360              | 236.00    | 3.89                        | 2236                            | 3236     | 4236     | 5236     | 6236     | 7236     | 8236     | 9236     | 10236     | 11236     | 12236     | ##236   |
| #/5V2500              | 250.00    | 4.07                        | 2250                            | 3250     | 4250     | 5250     | 6250     | 7250     | 8250     | 9250     | 10250     | 11250     | 12250     | ##250   |
| #/5V2650              | 265.00    | 4.32                        | 2265                            | 3265     | 4265     | 5265     | 6265     | 7265     | 8265     | 9265     | 10265     | 11265     | 12265     | ##265   |
| #/5V2800              | 280.00    | 4.57                        | 2280                            | 3280     | 4280     | 5280     | 6280     | 7280     | 8280     | 9280     | 10280     | 11280     | 12280     | ##280   |
| #/5V3000              | 300.00    | 4.89                        | 2300                            | 3300     | 4300     | 5300     | 6300     | 7300     | 8300     | 9300     | 10300     | 11300     | 12300     | ##300   |
| #/5V3150              | 315.00    | 5.18                        | 2315                            | 3315     | 4315     | 5315     | 6315     | 7315     | 8315     | 9315     | 10315     | 11315     | 12315     | ##315   |
| #/5V3350              | 335.00    | 5.50                        | 2335                            | 3335     | 4335     | 5335     | 6335     | 7335     | 8335     | 9335     | 10335     | 11335     | 12335     | ##335   |
| #/5V3550              | 355.00    | 5.79                        | 2355                            | 3355     | 4355     | 5355     | 6355     | 7355     | 8355     | 9355     | 10355     | 11355     | 12355     | ##355   |

HEAVY DUTY V-BELTS



Product No. Series 9387

8V Section



| Size<br>(# = strands) | O.C. (in) | Wt. Per<br>Strand<br>(Lbs.) | Belt Width In Number of Strands |          |          |          |          |          |          |          |           |           |           |  |
|-----------------------|-----------|-----------------------------|---------------------------------|----------|----------|----------|----------|----------|----------|----------|-----------|-----------|-----------|--|
|                       |           |                             | 2 Strand                        | 3 Strand | 4 Strand | 5 Strand | 6 Strand | 7 Strand | 8 Strand | 9 Strand | 10 Strand | 11 Strand | 12 Strand |  |
|                       |           |                             | 9387-                           | 9387-    | 9387-    | 9387-    | 9387-    | 9387-    | 9387-    | 9387-    | 9387-     | 9387-     | 9387-     |  |
| #/8V1000              | 100.00    | 3.90                        | 2100                            | 3100     | 4100     | 5100     | 6100     | 7100     | 8100     | 9100     | 10100     | 11100     | 12100     |  |
| #/8V1060              | 106.00    | 4.15                        | 2106                            | 3106     | 4106     | 5106     | 6106     | 7106     | 8106     | 9106     | 10106     | 11106     | 12106     |  |
| #/8V1120              | 112.00    | 4.42                        | 2112                            | 3112     | 4112     | 5112     | 6112     | 7112     | 8112     | 9112     | 10112     | 11112     | 12112     |  |
| #/8V1180              | 118.00    | 4.67                        | 2118                            | 3118     | 4118     | 5118     | 6118     | 7118     | 8118     | 9118     | 10118     | 11118     | 12118     |  |
| #/8V1250              | 125.00    | 5.00                        | 2125                            | 3125     | 4125     | 5125     | 6125     | 7125     | 8125     | 9125     | 10125     | 11125     | 12125     |  |
| #/8V1320              | 132.00    | 5.25                        | 2132                            | 3132     | 4132     | 5132     | 6132     | 7132     | 8132     | 9132     | 10132     | 11132     | 12132     |  |
| #/8V1400              | 140.00    | 5.58                        | 2140                            | 3140     | 4140     | 5140     | 6140     | 7140     | 8140     | 9140     | 10140     | 11140     | 12140     |  |
| #/8V1500              | 150.00    | 6.00                        | 2150                            | 3150     | 4150     | 5150     | 6150     | 7150     | 8150     | 9150     | 10150     | 11150     | 12150     |  |
| #/8V1600              | 160.00    | 6.33                        | 2160                            | 3160     | 4160     | 5160     | 6160     | 7160     | 8160     | 9160     | 10160     | 11160     | 12160     |  |
| #/8V1700              | 170.00    | 6.75                        | 2170                            | 3170     | 4170     | 5170     | 6170     | 7170     | 8170     | 9170     | 10170     | 11170     | 12170     |  |

15 Not included in V-80 matching program.



# Super HC<sup>®</sup> PowerBand<sup>®</sup> Belts

Product No. Series 9387 (continued)

8V Section (continued)

HEAVY DUTY V-BELTS

| Size<br>(# = strands) | O.C. (in) | Wt. Per<br>Strand<br>(Lbs.) | Belt Width In Number of Strands |             |             |             |             |             |             |             |              |              |              |  |
|-----------------------|-----------|-----------------------------|---------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|--------------|--------------|--|
|                       |           |                             | 2<br>Strand                     | 3<br>Strand | 4<br>Strand | 5<br>Strand | 6<br>Strand | 7<br>Strand | 8<br>Strand | 9<br>Strand | 10<br>Strand | 11<br>Strand | 12<br>Strand |  |
|                       |           |                             | 9387-                           | 9387-       | 9387-       | 9387-       | 9387-       | 9387-       | 9387-       | 9387-       | 9387-        | 9387-        | 9387-        |  |
| #/8V1800              | 180.00    | 7.25                        | 2180                            | 3180        | 4180        | 5180        | 6180        | 7180        | 8180        | 9180        | 10180        | 11180        | 12180        |  |
| #/8V1900              | 190.00    | 7.67                        | 2190                            | 3190        | 4190        | 5190        | 6190        | 7190        | 8190        | 9190        | 10190        | 11190        | 12190        |  |
| #/8V2000              | 200.00    | 8.00                        | 2200                            | 3200        | 4200        | 5200        | 6200        | 7200        | 8200        | 9200        | 10200        | 11200        | 12200        |  |
| #/8V2120              | 212.00    | 8.50                        | 2212                            | 3212        | 4212        | 5212        | 6212        | 7212        | 8212        | 9212        | 10212        | 11212        | 12212        |  |
| #/8V2240              | 224.00    | 9.00                        | 2224                            | 3224        | 4224        | 5224        | 6224        | 7224        | 8224        | 9224        | 10224        | 11224        | 12224        |  |
| #/8V2360              | 236.00    | 9.42                        | 2236                            | 3236        | 4236        | 5236        | 6236        | 7236        | 8236        | 9236        | 10236        | 11236        | 12236        |  |
| #/8V2500              | 250.00    | 10.00                       | 2250                            | 3250        | 4250        | 5250        | 6250        | 7250        | 8250        | 9250        | 10250        | 11250        | 12250        |  |
| #/8V2650              | 265.00    | 10.58                       | 2265                            | 3265        | 4265        | 5265        | 6265        | 7265        | 8265        | 9265        | 10265        | 11265        | 12265        |  |
| #/8V2800              | 280.00    | 11.33                       | 2280                            | 3280        | 4280        | 5280        | 6280        | 7280        | 8280        | 9280        | 10280        | 11280        | 12280        |  |
| #/8V3000              | 300.00    | 12.08                       | 2300                            | 3300        | 4300        | 5300        | 6300        | 7300        | 8300        | 9300        | 10300        | 11300        | 12300        |  |
| #/8V3150              | 315.00    | 12.75                       | 2315                            | 3315        | 4315        | 5315        | 6315        | 7315        | 8315        | 9315        | 10315        | 11315        | 12315        |  |
| #/8V3350              | 335.00    | 13.58                       | 2335                            | 3335        | 4335        | 5335        | 6335        | 7335        | 8335        | 9335        | 10335        | 11335        | 12335        |  |
| #/8V3550              | 355.00    | 14.33                       | 2355                            | 3355        | 4355        | 5355        | 6355        | 7355        | 8355        | 9355        | 10355        | 11355        | 12355        |  |
| #/8V3750              | 375.00    | 15.08                       | 2375                            | 3375        | 4375        | 5375        | 6375        | 7375        | 8375        | 9375        | 10375        | 11375        | 12375        |  |
| #/8V4000              | 400.00    | 16.08                       | 2400                            | 3400        | 4400        | 5400        | 6400        | 7400        | 8400        | 9400        | 10400        | 11400        | 12400        |  |
| #/8V4250              | 425.00    | 17.08                       | 2425                            | 3425        | 4425        | 5425        | 6425        | 7425        | 8425        | 9425        | 10425        | 11425        | 12425        |  |
| #/8V4500              | 450.00    | 18.08                       | 2450                            | 3450        | 4450        | 5450        | 6450        | 7450        | 8450        | 9450        | 10450        | 11450        | 12450        |  |
| #/8V4750              | 475.00    | 19.17                       | 2475                            | 3475        | 4475        | 5475        | 6475        | 7475        | 8475        | 9475        | 10475        | 11475        | 12475        |  |
| #/8V5000              | 500.00    | 20.17                       | 2500                            | 3500        | 4500        | 5500        | 6500        | 7500        | 8500        | 9500        | 10500        | 11500        | 12500        |  |
| #/8V5600              | 560.00    | 22.75                       | 2560                            | 3560        | 4560        | 5560        | 6560        | 7560        | 8560        | 9560        | 10560        | 11560        | 12560        |  |
| #/8V6000              | 600.00    | 24.42                       | 2600                            | 3600        | 4600        | 5600        | 6600        | 7600        | 8600        | 9600        | 10600        | 11600        | 12600        |  |






# Tri-Power® Belts

Recommended Sheaves  
Multi-Duty Sheaves

**Notes**

Tri-Power belts are available in AX, BX, and CX sizes.  
Tri-Power belts longer than 210 inches are a banded, cut notch construction.

## Product No. Series 9012




### AX Section

| Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn | Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn |
|----------|-------------|-----------|---------------|-------------|----------|-------------|-----------|---------------|-------------|
| AX19     | 9012-2019   | 21.00     | .100          | 10          | AX64     | 9012-2064   | 66.00     | .350          | 10          |
| AX20     | 9012-2020   | 22.00     | .110          | 10          | AX65     | 9012-2065   | 67.00     | .350          | 10          |
| AX21     | 9012-2021   | 23.00     | .150          | 10          | AX66     | 9012-2066   | 68.00     | .350          | 10          |
| AX22     | 9012-2022   | 24.00     | .150          | 10          | AX67     | 9012-2067   | 69.00     | .400          | 10          |
| AX23     | 9012-2023   | 25.00     | .150          | 10          | AX68     | 9012-2068   | 70.00     | .400          | 10          |
| AX24     | 9012-2024   | 26.00     | .150          | 10          | AX69     | 9012-2069   | 71.00     | .400          | 70          |
| AX25     | 9012-2025   | 27.00     | .150          | 10          | AX70     | 9012-2070   | 72.00     | .400          | 10          |
| AX26     | 9012-2026   | 28.00     | .150          | 10          | AX71     | 9012-2071   | 73.00     | .400          | 10          |
| AX27     | 9012-2027   | 29.00     | .150          | 10          | AX72     | 9012-2072   | 74.00     | .400          | 70          |
| AX28     | 9012-2028   | 30.00     | .150          | 10          | AX73     | 9012-2073   | 75.00     | .400          | 70          |
| AX29     | 9012-2029   | 31.00     | .150          | 10          | AX74     | 9012-2074   | 76.00     | .400          | 70          |
| AX30     | 9012-2030   | 32.00     | .200          | 10          | AX75     | 9012-2075   | 77.00     | .400          | 10          |
| AX31     | 9012-2031   | 33.00     | .200          | 10          | AX76     | 9012-2076   | 78.00     | .450          | 35          |
| AX32     | 9012-2032   | 34.00     | .200          | 10          | AX77     | 9012-2077   | 79.00     | .450          | 35          |
| AX33     | 9012-2033   | 35.00     | .200          | 10          | AX78     | 9012-2078   | 80.00     | .450          | 10          |
| AX34     | 9012-2034   | 36.00     | .200          | 10          | AX79     | 9012-2079   | 81.00     | .450          | 70          |
| AX35     | 9012-2035   | 37.00     | .200          | 10          | AX80     | 9012-2080   | 82.00     | .450          | 10          |
| AX36     | 9012-2036   | 38.00     | .200          | 10          | AX81     | 9012-2081   | 83.00     | .450          | 70          |
| AX37     | 9012-2037   | 39.00     | .200          | 10          | AX82     | 9012-2082   | 84.00     | .450          | 70          |
| AX38     | 9012-2038   | 40.00     | .200          | 10          | AX83     | 9012-2083   | 85.00     | .500          | 50          |
| AX39     | 9012-2039   | 41.00     | .200          | 10          | AX84     | 9012-2084   | 86.00     | .500          | 50          |
| AX40     | 9012-2040   | 42.00     | .200          | 10          | AX85     | 9012-2085   | 87.00     | .500          | 10          |
| AX41     | 9012-2041   | 43.00     | .250          | 10          | AX86     | 9012-2086   | 88.00     | .500          | 10          |
| AX42     | 9012-2042   | 44.00     | .250          | 10          | AX87     | 9012-2087   | 89.00     | .500          | 55          |
| AX43     | 9012-2043   | 45.00     | .250          | 10          | AX88     | 9012-2088   | 90.00     | .500          | 55          |
| AX44     | 9012-2044   | 46.00     | .250          | 10          | AX89     | 9012-2089   | 91.00     | .500          | 55          |
| AX45     | 9012-2045   | 47.00     | .250          | 10          | AX90     | 9012-2090   | 92.00     | .500          | 10          |
| AX46     | 9012-2046   | 48.00     | .250          | 10          | AX91     | 9012-2091   | 93.00     | .550          | 40          |
| AX47     | 9012-2047   | 49.00     | .300          | 10          | AX92     | 9012-2092   | 94.00     | .550          | 40          |
| AX48     | 9012-2048   | 50.00     | .300          | 10          | AX93     | 9012-2093   | 95.00     | .550          | 40          |
| AX49     | 9012-2049   | 51.00     | .300          | 10          | AX94     | 9012-2094   | 96.00     | .550          | 40          |
| AX50     | 9012-2050   | 52.00     | .300          | 10          | AX95     | 9012-2095   | 97.00     | .550          | 55          |
| AX51     | 9012-2051   | 53.00     | .300          | 10          | AX96     | 9012-2096   | 98.00     | .550          | 10          |
| AX52     | 9012-2052   | 54.00     | .300          | 10          | AX97     | 9012-2097   | 99.00     | .550          | 50          |
| AX53     | 9012-2053   | 55.00     | .300          | 10          | AX98     | 9012-2098   | 100.00    | .550          | 50          |
| AX54     | 9012-2054   | 56.00     | .300          | 10          | AX100    | 9012-2100   | 102.00    | .550          | 50          |
| AX55     | 9012-2055   | 57.00     | .300          | 10          | AX103    | 9012-2103   | 105.00    | .580          | 50          |
| AX56     | 9012-2056   | 58.00     | .300          | 10          | AX105    | 9012-2105   | 107.00    | .600          | 10          |
| AX57     | 9012-2057   | 59.00     | .300          | 70          | AX110    | 9012-2110   | 112.00    | .630          | 30          |
| AX58     | 9012-2058   | 60.00     | .300          | 10          | AX112    | 9012-2112   | 114.00    | .640          | 45          |
| AX59     | 9012-2059   | 61.00     | .300          | 10          | AX120    | 9012-2120   | 122.00    | .680          | 10          |
| AX60     | 9012-2060   | 62.00     | .350          | 10          | AX128    | 9012-2128   | 130.00    | .720          | 35          |
| AX61     | 9012-2061   | 63.00     | .350          | 10          | AX144    | 9012-2144   | 146.00    | .820          | 20          |
| AX62     | 9012-2062   | 64.00     | .350          | 10          | AX173    | 9012-2173   | 175.00    | .980          | 5           |
| AX63     | 9012-2063   | 65.00     | .350          | 10          |          |             |           |               |             |

HEAVY DUTY V-BELTS



# Tri-Power® Belts



**Product No. Series 9013**


**BX Section**

HEAVY DUTY V-BELTS

| Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn | Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn |
|----------|-------------|-----------|---------------|-------------|----------|-------------|-----------|---------------|-------------|
| BX24     | 9013-2024   | 27.00     | .250          | 30          | BX78     | 9013-2078   | 81.00     | .750          | 10          |
| BX25     | 9013-2025   | 28.00     | .250          | 30          | BX79     | 9013-2079   | 82.00     | .750          | 10          |
| BX26     | 9013-2026   | 29.00     | .250          | 30          | BX80     | 9013-2080   | 83.00     | .750          | 10          |
| BX27     | 9013-2027   | 30.00     | .250          | 30          | BX81     | 9013-2081   | 84.00     | .750          | 10          |
| BX28     | 9013-2028   | 31.00     | .300          | 30          | BX82     | 9013-2082   | 85.00     | .750          | 10          |
| BX29     | 9013-2029   | 32.00     | .300          | 30          | BX83     | 9013-2083   | 86.00     | .800          | 10          |
| BX30     | 9013-2030   | 33.00     | .300          | 30          | BX84     | 9013-2084   | 87.00     | .800          | 10          |
| BX31     | 9013-2031   | 34.00     | .300          | 58          | BX85     | 9013-2085   | 88.00     | .800          | 10          |
| BX32     | 9013-2032   | 35.00     | .300          | 58          | BX86     | 9013-2086   | 89.00     | .800          | 10          |
| BX33     | 9013-2033   | 36.00     | .300          | 58          | BX87     | 9013-2087   | 90.00     | .800          | 10          |
| BX34     | 9013-2034   | 37.00     | .300          | 10          | BX88     | 9013-2088   | 91.00     | .800          | 10          |
| BX35     | 9013-2035   | 38.00     | .350          | 10          | BX89     | 9013-2089   | 92.00     | .800          | 10          |
| BX36     | 9013-2036   | 39.00     | .350          | 10          | BX90     | 9013-2090   | 93.00     | .850          | 10          |
| BX37     | 9013-2037   | 40.00     | .350          | 58          | BX91     | 9013-2091   | 94.00     | .850          | 10          |
| BX38     | 9013-2038   | 41.00     | .350          | 10          | BX92     | 9013-2092   | 95.00     | .850          | 10          |
| BX39     | 9013-2039   | 42.00     | .350          | 58          | BX93     | 9013-2093   | 96.00     | .850          | 10          |
| BX40     | 9013-2040   | 43.00     | .350          | 10          | BX94     | 9013-2094   | 97.00     | .850          | 10          |
| BX41     | 9013-2041   | 44.00     | .350          | 58          | BX95     | 9013-2095   | 98.00     | .900          | 10          |
| BX42     | 9013-2042   | 45.00     | .400          | 10          | BX96     | 9013-2096   | 99.00     | .900          | 10          |
| BX43     | 9013-2043   | 46.00     | .400          | 10          | BX97     | 9013-2097   | 100.00    | .900          | 10          |
| BX44     | 9013-2044   | 47.00     | .400          | 10          | BX98     | 9013-2098   | 101.00    | .900          | 30          |
| BX45     | 9013-2045   | 48.00     | .450          | 10          | BX99     | 9013-2099   | 102.00    | .900          | 10          |
| BX46     | 9013-2046   | 49.00     | .450          | 10          | BX100    | 9013-2100   | 103.00    | .950          | 10          |
| BX47     | 9013-2047   | 50.00     | .450          | 10          | BX103    | 9013-2103   | 106.00    | .950          | 10          |
| BX48     | 9013-2048   | 51.00     | .450          | 10          | BX105    | 9013-2105   | 108.00    | .950          | 10          |
| BX49     | 9013-2049   | 52.00     | .450          | 10          | BX106    | 9013-2106   | 109.00    | .950          | 30          |
| BX50     | 9013-2050   | 53.00     | .500          | 10          | BX108    | 9013-2108   | 111.00    | .950          | 10          |
| BX51     | 9013-2051   | 54.00     | .500          | 10          | BX110    | 9013-2110   | 113.00    | 1.000         | 30          |
| BX52     | 9013-2052   | 55.00     | .500          | 10          | BX112    | 9013-2112   | 115.00    | 1.000         | 10          |
| BX53     | 9013-2053   | 56.00     | .500          | 10          | BX113    | 9013-2113   | 116.00    | 1.050         | 30          |
| BX54     | 9013-2054   | 57.00     | .500          | 10          | BX115    | 9013-2115   | 118.00    | 1.050         | 10          |
| BX55     | 9013-2055   | 58.00     | .500          | 10          | BX116    | 9013-2116   | 119.00    | 1.050         | 10          |
| BX56     | 9013-2056   | 59.00     | .550          | 10          | BX120    | 9013-2120   | 123.00    | 1.100         | 10          |
| BX57     | 9013-2057   | 60.00     | .550          | 10          | BX123    | 9013-2123   | 126.00    | 1.000         | 10          |
| BX58     | 9013-2058   | 61.00     | .550          | 10          | BX124    | 9013-2124   | 127.00    | 1.100         | 10          |
| BX59     | 9013-2059   | 62.00     | .550          | 10          | BX128    | 9013-2128   | 131.00    | 1.150         | 10          |
| BX60     | 9013-2060   | 63.00     | .550          | 10          | BX133    | 9013-2133   | 136.00    | 1.200         | 10          |
| BX61     | 9013-2061   | 64.00     | .600          | 10          | BX136    | 9013-2136   | 139.00    | 1.200         | 10          |
| BX62     | 9013-2062   | 65.00     | .600          | 10          | BX140    | 9013-2140   | 143.00    | 1.250         | 10          |
| BX63     | 9013-2063   | 66.00     | .600          | 10          | BX144    | 9013-2144   | 147.00    | 1.300         | 10          |
| BX64     | 9013-2064   | 67.00     | .600          | 10          | BX148    | 9013-2148   | 151.00    | 1.190         | 10          |
| BX65     | 9013-2065   | 68.00     | .600          | 10          | BX150    | 9013-2150   | 153.00    | 1.350         | 10          |
| BX66     | 9013-2066   | 69.00     | .600          | 10          | BX158    | 9013-2158   | 161.00    | 1.430         | 10          |
| BX67     | 9013-2067   | 70.00     | .600          | 10          | BX162    | 9013-2162   | 165.00    | 1.450         | 10          |
| BX68     | 9013-2068   | 71.00     | .650          | 10          | BX173    | 9013-2173   | 176.00    | 1.550         | 10          |
| BX69     | 9013-2069   | 72.00     | .650          | 10          | BX180    | 9013-2180   | 183.00    | 1.650         | 15          |
| BX70     | 9013-2070   | 73.00     | .650          | 10          | BX195    | 9013-2195   | 198.00    | 1.800         | 15          |
| BX71     | 9013-2071   | 74.00     | .650          | 10          | BX205    | 9013-2205   | 208.00    | 2.100         | 10          |
| BX72     | 9013-2072   | 75.00     | .700          | 10          | BX210    | 9013-2210   | 213.00    | 2.200         | 15          |
| BX73     | 9013-2073   | 76.00     | .700          | 10          | BX225    | 9013-2225   | 227.00    | 2.400         | 10          |
| BX74     | 9013-2074   | 77.00     | .700          | 10          | BX255    | 9013-2255   | 257.00    | 2.950         | 10          |
| BX75     | 9013-2075   | 78.00     | .700          | 10          | BX270    | 9013-2270   | 272.00    | 3.200         | 5           |
| BX76     | 9013-2076   | 79.00     | .700          | 10          | BX300    | 9013-2300   | 302.00    | 3.800         | 5           |
| BX77     | 9013-2077   | 80.00     | .750          | 10          |          |             |           |               |             |



# Tri-Power® Belts



## Product No. Series 9014

### CX Section

| Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn | Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn |
|----------|-------------|-----------|---------------|-------------|----------|-------------|-----------|---------------|-------------|
| CX51     | 9014-2051   | 55.00     | 1.000         | 30          | CX133    | 9014-2133   | 137.00    | 2.200         | 10          |
| CX60     | 9014-2060   | 64.00     | 1.070         | 25          | CX136    | 9014-2136   | 140.00    | 2.310         | 10          |
| CX68     | 9014-2068   | 72.00     | 1.250         | 10          | CX144    | 9014-2144   | 148.00    | 2.500         | 10          |
| CX75     | 9014-2075   | 79.00     | 1.350         | 10          | CX150    | 9014-2150   | 154.00    | 2.600         | 10          |
| CX78     | 9014-2078   | 82.00     | 1.390         | 30          | CX158    | 9014-2158   | 162.00    | 2.800         | 10          |
| CX81     | 9014-2081   | 85.00     | 1.410         | 10          | CX162    | 9014-2162   | 166.00    | 2.900         | 10          |
| CX83     | 9014-2083   | 87.00     | 1.430         | 30          | CX173    | 9014-2173   | 177.00    | 3.200         | 10          |
| CX85     | 9014-2085   | 89.00     | 1.450         | 10          | CX180    | 9014-2180   | 184.00    | 3.300         | 10          |
| CX90     | 9014-2090   | 94.00     | 1.550         | 10          | CX187    | 9014-2187   | 191.00    | 3.500         | 5           |
| CX96     | 9014-2096   | 100.00    | 1.600         | 10          | CX190    | 9014-2190   | 194.00    | 3.550         | 5           |
| CX100    | 9014-2100   | 104.00    | 1.700         | 15          | CX195    | 9014-2195   | 199.00    | 3.700         | 10          |
| CX101    | 9014-2101   | 105.00    | 1.750         | 15          | CX210    | 9014-2210   | 214.00    | 4.000         | 5           |
| CX105    | 9014-2105   | 109.00    | 1.800         | 10          | CX225    | 9014-2225   | 227.00    | 4.500         | 5           |
| CX106    | 9014-2106   | 110.00    | 1.800         | 15          | CX240    | 9014-2240   | 242.00    | 4.900         | 5           |
| CX109    | 9014-2109   | 113.00    | 1.850         | 10          | CX255    | 9014-2255   | 257.00    | 5.300         | 5           |
| CX112    | 9014-2112   | 116.00    | 1.920         | 10          | CX270    | 9014-2270   | 272.00    | 5.800         | 5           |
| CX115    | 9014-2115   | 119.00    | 1.950         | 10          | CX300    | 9014-2300   | 302.00    | 6.750         | 4           |
| CX120    | 9014-2120   | 124.00    | 2.000         | 10          | CX330    | 9014-2330   | 332.00    | 7.900         | 4           |
| CX123    | 9014-2123   | 127.00    | 2.100         | 10          | CX360    | 9014-2360   | 362.00    | 9.000         | 3           |
| CX128    | 9014-2128   | 132.00    | 2.150         | 10          |          |             |           |               |             |

HEAVY DUTY V-BELTS



# Tri-Power® PowerBand® Belts

Recommended Sheaves  
Multi-Duty Sheaves (B, C)

**Notes**

For example, 90983063 represents a "BX" section PowerBand (9098) with 3 strands (3) that is 63.0 inches (063) long.

**Product No. Series 9098**



**BX Section**

HEAVY DUTY V-BELTS

| Size<br>(# = strands) | O.C. (in) | Wt. Per Strand<br>(Lbs.) | Belt Width In Number of Strands |          |          |          |          |          |          |          |           |           |           |       |
|-----------------------|-----------|--------------------------|---------------------------------|----------|----------|----------|----------|----------|----------|----------|-----------|-----------|-----------|-------|
|                       |           |                          | 2 Strand                        | 3 Strand | 4 Strand | 5 Strand | 6 Strand | 7 Strand | 8 Strand | 9 Strand | 10 Strand | 11 Strand | 12 Strand |       |
|                       |           |                          | 9098-                           | 9098-    | 9098-    | 9098-    | 9098-    | 9098-    | 9098-    | 9098-    | 9098-     | 9098-     | 9098-     | 9098- |
| #/BX42                | 45.60     | .63                      | 2042                            | 3042     | 4042     | 5042     | 6042     | 7042     | 8042     | 9042     | 10042     | 11042     | 12042     |       |
| #/BX46                | 49.60     | .71                      | 2046                            | 3046     | 4046     | 5046     | 6046     | 7046     | 8046     | 9046     | 10046     | 11046     | 12046     |       |
| #/BX51                | 54.60     | .79                      | 2051                            | 3051     | 4051     | 5051     | 6051     | 7051     | 8051     | 9051     | 10051     | 11051     | 12051     |       |
| #/BX53                | 56.60     | .82                      | 2053                            | 3053     | 4053     | 5053     | 6053     | 7053     | 8053     | 9053     | 10053     | 11053     | 12053     |       |
| #/BX55                | 58.60     | .85                      | 2055                            | 3055     | 4055     | 5055     | 6055     | 7055     | 8055     | 9055     | 10055     | 11055     | 12055     |       |
| #/BX56                | 59.60     | .86                      | 2056                            | 3056     | 4056     | 5056     | 6056     | 7056     | 8056     | 9056     | 10056     | 11056     | 12056     |       |
| #/BX58                | 61.60     | .89                      | 2058                            | 3058     | 4058     | 5058     | 6058     | 7058     | 8058     | 9058     | 10058     | 11058     | 12058     |       |
| #/BX60                | 63.60     | .92                      | 2060                            | 3060     | 4060     | 5060     | 6060     | 7060     | 8060     | 9060     | 10060     | 11060     | 12060     |       |
| #/BX62                | 65.60     | .95                      | 2062                            | 3062     | 4062     | 5062     | 6062     | 7062     | 8062     | 9062     | 10062     | 11062     | 12062     |       |
| #/BX63                | 66.60     | .97                      | 2063                            | 3063     | 4063     | 5063     | 6063     | 7063     | 8063     | 9063     | 10063     | 11063     | 12063     |       |
| #/BX64                | 67.60     | .99                      | 2064                            | 3064     | 4064     | 5064     | 6064     | 7064     | 8064     | 9064     | 10064     | 11064     | 12064     |       |
| #/BX65                | 68.60     | 1.00                     | 2065                            | 3065     | 4065     | 5065     | 6065     | 7065     | 8065     | 9065     | 10065     | 11065     | 12065     |       |
| #/BX66                | 69.60     | 1.01                     | 2066                            | 3066     | 4066     | 5066     | 6066     | 7066     | 8066     | 9066     | 10066     | 11066     | 12066     |       |
| #/BX67                | 70.60     | 1.03                     | 2067                            | 3067     | 4067     | 5067     | 6067     | 7067     | 8067     | 9067     | 10067     | 11067     | 12067     |       |
| #/BX68                | 71.60     | 1.05                     | 2068                            | 3068     | 4068     | 5068     | 6068     | 7068     | 8068     | 9068     | 10068     | 11068     | 12068     |       |
| #/BX70                | 73.60     | 1.08                     | 2070                            | 3070     | 4070     | 5070     | 6070     | 7070     | 8070     | 9070     | 10070     | 11070     | 12070     |       |
| #/BX71                | 74.60     | 1.09                     | 2071                            | 3071     | 4071     | 5071     | 6071     | 7071     | 8071     | 9071     | 10071     | 11071     | 12071     |       |
| #/BX74                | 77.60     | 1.14                     | 2074                            | 3074     | 4074     | 5074     | 6074     | 7074     | 8074     | 9074     | 10074     | 11074     | 12074     |       |
| #/BX75                | 78.60     | 1.16                     | 2075                            | 3075     | 4075     | 5075     | 6075     | 7075     | 8075     | 9075     | 10075     | 11075     | 12075     |       |
| #/BX77                | 80.60     | 1.19                     | 2077                            | 3077     | 4077     | 5077     | 6077     | 7077     | 8077     | 9077     | 10077     | 11077     | 12077     |       |
| #/BX79                | 82.60     | 1.22                     | 2079                            | 3079     | 4079     | 5079     | 6079     | 7079     | 8079     | 9079     | 10079     | 11079     | 12079     |       |
| #/BX81                | 84.60     | 1.25                     | 2081                            | 3081     | 4081     | 5081     | 6081     | 7081     | 8081     | 9081     | 10081     | 11081     | 12081     |       |
| #/BX83                | 86.60     | 1.28                     | 2083                            | 3083     | 4083     | 5083     | 6083     | 7083     | 8083     | 9083     | 10083     | 11083     | 12083     |       |
| #/BX84                | 87.60     | 1.29                     | 2084                            | 3084     | 4084     | 5084     | 6084     | 7084     | 8084     | 9084     | 10084     | 11084     | 12084     |       |
| #/BX85                | 88.60     | 1.31                     | 2085                            | 3085     | 4085     | 5085     | 6085     | 7085     | 8085     | 9085     | 10085     | 11085     | 12085     |       |
| #/BX87                | 90.60     | 1.34                     | 2087                            | 3087     | 4087     | 5087     | 6087     | 7087     | 8087     | 9087     | 10087     | 11087     | 12087     |       |
| #/BX90                | 93.60     | 1.39                     | 2090                            | 3090     | 4090     | 5090     | 6090     | 7090     | 8090     | 9090     | 10090     | 11090     | 12090     |       |
| #/BX93                | 96.60     | 1.43                     | 2093                            | 3093     | 4093     | 5093     | 6093     | 7093     | 8093     | 9093     | 10093     | 11093     | 12093     |       |
| #/BX96                | 99.60     | 1.48                     | 2096                            | 3096     | 4096     | 5096     | 6096     | 7096     | 8096     | 9096     | 10096     | 11096     | 12096     |       |
| #/BX97                | 100.60    | 1.49                     | 2097                            | 3097     | 4097     | 5097     | 6097     | 7097     | 8097     | 9097     | 10097     | 11097     | 12097     |       |
| #/BX100               | 103.60    | 1.54                     | 2100                            | 3100     | 4100     | 5100     | 6100     | 7100     | 8100     | 9100     | 10100     | 11100     | 12100     |       |
| #/BX103               | 106.60    | 1.59                     | 2103                            | 3103     | 4103     | 5103     | 6103     | 7103     | 8103     | 9103     | 10103     | 11103     | 12103     |       |
| #/BX105               | 108.60    | 1.62                     | 2105                            | 3105     | 4105     | 5105     | 6105     | 7105     | 8105     | 9105     | 10105     | 11105     | 12105     |       |
| #/BX112               | 115.60    | 1.72                     | 2112                            | 3112     | 4112     | 5112     | 6112     | 7112     | 8112     | 9112     | 10112     | 11112     | 12112     |       |
| #/BX128               | 131.60    | 1.97                     | 2128                            | 3128     | 4128     | 5128     | 6128     | 7128     | 8128     | 9128     | 10128     | 11128     | 12128     |       |
| #/BX131               | 134.60    | 2.02                     | 2131                            | 3131     | 4131     | 5131     | 6131     | 7131     | 8131     | 9131     | 10131     | 11131     | 12131     |       |
| #/BX136               | 139.60    | 2.09                     | 2136                            | 3136     | 4136     | 5136     | 6136     | 7136     | 8136     | 9136     | 10136     | 11136     | 12136     |       |
| #/BX140               | 143.60    | 2.16                     | 2140                            | 3140     | 4140     | 5140     | 6140     | 7140     | 8140     | 9140     | 10140     | 11140     | 12140     |       |
| #/BX144               | 147.60    | 2.22                     | 2144                            | 3144     | 4144     | 5144     | 6144     | 7144     | 8144     | 9144     | 10144     | 11144     | 12144     |       |
| #/BX158               | 161.60    | 2.43                     | 2158                            | 3158     | 4158     | 5158     | 6158     | 7158     | 8158     | 9158     | 10158     | 11158     | 12158     |       |



**Product No. Series 9099**

**CX Section**



| Size<br>(# = strands) | O.C. (in) | Wt. Per Strand<br>(Lbs.) | Belt Width In Number of Strands |          |          |          |          |          |          |          |           |           |           |       |
|-----------------------|-----------|--------------------------|---------------------------------|----------|----------|----------|----------|----------|----------|----------|-----------|-----------|-----------|-------|
|                       |           |                          | 2 Strand                        | 3 Strand | 4 Strand | 5 Strand | 6 Strand | 7 Strand | 8 Strand | 9 Strand | 10 Strand | 11 Strand | 12 Strand |       |
|                       |           |                          | 9099-                           | 9099-    | 9099-    | 9099-    | 9099-    | 9099-    | 9099-    | 9099-    | 9099-     | 9099-     | 9099-     | 9099- |
| #/CX75                | 78.60     | 1.16                     | 2075                            | 3075     | 4075     | 5075     | 6075     | 7075     | 8075     | 9075     | 10075     | 11075     | 12075     |       |



# Tri-Power® PowerBand® Belts

**Product No. Series 9099 (continued)**

**CX Section (continued)**

| Size<br>(# = strands) | O.C. (in) | Wt. Per<br>Strand<br>(Lbs.) | Belt Width In Number of Strands |             |             |             |             |             |             |             |              |              |              |
|-----------------------|-----------|-----------------------------|---------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|--------------|--------------|
|                       |           |                             | 2<br>Strand                     | 3<br>Strand | 4<br>Strand | 5<br>Strand | 6<br>Strand | 7<br>Strand | 8<br>Strand | 9<br>Strand | 10<br>Strand | 11<br>Strand | 12<br>Strand |
|                       |           |                             | 9099-                           | 9099-       | 9099-       | 9099-       | 9099-       | 9099-       | 9099-       | 9099-       | 9099-        | 9099-        | 9099-        |
| #CX81                 | 84.60     | 1.25                        | 2081                            | 3081        | 4081        | 5081        | 6081        | 7081        | 8081        | 9081        | 10081        | 11081        | 12081        |
| #CX85                 | 88.60     | 1.30                        | 2085                            | 3085        | 4085        | 5085        | 6085        | 7085        | 8085        | 9085        | 10085        | 11085        | 12085        |
| #CX90                 | 93.60     | 1.31                        | 2090                            | 3090        | 4090        | 5090        | 6090        | 7090        | 8090        | 9090        | 10090        | 11090        | 12090        |
| #CX96                 | 99.60     | 1.48                        | 2096                            | 3096        | 4096        | 5096        | 6096        | 7096        | 8096        | 9096        | 10096        | 11096        | 12096        |
| #CX100                | 103.60    | 1.54                        | 2100                            | 3100        | 4100        | 5100        | 6100        | 7100        | 8100        | 9100        | 10100        | 11100        | 12100        |
| #CX105                | 108.60    | 1.62                        | 2105                            | 3105        | 4105        | 5105        | 6105        | 7105        | 8105        | 9105        | 10105        | 11105        | 12105        |
| #CX112                | 115.60    | 1.72                        | 2112                            | 3112        | 4112        | 5112        | 6112        | 7112        | 8112        | 9112        | 10112        | 11112        | 12112        |
| #CX120                | 123.60    | 1.85                        | 2120                            | 3120        | 4120        | 5120        | 6120        | 7120        | 8120        | 9120        | 10120        | 11120        | 12120        |
| #CX136                | 139.60    | 2.09                        | 2136                            | 3136        | 4136        | 5136        | 6136        | 7136        | 8136        | 9136        | 10136        | 11136        | 12136        |
| #CX144                | 147.60    | 2.22                        | 2144                            | 3144        | 4144        | 5144        | 6144        | 7144        | 8144        | 9144        | 10144        | 11144        | 12144        |
| #CX162                | 165.60    | 2.49                        | 2162                            | 3162        | 4162        | 5162        | 6162        | 7162        | 8162        | 9162        | 10162        | 11162        | 12162        |
| #CX173                | 176.60    | 2.66                        | 2173                            | 3173        | 4173        | 5173        | 6173        | 7173        | 8173        | 9173        | 10173        | 11173        | 12173        |


HEAVY DUTY V-BELTS



# Hi-Power® II Belts

**Recommended Sheaves**  
Multi-Duty Sheaves

**Notes**  
Gates Hi-Power belts are available in A, B, C, D and E cross sections.



## Product No. Series 9002

### A Section

HEAVY DUTY V-BELTS

| Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn | Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn |
|----------|-------------|-----------|---------------|-------------|----------|-------------|-----------|---------------|-------------|
| A18      | 9002-2018   | 20.00     | .120          | 1           | A72      | 9002-2072   | 74.00     | .480          | 10          |
| A19      | 9002-2019   | 21.00     | .130          | 1           | A73      | 9002-2073   | 75.00     | .500          | 10          |
| A20      | 9002-2020   | 22.00     | .120          | 250         | A74      | 9002-2074   | 76.00     | .510          | 10          |
| A21      | 9002-2021   | 23.00     | .130          | 250         | A75      | 9002-2075   | 77.00     | .510          | 10          |
| A22      | 9002-2022   | 24.00     | .130          | 250         | A76      | 9002-2076   | 78.00     | .520          | 10          |
| A23      | 9002-2023   | 25.00     | .140          | 185         | A77      | 9002-2077   | 79.00     | .530          | 10          |
| A24      | 9002-2024   | 26.00     | .150          | 10          | A78      | 9002-2078   | 80.00     | .540          | 10          |
| A25      | 9002-2025   | 27.00     | .170          | 10          | A79      | 9002-2079   | 81.00     | .540          | 10          |
| A26      | 9002-2026   | 28.00     | .170          | 10          | A80      | 9002-2080   | 82.00     | .540          | 10          |
| A27      | 9002-2027   | 29.00     | .170          | 10          | A81      | 9002-2081   | 83.00     | .550          | 10          |
| A28      | 9002-2028   | 30.00     | .180          | 10          | A82      | 9002-2082   | 84.00     | .560          | 10          |
| A29      | 9002-2029   | 31.00     | .190          | 10          | A83      | 9002-2083   | 85.00     | .560          | 10          |
| A29.8    | 9002-2298   | 31.80     | .200          | 10          | A84      | 9002-2084   | 86.00     | .580          | 10          |
| A30      | 9002-2030   | 32.00     | .200          | 10          | A85      | 9002-2085   | 87.00     | .580          | 10          |
| A31      | 9002-2031   | 33.00     | .210          | 10          | A86      | 9002-2086   | 88.00     | .590          | 10          |
| A32      | 9002-2032   | 34.00     | .220          | 10          | A87      | 9002-2087   | 89.00     | .590          | 10          |
| A33      | 9002-2033   | 35.00     | .220          | 10          | A88      | 9002-2088   | 90.00     | .600          | 10          |
| A34      | 9002-2034   | 36.00     | .230          | 10          | A89      | 9002-2089   | 91.00     | .610          | 10          |
| A35      | 9002-2035   | 37.00     | .230          | 10          | A90      | 9002-2090   | 92.00     | .610          | 10          |
| A36      | 9002-2036   | 38.00     | .240          | 10          | A91      | 9002-2091   | 93.00     | .620          | 10          |
| A37      | 9002-2037   | 39.00     | .250          | 10          | A92      | 9002-2092   | 94.00     | .620          | 10          |
| A38      | 9002-2038   | 40.00     | .260          | 10          | A93      | 9002-2093   | 95.00     | .630          | 10          |
| A39      | 9002-2039   | 41.00     | .260          | 10          | A94      | 9002-2094   | 96.00     | .640          | 10          |
| A40      | 9002-2040   | 42.00     | .270          | 10          | A95      | 9002-2095   | 97.00     | .650          | 10          |
| A41      | 9002-2041   | 43.00     | .270          | 10          | A96      | 9002-2096   | 98.00     | .660          | 10          |
| A42      | 9002-2042   | 44.00     | .270          | 10          | A97      | 9002-2097   | 99.00     | .660          | 10          |
| A43      | 9002-2043   | 45.00     | .290          | 10          | A98      | 9002-2098   | 100.00    | .670          | 10          |
| A44      | 9002-2044   | 46.00     | .290          | 10          | A99      | 9002-2099   | 101.00    | .670          | 10          |
| A45      | 9002-2045   | 47.00     | .300          | 10          | A100     | 9002-2100   | 102.00    | .670          | 10          |
| A46      | 9002-2046   | 48.00     | .300          | 10          | A101     | 9002-2101   | 103.00    | .680          | 10          |
| A47      | 9002-2047   | 49.00     | .310          | 10          | A102     | 9002-2102   | 104.00    | .680          | 10          |
| A48      | 9002-2048   | 50.00     | .310          | 10          | A103     | 9002-2103   | 105.00    | .700          | 10          |
| A49      | 9002-2049   | 51.00     | .320          | 10          | A104     | 9002-2104   | 106.00    | .720          | 10          |
| A50      | 9002-2050   | 52.00     | .330          | 10          | A105     | 9002-2105   | 107.00    | .720          | 10          |
| A51      | 9002-2051   | 53.00     | .330          | 10          | A106     | 9002-2106   | 108.00    | .730          | 10          |
| A52      | 9002-2052   | 54.00     | .340          | 10          | A107     | 9002-2107   | 109.00    | .740          | 10          |
| A53      | 9002-2053   | 55.00     | .350          | 10          | A108     | 9002-2108   | 110.00    | .740          | 10          |
| A54      | 9002-2054   | 56.00     | .360          | 10          | A110     | 9002-2110   | 112.00    | .760          | 10          |
| A55      | 9002-2055   | 57.00     | .370          | 10          | A112     | 9002-2112   | 114.00    | .770          | 10          |
| A56      | 9002-2056   | 58.00     | .380          | 10          | A113     | 9002-2113   | 115.00    | .780          | 10          |
| A57      | 9002-2057   | 59.00     | .380          | 10          | A114     | 9002-2114   | 116.00    | .790          | 10          |
| A58      | 9002-2058   | 60.00     | .390          | 10          | A115     | 9002-2115   | 117.00    | .800          | 10          |
| A59      | 9002-2059   | 61.00     | .400          | 10          | A116     | 9002-2116   | 118.00    | .800          | 10          |
| A60      | 9002-2060   | 62.00     | .400          | 10          | A117     | 9002-2117   | 119.00    | .810          | 10          |
| A61      | 9002-2061   | 63.00     | .410          | 10          | A118     | 9002-2118   | 120.00    | .820          | 10          |
| A62      | 9002-2062   | 64.00     | .410          | 10          | A120     | 9002-2120   | 122.00    | .820          | 10          |
| A63      | 9002-2063   | 65.00     | .420          | 10          | A124     | 9002-2124   | 126.00    | .860          | 10          |
| A64      | 9002-2064   | 66.00     | .430          | 10          | A125     | 9002-2125   | 127.00    | .860          | 10          |
| A65      | 9002-2065   | 67.00     | .440          | 10          | A127     | 9002-2127   | 129.00    | .890          | 10          |
| A66      | 9002-2066   | 68.00     | .450          | 10          | A128     | 9002-2128   | 130.00    | .880          | 10          |
| A67      | 9002-2067   | 69.00     | .450          | 10          | A130     | 9002-2130   | 132.00    | .890          | 10          |
| A68      | 9002-2068   | 70.00     | .460          | 10          | A132     | 9002-2132   | 134.00    | .910          | 10          |
| A69      | 9002-2069   | 71.00     | .470          | 10          | A133     | 9002-2133   | 135.00    | .930          | 10          |
| A70      | 9002-2070   | 72.00     | .470          | 10          | A134     | 9002-2134   | 136.00    | .930          | 10          |
| A71      | 9002-2071   | 73.00     | .480          | 10          | A136     | 9002-2136   | 138.00    | .940          | 10          |






# Hi-Power® II Belts

## Product No. Series 9002 (continued)

### A Section (continued)

| Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn |
|----------|-------------|-----------|---------------|-------------|
| A137     | 9002-2137   | 139.00    | .940          | 10          |
| A140     | 9002-2140   | 142.00    | .960          | 10          |
| A144     | 9002-2144   | 146.00    | 1.000         | 10          |
| A148     | 9002-2148   | 150.00    | 1.010         | 10          |
| A152     | 9002-2152   | 154.00    | 1.040         | 10          |
| A156     | 9002-2156   | 158.00    | 1.080         | 10          |
| A157     | 9002-2157   | 159.00    | 1.080         | 10          |
| A158     | 9002-2158   | 160.00    | 1.090         | 10          |

| Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn |
|----------|-------------|-----------|---------------|-------------|
| A162     | 9002-2162   | 164.00    | 1.110         | 10          |
| A167     | 9002-2167   | 169.00    | 1.140         | 10          |
| A173     | 9002-2173   | 175.00    | 1.200         | 10          |
| A180     | 9002-2180   | 182.00    | 1.240         | 10          |
| A187     | 9002-2187   | 189.00    | 1.290         | 10          |
| A197     | 9002-2197   | 199.00    | 1.360         | 10          |
| A200     | 9002-2200   | 202.00    | 1.380         | 10          |



## Product No. Series 9003

### B Section



HEAVY DUTY V-BELTS

| Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn |
|----------|-------------|-----------|---------------|-------------|
| B23      | 9003-2023   | 26.00     | .220          | 1           |
| B24      | 9003-2024   | 27.00     | .280          | 100         |
| B25      | 9003-2025   | 28.00     | .300          | 100         |
| B26      | 9003-2026   | 29.00     | .310          | 100         |
| B27      | 9003-2027   | 30.00     | .320          | 100         |
| B28      | 9003-2028   | 31.00     | .330          | 10          |
| B29      | 9003-2029   | 32.00     | .340          | 10          |
| B30      | 9003-2030   | 33.00     | .350          | 10          |
| B31      | 9003-2031   | 34.00     | .360          | 10          |
| B32      | 9003-2032   | 35.00     | .370          | 10          |
| B33      | 9003-2033   | 36.00     | .380          | 10          |
| B34      | 9003-2034   | 37.00     | .390          | 10          |
| B35      | 9003-2035   | 38.00     | .400          | 10          |
| B36      | 9003-2036   | 39.00     | .410          | 10          |
| B37      | 9003-2037   | 40.00     | .420          | 10          |
| B38      | 9003-2038   | 41.00     | .440          | 10          |
| B39      | 9003-2039   | 42.00     | .460          | 10          |
| B40      | 9003-2040   | 43.00     | .470          | 10          |
| B41      | 9003-2041   | 44.00     | .480          | 10          |
| B42      | 9003-2042   | 45.00     | .490          | 10          |
| B43      | 9003-2043   | 46.00     | .500          | 10          |
| B44      | 9003-2044   | 47.00     | .510          | 10          |
| B45      | 9003-2045   | 48.00     | .520          | 10          |
| B46      | 9003-2046   | 49.00     | .530          | 10          |
| B47      | 9003-2047   | 50.00     | .540          | 10          |
| B48      | 9003-2048   | 51.00     | .550          | 10          |
| B49      | 9003-2049   | 52.00     | .550          | 10          |
| B50      | 9003-2050   | 53.00     | .560          | 10          |
| B51      | 9003-2051   | 54.00     | .570          | 10          |
| B52      | 9003-2052   | 55.00     | .580          | 10          |
| B53      | 9003-2053   | 56.00     | .600          | 10          |
| B54      | 9003-2054   | 57.00     | .620          | 10          |
| B55      | 9003-2055   | 58.00     | .630          | 10          |
| B56      | 9003-2056   | 59.00     | .650          | 10          |
| B57      | 9003-2057   | 60.00     | .650          | 10          |
| B58      | 9003-2058   | 61.00     | .670          | 10          |
| B59      | 9003-2059   | 62.00     | .680          | 10          |
| B60      | 9003-2060   | 63.00     | .680          | 10          |
| B61      | 9003-2061   | 64.00     | .690          | 10          |
| B62      | 9003-2062   | 65.00     | .700          | 10          |
| B63      | 9003-2063   | 66.00     | .720          | 10          |
| B64      | 9003-2064   | 67.00     | .730          | 10          |

| Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn |
|----------|-------------|-----------|---------------|-------------|
| B65      | 9003-2065   | 68.00     | .740          | 10          |
| B66      | 9003-2066   | 69.00     | .760          | 10          |
| B67      | 9003-2067   | 70.00     | .770          | 10          |
| B68      | 9003-2068   | 71.00     | .780          | 10          |
| B69      | 9003-2069   | 72.00     | .790          | 10          |
| B70      | 9003-2070   | 73.00     | .800          | 10          |
| B71      | 9003-2071   | 74.00     | .810          | 10          |
| B72      | 9003-2072   | 75.00     | .820          | 10          |
| B73      | 9003-2073   | 76.00     | .820          | 10          |
| B74      | 9003-2074   | 77.00     | .830          | 10          |
| B75      | 9003-2075   | 78.00     | .850          | 10          |
| B76      | 9003-2076   | 79.00     | .850          | 10          |
| B77      | 9003-2077   | 80.00     | .870          | 10          |
| B78      | 9003-2078   | 81.00     | .890          | 10          |
| B79      | 9003-2079   | 82.00     | .890          | 10          |
| B80      | 9003-2080   | 83.00     | .900          | 10          |
| B81      | 9003-2081   | 84.00     | .910          | 10          |
| B82      | 9003-2082   | 85.00     | .920          | 10          |
| B83      | 9003-2083   | 86.00     | .920          | 10          |
| B84      | 9003-2084   | 87.00     | .930          | 10          |
| B85      | 9003-2085   | 88.00     | .950          | 10          |
| B86      | 9003-2086   | 89.00     | .960          | 10          |
| B87      | 9003-2087   | 90.00     | .970          | 10          |
| B88      | 9003-2088   | 91.00     | .980          | 10          |
| B89      | 9003-2089   | 92.00     | .990          | 10          |
| B90      | 9003-2090   | 93.00     | 1.000         | 10          |
| B91      | 9003-2091   | 94.00     | 1.020         | 10          |
| B92      | 9003-2092   | 95.00     | 1.030         | 10          |
| B93      | 9003-2093   | 96.00     | 1.040         | 10          |
| B94      | 9003-2094   | 97.00     | 1.050         | 10          |
| B95      | 9003-2095   | 98.00     | 1.060         | 10          |
| B96      | 9003-2096   | 99.00     | 1.070         | 10          |
| B97      | 9003-2097   | 100.00    | 1.080         | 10          |
| B98      | 9003-2098   | 101.00    | 1.100         | 10          |
| B99      | 9003-2099   | 102.00    | 1.110         | 10          |
| B100     | 9003-2100   | 103.00    | 1.120         | 10          |
| B101     | 9003-2101   | 104.00    | 1.130         | 10          |
| B102     | 9003-2102   | 105.00    | 1.140         | 10          |
| B103     | 9003-2103   | 106.00    | 1.150         | 10          |
| B104     | 9003-2104   | 107.00    | 1.160         | 10          |
| B105     | 9003-2105   | 108.00    | 1.170         | 10          |
| B106     | 9003-2106   | 109.00    | 1.180         | 10          |



# Hi-Power® II Belts

## Product No. Series 9003 (continued)

### B Section (continued)

HEAVY DUTY V-BELTS

| Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn | Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn |
|----------|-------------|-----------|---------------|-------------|----------|-------------|-----------|---------------|-------------|
| B107     | 9003-2107   | 110.00    | 1.190         | 10          | B173     | 9003-2173   | 176.00    | 1.930         | 10          |
| B108     | 9003-2108   | 111.00    | 1.200         | 10          | B174     | 9003-2174   | 177.00    | 1.940         | 10          |
| B109     | 9003-2109   | 112.00    | 1.220         | 10          | B175     | 9003-2175   | 178.00    | 1.950         | 10          |
| B110     | 9003-2110   | 113.00    | 1.230         | 10          | B177     | 9003-2177   | 180.00    | 1.960         | 10          |
| B111     | 9003-2111   | 114.00    | 1.230         | 10          | B178     | 9003-2178   | 181.00    | 1.980         | 10          |
| B112     | 9003-2112   | 115.00    | 1.240         | 10          | B180     | 9003-2180   | 183.00    | 1.990         | 10          |
| B113     | 9003-2113   | 116.00    | 1.260         | 10          | B182     | 9003-2182   | 185.00    | 2.000         | 10          |
| B114     | 9003-2114   | 117.00    | 1.270         | 10          | B184     | 9003-2184   | 187.00    | 2.010         | 10          |
| B115     | 9003-2115   | 118.00    | 1.280         | 10          | B185     | 9003-2185   | 188.00    | 2.050         | 10          |
| B116     | 9003-2116   | 119.00    | 1.290         | 10          | B186     | 9003-2186   | 189.00    | 2.060         | 10          |
| B117     | 9003-2117   | 120.00    | 1.290         | 10          | B187     | 9003-2187   | 190.00    | 2.060         | 10          |
| B118     | 9003-2118   | 121.00    | 1.300         | 10          | B188     | 9003-2188   | 191.00    | 2.070         | 10          |
| B119     | 9003-2119   | 122.00    | 1.310         | 10          | B190     | 9003-2190   | 193.00    | 2.100         | 10          |
| B120     | 9003-2120   | 123.00    | 1.320         | 10          | B191     | 9003-2191   | 194.00    | 2.120         | 10          |
| B122     | 9003-2122   | 125.00    | 1.350         | 10          | B192     | 9003-2192   | 195.00    | 2.140         | 10          |
| B123     | 9003-2123   | 126.00    | 1.360         | 10          | B195     | 9003-2195   | 198.00    | 2.160         | 10          |
| B124     | 9003-2124   | 127.00    | 1.380         | 10          | B197     | 9003-2197   | 200.00    | 2.190         | 10          |
| B125     | 9003-2125   | 128.00    | 1.390         | 10          | B199     | 9003-2199   | 202.00    | 2.200         | 10          |
| B126     | 9003-2126   | 129.00    | 1.400         | 10          | B200     | 9003-2200   | 203.00    | 2.210         | 5           |
| B127     | 9003-2127   | 130.00    | 1.410         | 10          | B201     | 9003-2201   | 204.00    | 2.230         | 5           |
| B128     | 9003-2128   | 131.00    | 1.430         | 10          | B204     | 9003-2204   | 207.00    | 2.250         | 5           |
| B130     | 9003-2130   | 133.00    | 1.440         | 10          | B205     | 9003-2205   | 208.00    | 2.270         | 5           |
| B131     | 9003-2131   | 134.00    | 1.450         | 10          | B206     | 9003-2206   | 209.00    | 2.280         | 5           |
| B132     | 9003-2132   | 135.00    | 1.480         | 10          | B210     | 9003-2210   | 213.00    | 2.300         | 5           |
| B133     | 9003-2133   | 136.00    | 1.490         | 10          | B212     | 9003-2212   | 213.00    | 2.320         | 5           |
| B134     | 9003-2134   | 137.00    | 1.490         | 10          | B215     | 9003-2215   | 216.00    | 2.380         | 5           |
| B135     | 9003-2135   | 138.00    | 1.500         | 10          | B217     | 9003-2217   | 218.00    | 2.410         | 5           |
| B136     | 9003-2136   | 139.00    | 1.520         | 10          | B218     | 9003-2218   | 219.00    | 2.420         | 5           |
| B137     | 9003-2137   | 140.00    | 1.530         | 10          | B220     | 9003-2220   | 221.00    | 2.430         | 5           |
| B138     | 9003-2138   | 141.00    | 1.530         | 10          | B221     | 9003-2221   | 222.00    | 2.440         | 5           |
| B139     | 9003-2139   | 142.00    | 1.540         | 10          | B223     | 9003-2223   | 224.00    | 2.470         | 5           |
| B140     | 9003-2140   | 143.00    | 1.550         | 10          | B225     | 9003-2225   | 226.00    | 2.480         | 5           |
| B141     | 9003-2141   | 144.00    | 1.560         | 10          | B228     | 9003-2228   | 229.00    | 2.530         | 5           |
| B142     | 9003-2142   | 145.00    | 1.570         | 10          | B230     | 9003-2230   | 231.00    | 2.540         | 5           |
| B143     | 9003-2143   | 146.00    | 1.580         | 10          | B234     | 9003-2234   | 235.00    | 2.560         | 5           |
| B144     | 9003-2144   | 147.00    | 1.610         | 10          | B235     | 9003-2235   | 236.00    | 2.590         | 5           |
| B145     | 9003-2145   | 148.00    | 1.620         | 10          | B236     | 9003-2236   | 237.00    | 2.600         | 5           |
| B146     | 9003-2146   | 149.00    | 1.630         | 10          | B237     | 9003-2237   | 238.00    | 2.620         | 5           |
| B147     | 9003-2147   | 150.00    | 1.630         | 10          | B240     | 9003-2240   | 241.00    | 2.630         | 5           |
| B148     | 9003-2148   | 151.00    | 1.640         | 10          | B248     | 9003-2248   | 249.00    | 2.650         | 5           |
| B149     | 9003-2149   | 152.00    | 1.650         | 10          | B253     | 9003-2253   | 254.00    | 2.670         | 5           |
| B150     | 9003-2150   | 153.00    | 1.660         | 10          | B255     | 9003-2255   | 256.00    | 2.680         | 5           |
| B151     | 9003-2151   | 154.00    | 1.680         | 10          | B265     | 9003-2265   | 266.00    | 2.800         | 5           |
| B152     | 9003-2152   | 155.00    | 1.690         | 10          | B270     | 9003-2270   | 271.00    | 2.820         | 5           |
| B153     | 9003-2153   | 156.00    | 1.700         | 10          | B276     | 9003-2276   | 277.00    | 2.850         | 5           |
| B154     | 9003-2154   | 157.00    | 1.700         | 10          | B279     | 9003-2279   | 280.00    | 2.920         | 5           |
| B156     | 9003-2156   | 159.00    | 1.730         | 10          | B280     | 9003-2280   | 281.00    | 2.940         | 5           |
| B157     | 9003-2157   | 160.00    | 1.730         | 10          | B285     | 9003-2285   | 286.00    | 3.050         | 5           |
| B158     | 9003-2158   | 161.00    | 1.760         | 10          | B290     | 9003-2290   | 291.00    | 3.180         | 5           |
| B160     | 9003-2160   | 163.00    | 1.770         | 10          | B292     | 9003-2292   | 293.00    | 3.200         | 5           |
| B161     | 9003-2161   | 164.00    | 1.780         | 10          | B293     | 9003-2293   | 294.00    | 3.240         | 5           |
| B162     | 9003-2162   | 165.00    | 1.790         | 10          | B300     | 9003-2300   | 301.00    | 3.250         | 5           |
| B164     | 9003-2164   | 167.00    | 1.830         | 10          | B310     | 9003-2310   | 311.00    | 3.400         | 5           |
| B165     | 9003-2165   | 168.00    | 1.840         | 10          | B315     | 9003-2315   | 316.00    | 3.450         | 5           |
| B166     | 9003-2166   | 169.00    | 1.840         | 10          | B330     | 9003-2330   | 331.00    | 3.650         | 5           |
| B167     | 9003-2167   | 170.00    | 1.850         | 10          | B340     | 9003-2340   | 341.00    | 3.900         | 5           |
| B168     | 9003-2168   | 171.00    | 1.850         | 10          | B345     | 9003-2345   | 346.00    | 3.960         | 5           |
| B169     | 9003-2169   | 172.00    | 1.860         | 10          | B355     | 9003-2355   | 356.00    | 4.000         | 5           |
| B170     | 9003-2170   | 173.00    | 1.880         | 10          | B360     | 9003-2360   | 361.00    | 4.030         | 5           |
| B172     | 9003-2172   | 175.00    | 1.890         | 10          | B394     | 9003-2394   | 395.00    | 4.600         | 5           |




# Hi-Power® II Belts

## Product No. Series 9003 (continued)

### B Section (continued)

| Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn | Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn |
|----------|-------------|-----------|---------------|-------------|----------|-------------|-----------|---------------|-------------|
| B433     | 9003-2433   | 434.00    | 5.050         | 5           | B472     | 9003-2472   | 473.00    | 5.630         | 5           |

## Product No. Series 9004



### C Section

| Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn | Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn |
|----------|-------------|-----------|---------------|-------------|----------|-------------|-----------|---------------|-------------|
| C44      | 9004-2044   | 48.00     | .860          | 10          | C94      | 9004-2094   | 98.00     | 1.840         | 10          |
| C45      | 9004-2045   | 49.00     | .870          | 10          | C95      | 9004-2095   | 99.00     | 1.860         | 10          |
| C46      | 9004-2046   | 50.00     | .900          | 10          | C96      | 9004-2096   | 100.00    | 1.880         | 10          |
| C47      | 9004-2047   | 51.00     | .970          | 10          | C97      | 9004-2097   | 101.00    | 1.900         | 10          |
| C48      | 9004-2048   | 52.00     | .960          | 10          | C98      | 9004-2098   | 102.00    | 1.920         | 10          |
| C49      | 9004-2049   | 53.00     | .980          | 10          | C99      | 9004-2099   | 103.00    | 1.940         | 10          |
| C50      | 9004-2050   | 54.00     | .990          | 10          | C100     | 9004-2100   | 104.00    | 1.960         | 10          |
| C51      | 9004-2051   | 55.00     | 1.000         | 10          | C101     | 9004-2101   | 105.00    | 1.990         | 10          |
| C52      | 9004-2052   | 56.00     | 1.020         | 10          | C102     | 9004-2102   | 106.00    | 2.020         | 10          |
| C53      | 9004-2053   | 57.00     | 1.030         | 10          | C103     | 9004-2103   | 107.00    | 2.040         | 10          |
| C54      | 9004-2054   | 58.00     | 1.070         | 10          | C104     | 9004-2104   | 108.00    | 2.060         | 10          |
| C55      | 9004-2055   | 59.00     | 1.100         | 10          | C105     | 9004-2105   | 109.00    | 2.080         | 10          |
| C56      | 9004-2056   | 60.00     | 1.130         | 10          | C106     | 9004-2106   | 110.00    | 2.100         | 10          |
| C57      | 9004-2057   | 61.00     | 1.160         | 10          | C107     | 9004-2107   | 111.00    | 2.120         | 10          |
| C58      | 9004-2058   | 62.00     | 1.170         | 10          | C108     | 9004-2108   | 112.00    | 2.140         | 10          |
| C59      | 9004-2059   | 63.00     | 1.180         | 10          | C109     | 9004-2109   | 113.00    | 2.160         | 10          |
| C60      | 9004-2060   | 64.00     | 1.180         | 10          | C110     | 9004-2110   | 114.00    | 2.170         | 10          |
| C61      | 9004-2061   | 65.00     | 1.200         | 10          | C111     | 9004-2111   | 115.00    | 2.190         | 10          |
| C62      | 9004-2062   | 66.00     | 1.220         | 10          | C112     | 9004-2112   | 116.00    | 2.210         | 10          |
| C63      | 9004-2063   | 67.00     | 1.240         | 10          | C113     | 9004-2113   | 117.00    | 2.230         | 10          |
| C64      | 9004-2064   | 68.00     | 1.270         | 10          | C114     | 9004-2114   | 118.00    | 2.250         | 10          |
| C65      | 9004-2065   | 69.00     | 1.300         | 10          | C115     | 9004-2115   | 119.00    | 2.270         | 10          |
| C66      | 9004-2066   | 70.00     | 1.320         | 10          | C116     | 9004-2116   | 120.00    | 2.300         | 10          |
| C67      | 9004-2067   | 71.00     | 1.330         | 10          | C117     | 9004-2117   | 121.00    | 2.300         | 10          |
| C68      | 9004-2068   | 72.00     | 1.350         | 10          | C118     | 9004-2118   | 122.00    | 2.300         | 10          |
| C69      | 9004-2069   | 73.00     | 1.370         | 10          | C119     | 9004-2119   | 123.00    | 2.360         | 10          |
| C70      | 9004-2070   | 74.00     | 1.380         | 10          | C120     | 9004-2120   | 124.00    | 2.380         | 10          |
| C71      | 9004-2071   | 75.00     | 1.400         | 10          | C121     | 9004-2121   | 125.00    | 2.400         | 10          |
| C72      | 9004-2072   | 76.00     | 1.410         | 10          | C122     | 9004-2122   | 126.00    | 2.420         | 10          |
| C73      | 9004-2073   | 77.00     | 1.450         | 10          | C123     | 9004-2123   | 127.00    | 2.440         | 10          |
| C74      | 9004-2074   | 78.00     | 1.470         | 10          | C124     | 9004-2124   | 128.00    | 2.450         | 10          |
| C75      | 9004-2075   | 79.00     | 1.490         | 10          | C125     | 9004-2125   | 129.00    | 2.480         | 10          |
| C76      | 9004-2076   | 80.00     | 1.500         | 10          | C126     | 9004-2126   | 130.00    | 2.500         | 10          |
| C77      | 9004-2077   | 81.00     | 1.520         | 10          | C127     | 9004-2127   | 131.00    | 2.500         | 10          |
| C78      | 9004-2078   | 82.00     | 1.540         | 10          | C128     | 9004-2128   | 132.00    | 2.520         | 10          |
| C79      | 9004-2079   | 83.00     | 1.560         | 10          | C130     | 9004-2130   | 134.00    | 2.550         | 10          |
| C80      | 9004-2080   | 84.00     | 1.580         | 10          | C131     | 9004-2131   | 135.00    | 2.570         | 10          |
| C81      | 9004-2081   | 85.00     | 1.600         | 10          | C132     | 9004-2132   | 136.00    | 2.590         | 10          |
| C82      | 9004-2082   | 86.00     | 1.610         | 10          | C133     | 9004-2133   | 137.00    | 2.610         | 10          |
| C83      | 9004-2083   | 87.00     | 1.620         | 10          | C134     | 9004-2134   | 138.00    | 2.630         | 10          |
| C84      | 9004-2084   | 88.00     | 1.640         | 10          | C135     | 9004-2135   | 139.00    | 2.650         | 10          |
| C85      | 9004-2085   | 89.00     | 1.660         | 10          | C136     | 9004-2136   | 140.00    | 2.670         | 10          |
| C86      | 9004-2086   | 90.00     | 1.680         | 10          | C137     | 9004-2137   | 141.00    | 2.690         | 10          |
| C87      | 9004-2087   | 91.00     | 1.700         | 10          | C138     | 9004-2138   | 142.00    | 2.710         | 10          |
| C88      | 9004-2088   | 92.00     | 1.720         | 10          | C139     | 9004-2139   | 143.00    | 2.730         | 10          |
| C89      | 9004-2089   | 93.00     | 1.740         | 10          | C140     | 9004-2140   | 144.00    | 2.750         | 10          |
| C90      | 9004-2090   | 94.00     | 1.760         | 10          | C141     | 9004-2141   | 145.00    | 2.770         | 10          |
| C91      | 9004-2091   | 95.00     | 1.780         | 10          | C142     | 9004-2142   | 146.00    | 2.790         | 10          |
| C92      | 9004-2092   | 96.00     | 1.800         | 10          | C143     | 9004-2143   | 147.00    | 2.810         | 10          |
| C93      | 9004-2093   | 97.00     | 1.820         | 10          | C144     | 9004-2144   | 148.00    | 2.830         | 10          |

HEAVY DUTY V-BELTS




# Hi-Power® II Belts

Product No. Series 9004 (continued)

C Section (continued)

| Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn | Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn |
|----------|-------------|-----------|---------------|-------------|----------|-------------|-----------|---------------|-------------|
| C145     | 9004-2145   | 149.00    | 2.850         | 10          | C204     | 9004-2204   | 208.00    | 3.970         | 5           |
| C146     | 9004-2146   | 150.00    | 2.870         | 10          | C205     | 9004-2205   | 209.00    | 3.990         | 5           |
| C147     | 9004-2147   | 151.00    | 2.890         | 10          | C206     | 9004-2206   | 210.00    | 4.010         | 5           |
| C148     | 9004-2148   | 152.00    | 2.910         | 10          | C207     | 9004-2207   | 211.00    | 4.100         | 5           |
| C149     | 9004-2149   | 153.00    | 2.930         | 10          | C208     | 9004-2208   | 212.00    | 4.120         | 5           |
| C150     | 9004-2150   | 154.00    | 2.950         | 10          | C210     | 9004-2210   | 214.00    | 4.150         | 5           |
| C151     | 9004-2151   | 155.00    | 2.970         | 10          | C214     | 9004-2214   | 216.00    | 4.250         | 5           |
| C152     | 9004-2152   | 156.75    | 2.990         | 10          | C215     | 9004-2215   | 217.00    | 4.270         | 5           |
| C153     | 9004-2153   | 157.00    | 3.010         | 10          | C218     | 9004-2218   | 220.00    | 4.320         | 5           |
| C154     | 9004-2154   | 158.00    | 3.030         | 10          | C220     | 9004-2220   | 222.00    | 4.340         | 5           |
| C155     | 9004-2155   | 159.00    | 3.050         | 10          | C221     | 9004-2221   | 223.00    | 4.350         | 5           |
| C156     | 9004-2156   | 160.00    | 3.070         | 10          | C225     | 9004-2225   | 227.00    | 4.400         | 5           |
| C157     | 9004-2157   | 161.00    | 3.090         | 10          | C228     | 9004-2228   | 230.00    | 4.500         | 5           |
| C158     | 9004-2158   | 162.00    | 3.110         | 10          | C229     | 9004-2229   | 231.00    | 4.530         | 5           |
| C160     | 9004-2160   | 164.00    | 3.130         | 10          | C230     | 9004-2230   | 232.00    | 4.530         | 5           |
| C162     | 9004-2162   | 166.00    | 3.150         | 10          | C235     | 9004-2235   | 237.00    | 4.630         | 5           |
| C164     | 9004-2164   | 168.00    | 3.170         | 10          | C238     | 9004-2238   | 240.00    | 4.700         | 5           |
| C165     | 9004-2165   | 169.00    | 3.190         | 10          | C240     | 9004-2240   | 242.00    | 4.650         | 5           |
| C166     | 9004-2166   | 170.00    | 3.210         | 10          | C245     | 9004-2245   | 247.00    | 4.720         | 5           |
| C167     | 9004-2167   | 171.00    | 3.230         | 10          | C246     | 9004-2246   | 248.00    | 4.740         | 5           |
| C168     | 9004-2168   | 172.00    | 3.250         | 10          | C248     | 9004-2248   | 250.00    | 4.790         | 5           |
| C169     | 9004-2169   | 173.00    | 3.270         | 10          | C250     | 9004-2250   | 252.00    | 5.000         | 5           |
| C170     | 9004-2170   | 174.00    | 3.290         | 10          | C255     | 9004-2255   | 257.00    | 5.100         | 5           |
| C173     | 9004-2173   | 177.00    | 3.400         | 10          | C264     | 9004-2264   | 266.00    | 5.520         | 5           |
| C175     | 9004-2175   | 179.00    | 3.450         | 5           | C265     | 9004-2265   | 267.00    | 5.410         | 5           |
| C176     | 9004-2176   | 180.00    | 3.470         | 5           | C270     | 9004-2270   | 272.00    | 5.600         | 5           |
| C177     | 9004-2177   | 181.00    | 3.500         | 5           | C275     | 9004-2275   | 277.00    | 5.700         | 5           |
| C178     | 9004-2178   | 182.00    | 3.500         | 5           | C276     | 9004-2276   | 278.00    | 5.710         | 5           |
| C180     | 9004-2180   | 184.00    | 3.570         | 5           | C280     | 9004-2280   | 282.00    | 5.750         | 5           |
| C181     | 9004-2181   | 185.00    | 3.590         | 5           | C285     | 9004-2285   | 287.00    | 5.800         | 5           |
| C182     | 9004-2182   | 186.00    | 3.610         | 5           | C290     | 9004-2290   | 292.00    | 6.000         | 5           |
| C183     | 9004-2183   | 187.00    | 3.630         | 5           | C295     | 9004-2295   | 297.00    | 6.100         | 5           |
| C184     | 9004-2184   | 188.00    | 3.650         | 5           | C297     | 9004-2297   | 299.00    | 6.220         | 5           |
| C185     | 9004-2185   | 189.00    | 3.670         | 5           | C300     | 9004-2300   | 302.00    | 6.260         | 5           |
| C187     | 9004-2187   | 191.00    | 3.710         | 5           | C303     | 9004-2303   | 305.00    | 6.280         | 5           |
| C188     | 9004-2188   | 192.00    | 3.730         | 5           | C314     | 9004-2314   | 316.00    | 6.550         | 4           |
| C189     | 9004-2189   | 193.00    | 3.750         | 5           | C315     | 9004-2315   | 317.00    | 6.720         | 5           |
| C190     | 9004-2190   | 194.00    | 3.770         | 5           | C320     | 9004-2320   | 322.00    | 6.800         | 4           |
| C193     | 9004-2193   | 197.00    | 3.810         | 5           | C330     | 9004-2330   | 332.00    | 7.100         | 4           |
| C195     | 9004-2195   | 199.00    | 3.830         | 5           | C345     | 9004-2345   | 347.00    | 7.400         | 4           |
| C197     | 9004-2197   | 201.00    | 3.870         | 5           | C360     | 9004-2360   | 362.00    | 7.800         | 4           |
| C198     | 9004-2198   | 202.00    | 3.900         | 5           | C390     | 9004-2390   | 392.00    | 8.600         | 3           |
| C200     | 9004-2200   | 204.00    | 3.930         | 5           | C420     | 9004-2420   | 422.00    | 9.400         | 1           |
| C202     | 9004-2202   | 206.00    | 3.950         | 5           | C450     | 9004-2450   | 452.00    | 10.200        | 1           |

HEAVY DUTY V-BELTS



Product No. Series 9005

D Section

| Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn | Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn |
|----------|-------------|-----------|---------------|-------------|----------|-------------|-----------|---------------|-------------|
| D90      | 9005-2090   | 95.00     | 4.800         | 1           | D107     | 9005-2107   | 112.00    | 5.340         | 1           |
| D98      | 9005-2098   | 103.00    | 5.050         | 1           | D108     | 9005-2108   | 113.00    | 5.410         | 1           |
| D104     | 9005-2104   | 109.00    | 5.220         | 1           | D110     | 9005-2110   | 115.00    | 5.490         | 1           |
| D105     | 9005-2105   | 110.00    | 5.290         | 1           | D112     | 9005-2112   | 117.00    | 5.620         | 1           |






# Hi-Power® II Belts

## Product No. Series 9005 (continued)

### D Section (continued)

| Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn | Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn |
|----------|-------------|-----------|---------------|-------------|----------|-------------|-----------|---------------|-------------|
| D120     | 9005-2120   | 125.00    | 5.860         | 1           | D225     | 9005-2225   | 228.00    | 10.300        | 1           |
| D124     | 9005-2124   | 129.00    | 6.000         | 1           | D230     | 9005-2230   | 233.00    | 10.500        | 1           |
| D128     | 9005-2128   | 133.00    | 6.140         | 1           | D240     | 9005-2240   | 243.00    | 10.920        | 1           |
| D132     | 9005-2132   | 137.00    | 6.290         | 1           | D248     | 9005-2248   | 251.00    | 11.000        | 1           |
| D135     | 9005-2135   | 140.00    | 6.360         | 1           | D255     | 9005-2255   | 258.00    | 11.450        | 1           |
| D136     | 9005-2136   | 141.00    | 6.430         | 1           | D260     | 9005-2260   | 263.00    | 11.700        | 1           |
| D140     | 9005-2140   | 145.00    | 6.470         | 1           | D270     | 9005-2270   | 273.00    | 12.250        | 1           |
| D144     | 9005-2144   | 149.00    | 6.500         | 1           | D280     | 9005-2280   | 283.00    | 12.480        | 1           |
| D148     | 9005-2148   | 153.00    | 6.750         | 1           | D285     | 9005-2285   | 288.00    | 12.650        | 1           |
| D152     | 9005-2152   | 157.00    | 7.020         | 1           | D300     | 9005-2300   | 303.00    | 13.300        | 1           |
| D154     | 9005-2154   | 159.00    | 7.110         | 1           | D315     | 9005-2315   | 318.00    | 14.000        | 1           |
| D158     | 9005-2158   | 163.00    | 7.130         | 1           | D330     | 9005-2330   | 333.00    | 14.400        | 1           |
| D160     | 9005-2160   | 165.00    | 7.150         | 1           | D335     | 9005-2335   | 338.00    | 14.860        | 1           |
| D162     | 9005-2162   | 167.00    | 7.180         | 1           | D345     | 9005-2345   | 348.00    | 15.230        | 1           |
| D164     | 9005-2164   | 169.00    | 7.210         | 1           | D354     | 9005-2354   | 357.00    | 15.600        | 1           |
| D165     | 9005-2165   | 170.00    | 7.250         | 1           | D360     | 9005-2360   | 363.00    | 15.900        | 1           |
| D166     | 9005-2166   | 171.00    | 7.300         | 1           | D390     | 9005-2390   | 393.00    | 16.960        | 1           |
| D167     | 9005-2167   | 172.00    | 7.360         | 1           | D394     | 9005-2394   | 397.00    | 17.140        | 1           |
| D170     | 9005-2170   | 175.00    | 7.420         | 1           | D420     | 9005-2420   | 423.00    | 18.110        | 1           |
| D171     | 9005-2171   | 176.00    | 7.460         | 1           | D441     | 9005-2441   | 444.00    | 18.920        | 1           |
| D173     | 9005-2173   | 178.00    | 7.500         | 1           | D450     | 9005-2450   | 453.00    | 19.300        | 1           |
| D180     | 9005-2180   | 185.00    | 7.900         | 1           | D480     | 9005-2480   | 483.00    | 20.550        | 1           |
| D195     | 9005-2195   | 200.00    | 8.900         | 1           | D540     | 9005-2540   | 543.00    | 23.050        | 1           |
| D205     | 9005-2205   | 210.00    | 9.370         | 1           | D600     | 9005-2600   | 603.00    | 25.870        | 1           |
| D210     | 9005-2210   | 215.00    | 9.500         | 1           | D660     | 9005-2660   | 663.00    | 28.100        | 1           |
| D220     | 9005-2220   | 223.00    | 10.150        | 1           |          |             |           |               |             |

HEAVY DUTY V-BELTS



## Product No. Series 9006

### E Section



| Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn | Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn |
|----------|-------------|-----------|---------------|-------------|----------|-------------|-----------|---------------|-------------|
| E144     | 9006-2144   | 149.00    | 9.500         | 1           | E330     | 9006-2330   | 334.00    | 19.750        | 1           |
| E158     | 9006-2158   | 165.00    | 10.480        | 1           | E360     | 9006-2360   | 364.00    | 21.300        | 1           |
| E180     | 9006-2180   | 187.00    | 11.660        | 1           | E390     | 9006-2390   | 394.00    | 23.150        | 1           |
| E195     | 9006-2195   | 202.00    | 12.550        | 1           | E420     | 9006-2420   | 424.00    | 24.750        | 1           |
| E210     | 9006-2210   | 217.00    | 13.350        | 1           | E441     | 9006-2441   | 445.00    | 25.790        | 1           |
| E240     | 9006-2240   | 244.00    | 15.050        | 1           | E460     | 9006-2460   | 464.00    | 26.820        | 1           |
| E250     | 9006-2250   | 254.00    | 15.840        | 1           | E480     | 9006-2480   | 484.00    | 28.300        | 1           |
| E270     | 9006-2270   | 274.00    | 16.800        | 1           | E540     | 9006-2540   | 544.00    | 32.020        | 1           |
| E300     | 9006-2300   | 304.00    | 18.500        | 1           | E600     | 9006-2600   | 604.00    | 35.280        | 1           |
| E310     | 9006-2310   | 314.00    | 19.000        | 1           | E660     | 9006-2660   | 664.00    | 38.140        | 1           |



# Hi-Power® II PowerBand® V-Belts

**Recommended Sheaves**  
Multi-Duty Sheaves (B, C, D)

**Notes**

Belt part number is constructed by placing the (#) number of strands required followed by a slash (/) in front of the belt size. For example; 5/B66 represents a B66 with 5 joined strands.  
Belt product number is 8 or 9 digits constructed of product series prefix, number of strands, and belt length. For example, 90925066 represents an "A" section PowerBand (9092) with 5 strands (5) that is 66.0 inches (066) long.

Most 'A' Section sheaves are a combination 'A-B' groove. 'A' Section PowerBand Belts are not recommended for use in sheaves with 'A-B' combination grooves. 'A' Section PowerBand belts may be Made-To-Order and require minimum order quantities. Check with Customer Service for availability.

**Product No. Series 9092**



**A Section**

| Size<br>(# = strands) | O.C. (in) | Wt. Per Strand<br>(Lbs.) | Belt Width In Number of Strands |          |          |          |          |          |          |          |           |           |           |  |  |
|-----------------------|-----------|--------------------------|---------------------------------|----------|----------|----------|----------|----------|----------|----------|-----------|-----------|-----------|--|--|
|                       |           |                          | 2 Strand                        | 3 Strand | 4 Strand | 5 Strand | 6 Strand | 7 Strand | 8 Strand | 9 Strand | 10 Strand | 11 Strand | 12 Strand | 13 to 20 Strand<br>Maximum<br>(## = strands) |  |
|                       |           |                          | 9092-                           | 9092-    | 9092-    | 9092-    | 9092-    | 9092-    | 9092-    | 9092-    | 9092-     | 9092-     | 9092-     | 9092-  |  |
| <sup>15</sup> #/A42   | 44.00     | .36                      | 2042                            | 3042     | 4042     | 5042     | 6042     | 7042     | 8042     | 9042     | 10042     | 11042     | 12042     | ##042  |  |
| <sup>15</sup> #/A43   | 45.00     | .37                      | 2043                            | 3043     | 4043     | 5043     | 6043     | 7043     | 8043     | 9043     | 10043     | 11043     | 12043     | ##043  |  |
| <sup>15</sup> #/A44   | 46.00     | .38                      | 2044                            | 3044     | 4044     | 5044     | 6044     | 7044     | 8044     | 9044     | 10044     | 11044     | 12044     | ##044  |  |
| <sup>15</sup> #/A46   | 48.00     | .40                      | 2046                            | 3046     | 4046     | 5046     | 6046     | 7046     | 8046     | 9046     | 10046     | 11046     | 12046     | ##046  |  |
| <sup>15</sup> #/A47   | 49.00     | .40                      | 2047                            | 3047     | 4047     | 5047     | 6047     | 7047     | 8047     | 9047     | 10047     | 11047     | 12047     | ##047  |  |
| <sup>15</sup> #/A48   | 50.00     | .40                      | 2048                            | 3048     | 4048     | 5048     | 6048     | 7048     | 8048     | 9048     | 10048     | 11048     | 12048     | ##048  |  |
| <sup>15</sup> #/A49   | 51.00     | .42                      | 2049                            | 3049     | 4049     | 5049     | 6049     | 7049     | 8049     | 9049     | 10049     | 11049     | 12049     | ##049  |  |
| <sup>15</sup> #/A51   | 53.00     | .44                      | 2051                            | 3051     | 4051     | 5051     | 6051     | 7051     | 8051     | 9051     | 10051     | 11051     | 12051     | ##051  |  |
| <sup>15</sup> #/A53   | 55.00     | .46                      | 2053                            | 3053     | 4053     | 5053     | 6053     | 7053     | 8053     | 9053     | 10053     | 11053     | 12053     | ##053  |  |
| <sup>15</sup> #/A54   | 56.00     | .47                      | 2054                            | 3054     | 4054     | 5054     | 6054     | 7054     | 8054     | 9054     | 10054     | 11054     | 12054     | ##054  |  |
| <sup>15</sup> #/A55   | 57.00     | .47                      | 2055                            | 3055     | 4055     | 5055     | 6055     | 7055     | 8055     | 9055     | 10055     | 11055     | 12055     | ##055  |  |
| <sup>15</sup> #/A56   | 58.00     | .48                      | 2056                            | 3056     | 4056     | 5056     | 6056     | 7056     | 8056     | 9056     | 10056     | 11056     | 12056     | ##056  |  |
| <sup>15</sup> #/A57   | 59.00     | .50                      | 2057                            | 3057     | 4057     | 5057     | 6057     | 7057     | 8057     | 9057     | 10057     | 11057     | 12057     | ##057  |  |
| <sup>15</sup> #/A58   | 60.00     | .50                      | 2058                            | 3058     | 4058     | 5058     | 6058     | 7058     | 8058     | 9058     | 10058     | 11058     | 12058     | ##058  |  |
| <sup>15</sup> #/A60   | 62.00     | .52                      | 2060                            | 3060     | 4060     | 5060     | 6060     | 7060     | 8060     | 9060     | 10060     | 11060     | 12060     | ##060  |  |
| #/A62                 | 64.00     | .54                      | 2062                            | 3062     | 4062     | 5062     | 6062     | 7062     | 8062     | 9062     | 10062     | 11062     | 12062     | ##062  |  |
| #/A64                 | 66.00     | .56                      | 2064                            | 3064     | 4064     | 5064     | 6064     | 7064     | 8064     | 9064     | 10064     | 11064     | 12064     | ##064  |  |
| #/A65                 | 67.00     | .56                      | 2065                            | 3065     | 4065     | 5065     | 6065     | 7065     | 8065     | 9065     | 10065     | 11065     | 12065     | ##065  |  |
| #/A66                 | 68.00     | .57                      | 2066                            | 3066     | 4066     | 5066     | 6066     | 7066     | 8066     | 9066     | 10066     | 11066     | 12066     | ##066  |  |
| #/A68                 | 70.00     | .58                      | 2068                            | 3068     | 4068     | 5068     | 6068     | 7068     | 8068     | 9068     | 10068     | 11068     | 12068     | ##068  |  |
| #/A70                 | 72.00     | .61                      | 2070                            | 3070     | 4070     | 5070     | 6070     | 7070     | 8070     | 9070     | 10070     | 11070     | 12070     | ##070  |  |
| #/A71                 | 73.00     | .61                      | 2071                            | 3071     | 4071     | 5071     | 6071     | 7071     | 8071     | 9071     | 10071     | 11071     | 12071     | ##071  |  |
| #/A74                 | 76.00     | .64                      | 2074                            | 3074     | 4074     | 5074     | 6074     | 7074     | 8074     | 9074     | 10074     | 11074     | 12074     | ##074  |  |
| #/A75                 | 77.00     | .66                      | 2075                            | 3075     | 4075     | 5075     | 6075     | 7075     | 8075     | 9075     | 10075     | 11075     | 12075     | ##075  |  |
| #/A77                 | 79.00     | .66                      | 2077                            | 3077     | 4077     | 5077     | 6077     | 7077     | 8077     | 9077     | 10077     | 11077     | 12077     | ##077  |  |
| #/A78                 | 80.00     | .67                      | 2078                            | 3078     | 4078     | 5078     | 6078     | 7078     | 8078     | 9078     | 10078     | 11078     | 12078     | ##078  |  |
| #/A80                 | 82.00     | .70                      | 2080                            | 3080     | 4080     | 5080     | 6080     | 7080     | 8080     | 9080     | 10080     | 11080     | 12080     | ##080  |  |
| #/A81                 | 83.00     | .70                      | 2081                            | 3081     | 4081     | 5081     | 6081     | 7081     | 8081     | 9081     | 10081     | 11081     | 12081     | ##081  |  |
| #/A83                 | 85.00     | .71                      | 2083                            | 3083     | 4083     | 5083     | 6083     | 7083     | 8083     | 9083     | 10083     | 11083     | 12083     | ##083  |  |
| #/A85                 | 87.00     | .74                      | 2085                            | 3085     | 4085     | 5085     | 6085     | 7085     | 8085     | 9085     | 10085     | 11085     | 12085     | ##085  |  |
| #/A90                 | 92.00     | .77                      | 2090                            | 3090     | 4090     | 5090     | 6090     | 7090     | 8090     | 9090     | 10090     | 11090     | 12090     | ##090  |  |
| #/A92                 | 94.00     | .80                      | 2092                            | 3092     | 4092     | 5092     | 6092     | 7092     | 8092     | 9092     | 10092     | 11092     | 12092     | ##092  |  |
| #/A96                 | 98.00     | .84                      | 2096                            | 3096     | 4096     | 5096     | 6096     | 7096     | 8096     | 9096     | 10096     | 11096     | 12096     | ##096  |  |
| #/A100                | 102.00    | .86                      | 2100                            | 3100     | 4100     | 5100     | 6100     | 7100     | 8100     | 9100     | 10100     | 11100     | 12100     | ##100  |  |
| #/A105                | 107.00    | .90                      | 2105                            | 3105     | 4105     | 5105     | 6105     | 7105     | 8105     | 9105     | 10105     | 11105     | 12105     | ##105  |  |
| #/A110                | 112.00    | .96                      | 2110                            | 3110     | 4110     | 5110     | 6110     | 7110     | 8110     | 9110     | 10110     | 11110     | 12110     | ##110  |  |
| #/A112                | 114.00    | .96                      | 2112                            | 3112     | 4112     | 5112     | 6112     | 7112     | 8112     | 9112     | 10112     | 11112     | 12112     | ##112  |  |
| #/A120                | 122.00    | 1.04                     | 2120                            | 3120     | 4120     | 5120     | 6120     | 7120     | 8120     | 9120     | 10120     | 11120     | 12120     | ##120  |  |
| #/A128                | 130.00    | 1.10                     | 2128                            | 3128     | 4128     | 5128     | 6128     | 7128     | 8128     | 9128     | 10128     | 11128     | 12128     | ##128  |  |
| #/A136                | 138.00    | 1.17                     | 2136                            | 3136     | 4136     | 5136     | 6136     | 7136     | 8136     | 9136     | 10136     | 11136     | 12136     | ##136  |  |
| #/A144                | 146.00    | 1.24                     | 2144                            | 3144     | 4144     | 5144     | 6144     | 7144     | 8144     | 9144     | 10144     | 11144     | 12144     | ##144  |  |
| #/A158                | 160.00    | 1.36                     | 2158                            | 3158     | 4158     | 5158     | 6158     | 7158     | 8158     | 9158     | 10158     | 11158     | 12158     | ##158  |  |
| #/A173                | 175.00    | 1.50                     | 2173                            | 3173     | 4173     | 5173     | 6173     | 7173     | 8173     | 9173     | 10173     | 11173     | 12173     | ##173  |  |
| #/A180                | 182.00    | 1.56                     | 2180                            | 3180     | 4180     | 5180     | 6180     | 7180     | 8180     | 9180     | 10180     | 11180     | 12180     | ##180  |  |

<sup>15</sup> Not included in V-80 matching program.

HEAVY DUTY V-BELTS





Product No. Series 9093



B Section

| Size<br>(# = strands) | O.C. (in) | Wt. Per<br>Strand<br>(Lbs.) | Belt Width In Number of Strands |       |       |       |       |       |       |       |       |       |       |       | 13 to 16<br>Strand<br>Maximum<br>(## = strands) |
|-----------------------|-----------|-----------------------------|---------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|---|
|                       |           |                             | 2                               | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    | 11    | 12    |       |   |
|                       |           |                             | 9093-                           | 9093- | 9093- | 9093- | 9093- | 9093- | 9093- | 9093- | 9093- | 9093- | 9093- | 9093- |   |
| <sup>15</sup> #/B35   | 38.00     | .53                         | 2035                            | 3035  | 4035  | 5035  | 6035  | 7035  | 8035  | 9035  | 10035 | 11035 | 12035 | ##035 |   |
| <sup>15</sup> #/B38   | 41.00     | .57                         | 2038                            | 3038  | 4038  | 5038  | 6038  | 7038  | 8038  | 9038  | 10038 | 11038 | 12038 | ##038 |   |
| <sup>15</sup> #/B40   | 43.00     | .60                         | 2040                            | 3040  | 4040  | 5040  | 6040  | 7040  | 8040  | 9040  | 10040 | 11040 | 12040 | ##040 |   |
| <sup>15</sup> #/B41   | 44.00     | .62                         | 2041                            | 3041  | 4041  | 5041  | 6041  | 7041  | 8041  | 9041  | 10041 | 11041 | 12041 | ##041 |   |
| <sup>15</sup> #/B42   | 45.00     | .63                         | 2042                            | 3042  | 4042  | 5042  | 6042  | 7042  | 8042  | 9042  | 10042 | 11042 | 12042 | ##042 |   |
| <sup>15</sup> #/B43   | 46.00     | .64                         | 2043                            | 3043  | 4043  | 5043  | 6043  | 7043  | 8043  | 9043  | 10043 | 11043 | 12043 | ##043 |   |
| <sup>15</sup> #/B44   | 47.00     | .66                         | 2044                            | 3044  | 4044  | 5044  | 6044  | 7044  | 8044  | 9044  | 10044 | 11044 | 12044 | ##044 |   |
| <sup>15</sup> #/B46   | 49.00     | .67                         | 2046                            | 3046  | 4046  | 5046  | 6046  | 7046  | 8046  | 9046  | 10046 | 11046 | 12046 | ##046 |   |
| <sup>15</sup> #/B47   | 50.00     | .70                         | 2047                            | 3047  | 4047  | 5047  | 6047  | 7047  | 8047  | 9047  | 10047 | 11047 | 12047 | ##047 |   |
| <sup>15</sup> #/B48   | 51.00     | .71                         | 2048                            | 3048  | 4048  | 5048  | 6048  | 7048  | 8048  | 9048  | 10048 | 11048 | 12048 | ##048 |   |
| <sup>15</sup> #/B50   | 53.00     | .74                         | 2050                            | 3050  | 4050  | 5050  | 6050  | 7050  | 8050  | 9050  | 10050 | 11050 | 12050 | ##050 |   |
| <sup>15</sup> #/B51   | 54.00     | .76                         | 2051                            | 3051  | 4051  | 5051  | 6051  | 7051  | 8051  | 9051  | 10051 | 11051 | 12051 | ##051 |   |
| <sup>15</sup> #/B52   | 55.00     | .77                         | 2052                            | 3052  | 4052  | 5052  | 6052  | 7052  | 8052  | 9052  | 10052 | 11052 | 12052 | ##052 |   |
| <sup>15</sup> #/B53   | 56.00     | .78                         | 2053                            | 3053  | 4053  | 5053  | 6053  | 7053  | 8053  | 9053  | 10053 | 11053 | 12053 | ##053 |   |
| <sup>15</sup> #/B54   | 57.00     | .80                         | 2054                            | 3054  | 4054  | 5054  | 6054  | 7054  | 8054  | 9054  | 10054 | 11054 | 12054 | ##054 |   |
| <sup>15</sup> #/B55   | 58.00     | .81                         | 2055                            | 3055  | 4055  | 5055  | 6055  | 7055  | 8055  | 9055  | 10055 | 11055 | 12055 | ##055 |   |
| <sup>15</sup> #/B56   | 59.00     | .83                         | 2056                            | 3056  | 4056  | 5056  | 6056  | 7056  | 8056  | 9056  | 10056 | 11056 | 12056 | ##056 |   |
| <sup>15</sup> #/B57   | 60.00     | .84                         | 2057                            | 3057  | 4057  | 5057  | 6057  | 7057  | 8057  | 9057  | 10057 | 11057 | 12057 | ##057 |   |
| <sup>15</sup> #/B58   | 61.00     | .85                         | 2058                            | 3058  | 4058  | 5058  | 6058  | 7058  | 8058  | 9058  | 10058 | 11058 | 12058 | ##058 |   |
| <sup>15</sup> #/B59   | 62.00     | .87                         | 2059                            | 3059  | 4059  | 5059  | 6059  | 7059  | 8059  | 9059  | 10059 | 11059 | 12059 | ##059 |   |
| <sup>15</sup> #/B60   | 63.00     | .88                         | 2060                            | 3060  | 4060  | 5060  | 6060  | 7060  | 8060  | 9060  | 10060 | 11060 | 12060 | ##060 |   |
| <sup>15</sup> #/B61   | 64.00     | .90                         | 2061                            | 3061  | 4061  | 5061  | 6061  | 7061  | 8061  | 9061  | 10061 | 11061 | 12061 | ##061 |   |
| #/B62                 | 65.00     | .91                         | 2062                            | 3062  | 4062  | 5062  | 6062  | 7062  | 8062  | 9062  | 10062 | 11062 | 12062 | ##062 |   |
| #/B63                 | 66.00     | .92                         | 2063                            | 3063  | 4063  | 5063  | 6063  | 7063  | 8063  | 9063  | 10063 | 11063 | 12063 | ##063 |   |
| #/B64                 | 67.00     | .94                         | 2064                            | 3064  | 4064  | 5064  | 6064  | 7064  | 8064  | 9064  | 10064 | 11064 | 12064 | ##064 |   |
| #/B65                 | 68.00     | .95                         | 2065                            | 3065  | 4065  | 5065  | 6065  | 7065  | 8065  | 9065  | 10065 | 11065 | 12065 | ##065 |   |
| #/B66                 | 69.00     | .97                         | 2066                            | 3066  | 4066  | 5066  | 6066  | 7066  | 8066  | 9066  | 10066 | 11066 | 12066 | ##066 |   |
| #/B67                 | 70.00     | .98                         | 2067                            | 3067  | 4067  | 5067  | 6067  | 7067  | 8067  | 9067  | 10067 | 11067 | 12067 | ##067 |   |
| #/B68                 | 71.00     | .99                         | 2068                            | 3068  | 4068  | 5068  | 6068  | 7068  | 8068  | 9068  | 10068 | 11068 | 12068 | ##068 |   |
| #/B70                 | 73.00     | 1.02                        | 2070                            | 3070  | 4070  | 5070  | 6070  | 7070  | 8070  | 9070  | 10070 | 11070 | 12070 | ##070 |   |
| #/B71                 | 74.00     | 1.04                        | 2071                            | 3071  | 4071  | 5071  | 6071  | 7071  | 8071  | 9071  | 10071 | 11071 | 12071 | ##071 |   |
| #/B72                 | 75.00     | 1.05                        | 2072                            | 3072  | 4072  | 5072  | 6072  | 7072  | 8072  | 9072  | 10072 | 11072 | 12072 | ##072 |   |
| #/B73                 | 76.00     | 1.06                        | 2073                            | 3073  | 4073  | 5073  | 6073  | 7073  | 8073  | 9073  | 10073 | 11073 | 12073 | ##073 |   |
| #/B74                 | 77.00     | 1.08                        | 2074                            | 3074  | 4074  | 5074  | 6074  | 7074  | 8074  | 9074  | 10074 | 11074 | 12074 | ##074 |   |
| #/B75                 | 78.00     | 1.09                        | 2075                            | 3075  | 4075  | 5075  | 6075  | 7075  | 8075  | 9075  | 10075 | 11075 | 12075 | ##075 |   |
| #/B77                 | 80.00     | 1.12                        | 2077                            | 3077  | 4077  | 5077  | 6077  | 7077  | 8077  | 9077  | 10077 | 11077 | 12077 | ##077 |   |
| #/B78                 | 81.00     | 1.13                        | 2078                            | 3078  | 4078  | 5078  | 6078  | 7078  | 8078  | 9078  | 10078 | 11078 | 12078 | ##078 |   |
| #/B79                 | 82.00     | 1.15                        | 2079                            | 3079  | 4079  | 5079  | 6079  | 7079  | 8079  | 9079  | 10079 | 11079 | 12079 | ##079 |   |
| #/B80                 | 83.00     | 1.16                        | 2080                            | 3080  | 4080  | 5080  | 6080  | 7080  | 8080  | 9080  | 10080 | 11080 | 12080 | ##080 |   |
| #/B81                 | 84.00     | 1.18                        | 2081                            | 3081  | 4081  | 5081  | 6081  | 7081  | 8081  | 9081  | 10081 | 11081 | 12081 | ##081 |   |
| #/B82                 | 85.00     | 1.19                        | 2082                            | 3082  | 4082  | 5082  | 6082  | 7082  | 8082  | 9082  | 10082 | 11082 | 12082 | ##082 |   |
| #/B83                 | 86.00     | 1.20                        | 2083                            | 3083  | 4083  | 5083  | 6083  | 7083  | 8083  | 9083  | 10083 | 11083 | 12083 | ##083 |   |
| #/B84                 | 87.00     | 1.22                        | 2084                            | 3084  | 4084  | 5084  | 6084  | 7084  | 8084  | 9084  | 10084 | 11084 | 12084 | ##084 |   |
| #/B85                 | 88.00     | 1.23                        | 2085                            | 3085  | 4085  | 5085  | 6085  | 7085  | 8085  | 9085  | 10085 | 11085 | 12085 | ##085 |   |
| #/B86                 | 89.00     | 1.25                        | 2086                            | 3086  | 4086  | 5086  | 6086  | 7086  | 8086  | 9086  | 10086 | 11086 | 12086 | ##086 |   |
| #/B87                 | 90.00     | 1.26                        | 2087                            | 3087  | 4087  | 5087  | 6087  | 7087  | 8087  | 9087  | 10087 | 11087 | 12087 | ##087 |   |
| #/B88                 | 91.00     | 1.27                        | 2088                            | 3088  | 4088  | 5088  | 6088  | 7088  | 8088  | 9088  | 10088 | 11088 | 12088 | ##088 |   |
| #/B90                 | 93.00     | 1.30                        | 2090                            | 3090  | 4090  | 5090  | 6090  | 7090  | 8090  | 9090  | 10090 | 11090 | 12090 | ##090 |   |
| #/B92                 | 95.00     | 1.33                        | 2092                            | 3092  | 4092  | 5092  | 6092  | 7092  | 8092  | 9092  | 10092 | 11092 | 12092 | ##092 |   |
| #/B93                 | 96.00     | 1.34                        | 2093                            | 3093  | 4093  | 5093  | 6093  | 7093  | 8093  | 9093  | 10093 | 11093 | 12093 | ##093 |   |
| #/B95                 | 98.00     | 1.37                        | 2095                            | 3095  | 4095  | 5095  | 6095  | 7095  | 8095  | 9095  | 10095 | 11095 | 12095 | ##095 |   |
| #/B96                 | 99.00     | 1.39                        | 2096                            | 3096  | 4096  | 5096  | 6096  | 7096  | 8096  | 9096  | 10096 | 11096 | 12096 | ##096 |   |
| #/B97                 | 100.00    | 1.40                        | 2097                            | 3097  | 4097  | 5097  | 6097  | 7097  | 8097  | 9097  | 10097 | 11097 | 12097 | ##097 |   |
| #/B99                 | 102.00    | 1.43                        | 2099                            | 3099  | 4099  | 5099  | 6099  | 7099  | 8099  | 9099  | 10099 | 11099 | 12099 | ##099 |   |
| #/B100                | 103.00    | 1.44                        | 2100                            | 3100  | 4100  | 5100  | 6100  | 7100  | 8100  | 9100  | 10100 | 11100 | 12100 | ##100 |   |
| #/B103                | 106.00    | 1.48                        | 2103                            | 3103  | 4103  | 5103  | 6103  | 7103  | 8103  | 9103  | 10103 | 11103 | 12103 | ##103 |   |
| #/B104                | 107.00    | 1.50                        | 2104                            | 3104  | 4104  | 5104  | 6104  | 7104  | 8104  | 9104  | 10104 | 11104 | 12104 | ##104 |   |
| #/B105                | 108.00    | 1.51                        | 2105                            | 3105  | 4105  | 5105  | 6105  | 7105  | 8105  | 9105  | 10105 | 11105 | 12105 | ##105 |   |

HEAVY DUTY V-BELTS

15 Not included in V-80 matching program.



# Hi-Power® II PowerBand® V-Belts

Product No. Series 9093 (continued)

B Section (continued)

HEAVY DUTY V-BELTS

| Size<br>(# = strands) | O.C. (in) | Wt. Per<br>Strand<br>(Lbs.) | Belt Width In Number of Strands |             |             |             |             |             |             |             |              |              |              |   |
|-----------------------|-----------|-----------------------------|---------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|--------------|--------------|---|
|                       |           |                             | 2<br>Strand                     | 3<br>Strand | 4<br>Strand | 5<br>Strand | 6<br>Strand | 7<br>Strand | 8<br>Strand | 9<br>Strand | 10<br>Strand | 11<br>Strand | 12<br>Strand | 13 to 16<br>Strand<br>Maximum<br>(## = strands) |
|                       |           |                             | 9093-                           | 9093-       | 9093-       | 9093-       | 9093-       | 9093-       | 9093-       | 9093-       | 9093-        | 9093-        | 9093-        | 9093-   |
| #/B108                | 111.00    | 1.55                        | 2108                            | 3108        | 4108        | 5108        | 6108        | 7108        | 8108        | 9108        | 10108        | 11108        | 12108        | ##108   |
| #/B109                | 112.00    | 1.57                        | 2109                            | 3109        | 4109        | 5109        | 6109        | 7109        | 8109        | 9109        | 10109        | 11109        | 12109        | ##109   |
| #/B110                | 113.00    | 1.58                        | 2110                            | 3110        | 4110        | 5110        | 6110        | 7110        | 8110        | 9110        | 10110        | 11110        | 12110        | ##110   |
| #/B112                | 115.00    | 1.61                        | 2112                            | 3112        | 4112        | 5112        | 6112        | 7112        | 8112        | 9112        | 10112        | 11112        | 12112        | ##112   |
| #/B113                | 116.00    | 1.62                        | 2113                            | 3113        | 4113        | 5113        | 6113        | 7113        | 8113        | 9113        | 10113        | 11113        | 12113        | ##113   |
| #/B114                | 117.00    | 1.64                        | 2114                            | 3114        | 4114        | 5114        | 6114        | 7114        | 8114        | 9114        | 10114        | 11114        | 12114        | ##114   |
| #/B115                | 118.00    | 1.65                        | 2115                            | 3115        | 4115        | 5115        | 6115        | 7115        | 8115        | 9115        | 10115        | 11115        | 12115        | ##115   |
| #/B116                | 119.00    | 1.67                        | 2116                            | 3116        | 4116        | 5116        | 6116        | 7116        | 8116        | 9116        | 10116        | 11116        | 12116        | ##116   |
| #/B118                | 121.00    | 1.69                        | 2118                            | 3118        | 4118        | 5118        | 6118        | 7118        | 8118        | 9118        | 10118        | 11118        | 12118        | ##118   |
| #/B120                | 123.00    | 1.72                        | 2120                            | 3120        | 4120        | 5120        | 6120        | 7120        | 8120        | 9120        | 10120        | 11120        | 12120        | ##120   |
| #/B124                | 127.00    | 1.78                        | 2124                            | 3124        | 4124        | 5124        | 6124        | 7124        | 8124        | 9124        | 10124        | 11124        | 12124        | ##124   |
| #/B128                | 131.00    | 1.83                        | 2128                            | 3128        | 4128        | 5128        | 6128        | 7128        | 8128        | 9128        | 10128        | 11128        | 12128        | ##128   |
| #/B130                | 133.00    | 1.86                        | 2130                            | 3130        | 4130        | 5130        | 6130        | 7130        | 8130        | 9130        | 10130        | 11130        | 12130        | ##130   |
| #/B133                | 136.00    | 1.90                        | 2133                            | 3133        | 4133        | 5133        | 6133        | 7133        | 8133        | 9133        | 10133        | 11133        | 12133        | ##133   |
| #/B136                | 139.00    | 1.95                        | 2136                            | 3136        | 4136        | 5136        | 6136        | 7136        | 8136        | 9136        | 10136        | 11136        | 12136        | ##136   |
| #/B138                | 141.00    | 1.97                        | 2138                            | 3138        | 4138        | 5138        | 6138        | 7138        | 8138        | 9138        | 10138        | 11138        | 12138        | ##138   |
| #/B139                | 142.00    | 1.99                        | 2139                            | 3139        | 4139        | 5139        | 6139        | 7139        | 8139        | 9139        | 10139        | 11139        | 12139        | ##139   |
| #/B140                | 143.00    | 2.40                        | 2140                            | 3140        | 4140        | 5140        | 6140        | 7140        | 8140        | 9140        | 10140        | 11140        | 12140        | ##140   |
| #/B141                | 144.00    | 2.02                        | 2141                            | 3141        | 4141        | 5141        | 6141        | 7141        | 8141        | 9141        | 10141        | 11141        | 12141        | ##141   |
| #/B144                | 147.00    | 2.06                        | 2144                            | 3144        | 4144        | 5144        | 6144        | 7144        | 8144        | 9144        | 10144        | 11144        | 12144        | ##144   |
| #/B148                | 151.00    | 2.11                        | 2148                            | 3148        | 4148        | 5148        | 6148        | 7148        | 8148        | 9148        | 10148        | 11148        | 12148        | ##148   |
| #/B150                | 153.00    | 2.14                        | 2150                            | 3150        | 4150        | 5150        | 6150        | 7150        | 8150        | 9150        | 10150        | 11150        | 12150        | ##150   |
| #/B154                | 157.00    | 2.20                        | 2154                            | 3154        | 4154        | 5154        | 6154        | 7154        | 8154        | 9154        | 10154        | 11154        | 12154        | ##154   |
| #/B158                | 161.00    | 2.25                        | 2158                            | 3158        | 4158        | 5158        | 6158        | 7158        | 8158        | 9158        | 10158        | 11158        | 12158        | ##158   |
| #/B160                | 163.00    | 2.28                        | 2160                            | 3160        | 4160        | 5160        | 6160        | 7160        | 8160        | 9160        | 10160        | 11160        | 12160        | ##160   |
| #/B162                | 165.00    | 2.31                        | 2162                            | 3162        | 4162        | 5162        | 6162        | 7162        | 8162        | 9162        | 10162        | 11162        | 12162        | ##162   |
| #/B168                | 171.00    | 2.39                        | 2168                            | 3168        | 4168        | 5168        | 6168        | 7168        | 8168        | 9168        | 10168        | 11168        | 12168        | ##168   |
| #/B173                | 176.00    | 2.46                        | 2173                            | 3173        | 4173        | 5173        | 6173        | 7173        | 8173        | 9173        | 10173        | 11173        | 12173        | ##173   |
| #/B180                | 183.00    | 2.56                        | 2180                            | 3180        | 4180        | 5180        | 6180        | 7180        | 8180        | 9180        | 10180        | 11180        | 12180        | ##180   |
| #/B185                | 188.00    | 2.63                        | 2185                            | 3185        | 4185        | 5185        | 6185        | 7185        | 8185        | 9185        | 10185        | 11185        | 12185        | ##185   |
| #/B190                | 193.00    | 2.70                        | 2190                            | 3190        | 4190        | 5190        | 6190        | 7190        | 8190        | 9190        | 10190        | 11190        | 12190        | ##190   |
| #/B195                | 198.00    | 2.77                        | 2195                            | 3195        | 4195        | 5195        | 6195        | 7195        | 8195        | 9195        | 10195        | 11195        | 12195        | ##195   |
| #/B210                | 213.00    | 2.98                        | 2210                            | 3210        | 4210        | 5210        | 6210        | 7210        | 8210        | 9210        | 10210        | 11210        | 12210        | ##210   |
| #/B218                | 219.00    | 3.07                        | 2218                            | 3218        | 4218        | 5218        | 6218        | 7218        | 8218        | 9218        | 10218        | 11218        | 12218        | ##218   |
| #/B225                | 226.00    | 3.16                        | 2225                            | 3225        | 4225        | 5225        | 6225        | 7225        | 8225        | 9225        | 10225        | 11225        | 12225        | ##225   |
| #/B240                | 241.00    | 3.37                        | 2240                            | 3240        | 4240        | 5240        | 6240        | 7240        | 8240        | 9240        | 10240        | 11240        | 12240        | ##240   |
| #/B255                | 256.00    | 3.58                        | 2255                            | 3255        | 4255        | 5255        | 6255        | 7255        | 8255        | 9255        | 10255        | 11255        | 12255        | ##255   |
| #/B270                | 271.00    | 3.79                        | 2270                            | 3270        | 4270        | 5270        | 6270        | 7270        | 8270        | 9270        | 10270        | 11270        | 12270        | ##270   |
| #/B300                | 301.00    | 4.21                        | 2300                            | 3300        | 4300        | 5300        | 6300        | 7300        | 8300        | 9300        | 10300        | 11300        | 12300        | ##300   |
| #/B315                | 316.00    | 4.42                        | 2315                            | 3315        | 4315        | 5315        | 6315        | 7315        | 8315        | 9315        | 10315        | 11315        | 12315        | ##315   |



Product No. Series 9094

C Section



| Size<br>(# = strands) | O.C. (in) | Wt. Per<br>Strand<br>(Lbs.) | Belt Width In Number of Strands |             |             |             |             |             |             |             |              |              |              |  |
|-----------------------|-----------|-----------------------------|---------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|--------------|--------------|--|
|                       |           |                             | 2<br>Strand                     | 3<br>Strand | 4<br>Strand | 5<br>Strand | 6<br>Strand | 7<br>Strand | 8<br>Strand | 9<br>Strand | 10<br>Strand | 11<br>Strand | 12<br>Strand |  |
|                       |           |                             | 9094-                           | 9094-       | 9094-       | 9094-       | 9094-       | 9094-       | 9094-       | 9094-       | 9094-        | 9094-        | 9094-        |  |
| #/C60                 | 64.00     | 1.60                        | 2060                            | 3060        | 4060        | 5060        | 6060        | 7060        | 8060        | 9060        | 10060        | 11060        | 12060        |  |
| <sup>15</sup> #/C68   | 72.00     | 1.80                        | 2068                            | 3068        | 4068        | 5068        | 6068        | 7068        | 8068        | 9068        | 10068        | 11068        | 12068        |  |
| #/C72                 | 76.00     | 1.90                        | 2072                            | 3072        | 4072        | 5072        | 6072        | 7072        | 8072        | 9072        | 10072        | 11072        | 12072        |  |
| #/C75                 | 79.00     | 1.98                        | 2075                            | 3075        | 4075        | 5075        | 6075        | 7075        | 8075        | 9075        | 10075        | 11075        | 12075        |  |
| #/C78                 | 82.00     | 2.05                        | 2078                            | 3078        | 4078        | 5078        | 6078        | 7078        | 8078        | 9078        | 10078        | 11078        | 12078        |  |
| #/C80                 | 84.00     | 2.10                        | 2080                            | 3080        | 4080        | 5080        | 6080        | 7080        | 8080        | 9080        | 10080        | 11080        | 12080        |  |

15 Not included in V-80 matching program.



# Hi-Power® II PowerBand® V-Belts

Product No. Series 9094 (continued)

C Section (continued)

| Size<br>(# = strands) | O.C. (in) | Wt. Per Strand<br>(Lbs.) | Belt Width In Number of Strands |          |          |          |          |          |          |          |           |           |           |
|-----------------------|-----------|--------------------------|---------------------------------|----------|----------|----------|----------|----------|----------|----------|-----------|-----------|-----------|
|                       |           |                          | 2 Strand                        | 3 Strand | 4 Strand | 5 Strand | 6 Strand | 7 Strand | 8 Strand | 9 Strand | 10 Strand | 11 Strand | 12 Strand |
|                       |           |                          | 9094-                           | 9094-    | 9094-    | 9094-    | 9094-    | 9094-    | 9094-    | 9094-    | 9094-     | 9094-     | 9094-     |
| #/C81                 | 85.00     | 2.13                     | 2081                            | 3081     | 4081     | 5081     | 6081     | 7081     | 8081     | 9081     | 10081     | 11081     | 12081     |
| #/C85                 | 89.00     | 2.23                     | 2085                            | 3085     | 4085     | 5085     | 6085     | 7085     | 8085     | 9085     | 10085     | 11085     | 12085     |
| #/C87                 | 91.00     | 2.28                     | 2087                            | 3087     | 4087     | 5087     | 6087     | 7087     | 8087     | 9087     | 10087     | 11087     | 12087     |
| #/C90                 | 94.00     | 2.35                     | 2090                            | 3090     | 4090     | 5090     | 6090     | 7090     | 8090     | 9090     | 10090     | 11090     | 12090     |
| #/C96                 | 100.00    | 2.50                     | 2096                            | 3096     | 4096     | 5096     | 6096     | 7096     | 8096     | 9096     | 10096     | 11096     | 12096     |
| #/C99                 | 103.00    | 2.58                     | 2099                            | 3099     | 4099     | 5099     | 6099     | 7099     | 8099     | 9099     | 10099     | 11099     | 12099     |
| #/C100                | 104.00    | 2.60                     | 2100                            | 3100     | 4100     | 5100     | 6100     | 7100     | 8100     | 9100     | 10100     | 11100     | 12100     |
| #/C103                | 107.00    | 2.66                     | 2103                            | 3103     | 4103     | 5103     | 6103     | 7103     | 8103     | 9103     | 10103     | 11103     | 12103     |
| #/C105                | 109.00    | 2.73                     | 2105                            | 3105     | 4105     | 5105     | 6105     | 7105     | 8105     | 9105     | 10105     | 11105     | 12105     |
| #/C108                | 112.00    | 2.80                     | 2108                            | 3108     | 4108     | 5108     | 6108     | 7108     | 8108     | 9108     | 10108     | 11108     | 12108     |
| #/C109                | 113.00    | 2.83                     | 2109                            | 3109     | 4109     | 5109     | 6109     | 7109     | 8109     | 9109     | 10109     | 11109     | 12109     |
| #/C112                | 116.00    | 2.90                     | 2112                            | 3112     | 4112     | 5112     | 6112     | 7112     | 8112     | 9112     | 10112     | 11112     | 12112     |
| #/C120                | 124.00    | 3.10                     | 2120                            | 3120     | 4120     | 5120     | 6120     | 7120     | 8120     | 9120     | 10120     | 11120     | 12120     |
| #/C124                | 128.00    | 3.20                     | 2124                            | 3124     | 4124     | 5124     | 6124     | 7124     | 8124     | 9124     | 10124     | 11124     | 12124     |
| #/C126                | 130.00    | 3.25                     | 2126                            | 3126     | 4126     | 5126     | 6126     | 7126     | 8126     | 9126     | 10126     | 11126     | 12126     |
| #/C128                | 132.00    | 3.30                     | 2128                            | 3128     | 4128     | 5128     | 6128     | 7128     | 8128     | 9128     | 10128     | 11128     | 12128     |
| #/C136                | 140.00    | 3.50                     | 2136                            | 3136     | 4136     | 5136     | 6136     | 7136     | 8136     | 9136     | 10136     | 11136     | 12136     |
| #/C144                | 148.00    | 3.70                     | 2144                            | 3144     | 4144     | 5144     | 6144     | 7144     | 8144     | 9144     | 10144     | 11144     | 12144     |
| #/C146                | 150.00    | 3.75                     | 2146                            | 3146     | 4146     | 5146     | 6146     | 7146     | 8146     | 9146     | 10146     | 11146     | 12146     |
| #/C151                | 155.00    | 3.88                     | 2151                            | 3151     | 4151     | 5151     | 6151     | 7151     | 8151     | 9151     | 10151     | 11151     | 12151     |
| #/C158                | 162.00    | 4.05                     | 2158                            | 3158     | 4158     | 5158     | 6158     | 7158     | 8158     | 9158     | 10158     | 11158     | 12158     |
| #/C162                | 166.00    | 4.15                     | 2162                            | 3162     | 4162     | 5162     | 6162     | 7162     | 8162     | 9162     | 10162     | 11162     | 12162     |
| #/C173                | 177.00    | 4.43                     | 2173                            | 3173     | 4173     | 5173     | 6173     | 7173     | 8173     | 9173     | 10173     | 11173     | 12173     |
| #/C180                | 184.00    | 4.60                     | 2180                            | 3180     | 4180     | 5180     | 6180     | 7180     | 8180     | 9180     | 10180     | 11180     | 12180     |
| #/C185                | 189.00    | 4.73                     | 2185                            | 3185     | 4185     | 5185     | 6185     | 7185     | 8185     | 9185     | 10185     | 11185     | 12185     |
| #/C190                | 194.00    | 4.85                     | 2190                            | 3190     | 4190     | 5190     | 6190     | 7190     | 8190     | 9190     | 10190     | 11190     | 12190     |
| #/C195                | 199.00    | 4.98                     | 2195                            | 3195     | 4195     | 5195     | 6195     | 7195     | 8195     | 9195     | 10195     | 11195     | 12195     |
| #/C204                | 208.00    | 5.20                     | 2204                            | 3204     | 4204     | 5204     | 6204     | 7204     | 8204     | 9204     | 10204     | 11204     | 12204     |
| #/C210                | 214.00    | 5.35                     | 2210                            | 3210     | 4210     | 5210     | 6210     | 7210     | 8210     | 9210     | 10210     | 11210     | 12210     |
| #/C225                | 227.00    | 5.68                     | 2225                            | 3225     | 4225     | 5225     | 6225     | 7225     | 8225     | 9225     | 10225     | 11225     | 12225     |
| #/C240                | 242.00    | 6.05                     | 2240                            | 3240     | 4240     | 5240     | 6240     | 7240     | 8240     | 9240     | 10240     | 11240     | 12240     |
| #/C255                | 257.00    | 6.43                     | 2255                            | 3255     | 4255     | 5255     | 6255     | 7255     | 8255     | 9255     | 10255     | 11255     | 12255     |
| #/C270                | 272.00    | 6.80                     | 2270                            | 3270     | 4270     | 5270     | 6270     | 7270     | 8270     | 9270     | 10270     | 11270     | 12270     |
| #/C285                | 287.00    | 7.18                     | 2285                            | 3285     | 4285     | 5285     | 6285     | 7285     | 8285     | 9285     | 10285     | 11285     | 12285     |
| #/C300                | 302.00    | 7.55                     | 2300                            | 3300     | 4300     | 5300     | 6300     | 7300     | 8300     | 9300     | 10300     | 11300     | 12300     |
| #/C315                | 317.00    | 7.93                     | 2315                            | 3315     | 4315     | 5315     | 6315     | 7315     | 8315     | 9315     | 10315     | 11315     | 12315     |
| #/C330                | 332.00    | 8.30                     | 2330                            | 3330     | 4330     | 5330     | 6330     | 7330     | 8330     | 9330     | 10330     | 11330     | 12330     |
| #/C345                | 347.00    | 8.68                     | 2345                            | 3345     | 4345     | 5345     | 6345     | 7345     | 8345     | 9345     | 10345     | 11345     | 12345     |
| #/C360                | 362.00    | 9.05                     | 2360                            | 3360     | 4360     | 5360     | 6360     | 7360     | 8360     | 9360     | 10360     | 11360     | 12360     |
| #/C390                | 392.00    | 9.80                     | 2390                            | 3390     | 4390     | 5390     | 6390     | 7390     | 8390     | 9390     | 10390     | 11390     | 12390     |
| #/C420                | 422.00    | 10.55                    | 2420                            | 3420     | 4420     | 5420     | 6420     | 7420     | 8420     | 9420     | 10420     | 11420     | 12420     |

HEAVY DUTY V-BELTS



Product No. Series 9095

D Section

| Size<br>(# = strands) | O.C. (in) | Wt. Per Strand<br>(Lbs.) | Belt Width In Number of Strands |          |          |          |          |          |          |      |
|-----------------------|-----------|--------------------------|---------------------------------|----------|----------|----------|----------|----------|----------|------|
|                       |           |                          | 2 Strand                        | 3 Strand | 4 Strand | 5 Strand | 6 Strand | 7 Strand | 8 Strand |      |
|                       |           |                          | 9095-                           | 9095-    | 9095-    | 9095-    | 9095-    | 9095-    | 9095-    |      |
| #/D144                | 149.00    | 6.75                     | 2144                            | 3144     | 4144     | 5144     | 6144     | 7144     |          |      |
| #/D158                | 163.00    | 7.40                     | 2158                            | 3158     | 4158     | 5158     | 6158     | 7158     |          |      |
| #/D173                | 178.00    | 8.10                     | 2173                            | 3173     | 4173     | 5173     | 6173     | 7173     |          |      |
| #/D180                | 185.00    | 8.44                     | 2180                            | 3180     | 4180     | 5180     | 6180     | 7180     |          |      |
| #/D195                | 200.00    | 9.09                     | 2195                            | 3195     | 4195     | 5195     | 6195     | 7195     |          |      |
| #/D210                | 215.00    | 9.84                     | 2210                            | 3210     | 4210     | 5210     | 6210     | 7210     |          | 8210 |



# Hi-Power® II PowerBand® V-Belts

**Product No. Series 9095 (continued)**

**D Section (continued)**

| Size<br>(# = strands) | O.C. (in) | Wt. Per<br>Strand<br>(Lbs.) | Belt Width In Number of Strands |             |             |             |             |             |             |  |
|-----------------------|-----------|-----------------------------|---------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|--|
|                       |           |                             | 2<br>Strand                     | 3<br>Strand | 4<br>Strand | 5<br>Strand | 6<br>Strand | 7<br>Strand | 8<br>Strand |  |
|                       |           |                             | 9095-                           | 9095-       | 9095-       | 9095-       | 9095-       | 9095-       | 9095-       |  |
| #D225                 | 228.00    | 10.56                       | 2225                            | 3225        | 4225        | 5225        | 6225        | 7225        | 8225        |  |
| #D240                 | 243.00    | 11.26                       | 2240                            | 3240        | 4240        | 5240        | 6240        | 7240        | 8240        |  |
| #D255                 | 258.00    | 11.96                       | 2255                            | 3255        | 4255        | 5255        | 6255        | 7255        | 8255        |  |
| #D270                 | 273.00    | 12.66                       | 2270                            | 3270        | 4270        | 5270        | 6270        | 7270        | 8270        |  |
| #D285                 | 288.00    | 13.37                       | 2285                            | 3285        | 4285        | 5285        | 6285        | 7285        | 8285        |  |
| #D300                 | 303.00    | 14.07                       | 2300                            | 3300        | 4300        | 5300        | 6300        | 7300        | 8300        |  |
| #D315                 | 318.00    | 14.77                       | 2315                            | 3315        | 4315        | 5315        | 6315        | 7315        | 8315        |  |
| #D330                 | 333.00    | 15.48                       | 2330                            | 3330        | 4330        | 5330        | 6330        | 7330        | 8330        |  |
| #D345                 | 348.00    | 16.18                       | 2345                            | 3345        | 4345        | 5345        | 6345        | 7345        | 8345        |  |
| #D360                 | 363.00    | 16.88                       | 2360                            | 3360        | 4360        | 5360        | 6360        | 7360        | 8360        |  |
| #D390                 | 393.00    | 18.29                       | 2390                            | 3390        | 4390        | 5390        | 6390        | 7390        | 8390        |  |
| #D420                 | 423.00    | 19.70                       | 2420                            | 3420        | 4420        | 5420        | 6420        | 7420        | 8420        |  |
| #D450                 | 453.00    | 21.10                       | 2450                            | 3450        | 4450        | 5450        | 6450        | 7450        | 8450        |  |
| #D480                 | 483.00    | 22.50                       | 2480                            | 3480        | 4480        | 5480        | 6480        | 7480        | 8480        |  |
| #D540                 | 543.00    | 25.33                       | 2540                            | 3540        | 4540        | 5540        | 6540        | 7540        | 8540        |  |
| #D600                 | 603.00    | 28.14                       | 2600                            | 3600        | 4600        | 5600        | 6600        | 7600        | 8600        |  |
| #D660                 | 663.00    | 31.13                       | 2660                            | 3660        | 4660        | 5660        | 6660        | 7660        | 8660        |  |

HEAVY DUTY V-BELTS



# Metric-Power™ V-Belts

## Recommended Sheaves

Contact the Gates Made-To-Order Metals Team.

### Notes


Classical cross sections include 10X, 13X, and 17X.

Metric Power belts are molded notch construction in lengths 3,000mm and under. Metric Power belts are banded construction in lengths over 3,000mm.

Narrow cross sections include: XPZ/SPZ, XPA/SPA, XPB/SPB, and XPC/SPC.

## Narrow Sizes

### Product No. Series 9426




#### XPZ/SPZ Section

| Part No. | Product No. | Part No. | Product No. | Part No. | Product No. | Part No. | Product No. |
|----------|-------------|----------|-------------|----------|-------------|----------|-------------|
| XPZ604   | 9426-10604  | XPZ1010  | 9426-11010  | XPZ1412  | 9426-11412  | XPZ1887  | 9426-11887  |
| XPZ612   | 9426-10612  | XPZ1012  | 9426-11012  | XPZ1420  | 9426-11420  | XPZ1900  | 9426-11900  |
| XPZ630   | 9426-10630  | XPZ1024  | 9426-11024  | XPZ1430  | 9426-11430  | XPZ1937  | 9426-11937  |
| XPZ637   | 9426-10637  | XPZ1037  | 9426-11037  | XPZ1437  | 9426-11437  | XPZ1950  | 9426-11950  |
| XPZ640   | 9426-10640  | XPZ1047  | 9426-11047  | XPZ1450  | 9426-11450  | XPZ1962  | 9426-11962  |
| XPZ660   | 9426-10660  | XPZ1060  | 9426-11060  | XPZ1462  | 9426-11462  | XPZ1987  | 9426-11987  |
| XPZ670   | 9426-10670  | XPZ1077  | 9426-11077  | XPZ1470  | 9426-11470  | XPZ2000  | 9426-12000  |
| XPZ672   | 9426-10672  | XPZ1080  | 9426-11080  | XPZ1487  | 9426-11487  | XPZ2030  | 9426-12030  |
| XPZ682   | 9426-10682  | XPZ1087  | 9426-11087  | XPZ1500  | 9426-11500  | XPZ2037  | 9426-12037  |
| XPZ710   | 9426-10710  | XPZ1112  | 9426-11112  | XPZ1512  | 9426-11512  | XPZ2062  | 9426-12062  |
| XPZ722   | 9426-10722  | XPZ1120  | 9426-11120  | XPZ1520  | 9426-11520  | XPZ2087  | 9426-12087  |
| XPZ730   | 9426-10730  | XPZ1137  | 9426-11137  | XPZ1527  | 9426-11527  | XPZ2120  | 9426-12120  |
| XPZ737   | 9426-10737  | XPZ1140  | 9426-11140  | XPZ1537  | 9426-11537  | XPZ2137  | 9426-12137  |
| XPZ750   | 9426-10750  | XPZ1150  | 9426-11150  | XPZ1560  | 9426-11560  | XPZ2187  | 9426-12187  |
| XPZ758   | 9426-10758  | XPZ1162  | 9426-11162  | XPZ1562  | 9426-11562  | XPZ2240  | 9426-12240  |
| XPZ762   | 9426-10762  | XPZ1180  | 9426-11180  | XPZ1587  | 9426-11587  | XPZ2280  | 9426-12280  |
| XPZ787   | 9426-10787  | XPZ1187  | 9426-11187  | XPZ1600  | 9426-11600  | XPZ2287  | 9426-12287  |
| XPZ800   | 9426-10800  | XPZ1202  | 9426-11202  | XPZ1612  | 9426-11612  | XPZ2300  | 9426-12300  |
| XPZ812   | 9426-10812  | XPZ1210  | 9426-11210  | XPZ1637  | 9426-11637  | XPZ2360  | 9426-12360  |
| XPZ825   | 9426-10825  | XPZ1212  | 9426-11212  | XPZ1650  | 9426-11650  | XPZ2410  | 9426-12410  |
| XPZ837   | 9426-10837  | XPZ1227  | 9426-11227  | XPZ1662  | 9426-11662  | XPZ2437  | 9426-12437  |
| XPZ850   | 9426-10850  | XPZ1237  | 9426-11237  | XPZ1687  | 9426-11687  | XPZ2487  | 9426-12487  |
| XPZ862   | 9426-10862  | XPZ1250  | 9426-11250  | XPZ1700  | 9426-11700  | XPZ2500  | 9426-12500  |
| XPZ875   | 9426-10875  | XPZ1262  | 9426-11262  | XPZ1712  | 9426-11712  | XPZ2540  | 9426-12540  |
| XPZ887   | 9426-10887  | XPZ1270  | 9426-11270  | XPZ1737  | 9426-11737  | XPZ2650  | 9426-12650  |
| XPZ900   | 9426-10900  | XPZ1287  | 9426-11287  | XPZ1750  | 9426-11750  | XPZ2800  | 9426-12800  |
| XPZ912   | 9426-10912  | XPZ1312  | 9426-11312  | XPZ1762  | 9426-11762  | XPZ2840  | 9426-12840  |
| XPZ925   | 9426-10925  | XPZ1320  | 9426-11320  | XPZ1787  | 9426-11787  | XPZ3000  | 9426-13000  |
| XPZ937   | 9426-10937  | XPZ1337  | 9426-11337  | XPZ1800  | 9426-11800  | SPZ3150  | 9426-03150  |
| XPZ950   | 9426-10950  | XPZ1340  | 9426-11340  | XPZ1812  | 9426-11812  | SPZ3350  | 9426-03350  |
| XPZ962   | 9426-10962  | XPZ1362  | 9426-11362  | XPZ1837  | 9426-11837  | SPZ3550  | 9426-03550  |
| XPZ987   | 9426-10987  | XPZ1387  | 9426-11387  | XPZ1850  | 9426-11850  |          |             |
| XPZ1000  | 9426-11000  | XPZ1400  | 9426-11400  | XPZ1862  | 9426-11862  |          |             |

HEAVY DUTY V-BELTS

### Product No. Series 9420



#### XPA/SPA Section

| Part No. | Product No. | Part No. | Product No. | Part No. | Product No. | Part No. | Product No. |
|----------|-------------|----------|-------------|----------|-------------|----------|-------------|
| XPA630   | 9420-10630  | XPA832   | 9420-10832  | XPA1032  | 9420-11032  | XPA1232  | 9420-11232  |
| XPA670   | 9420-10670  | XPA850   | 9420-10850  | XPA1060  | 9420-11060  | XPA1250  | 9420-11250  |
| XPA730   | 9420-10730  | XPA900   | 9420-10900  | XPA1082  | 9420-11082  | XPA1257  | 9420-11257  |
| XPA732   | 9420-10732  | XPA910   | 9420-10910  | XPA1107  | 9420-11107  | XPA1272  | 9420-11272  |
| XPA750   | 9420-10750  | XPA922   | 9420-10922  | XPA1120  | 9420-11120  | XPA1282  | 9420-11282  |
| XPA760   | 9420-10760  | XPA932   | 9420-10932  | XPA1132  | 9420-11132  | XPA1300  | 9420-11300  |
| XPA762   | 9420-10762  | XPA950   | 9420-10950  | XPA1150  | 9420-11150  | XPA1307  | 9420-11307  |
| XPA772   | 9420-10772  | XPA967   | 9420-10967  | XPA1157  | 9420-11157  | XPA1320  | 9420-11320  |
| XPA782   | 9420-10782  | XPA982   | 9420-10982  | XPA1180  | 9420-11180  | XPA1332  | 9420-11332  |
| XPA800   | 9420-10800  | XPA1000  | 9420-11000  | XPA1207  | 9420-11207  | XPA1340  | 9420-11340  |




# Metric-Power™ V-Belts

## Product No. Series 9420 (continued)

### XPA/SPA Section (continued)

| Part No. | Product No. | Part No. | Product No. | Part No. | Product No. | Part No. | Product No. |
|----------|-------------|----------|-------------|----------|-------------|----------|-------------|
| XPA1357  | 9420-11357  | XPA1650  | 9420-11650  | XPA2000  | 9420-12000  | XPA2607  | 9420-12607  |
| XPA1360  | 9420-11350  | XPA1657  | 9420-11657  | XPA2032  | 9420-12032  | XPA2650  | 9420-12650  |
| XPA1375  | 9420-11375  | XPA1662  | 9420-11662  | XPA2057  | 9420-12057  | XPA2682  | 9420-12682  |
| XPA1382  | 9420-11382  | XPA1675  | 9420-11675  | XPA2082  | 9420-12082  | XPA2732  | 9420-12732  |
| XPA1400  | 9420-11400  | XPA1680  | 9420-11680  | XPA2120  | 9420-12120  | XPA2782  | 9420-12782  |
| XPA1407  | 9420-11407  | XPA1682  | 9420-11682  | XPA2132  | 9420-12132  | XPA2800  | 9420-12800  |
| XPA1425  | 9420-11425  | XPA1700  | 9420-11700  | XPA2182  | 9420-12182  | XPA2832  | 9420-12832  |
| XPA1430  | 9420-11430  | XPA1707  | 9420-11707  | XPA2207  | 9420-12207  | XPA2882  | 9420-12882  |
| XPA1432  | 9420-11432  | XPA1732  | 9420-11732  | XPA2227  | 9420-12227  | XPA2982  | 9420-12982  |
| XPA1450  | 9420-11450  | XPA1750  | 9420-11750  | XPA2232  | 9420-12232  | XPA3000  | 9420-13000  |
| XPA1457  | 9420-11457  | XPA1757  | 9420-11757  | XPA2240  | 9420-12240  | SPA3070  | 9420-03070  |
| XPA1482  | 9420-11482  | XPA1782  | 9420-11782  | XPA2282  | 9420-12282  | SPA3082  | 9420-03082  |
| XPA1500  | 9420-11500  | XPA1800  | 9420-11800  | XPA2300  | 9420-12300  | SPA3150  | 9420-03150  |
| XPA1507  | 9420-11507  | XPA1807  | 9420-11807  | XPA2307  | 9420-12307  | SPA3182  | 9420-03182  |
| XPA1525  | 9420-11525  | XPA1832  | 9420-11832  | XPA2332  | 9420-12332  | SPA3282  | 9420-03282  |
| XPA1532  | 9420-11532  | XPA1850  | 9420-11850  | XPA2360  | 9420-12360  | SPA3350  | 9420-03350  |
| XPA1550  | 9420-11550  | XPA1857  | 9420-11857  | XPA2382  | 9420-12382  | SPA3482  | 9420-03482  |
| XPA1557  | 9420-11557  | XPA1882  | 9420-11882  | XPA2430  | 9420-12430  | SPA3550  | 9420-03550  |
| XPA1582  | 9420-11582  | XPA1900  | 9420-11900  | XPA2432  | 9420-12432  | SPA3750  | 9420-03750  |
| XPA1600  | 9420-11600  | XPA1907  | 9420-11907  | XPA2482  | 9420-12482  | SPA4000  | 9420-04000  |
| XPA1607  | 9420-11607  | XPA1932  | 9420-11932  | XPA2500  | 9420-12500  | SPA4250  | 9420-04250  |
| XPA1630  | 9420-11630  | XPA1950  | 9420-11950  | XPA2532  | 9420-12532  | SPA4500  | 9420-04500  |
| XPA1632  | 9420-11632  | XPA1982  | 9420-11982  | XPA2582  | 9420-12582  |          |             |


HEAVY DUTY V-BELTS



## Product No. Series 9421

### XPB/SPB Section

| Part No. | Product No. | Part No. | Product No. | Part No. | Product No. | Part No. | Product No. |
|----------|-------------|----------|-------------|----------|-------------|----------|-------------|
| XPB1250  | 9421-11250  | XPB1700  | 9421-11700  | XPB2410  | 9421-12410  | SPB4250  | 9421-04250  |
| XPB1260  | 9421-11260  | XPB1800  | 9421-11800  | XPB2500  | 9421-12500  | SPB4500  | 9421-04500  |
| XPB1320  | 9421-11320  | XPB1900  | 9421-11900  | XPB2530  | 9421-12530  | SPB4750  | 9421-04750  |
| XPB1340  | 9421-11340  | XPB2000  | 9421-12000  | XPB2650  | 9421-12650  | SPB5000  | 9421-05000  |
| XPB1400  | 9421-11400  | XPB2020  | 9421-12020  | XPB2680  | 9421-12680  | SPB5300  | 9421-05300  |
| XPB1410  | 9421-11410  | XPB2098  | 9421-12098  | XPB2800  | 9421-12800  | SPB5600  | 9421-05600  |
| XPB1450  | 9421-11450  | XPB2120  | 9421-12120  | XPB2990  | 9421-12990  | SPB6000  | 9421-06000  |
| XPB1500  | 9421-11500  | XPB2150  | 9421-12150  | XPB3000  | 9421-13000  | SPB6300  | 9421-06300  |
| XPB1510  | 9421-11510  | XPB2180  | 9421-12180  | SPB3150  | 9421-03150  | SPB6700  | 9421-06700  |
| XPB1590  | 9421-11590  | XPB2240  | 9421-12240  | SPB3350  | 9421-03350  | SPB7100  | 9421-07100  |
| XPB1600  | 9421-11600  | XPB2280  | 9421-12280  | SPB3550  | 9421-03550  | SPB7500  | 9421-07500  |
| XPB1627  | 9421-11627  | XPB2300  | 9421-12300  | SPB3750  | 9421-03750  | SPB8000  | 9421-08000  |
| XPB1644  | 9421-11644  | XPB2360  | 9421-12360  | SPB3800  | 9421-03800  |          |             |
| XPB1690  | 9421-11690  | XPB2391  | 9421-12391  | SPB4000  | 9421-04000  |          |             |



## Product No. Series 9422

### XPC/SPC Section

| Part No. | Product No. | Part No. | Product No. | Part No. | Product No. | Part No. | Product No. |
|----------|-------------|----------|-------------|----------|-------------|----------|-------------|
| XPC1800  | 9422-11800  | XPC2500  | 9422-12500  | SPC3350  | 9422-03350  | SPC4500  | 9422-04500  |
| XPC2000  | 9422-12000  | XPC2650  | 9422-12650  | SPC3550  | 9422-03550  | SPC4750  | 9422-04750  |
| XPC2120  | 9422-12120  | XPC2800  | 9422-12800  | SPC3750  | 9422-03750  | SPC5000  | 9422-05000  |
| XPC2240  | 9422-12240  | XPC3000  | 9422-13000  | SPC4000  | 9422-04000  | SPC5300  | 9422-05300  |
| XPC2360  | 9422-12360  | SPC3150  | 9422-03150  | SPC4250  | 9422-04250  | SPC5600  | 9422-05600  |







# Metric-Power™ V-Belts


## Product No. Series 9422 (continued)

### XPC/SPC Section (continued)

| Part No. | Product No. | Part No. | Product No. | Part No. | Product No. | Part No. | Product No. |
|----------|-------------|----------|-------------|----------|-------------|----------|-------------|
| SPC6000  | 9422-06000  | SPC7100  | 9422-07100  | SPC8500  | 9422-08500  | SPC10600 | 9422-01060  |
| SPC6300  | 9422-06300  | SPC7500  | 9422-07500  | SPC9000  | 9422-09000  |          |             |
| SPC6700  | 9422-06700  | SPC8000  | 9422-08000  | SPC10000 | 9422-01000  |          |             |

## Classical Sizes


### Product No. Series 9424



#### 10X Section


| Part No. | Product No. | Part No. | Product No. | Part No.  | Product No. | Part No.  | Product No. |
|----------|-------------|----------|-------------|-----------|-------------|-----------|-------------|
| 10X530LI | 9424-10530  | 10X750LI | 9424-10750  | 10X950LI  | 9424-10950  | 10X1120LI | 9424-10112  |
| 10X540LI | 9424-10540  | 10X775LI | 9424-10775  | 10X975LI  | 9424-10975  | 10X1180LI | 9424-10118  |
| 10X670LI | 9424-10670  | 10X800LI | 9424-10800  | 10X1000LI | 9424-10100  | 10X1400LI | 9424-10140  |
| 10X710LI | 9424-10710  | 10X875LI | 9424-10875  | 10X1016LI | 9424-10101  | 10X1422LI | 9424-10142  |
| 10X725LI | 9424-10725  | 10X900LI | 9424-10900  | 10X1060LI | 9424-10106  | 10X1750LI | 9424-10175  |
| 10X730LI | 9424-10730  | 10X925LI | 9424-10925  | 10X1100LI | 9424-10110  |           |             |

### Product No. Series 9423 & 9424



#### 13X Section

| Part No. | Product No. | Part No. | Product No. | Part No.  | Product No. | Part No.  | Product No. |
|----------|-------------|----------|-------------|-----------|-------------|-----------|-------------|
| 13X715LI | 9424-13715  | 13X813LI | 9424-13813  | 13X975LI  | 9424-13975  | 13X4000LI | 9423-13400  |
| 13X750LI | 9424-13750  | 13X925LI | 9424-13925  | 13X2650LI | 9424-13265  |           |             |



#### 17X Section

| Part No.  | Product No. | Part No.  | Product No. | Part No.  | Product No. | Part No.  | Product No. |
|-----------|-------------|-----------|-------------|-----------|-------------|-----------|-------------|
| 17X875LI  | 9424-17875  | 17X1800LI | 9424-17180  | 17X2540LI | 9424-17254  | 17X8375LI | 9423-17837  |
| 17X1500LI | 9424-17150  | 17X2160LI | 9424-17216  | 17X3658LI | 9423-17365  | 17X8636LI | 9423-17863  |
| 17X1525LI | 9424-17152  | 17X2240LI | 9424-17224  | 17X8180LI | 9423-17818  |           |             |

HEAVY DUTY V-BELTS




# Xtreme V-Force™ Pro

Recommended Sheaves  
Multi-Duty Sheaves

**Notes**

Gates Xtreme V-Force Pro belts are available in A and B cross sections.

**Product No. Series 9855**



**A Section**

HEAVY DUTY V-BELTS

| Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn |
|----------|-------------|-----------|---------------|-------------|
| AR24     | 9855-1001   | 26.0      | .14           | 10          |
| AR25     | 9855-1002   | 27.0      | .14           | 10          |
| AR26     | 9855-1003   | 28.0      | .15           | 10          |
| AR27     | 9855-1004   | 29.0      | .17           | 10          |
| AR28     | 9855-1005   | 30.0      | .18           | 10          |
| AR29     | 9855-1006   | 31.0      | .16           | 10          |
| AR30     | 9855-1007   | 32.0      | .17           | 10          |
| AR31     | 9855-1008   | 33.0      | .17           | 10          |
| AR32     | 9855-1013   | 34.0      | .18           | 10          |
| AR33     | 9855-1010   | 35.0      | .19           | 10          |
| AR34     | 9855-1011   | 36.0      | .19           | 10          |
| AR35     | 9855-1012   | 37.0      | .20           | 10          |
| AR36     | 9855-1097   | 38.0      | .20           | 10          |
| AR37     | 9855-1014   | 39.0      | .21           | 10          |
| AR38     | 9855-1015   | 40.0      | .21           | 10          |
| AR39     | 9855-1016   | 41.0      | .22           | 10          |
| AR40     | 9855-1017   | 42.0      | .22           | 10          |
| AR41     | 9855-1018   | 43.0      | .23           | 10          |
| AR42     | 9855-1019   | 44.0      | .23           | 10          |
| AR43     | 9855-1020   | 45.0      | .24           | 10          |
| AR44     | 9855-1021   | 46.0      | .25           | 10          |
| AR45     | 9855-1022   | 47.0      | .25           | 10          |
| AR46     | 9855-1023   | 48.0      | .26           | 10          |
| AR47     | 9855-1024   | 49.0      | .26           | 10          |
| AR48     | 9855-1025   | 50.0      | .27           | 10          |
| AR49     | 9855-1026   | 51.0      | .27           | 10          |
| AR50     | 9855-1031   | 52.0      | .28           | 10          |
| AR51     | 9855-1028   | 53.0      | .28           | 10          |
| AR52     | 9855-1029   | 54.0      | .29           | 10          |
| AR53     | 9855-1030   | 55.0      | .29           | 10          |
| AR54     | 9855-1098   | 56.0      | .30           | 10          |
| AR55     | 9855-1032   | 57.0      | .30           | 10          |
| AR56     | 9855-1033   | 58.0      | .31           | 10          |
| AR57     | 9855-1034   | 59.0      | .32           | 10          |
| AR58     | 9855-1035   | 60.0      | .32           | 10          |
| AR59     | 9855-1036   | 61.0      | .33           | 10          |
| AR60     | 9855-1037   | 62.0      | .33           | 10          |
| AR61     | 9855-1038   | 63.0      | .34           | 10          |
| AR62     | 9855-1039   | 64.0      | .34           | 10          |
| AR63     | 9855-1040   | 65.0      | .35           | 10          |
| AR64     | 9855-1041   | 66.0      | .35           | 10          |
| AR65     | 9855-1042   | 67.0      | .36           | 10          |
| AR66     | 9855-1043   | 68.0      | .36           | 10          |
| AR67     | 9855-1044   | 69.0      | .37           | 10          |
| AR68     | 9855-1045   | 70.0      | .38           | 10          |
| AR69     | 9855-1046   | 71.0      | .38           | 10          |
| AR70     | 9855-1047   | 72.0      | .39           | 10          |
| AR71     | 9855-1048   | 73.0      | .39           | 10          |
| AR72     | 9855-1049   | 74.0      | .40           | 10          |
| AR73     | 9855-1050   | 75.0      | .40           | 10          |

| Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn |
|----------|-------------|-----------|---------------|-------------|
| AR74     | 9855-1051   | 76.0      | .41           | 10          |
| AR75     | 9855-1052   | 77.0      | .41           | 10          |
| AR76     | 9855-1053   | 78.0      | .42           | 10          |
| AR77     | 9855-1054   | 79.0      | .53           | 10          |
| AR78     | 9855-1055   | 80.0      | .43           | 10          |
| AR79     | 9855-1056   | 81.0      | .43           | 10          |
| AR80     | 9855-1061   | 82.0      | .44           | 10          |
| AR81     | 9855-1058   | 83.0      | .45           | 10          |
| AR82     | 9855-1059   | 84.0      | .45           | 10          |
| AR83     | 9855-1060   | 85.0      | .46           | 10          |
| AR84     | 9855-1099   | 86.0      | .58           | 10          |
| AR85     | 9855-1089   | 87.0      | .47           | 10          |
| AR86     | 9855-1062   | 88.0      | .47           | 10          |
| AR87     | 9855-1063   | 89.0      | .48           | 10          |
| AR88     | 9855-1064   | 90.0      | .48           | 10          |
| AR89     | 9855-1065   | 91.0      | .49           | 10          |
| AR90     | 9855-1066   | 92.0      | .49           | 10          |
| AR91     | 9855-1067   | 93.0      | .50           | 10          |
| AR92     | 9855-1068   | 94.0      | .50           | 10          |
| AR93     | 9855-1069   | 95.0      | .51           | 10          |
| AR94     | 9855-1070   | 96.0      | .52           | 10          |
| AR95     | 9855-1071   | 97.0      | .65           | 10          |
| AR96     | 9855-1072   | 98.0      | .66           | 10          |
| AR97     | 9855-1073   | 99.0      | .66           | 10          |
| AR98     | 9855-1074   | 100.0     | .67           | 10          |
| AR99     | 9855-1075   | 101.0     | .54           | 10          |
| AR100    | 9855-1076   | 102.0     | .55           | 10          |
| AR101    | 9855-1077   | 103.0     | .55           | 10          |
| AR102    | 9855-1078   | 104.0     | .56           | 10          |
| AR103    | 9855-1090   | 105.0     | .56           | 10          |
| AR104    | 9855-1079   | 106.0     | .57           | 10          |
| AR105    | 9855-1080   | 107.0     | .58           | 10          |
| AR106    | 9855-1081   | 108.0     | .58           | 10          |
| AR107    | 9855-1082   | 109.0     | .74           | 10          |
| AR108    | 9855-1083   | 110.0     | .59           | 10          |
| AR109    | 9855-1091   | 111.0     | .60           | 10          |
| AR110    | 9855-1084   | 112.0     | .60           | 10          |
| AR112    | 9855-1085   | 114.0     | .77           | 10          |
| AR113    | 9855-1092   | 115.0     | .78           | 10          |
| AR114    | 9855-1086   | 116.0     | .62           | 10          |
| AR115    | 9855-1087   | 117.0     | .80           | 10          |
| AR116    | 9855-1093   | 118.0     | .63           | 10          |
| AR117    | 9855-1094   | 119.0     | .81           | 10          |
| AR118    | 9855-1095   | 120.0     | .82           | 10          |
| AR119    | 9855-1096   | 121.0     | .65           | 10          |
| AR120    | 9855-1088   | 122.0     | .82           | 10          |




# Xtreme V-Force™ Pro

Recommended Sheaves  
Multi-Duty Sheaves

**Notes**

Gates Xtreme V-Force Pro belts are available in A and B cross sections.

**Product No. Series 9857**



**B Section**

| Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn |
|----------|-------------|-----------|---------------|-------------|
| BR23     | 9857-1001   | 26.0      | .20           | 1           |
| BR24     | 9857-1002   | 27.0      | .20           | 100         |
| BR25     | 9857-1003   | 28.0      | .22           | 100         |
| BR26     | 9857-1004   | 29.0      | .22           | 100         |
| BR27     | 9857-1005   | 30.0      | .23           | 100         |
| BR28     | 9857-1006   | 31.0      | .24           | 10          |
| BR30     | 9857-1007   | 33.0      | .25           | 10          |
| BR31     | 9857-1008   | 34.0      | .26           | 10          |
| BR32     | 9857-1009   | 35.0      | .27           | 10          |
| BR33     | 9857-1010   | 36.0      | .28           | 10          |
| BR34     | 9857-1011   | 37.0      | .28           | 10          |
| BR35     | 9857-1012   | 38.0      | .29           | 10          |
| BR36     | 9857-1013   | 39.0      | .30           | 10          |
| BR37     | 9857-1014   | 40.0      | .31           | 10          |
| BR38     | 9857-1015   | 41.0      | .32           | 10          |
| BR39     | 9857-1016   | 42.0      | .32           | 10          |
| BR40     | 9857-1017   | 43.0      | .33           | 10          |
| BR41     | 9857-1018   | 44.0      | .34           | 10          |
| BR42     | 9857-1019   | 45.0      | .35           | 10          |
| BR43     | 9857-1020   | 46.0      | .36           | 10          |
| BR44     | 9857-1021   | 47.0      | .36           | 10          |
| BR45     | 9857-1022   | 48.0      | .37           | 10          |
| BR46     | 9857-1023   | 49.0      | .38           | 10          |
| BR47     | 9857-1024   | 50.0      | .39           | 10          |
| BR48     | 9857-1025   | 51.0      | .40           | 10          |
| BR49     | 9857-1026   | 52.0      | .40           | 10          |
| BR50     | 9857-1027   | 53.0      | .41           | 10          |
| BR51     | 9857-1028   | 54.0      | .42           | 10          |
| BR52     | 9857-1029   | 55.0      | .43           | 10          |
| BR53     | 9857-1030   | 56.0      | .43           | 10          |
| BR54     | 9857-1031   | 57.0      | .44           | 10          |
| BR55     | 9857-1032   | 58.0      | .45           | 10          |
| BR56     | 9857-1033   | 59.0      | .46           | 10          |
| BR57     | 9857-1034   | 60.0      | .47           | 10          |
| BR58     | 9857-1035   | 61.0      | .47           | 10          |
| BR59     | 9857-1036   | 62.0      | .48           | 10          |
| BR60     | 9857-1037   | 63.0      | .49           | 10          |
| BR61     | 9857-1038   | 64.0      | .50           | 10          |
| BR62     | 9857-1039   | 65.0      | .50           | 10          |
| BR63     | 9857-1040   | 66.0      | .51           | 10          |
| BR64     | 9857-1041   | 67.0      | .52           | 10          |
| BR65     | 9857-1042   | 68.0      | .53           | 10          |
| BR66     | 9857-1043   | 69.0      | .54           | 10          |
| BR67     | 9857-1044   | 70.0      | .54           | 10          |
| BR68     | 9857-1045   | 71.0      | .55           | 10          |
| BR69     | 9857-1046   | 72.0      | .56           | 10          |
| BR70     | 9857-1047   | 73.0      | .57           | 10          |
| BR71     | 9857-1048   | 74.0      | .58           | 10          |
| BR72     | 9857-1049   | 75.0      | .58           | 10          |
| BR73     | 9857-1050   | 76.0      | .59           | 10          |

| Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn |
|----------|-------------|-----------|---------------|-------------|
| BR74     | 9857-1051   | 77.0      | .60           | 10          |
| BR75     | 9857-1052   | 78.0      | .61           | 10          |
| BR76     | 9857-1053   | 79.0      | .61           | 10          |
| BR77     | 9857-1054   | 80.0      | .62           | 10          |
| BR78     | 9857-1055   | 81.0      | .63           | 10          |
| BR79     | 9857-1056   | 82.0      | .64           | 10          |
| BR80     | 9857-1057   | 83.0      | .65           | 10          |
| BR81     | 9857-1058   | 84.0      | .66           | 10          |
| BR82     | 9857-1059   | 85.0      | .66           | 10          |
| BR83     | 9857-1060   | 86.0      | .67           | 10          |
| BR84     | 9857-1061   | 87.0      | .68           | 10          |
| BR85     | 9857-1062   | 88.0      | .69           | 10          |
| BR86     | 9857-1063   | 89.0      | .69           | 10          |
| BR87     | 9857-1064   | 90.0      | .70           | 10          |
| BR88     | 9857-1065   | 91.0      | .71           | 10          |
| BR89     | 9857-1066   | 92.0      | .72           | 10          |
| BR90     | 9857-1067   | 93.0      | .73           | 10          |
| BR91     | 9857-1068   | 94.0      | .74           | 10          |
| BR92     | 9857-1069   | 95.0      | .74           | 10          |
| BR93     | 9857-1070   | 96.0      | .75           | 10          |
| BR94     | 9857-1071   | 97.0      | .76           | 10          |
| BR95     | 9857-1072   | 98.0      | .77           | 10          |
| BR96     | 9857-1073   | 99.0      | .77           | 10          |
| BR97     | 9857-1074   | 100.0     | .78           | 10          |
| BR98     | 9857-1075   | 101.0     | .79           | 10          |
| BR99     | 9857-1076   | 102.0     | .80           | 10          |
| BR100    | 9857-1077   | 103.0     | .81           | 10          |
| BR101    | 9857-1078   | 104.0     | .81           | 10          |
| BR102    | 9857-1079   | 105.0     | .82           | 10          |
| BR103    | 9857-1080   | 106.0     | .83           | 10          |
| BR104    | 9857-1081   | 107.0     | .84           | 10          |
| BR105    | 9857-1082   | 108.0     | .84           | 10          |
| BR106    | 9857-1083   | 109.0     | .85           | 10          |
| BR107    | 9857-1084   | 110.0     | .86           | 10          |
| BR108    | 9857-1085   | 111.0     | .87           | 10          |
| BR109    | 9857-1086   | 112.0     | .88           | 10          |
| BR110    | 9857-1087   | 113.0     | .88           | 10          |
| BR111    | 9857-1088   | 114.0     | .89           | 10          |
| BR112    | 9857-1089   | 115.0     | .90           | 10          |
| BR113    | 9857-1090   | 116.0     | .91           | 10          |
| BR114    | 9857-1091   | 117.0     | .91           | 10          |
| BR115    | 9857-1092   | 118.0     | .93           | 10          |
| BR116    | 9857-1093   | 119.0     | .93           | 10          |
| BR117    | 9857-1094   | 120.0     | .95           | 10          |
| BR118    | 9857-1095   | 121.0     | .95           | 10          |
| BR119    | 9857-1096   | 122.0     | .95           | 10          |

HEAVY DUTY V-BELTS




# Hi-Power® II Dubl-V Belts

**Recommended Sheaves**  
Multi-Duty Sheaves

**Notes**  
Dubl-V belts are available in AA, BB, CC and DD cross sections.

## Product No. Series 9052



### AA Section


| Part No.           | Product No. | Belt Nominal E.L. (in) | Weight (Lbs.) |
|--------------------|-------------|------------------------|---------------|
| <sup>15</sup> AA51 | 9052-0051   | 53.0                   | .460          |
| <sup>15</sup> AA55 | 9052-0055   | 57.0                   | .490          |
| <sup>15</sup> AA60 | 9052-0060   | 62.0                   | .510          |
| <sup>15</sup> AA62 | 9052-0062   | 64.0                   | .530          |
| AA64               | 9052-0064   | 66.0                   | .530          |
| AA66               | 9052-0066   | 68.0                   | .550          |
| AA68               | 9052-0068   | 70.0                   | .550          |
| AA70               | 9052-0070   | 72.0                   | .560          |

| Part No. | Product No. | Belt Nominal E.L. (in) | Weight (Lbs.) |
|----------|-------------|------------------------|---------------|
| AA73     | 9052-0073   | 75.0                   | .580          |
| AA75     | 9052-0075   | 77.0                   | .600          |
| AA78     | 9052-0078   | 80.0                   | .630          |
| AA80     | 9052-0080   | 82.0                   | .650          |
| AA85     | 9052-0085   | 87.0                   | .680          |
| AA88     | 9052-0088   | 90.0                   | .700          |
| AA90     | 9052-0090   | 92.0                   | .720          |
| AA92     | 9052-0092   | 94.0                   | .750          |

| Part No. | Product No. | Belt Nominal E.L. (in) | Weight (Lbs.) |
|----------|-------------|------------------------|---------------|
| AA96     | 9052-0096   | 98.0                   | .770          |
| AA105    | 9052-0105   | 107.0                  | .850          |
| AA112    | 9052-0112   | 114.0                  | .900          |
| AA120    | 9052-0120   | 122.0                  | .980          |
| AA128    | 9052-0128   | 130.0                  | 1.050         |
| AA148    | 9052-0148   | 150.0                  | 1.240         |

HEAVY DUTY V-BELTS

## Product No. Series 9053



### BB Section

| Part No.           | Product No. | Belt Nominal E.L. (in) | Weight (Lbs.) |
|--------------------|-------------|------------------------|---------------|
| <sup>15</sup> BB35 | 9053-0035   | 38.0                   | .600          |
| <sup>15</sup> BB38 | 9053-0038   | 41.0                   | .630          |
| <sup>15</sup> BB42 | 9053-0042   | 45.0                   | .650          |
| <sup>15</sup> BB43 | 9053-0043   | 46.0                   | .670          |
| <sup>15</sup> BB45 | 9053-0045   | 48.0                   | .710          |
| <sup>15</sup> BB46 | 9053-0046   | 49.0                   | .730          |
| <sup>15</sup> BB51 | 9053-0051   | 54.0                   | .750          |
| <sup>15</sup> BB53 | 9053-0053   | 56.0                   | .780          |
| <sup>15</sup> BB55 | 9053-0055   | 58.0                   | .810          |
| <sup>15</sup> BB60 | 9053-0060   | 63.0                   | .860          |
| BB64               | 9053-0064   | 67.0                   | .900          |
| BB66               | 9053-0066   | 69.0                   | .920          |
| BB68               | 9053-0068   | 71.0                   | .940          |
| BB71               | 9053-0071   | 74.0                   | .980          |
| BB72               | 9053-0072   | 75.0                   | 1.010         |
| BB73               | 9053-0073   | 76.0                   | 1.020         |
| BB74               | 9053-0074   | 77.0                   | 1.040         |
| BB75               | 9053-0075   | 78.0                   | 1.050         |
| BB81               | 9053-0081   | 84.0                   | 1.120         |
| BB83               | 9053-0083   | 86.0                   | 1.160         |
| BB85               | 9053-0085   | 88.0                   | 1.180         |
| BB90               | 9053-0090   | 93.0                   | 1.200         |
| BB92               | 9053-0092   | 95.0                   | 1.220         |
| BB93               | 9053-0093   | 96.0                   | 1.240         |
| BB94               | 9053-0094   | 97.0                   | 1.260         |


| Part No. | Product No. | Belt Nominal E.L. (in) | Weight (Lbs.) |
|----------|-------------|------------------------|---------------|
| BB95K    | 9240-6079   | 98.0                   | 1.310         |
| BB96     | 9053-0096   | 99.0                   | 1.300         |
| BB97     | 9053-0097   | 100.0                  | 1.320         |
| BB100    | 9053-0100   | 103.0                  | 1.350         |
| BB103    | 9053-0103   | 106.0                  | 1.400         |
| BB105    | 9053-0105   | 108.0                  | 1.430         |
| BB107    | 9053-0107   | 110.0                  | 1.480         |
| BB108    | 9053-0108   | 111.0                  | 1.490         |
| BB111    | 9053-0111   | 114.0                  | 1.500         |
| BB112    | 9053-0112   | 115.0                  | 1.510         |
| BB114    | 9053-0114   | 117.0                  | 1.530         |
| BB116    | 9053-0116   | 119.0                  | 1.570         |
| BB117    | 9053-0117   | 120.0                  | 1.590         |
| BB118    | 9053-0118   | 121.0                  | 1.610         |
| BB120    | 9053-0120   | 123.0                  | 1.630         |
| BB122    | 9053-0122   | 125.0                  | 1.650         |
| BB123    | 9053-0123   | 126.0                  | 1.670         |
| BB124    | 9053-0124   | 127.0                  | 1.690         |
| BB127    | 9053-0127   | 130.0                  | 1.710         |
| BB128    | 9053-0128   | 131.0                  | 1.730         |
| BB129    | 9053-0129   | 132.0                  | 1.750         |
| BB130    | 9053-0130   | 133.0                  | 1.790         |
| BB133    | 9053-0133   | 136.0                  | 1.830         |
| BB135    | 9053-0135   | 138.0                  | 1.860         |
| BB136    | 9053-0136   | 139.0                  | 1.900         |

| Part No. | Product No. | Belt Nominal E.L. (in) | Weight (Lbs.) |
|----------|-------------|------------------------|---------------|
| BB140    | 9053-0140   | 143.0                  | 1.950         |
| BB144    | 9053-0144   | 147.0                  | 1.980         |
| BB155    | 9053-0155   | 158.0                  | 2.130         |
| BB158    | 9053-0158   | 161.0                  | 2.160         |
| BB162    | 9053-0162   | 165.0                  | 2.200         |
| BB168    | 9053-0168   | 171.0                  | 2.220         |
| BB169    | 9053-0169   | 172.0                  | 2.240         |
| BB170    | 9053-0170   | 173.0                  | 2.260         |
| BB173    | 9053-0173   | 176.0                  | 2.310         |
| BB180    | 9053-0180   | 183.0                  | 2.350         |
| BB182    | 9053-0182   | 185.0                  | 2.400         |
| BB187    | 9053-0187   | 190.0                  | 2.500         |
| BB190    | 9053-0190   | 193.0                  | 2.560         |
| BB195    | 9053-0195   | 198.0                  | 2.660         |
| BB210    | 9053-0210   | 213.0                  | 2.860         |
| BB225    | 9053-0225   | 226.0                  | 3.080         |
| BB226    | 9053-0226   | 227.0                  | 3.100         |
| BB228    | 9053-0228   | 229.0                  | 3.120         |
| BB230    | 9053-0230   | 231.0                  | 3.150         |
| BB240    | 9053-0240   | 241.0                  | 3.380         |
| BB255    | 9053-0255   | 256.0                  | 3.600         |
| BB270    | 9053-0270   | 271.0                  | 3.850         |
| BB277    | 9053-0277   | 278.0                  | 3.950         |
| BB285    | 9053-0285   | 286.0                  | 4.050         |
| BB300    | 9053-0300   | 301.0                  | 4.340         |

<sup>15</sup> Not included in V-80 matching program.




# Hi-Power® II Dubl-V Belts



## Product No. Series 9054

### CC Section

| Part No. | Product No. | Belt Nominal E.L. (in) | Weight (Lbs.) | Part No. | Product No. | Belt Nominal E.L. (in) | Weight (Lbs.) | Part No.            | Product No. | Belt Nominal E.L. (in) | Weight (Lbs.) |
|----------|-------------|------------------------|---------------|----------|-------------|------------------------|---------------|---------------------|-------------|------------------------|---------------|
| CC75     | 9054-0075   | 79.0                   | 1.850         | CC136    | 9054-0136   | 140.0                  | 3.400         | CC240               | 9054-0240   | 242.0                  | 6.100         |
| CC81     | 9054-0081   | 85.0                   | 1.950         | CC140    | 9054-0140   | 144.0                  | 3.500         | CC255               | 9054-0255   | 257.0                  | 6.400         |
| CC85     | 9054-0085   | 89.0                   | 2.050         | CC144    | 9054-0144   | 148.0                  | 3.600         | CC270               | 9054-0270   | 272.0                  | 6.800         |
| CC90     | 9054-0090   | 94.0                   | 2.150         | CC158    | 9054-0158   | 162.0                  | 3.950         | <sup>15</sup> CC300 | 9054-0300   | 302.0                  | 7.600         |
| CC96     | 9054-0096   | 100.0                  | 2.350         | CC162    | 9054-0162   | 166.0                  | 4.050         | <sup>15</sup> CC330 | 9054-0330   | 332.0                  | 8.400         |
| CC105    | 9054-0105   | 109.0                  | 2.500         | CC173    | 9054-0173   | 177.0                  | 4.400         | <sup>15</sup> CC360 | 9054-0360   | 362.0                  | 9.200         |
| CC112    | 9054-0112   | 116.0                  | 2.700         | CC180    | 9054-0180   | 184.0                  | 4.500         | <sup>15</sup> CC390 | 9054-0390   | 392.0                  | 9.900         |
| CC120    | 9054-0120   | 124.0                  | 3.000         | CC195    | 9054-0195   | 199.0                  | 5.000         | <sup>15</sup> CC420 | 9054-0420   | 422.0                  | 10.700        |
| CC128    | 9054-0128   | 132.0                  | 3.170         | CC210    | 9054-0210   | 214.0                  | 5.400         |                     |             |                        |               |



## Product No. Series 9055

### DD Section

| Part No.           | Product No. | Belt Nominal E.L. (in) | Weight (Lbs.) | Part No. | Product No. | Belt Nominal E.L. (in) | Weight (Lbs.) | Part No.           | Product No. | Belt Nominal E.L. (in) | Weight (Lbs.) |
|--------------------|-------------|------------------------|---------------|----------|-------------|------------------------|---------------|--------------------|-------------|------------------------|---------------|
| <sup>4</sup> DD270 | 9055-0270   | 273.0                  | 15.200        | DD300    | 9055-0300   | 303.0                  | 16.350        | <sup>4</sup> DD360 | 9055-0360   | 363.0                  | 19.150        |

NOTE: Not included in V-80 matching program.

HEAVY DUTY V-BELTS

<sup>15</sup> Not included in V-80 matching program.  
<sup>4</sup> Minimum production quantity may apply. Contact Customer Service for availability.



## Dubl-V Feather Picker Belts

Recommended Sheaves  
Multi-Duty Sheaves

### Product No. Series 9240

#### AA Section

| Part No. | Product No. | Belt Nominal E.L. (in) | Weight (Lbs.) |
|----------|-------------|------------------------|---------------|
| AA148FP  | 9240-6179   | 150.0                  | 1.220         |

### Product No. Series 9658

#### BB Section

| Part No. | Product No. | Belt Nominal E.L. (in) | Weight (Lbs.) |
|----------|-------------|------------------------|---------------|
| BB155FP  | 9658-0077   | 158.0                  | 2.070         |
| BB158FP  | 9658-0071   | 161.0                  | 2.120         |
| BB172FP  | 9658-0075   | 175.0                  | 2.310         |

HEAVY DUTY V-BELTS





## PowerBack® Belts

**Recommended Sheaves**  
Multi-Duty Sheaves

**Notes**

PowerBack belts are available in B cross section.

---

### Product No. Series 9003

#### B Section

| Part No. | Product No. | O.C. (in) | Weight (Lbs.) |
|----------|-------------|-----------|---------------|
| B101PB   | 9003-8101   | 104.00    | 1.100         |
| B113PB   | 9003-8113   | 116.00    | 1.200         |
| B125PB   | 9003-8125   | 128.00    | 1.350         |
| B137PB   | 9003-8137   | 140.00    | 1.500         |
| B149PB   | 9003-8149   | 152.00    | 1.600         |
| B161PB   | 9003-8161   | 164.00    | 1.700         |
| B185PB   | 9003-8185   | 188.00    | 1.950         |
| B197PB   | 9003-8197   | 200.00    | 2.100         |
| B211PB   | 9003-8211   | 212.00    | 2.200         |
| B247PB   | 9003-8247   | 248.00    | 2.600         |
| B259PB   | 9003-8259   | 260.00    | 2.700         |
| B315PB   | 9003-8315   | 316.00    | 3.200         |

HEAVY DUTY V-BELTS



# Power Curve® Belts

**Recommended Sheaves**  
Multi-Duty Sheaves

**Notes**

Power Curve belts are available in B cross section.

## Product No. Series 9003

### B Section

| Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Part No. | Product No. | O.C. (in) | Weight (Lbs.) |
|----------|-------------|-----------|---------------|----------|-------------|-----------|---------------|
| B105PC   | 9003-7105   | 108.00    | 1.150         | B210PC   | 9003-7210   | 213.00    | 2.300         |
| B108PC   | 9003-7108   | 111.00    | 1.200         | B225PC   | 9003-7225   | 226.00    | 2.500         |
| B112PC   | 9003-7112   | 115.00    | 1.300         | B240PC   | 9003-7240   | 241.00    | 2.650         |
| B116PC   | 9003-7116   | 119.00    | 1.300         | B248PC   | 9003-7248   | 249.00    | 2.750         |
| B120PC   | 9003-7120   | 123.00    | 1.350         | B255PC   | 9003-7255   | 256.00    | 2.800         |
| B124PC   | 9003-7124   | 127.00    | 1.400         | B270PC   | 9003-7270   | 271.00    | 2.950         |
| B128PC   | 9003-7128   | 131.00    | 1.450         | B285PC   | 9003-7285   | 286.00    | 3.150         |
| B133PC   | 9003-7133   | 136.00    | 1.500         | B300PC   | 9003-7300   | 301.00    | 3.350         |
| B136PC   | 9003-7136   | 139.00    | 1.520         | B315PC   | 9003-7315   | 316.00    | 3.500         |
| B140PC   | 9003-7140   | 143.00    | 1.600         | B330PC   | 9003-7330   | 331.00    | 3.700         |
| B144PC   | 9003-7144   | 147.00    | 1.650         | B345PC   | 9003-7345   | 346.00    | 3.800         |
| B150PC   | 9003-7150   | 153.00    | 1.700         | B360PC   | 9003-7360   | 361.00    | 3.950         |
| B154PC   | 9003-7154   | 157.00    | 1.750         | B375PC   | 9003-7375   | 376.00    | 4.150         |
| B158PC   | 9003-7158   | 161.00    | 1.770         | B390PC   | 9003-7390   | 391.00    | 4.400         |
| B162PC   | 9003-7162   | 165.00    | 1.800         | B405PC   | 9003-7405   | 406.00    | 4.500         |
| B173PC   | 9003-7173   | 176.00    | 1.960         | B420PC   | 9003-7420   | 421.00    | 4.650         |
| B180PC   | 9003-7180   | 183.00    | 2.000         | B430PC   | 9003-7430   | 431.00    | 4.800         |
| B190PC   | 9003-7190   | 193.00    | 2.150         | B445PC   | 9003-7445   | 446.00    | 4.950         |
| B195PC   | 9003-7195   | 198.00    | 2.200         | B460PC   | 9003-7460   | 461.00    | 5.200         |
| B205PC   | 9003-7205   | 208.00    | 2.300         | B500PC   | 9003-7500   | 501.00    | 5.700         |

HEAVY DUTY V-BELTS



# Micro-V® Belts

## Recommended Sheaves

Contact the Gates Made-To-Order Metals Team.

### Notes

Belt part number is constructed by using the effective length in tenths of an inch, followed by cross section and the number of ribs. For example, 780L16 represents a 78 inch effective length, L cross section and 16 ribs.

Belt product number is 8 or 9 digits constructed of product number series prefix, belt length and number of ribs. Belt product number is 8 or 9 digits constructed of product number series prefix, belt length and number of ribs.

## Product No. Series 9171

### J Section



| Size              | Effective Length (in) | Wt. Per Rib (Lbs.) | Standard Rib Configurations |       |       |        |        |        |     | Max. No. of Ribs |
|-------------------|-----------------------|--------------------|-----------------------------|-------|-------|--------|--------|--------|-----|------------------|
|                   |                       |                    | 4 Rib                       | 6 Rib | 8 Rib | 10 Rib | 16 Rib | 20 Rib |     |                  |
|                   |                       |                    | 9171-                       | 9171- | 9171- | 9171-  | 9171-  | 9171-  |     |                  |
| 180J              | 18.0                  | .008               | 01804                       | 01806 | 01808 | 01810  | 01816  | 01820  | 30  |                  |
| 190J              | 19.0                  | .009               | 01904                       | 01906 | 01908 | 01910  | 01916  | 01920  | 30  |                  |
| 200J              | 20.0                  | .009               | 02004                       | 02006 | 02008 | 02010  | 02016  | 02020  | 30  |                  |
| 220J              | 22.0                  | .010               | 02204                       | 02206 | 02208 | 02210  | 02216  | 02220  | 211 |                  |
| 230J              | 23.0                  | .011               | 02304                       | 02306 | 02308 | 02310  | 02316  | 02320  | 211 |                  |
| 240J              | 24.0                  | .011               | 02404                       | 02406 | 02408 | 02410  | 02416  | 02420  | 211 |                  |
| 260J              | 26.0                  | .012               | 02604                       | 02606 | 02608 | 02610  | 02616  | 02620  | 211 |                  |
| 280J              | 28.0                  | .013               | 02804                       | 02806 | 02808 | 02810  | 02816  | 02820  | 211 |                  |
| 290J              | 29.0                  | .014               | 02904                       | 02906 | 02908 | 02910  | 02916  | 02920  | 211 |                  |
| 300J              | 30.0                  | .014               | 03004                       | 03006 | 03008 | 03010  | 03016  | 03020  | 211 |                  |
| 320J              | 32.0                  | .015               | 03204                       | 03206 | 03208 | 03210  | 03216  | 03220  | 211 |                  |
| 330J              | 33.0                  | .016               | 03304                       | 03306 | 03308 | 03310  | 03316  | 03320  | 211 |                  |
| 340J              | 34.0                  | .016               | 03404                       | 03406 | 03408 | 03410  | 03416  | 03420  | 211 |                  |
| 360J              | 36.0                  | .017               | 03604                       | 03606 | 03608 | 03610  | 03616  | 03620  | 211 |                  |
| 380J              | 38.0                  | .018               | 03804                       | 03806 | 03808 | 03810  | 03816  | 03820  | 211 |                  |
| 400J              | 40.0                  | .019               | 04004                       | 04006 | 04008 | 04010  | 04016  | 04020  | 211 |                  |
| 410J              | 41.0                  | .019               | 04104                       | 04106 | 04108 | 04110  | 04116  | 04120  | 211 |                  |
| 420J              | 42.0                  | .020               | 04204                       | 04206 | 04208 | 04210  | 04216  | 04220  | 211 |                  |
| 430J              | 43.0                  | .020               | 04304                       | 04306 | 04308 | 04310  | 04316  | 04320  | 211 |                  |
| 440J              | 44.0                  | .021               | 04404                       | 04406 | 04408 | 04410  | 04416  | 04420  | 211 |                  |
| 460J              | 46.0                  | .022               | 04604                       | 04606 | 04608 | 04610  | 04616  | 04620  | 211 |                  |
| 480J              | 48.0                  | .023               | 04804                       | 04806 | 04808 | 04810  | 04816  | 04820  | 211 |                  |
| 490J              | 49.0                  | .023               | 04904                       | 04906 | 04908 | 04910  | 04916  | 04920  | 211 |                  |
| 500J              | 50.0                  | .024               | 05004                       | 05006 | 05008 | 05010  | 05016  | 05020  | 211 |                  |
| 520J              | 52.0                  | .024               | 05204                       | 05206 | 05208 | 05210  | 05216  | 05220  | 211 |                  |
| 550J              | 55.0                  | .026               | 05504                       | 05506 | 05508 | 05510  | 05516  | 05520  | 211 |                  |
| 580J              | 58.0                  | .027               | 05804                       | 05806 | 05808 | 05810  | 05816  | 05820  | 211 |                  |
| 610J              | 61.0                  | .029               | 06104                       | 06106 | 06108 | 06110  | 06116  | 06120  | 211 |                  |
| 650J              | 65.0                  | .031               | 06504                       | 06506 | 06508 | 06510  | 06516  | 06520  | 211 |                  |
| 730J              | 73.0                  | .034               | 07304                       | 07306 | 07308 | 07310  | 07316  | 07320  | 211 |                  |
| 870J              | 87.0                  | .041               | 08704                       | 08706 | 08708 | 08710  | 08716  | 08720  | 211 |                  |
| <sup>3</sup> 920J | 92.0                  | .043               | 09204                       | 09206 | 09208 | 09210  |        |        | 10  |                  |
| <sup>3</sup> 980J | 98.0                  | .046               | 09804                       | 09806 | 09808 | 09810  |        |        | 10  |                  |

HEAVY DUTY V-BELTS

## Product No. Series 9173

### L Section



| Size | Effective Length (in) | Wt. Per Rib (Lbs.) | Standard Rib Configurations |       |        |        |        |        |        |        | Max. No. of Ribs |
|------|-----------------------|--------------------|-----------------------------|-------|--------|--------|--------|--------|--------|--------|------------------|
|      |                       |                    | 6 Rib                       | 8 Rib | 10 Rib | 12 Rib | 14 Rib | 16 Rib | 18 Rib | 20 Rib |                  |
|      |                       |                    | 9173-                       | 9173- | 9173-  | 9173-  | 9173-  | 9173-  | 9173-  | 9173-  |                  |
| 500L | 50.0                  | .087               | 05006                       | 05008 | 05010  | 05012  | 05014  | 05016  | 05018  | 05020  | 105              |
| 540L | 54.0                  | .093               | 05406                       | 05408 | 05410  | 05412  | 05414  | 05416  | 05418  | 05420  | 105              |
| 560L | 56.0                  | .097               | 05606                       | 05608 | 05610  | 05612  | 05614  | 05616  | 05618  | 05620  | 105              |
| 615L | 61.5                  | .106               | 06106                       | 06108 | 06110  | 06112  | 06114  | 06116  | 06118  | 06120  | 105              |
| 635L | 63.5                  | .110               | 06306                       | 06308 | 06310  | 06312  | 06314  | 06316  | 06318  | 06320  | 105              |
| 655L | 65.5                  | .113               | 06506                       | 06508 | 06510  | 06512  | 06514  | 06516  | 06518  | 06520  | 105              |
| 675L | 67.5                  | .117               | 06706                       | 06708 | 06710  | 06712  | 06714  | 06716  | 06718  | 06720  | 105              |
| 695L | 69.5                  | .120               | 06906                       | 06908 | 06910  | 06912  | 06914  | 06916  | 06918  | 06920  | 105              |
| 725L | 72.5                  | .125               | 07206                       | 07208 | 07210  | 07212  | 07214  | 07216  | 07218  | 07220  | 105              |

<sup>3</sup> Available only up to 10-rib configuration due to ground rib construction.



# Micro-V<sup>®</sup> Belts

Product No. Series 9173 (continued)

L Section (continued)

HEAVY DUTY V-BELTS

| Size  | Effective Length (in) | Wt. Per Rib (Lbs.) | Standard Rib Configurations |       |        |        |        |        |        |        |       | Max. No. of Ribs |
|-------|-----------------------|--------------------|-----------------------------|-------|--------|--------|--------|--------|--------|--------|-------|------------------|
|       |                       |                    | 6 Rib                       | 8 Rib | 10 Rib | 12 Rib | 14 Rib | 16 Rib | 18 Rib | 20 Rib |       |                  |
|       |                       |                    | 9173-                       | 9173- | 9173-  | 9173-  | 9173-  | 9173-  | 9173-  | 9173-  | 9173- |                  |
| 765L  | 76.5                  | .132               | 07606                       | 07608 | 07610  | 07612  | 07614  | 07616  | 07618  | 07620  | 105   |                  |
| 780L  | 78.0                  | .135               | 07806                       | 07808 | 07810  | 07812  | 07814  | 07816  | 07818  | 07820  | 105   |                  |
| 795L  | 79.5                  | .138               | 07906                       | 07908 | 07910  | 07912  | 07914  | 07916  | 07918  | 07920  | 105   |                  |
| 815L  | 81.5                  | .141               | 08106                       | 08108 | 08110  | 08112  | 08114  | 08116  | 08118  | 08120  | 105   |                  |
| 840L  | 84.0                  | .145               | 08406                       | 08408 | 08410  | 08412  | 08414  | 08416  | 08418  | 08420  | 105   |                  |
| 865L  | 86.5                  | .150               | 08606                       | 08608 | 08610  | 08612  | 08614  | 08616  | 08618  | 08620  | 105   |                  |
| 915L  | 91.5                  | .158               | 09106                       | 09108 | 09110  | 09112  | 09114  | 09116  | 09118  | 09120  | 60    |                  |
| 975L  | 97.5                  | .169               | 09706                       | 09708 | 09710  | 09712  | 09714  | 09716  | 09718  | 09720  | 60    |                  |
| 990L  | 99.0                  | .171               | 09906                       | 09908 | 09910  | 09912  | 09914  | 09916  | 09918  | 09920  | 60    |                  |
| 1065L | 106.5                 | .184               | 10606                       | 10608 | 10610  | 10612  | 10614  | 10616  | 10618  | 10620  | 60    |                  |
| 1120L | 112.0                 | .194               | 11206                       | 11208 | 11210  | 11212  | 11214  | 11216  | 11218  | 11220  | 60    |                  |
| 1150L | 115.0                 | .199               | 11506                       | 11508 | 11510  | 11512  | 11514  | 11516  | 11518  | 11520  | 60    |                  |
| 1215L | 121.5                 | .201               | 12106                       | 12108 | 12110  | 12112  | 12114  | 12116  | 12118  | 12120  | 60    |                  |
| 1230L | 123.0                 | .213               | 12306                       | 12308 | 12310  | 12312  | 12314  | 12316  | 12318  | 12320  | 60    |                  |
| 1295L | 129.5                 | .224               | 12906                       | 12908 | 12910  | 12912  | 12914  | 12916  | 12918  | 12920  | 60    |                  |
| 1310L | 131.0                 | .227               | 13106                       | 13108 | 13110  | 13112  | 13114  | 13116  | 13118  | 13120  | 60    |                  |
| 1455L | 145.5                 | .252               | 14506                       | 14508 | 14510  | 14512  | 14514  | 14516  | 14518  | 14520  | 60    |                  |

## M SECTION



Product No. Series 9174

M Section

| Size  | Effective Length (in) | Wt. Per Rib (Lbs.) | Standard Rib Configurations |       |        |        |        |        |        |        |       | Max. No. of Ribs |
|-------|-----------------------|--------------------|-----------------------------|-------|--------|--------|--------|--------|--------|--------|-------|------------------|
|       |                       |                    | 6 Rib                       | 8 Rib | 10 Rib | 12 Rib | 14 Rib | 16 Rib | 18 Rib | 20 Rib |       |                  |
|       |                       |                    | 9174-                       | 9174- | 9174-  | 9174-  | 9174-  | 9174-  | 9174-  | 9174-  | 9174- |                  |
| 900M  | 90.0                  | .626               | 09006                       | 09008 | 09010  | 09012  | 09014  | 09016  | 09018  | 09020  | 28    |                  |
| 940M  | 94.0                  | .653               | 09406                       | 09408 | 09410  | 09412  | 09414  | 09416  | 09418  | 09420  | 28    |                  |
| 990M  | 99.0                  | .688               | 09906                       | 09908 | 09910  | 09912  | 09914  | 09916  | 09918  | 09920  | 28    |                  |
| 1060M | 106.0                 | .736               | 10606                       | 10608 | 10610  | 10612  | 10614  | 10616  | 10618  | 10620  | 28    |                  |
| 1115M | 111.5                 | .775               | 11106                       | 11108 | 11110  | 11112  | 11114  | 11116  | 11118  | 11120  | 28    |                  |
| 1150M | 115.0                 | .799               | 11506                       | 11508 | 11510  | 11512  | 11514  | 11516  | 11518  | 11520  | 28    |                  |
| 1185M | 118.5                 | .824               | 11806                       | 11808 | 11810  | 11812  | 11814  | 11816  | 11818  | 11820  | 28    |                  |
| 1230M | 123.0                 | .855               | 12306                       | 12308 | 12310  | 12312  | 12314  | 12316  | 12318  | 12320  | 28    |                  |
| 1310M | 131.0                 | .910               | 13106                       | 13108 | 13110  | 13112  | 13114  | 13116  | 13118  | 13120  | 28    |                  |
| 1390M | 139.0                 | .966               | 13906                       | 13908 | 13910  | 13912  | 13914  | 13916  | 13918  | 13920  | 30    |                  |
| 1470M | 147.0                 | 1.022              | 14706                       | 14708 | 14710  | 14712  | 14714  | 14716  | 14718  | 14720  | 30    |                  |
| 1610M | 161.0                 | 1.119              | 16106                       | 16108 | 16110  | 16112  | 16114  | 16116  | 16118  | 16120  | 30    |                  |
| 1650M | 165.0                 | 1.147              | 16506                       | 16508 | 16510  | 16512  | 16514  | 16516  | 16518  | 16520  | 30    |                  |
| 1760M | 176.0                 | 1.223              | 17606                       | 17608 | 17610  | 17612  | 17614  | 17616  | 17618  | 17620  | 30    |                  |
| 1830M | 183.0                 | 1.272              | 18306                       | 18308 | 18310  | 18312  | 18314  | 18316  | 18318  | 18320  | 30    |                  |
| 1980M | 198.0                 | 1.376              | 19806                       | 19808 | 19810  | 19812  | 19814  | 19816  | 19818  | 19820  | 30    |                  |
| 2130M | 213.0                 | 1.480              | 21306                       | 21308 | 21310  | 21312  | 21314  | 21316  | 21318  | 21320  | 30    |                  |
| 2410M | 241.0                 | 1.675              | 24106                       | 24108 | 24110  | 24112  | 24114  | 24116  | 24118  | 24120  | 30    |                  |
| 2560M | 256.0                 | 1.779              | 25606                       | 25608 | 25610  | 25612  | 25614  | 25616  | 25618  | 25620  | 30    |                  |
| 2710M | 271.0                 | 1.883              | 27106                       | 27108 | 27110  | 27112  | 27114  | 27116  | 27118  | 27120  | 30    |                  |
| 3010M | 301.0                 | 2.092              | 30106                       | 30108 | 30110  | 30112  | 30114  | 30116  | 30118  | 30120  | 30    |                  |
| 3310M | 331.0                 | 2.300              | 33106                       | 33108 | 33110  | 33112  | 33114  | 33116  | 33118  | 33120  | 30    |                  |
| 3610M | 361.0                 | 2.509              | 36106                       | 36108 | 36110  | 36112  | 36114  | 36116  | 36118  | 36120  | 30    |                  |



# Power Round® Belts

**Recommended Sheaves**  
Hi-Power Multi-Duty Sheaves

**Notes**

Additional sizes from 42 inches to 660 inches are available upon request and require minimum order quantities of 87 belts per size +/- 10%. Contact Customer Service for availability and setup.

## Product No. Series 8819

### 9/16" Diameter

| Part No.                | Product No. | Inside Length (in) | Part No.                | Product No. | Inside Length (in) |
|-------------------------|-------------|--------------------|-------------------------|-------------|--------------------|
| 9 X 41 3/8 PR           | 8819-0010   | 41 3/8             | 9 X 200 PR              | 8819-0008   | 200                |
| 9 X 54 PR               | 8819-0011   | 54                 | 9 X 210 PR              | 8819-0007   | 210                |
| 9 X 90 PR               | 8819-0012   | 90                 | 9 X 233 PR              | 8819-0002   | 233                |
| 9 X 101 PR              | 8819-0029   | 101                | 9 X 250 PR              | 8819-0000   | 250                |
| <sup>4</sup> 9 X 112 PR | 8819-0013   | 112                | 9 X 270 PR              | 8819-0001   | 270                |
| 9 X 120 PR              | 8819-0014   | 120                | 9 X 308 PR              | 8819-0003   | 308                |
| 9 X 128 PR              | 8819-0015   | 128                | <sup>4</sup> 9 X 331 PR | 8819-0004   | 331                |
| 9 X 129 3/4 PR          | 8819-0016   | 129 3/4            | 9 X 345 PR              | 8819-0009   | 345                |
| 9 X 135 PR              | 8819-0017   | 135                | 9 X 386 PR              | 8819-0006   | 386                |
| 9 X 144 PR              | 8819-0018   | 144                | 9 X 416 PR              | 8819-0025   | 416                |
| 9 X 148 PR              | 8819-0019   | 148                | 9 X 447 PR              | 8819-0026   | 447                |
| 9 X 155 PR              | 8819-0020   | 155                | 9 X 465 PR              | 8819-0027   | 465                |
| 9 X 166 PR              | 8819-0021   | 166                | 9 X 500 PR              | 8819-0030   | 500                |
| 9 X 172 PR              | 8819-0022   | 172                | 9 X 564 PR              | 8819-0005   | 564                |
| 9 X 176 PR              | 8819-0023   | 176                | 9 X 600 PR              | 8819-0031   | 600                |
| 9 X 190 PR              | 8819-0024   | 190                | 9 X 660 PR              | 8819-0028   | 660                |

SPECIALTY BELTS

<sup>4</sup> Minimum production quantity may apply. Contact Customer Service for availability.



# Round Endless Belts

## Recommended Sheaves

Contact the Gates Made-To-Order Metals Team.

## Notes

Standard-stocked Round Endless belts are footnoted. All others are Made-To-Order and may require minimum order quantities. Contact Customer Service for availability.

### Product No. Series 8820

Minimum order quantity for 1/4" Round Endless Belts is 180 belts per size +/- 10%.

#### 1/4" Diameter

| Part No.       | Product No. | Inside Length (in) | Part No.       | Product No. | Inside Length (in) | Part No.       | Product No. | Inside Length (in) |
|----------------|-------------|--------------------|----------------|-------------|--------------------|----------------|-------------|--------------------|
| 4 X 33 RE BELT | 8820-0499   | 33                 | 4 X 51 RE BELT | 8820-0571   | 51                 | 4 X 69 RE BELT | 8820-0643   | 69                 |
| 4 X 34 RE BELT | 8820-0503   | 34                 | 4 X 52 RE BELT | 8820-0575   | 52                 | 4 X 70 RE BELT | 8820-0647   | 70                 |
| 4 X 35 RE BELT | 8820-0507   | 35                 | 4 X 53 RE BELT | 8820-0579   | 53                 | 4 X 71 RE BELT | 8820-0651   | 71                 |
| 4 X 36 RE BELT | 8820-0511   | 36                 | 4 X 54 RE BELT | 8820-0583   | 54                 | 4 X 72 RE BELT | 8820-0655   | 72                 |
| 4 X 37 RE BELT | 8820-0515   | 37                 | 4 X 55 RE BELT | 8820-0587   | 55                 | 4 X 73 RE BELT | 8820-0659   | 73                 |
| 4 X 38 RE BELT | 8820-0519   | 38                 | 4 X 56 RE BELT | 8820-0591   | 56                 | 4 X 74 RE BELT | 8820-0663   | 74                 |
| 4 X 39 RE BELT | 8820-0523   | 39                 | 4 X 57 RE BELT | 8820-0595   | 57                 | 4 X 75 RE BELT | 8820-0667   | 75                 |
| 4 X 40 RE BELT | 8820-0527   | 40                 | 4 X 58 RE BELT | 8820-0599   | 58                 | 4 X 76 RE BELT | 8820-0671   | 76                 |
| 4 X 41 RE BELT | 8820-0531   | 41                 | 4 X 59 RE BELT | 8820-0603   | 59                 | 4 X 77 RE BELT | 8820-0675   | 77                 |
| 4 X 42 RE BELT | 8820-0535   | 42                 | 4 X 60 RE BELT | 8820-0607   | 60                 | 4 X 78 RE BELT | 8820-0679   | 78                 |
| 4 X 43 RE BELT | 8820-0539   | 43                 | 4 X 61 RE BELT | 8820-0611   | 61                 | 4 X 79 RE BELT | 8820-0683   | 79                 |
| 4 X 44 RE BELT | 8820-0543   | 44                 | 4 X 62 RE BELT | 8820-0615   | 62                 | 4 X 80 RE BELT | 8820-0687   | 80                 |
| 4 X 45 RE BELT | 8820-0547   | 45                 | 4 X 63 RE BELT | 8820-0619   | 63                 | 4 X 81 RE BELT | 8820-0691   | 81                 |
| 4 X 46 RE BELT | 8820-0551   | 46                 | 4 X 64 RE BELT | 8820-0623   | 64                 | 4 X 82 RE BELT | 8820-0695   | 82                 |
| 4 X 47 RE BELT | 8820-0555   | 47                 | 4 X 65 RE BELT | 8820-0627   | 65                 | 4 X 83 RE BELT | 8820-0699   | 83                 |
| 4 X 48 RE BELT | 8820-0559   | 48                 | 4 X 66 RE BELT | 8820-0631   | 66                 | 4 X 84 RE BELT | 8820-0703   | 84                 |
| 4 X 49 RE BELT | 8820-0563   | 49                 | 4 X 67 RE BELT | 8820-0635   | 67                 | 4 X 85 RE BELT | 8820-0707   | 85                 |
| 4 X 50 RE BELT | 8820-0567   | 50                 | 4 X 68 RE BELT | 8820-0639   | 68                 |                |             |                    |

#### 5/16" Diameter

Minimum order quantity for 5/16" Round Endless Belts is 165 belts per size +/- 10%.

| Part No.                         | Product No. | Inside Length (in) | Part No.       | Product No. | Inside Length (in) | Part No.       | Product No. | Inside Length (in) |
|----------------------------------|-------------|--------------------|----------------|-------------|--------------------|----------------|-------------|--------------------|
| 5 X 33 RE BELT                   | 8820-0838   | 33                 | 5 X 52 RE BELT | 8820-0914   | 52                 | 5 X 72 RE BELT | 8820-0994   | 72                 |
| <sup>16</sup> 5 X 33 1/2 RE BELT | 8820-0840   | 33 1/2             | 5 X 53 RE BELT | 8820-0918   | 53                 | 5 X 73 RE BELT | 8820-0998   | 73                 |
| <sup>16</sup> 5 X 34 RE BELT     | 8820-0842   | 34                 | 5 X 54 RE BELT | 8820-0922   | 54                 | 5 X 74 RE BELT | 8820-1002   | 74                 |
| 5 X 35 RE BELT                   | 8820-0846   | 35                 | 5 X 55 RE BELT | 8820-0926   | 55                 | 5 X 75 RE BELT | 8820-1006   | 75                 |
| 5 X 36 RE BELT                   | 8820-0850   | 36                 | 5 X 56 RE BELT | 8820-0930   | 56                 | 5 X 76 RE BELT | 8820-1010   | 76                 |
| 5 X 37 RE BELT                   | 8820-0854   | 37                 | 5 X 57 RE BELT | 8820-0934   | 57                 | 5 X 77 RE BELT | 8820-1014   | 77                 |
| 5 X 38 RE BELT                   | 8820-0858   | 38                 | 5 X 58 RE BELT | 8820-0938   | 58                 | 5 X 78 RE BELT | 8820-1018   | 78                 |
| 5 X 39 RE BELT                   | 8820-0862   | 39                 | 5 X 59 RE BELT | 8820-0942   | 59                 | 5 X 79 RE BELT | 8820-1022   | 79                 |
| 5 X 40 RE BELT                   | 8820-0866   | 40                 | 5 X 60 RE BELT | 8820-0946   | 60                 | 5 X 80 RE BELT | 8820-1026   | 80                 |
| 5 X 41 RE BELT                   | 8820-0870   | 41                 | 5 X 61 RE BELT | 8820-0950   | 61                 | 5 X 81 RE BELT | 8820-1030   | 81                 |
| 5 X 42 RE BELT                   | 8820-0874   | 42                 | 5 X 62 RE BELT | 8820-0954   | 62                 | 5 X 82 RE BELT | 8820-1034   | 82                 |
| 5 X 43 RE BELT                   | 8820-0878   | 43                 | 5 X 63 RE BELT | 8820-0958   | 63                 | 5 X 83 RE BELT | 8820-1038   | 83                 |
| 5 X 44 RE BELT                   | 8820-0882   | 44                 | 5 X 64 RE BELT | 8820-0962   | 64                 | 5 X 84 RE BELT | 8820-1042   | 84                 |
| 5 X 45 RE BELT                   | 8820-0886   | 45                 | 5 X 65 RE BELT | 8820-0966   | 65                 | 5 X 85 RE BELT | 8820-1046   | 85                 |
| 5 X 46 RE BELT                   | 8820-0890   | 46                 | 5 X 66 RE BELT | 8820-0970   | 66                 | 5 X 86 RE BELT | 8820-1050   | 86                 |
| 5 X 47 RE BELT                   | 8820-0894   | 47                 | 5 X 67 RE BELT | 8820-0974   | 67                 | 5 X 87 RE BELT | 8820-1054   | 87                 |
| 5 X 48 RE BELT                   | 8820-0898   | 48                 | 5 X 68 RE BELT | 8820-0978   | 68                 | 5 X 88 RE BELT | 8820-1058   | 88                 |
| 5 X 49 RE BELT                   | 8820-0902   | 49                 | 5 X 69 RE BELT | 8820-0982   | 69                 | 5 X 89 RE BELT | 8820-1062   | 89                 |
| 5 X 50 RE BELT                   | 8820-0906   | 50                 | 5 X 70 RE BELT | 8820-0986   | 70                 | 5 X 90 RE BELT | 8820-1066   | 90                 |
| 5 X 51 RE BELT                   | 8820-0910   | 51                 | 5 X 71 RE BELT | 8820-0990   | 71                 |                |             |                    |

#### 3/8" Diameter

Minimum order quantity for 3/8" Round Endless Belts is 139 belts per size +/- 10%.

| Part No.                         | Product No. | Inside Length (in) | Part No.       | Product No. | Inside Length (in) | Part No.       | Product No. | Inside Length (in) |
|----------------------------------|-------------|--------------------|----------------|-------------|--------------------|----------------|-------------|--------------------|
| 6 X 33 RE BELT                   | 8820-1222   | 33                 | 6 X 37 RE BELT | 8820-1238   | 37                 | 6 X 42 RE BELT | 8820-1258   | 42                 |
| <sup>16</sup> 6 X 33 1/2 RE BELT | 8820-1225   | 33 1/2             | 6 X 38 RE BELT | 8820-1242   | 38                 | 6 X 43 RE BELT | 8820-1262   | 43                 |
| <sup>16</sup> 6 X 34 RE BELT     | 8820-1226   | 34                 | 6 X 39 RE BELT | 8820-1246   | 39                 | 6 X 44 RE BELT | 8820-1266   | 44                 |
| 6 X 35 RE BELT                   | 8820-1230   | 35                 | 6 X 40 RE BELT | 8820-1250   | 40                 | 6 X 45 RE BELT | 8820-1270   | 45                 |
| <sup>16</sup> 6 X 36 RE BELT     | 8820-1234   | 36                 | 6 X 41 RE BELT | 8820-1254   | 41                 | 6 X 46 RE BELT | 8820-1274   | 46                 |

<sup>16</sup> Stocked and minimum order quantities are not required. All others are Made-To-Order and lead times and minimum production quantities may apply. Contact Customer Service for availability.

SPECIALTY BELTS





# Round Endless Belts

## Product No. Series 8820 (continued)

### 3/8" Diameter (continued)

| Part No.       | Product No. | Inside Length (in) | Part No.                     | Product No. | Inside Length (in) | Part No.                     | Product No. | Inside Length (in) |
|----------------|-------------|--------------------|------------------------------|-------------|--------------------|------------------------------|-------------|--------------------|
| 6 X 47 RE BELT | 8820-1278   | 47                 | 6 X 72 RE BELT               | 8820-1378   | 72                 | <sup>16</sup> 6 X 97 RE BELT | 8820-1478   | 97                 |
| 6 X 48 RE BELT | 8820-1282   | 48                 | 6 X 73 RE BELT               | 8820-1382   | 73                 | <sup>16</sup> 6 X 98 RE BELT | 8820-1486   | 98                 |
| 6 X 49 RE BELT | 8820-1286   | 49                 | 6 X 74 RE BELT               | 8820-1386   | 74                 | 6 X 99 RE BELT               | 8820-1482   | 99                 |
| 6 X 50 RE BELT | 8820-1290   | 50                 | 6 X 75 RE BELT               | 8820-1390   | 75                 | 6 X 100 RE BELT              | 8820-1490   | 100                |
| 6 X 51 RE BELT | 8820-1294   | 51                 | 6 X 76 RE BELT               | 8820-1394   | 76                 | 6 X 101 RE BELT              | 8820-1494   | 101                |
| 6 X 52 RE BELT | 8820-1298   | 52                 | 6 X 77 RE BELT               | 8820-1398   | 77                 | 6 X 102 RE BELT              | 8820-1498   | 102                |
| 6 X 53 RE BELT | 8820-1302   | 53                 | 6 X 78 RE BELT               | 8820-1402   | 78                 | 6 X 103 RE BELT              | 8820-1502   | 103                |
| 6 X 54 RE BELT | 8820-1306   | 54                 | 6 X 79 RE BELT               | 8820-1406   | 79                 | 6 X 104 RE BELT              | 8820-1506   | 104                |
| 6 X 55 RE BELT | 8820-1310   | 55                 | 6 X 80 RE BELT               | 8820-1410   | 80                 | 6 X 105 RE BELT              | 8820-1510   | 105                |
| 6 X 56 RE BELT | 8820-1314   | 56                 | 6 X 81 RE BELT               | 8820-1414   | 81                 | 6 X 106 RE BELT              | 8820-1514   | 106                |
| 6 X 57 RE BELT | 8820-1318   | 57                 | 6 X 82 RE BELT               | 8820-1418   | 82                 | 6 X 107 RE BELT              | 8820-1518   | 107                |
| 6 X 58 RE BELT | 8820-1322   | 58                 | 6 X 83 RE BELT               | 8820-1422   | 83                 | 6 X 108 RE BELT              | 8820-1522   | 108                |
| 6 X 59 RE BELT | 8820-1326   | 59                 | 6 X 84 RE BELT               | 8820-1426   | 84                 | 6 X 109 RE BELT              | 8820-1526   | 109                |
| 6 X 60 RE BELT | 8820-1330   | 60                 | 6 X 85 RE BELT               | 8820-1430   | 85                 | 6 X 110 RE BELT              | 8820-1530   | 110                |
| 6 X 61 RE BELT | 8820-1334   | 61                 | 6 X 86 RE BELT               | 8820-1434   | 86                 | 6 X 111 RE BELT              | 8820-1534   | 111                |
| 6 X 62 RE BELT | 8820-1338   | 62                 | 6 X 87 RE BELT               | 8820-1438   | 87                 | 6 X 112 RE BELT              | 8820-1538   | 112                |
| 6 X 63 RE BELT | 8820-1342   | 63                 | 6 X 88 RE BELT               | 8820-1442   | 88                 | 6 X 113 RE BELT              | 8820-1542   | 113                |
| 6 X 64 RE BELT | 8820-1346   | 64                 | 6 X 89 RE BELT               | 8820-1446   | 89                 | 6 X 114 RE BELT              | 8820-1546   | 114                |
| 6 X 65 RE BELT | 8820-1350   | 65                 | 6 X 90 RE BELT               | 8820-1460   | 90                 | 6 X 115 RE BELT              | 8820-1550   | 115                |
| 6 X 66 RE BELT | 8820-1354   | 66                 | 6 X 91 RE BELT               | 8820-1454   | 91                 | 6 X 116 RE BELT              | 8820-1554   | 116                |
| 6 X 67 RE BELT | 8820-1358   | 67                 | 6 X 92 RE BELT               | 8820-1458   | 92                 | 6 X 117 RE BELT              | 8820-1558   | 117                |
| 6 X 68 RE BELT | 8820-1362   | 68                 | 6 X 93 RE BELT               | 8820-1462   | 93                 | 6 X 118 RE BELT              | 8820-1562   | 118                |
| 6 X 69 RE BELT | 8820-1366   | 69                 | 6 X 94 RE BELT               | 8820-1466   | 94                 | 6 X 119 RE BELT              | 8820-1566   | 119                |
| 6 X 70 RE BELT | 8820-1370   | 70                 | 6 X 95 RE BELT               | 8820-1470   | 95                 | 6 X 120 RE BELT              | 8820-1570   | 120                |
| 6 X 71 RE BELT | 8820-1374   | 71                 | <sup>16</sup> 6 X 96 RE BELT | 8820-1474   | 96                 |                              |             |                    |

### 7/16" Diameter

Minimum order quantity for 7/16" Round Endless Belts is 115 belts per size +/- 10%.

| Part No.                     | Product No. | Inside Length (in) | Part No.                         | Product No. | Inside Length (in) | Part No.        | Product No. | Inside Length (in) |
|------------------------------|-------------|--------------------|----------------------------------|-------------|--------------------|-----------------|-------------|--------------------|
| 7 X 33 RE BELT               | 8820-1831   | 33                 | 7 X 57 RE BELT                   | 8820-1927   | 57                 | 7 X 84 RE BELT  | 8820-2035   | 84                 |
| <sup>16</sup> 7 X 34 RE BELT | 8820-1835   | 34                 | 7 X 58 RE BELT                   | 8820-1931   | 58                 | 7 X 85 RE BELT  | 8820-2039   | 85                 |
| 7 X 35 RE BELT               | 8820-1839   | 35                 | 7 X 61 RE BELT                   | 8820-1943   | 61                 | 7 X 86 RE BELT  | 8820-2043   | 86                 |
| <sup>16</sup> 7 X 36 RE BELT | 8820-1843   | 36                 | 7 X 62 RE BELT                   | 8820-1947   | 62                 | 7 X 87 RE BELT  | 8820-2047   | 87                 |
| 7 X 37 RE BELT               | 8820-1847   | 37                 | 7 X 65 RE BELT                   | 8820-1959   | 65                 | 7 X 88 RE BELT  | 8820-2051   | 88                 |
| 7 X 38 RE BELT               | 8820-1851   | 38                 | 7 X 66 RE BELT                   | 8820-1963   | 66                 | 7 X 89 RE BELT  | 8820-2055   | 89                 |
| 7 X 39 RE BELT               | 8820-1859   | 39                 | 7 X 67 RE BELT                   | 8820-1967   | 67                 | 7 X 90 RE BELT  | 8820-2059   | 90                 |
| 7 X 40 RE BELT               | 8820-1841   | 40                 | 7 X 68 RE BELT                   | 8820-1971   | 68                 | 7 X 91 RE BELT  | 8820-2063   | 91                 |
| 7 X 41 RE BELT               | 8820-1863   | 41                 | 7 X 69 RE BELT                   | 8820-1975   | 69                 | 7 X 92 RE BELT  | 8820-2067   | 92                 |
| 7 X 42 RE BELT               | 8820-1867   | 42                 | 7 X 70 RE BELT                   | 8820-1979   | 70                 | 7 X 93 RE BELT  | 8820-2071   | 93                 |
| 7 X 43 RE BELT               | 8820-1871   | 43                 | 7 X 71 RE BELT                   | 8820-1983   | 71                 | 7 X 94 RE BELT  | 8820-2075   | 94                 |
| 7 X 44 RE BELT               | 8820-1875   | 44                 | 7 X 72 RE BELT                   | 8820-1987   | 72                 | 7 X 95 RE BELT  | 8820-2079   | 95                 |
| 7 X 45 RE BELT               | 8820-1879   | 45                 | 7 X 73 RE BELT                   | 8820-1991   | 73                 | 7 X 96 RE BELT  | 8820-2083   | 96                 |
| 7 X 46 RE BELT               | 8820-1883   | 46                 | 7 X 74 RE BELT                   | 8820-1995   | 74                 | 7 X 97 RE BELT  | 8820-2087   | 97                 |
| 7 X 47 RE BELT               | 8820-1887   | 47                 | 7 X 75 RE BELT                   | 8820-1999   | 75                 | 7 X 98 RE BELT  | 8820-2091   | 98                 |
| 7 X 48 RE BELT               | 8820-1891   | 48                 | 7 X 76 RE BELT                   | 8820-2003   | 76                 | 7 X 99 RE BELT  | 8820-2095   | 99                 |
| 7 X 49 RE BELT               | 8820-1895   | 49                 | 7 X 77 RE BELT                   | 8820-2007   | 77                 | 7 X 100 RE BELT | 8820-2099   | 100                |
| 7 X 50 RE BELT               | 8820-1899   | 50                 | <sup>16</sup> 7 X 77 1/4 RE BELT | 8820-2008   | 77 1/4             | 7 X 101 RE BELT | 8820-2103   | 101                |
| 7 X 51 RE BELT               | 8820-1903   | 51                 | 7 X 78 RE BELT                   | 8820-2011   | 78                 | 7 X 102 RE BELT | 8820-2107   | 102                |
| 7 X 52 RE BELT               | 8820-1907   | 52                 | 7 X 79 RE BELT                   | 8820-2015   | 79                 | 7 X 103 RE BELT | 8820-2111   | 103                |
| 7 X 53 RE BELT               | 8820-1911   | 53                 | 7 X 80 RE BELT                   | 8820-2019   | 80                 | 7 X 104 RE BELT | 8820-2115   | 104                |
| 7 X 54 RE BELT               | 8820-1915   | 54                 | 7 X 81 RE BELT                   | 8820-2023   | 81                 | 7 X 105 RE BELT | 8820-2119   | 105                |
| 7 X 55 RE BELT               | 8820-1919   | 55                 | 7 X 82 RE BELT                   | 8820-2027   | 82                 | 7 X 106 RE BELT | 8820-2123   | 106                |
| 7 X 56 RE BELT               | 8820-1923   | 56                 | 7 X 83 RE BELT                   | 8820-2031   | 83                 |                 |             |                    |

<sup>16</sup> Stocked and minimum order quantities are not required. All others are Made-To-Order and lead times and minimum production quantities may apply. Contact Customer Service for availability.



# Round Endless Belts

**Product No. Series 8820 (continued)**

Minimum order quantity for 1/2" Round Endless Belts is 95 belts per size +/- 10%.

## 1/2" Diameter

| Part No.       | Product No. | Inside Length (in) | Part No.       | Product No. | Inside Length (in) | Part No.        | Product No. | Inside Length (in) |
|----------------|-------------|--------------------|----------------|-------------|--------------------|-----------------|-------------|--------------------|
| 8 X 68 RE BELT | 8820-2745   | 68                 | 8 X 81 RE BELT | 8820-2797   | 81                 | 8 X 94 RE BELT  | 8820-2849   | 94                 |
| 8 X 69 RE BELT | 8820-2749   | 69                 | 8 X 82 RE BELT | 8820-2801   | 82                 | 8 X 95 RE BELT  | 8820-2853   | 95                 |
| 8 X 70 RE BELT | 8820-2753   | 70                 | 8 X 83 RE BELT | 8820-2805   | 83                 | 8 X 96 RE BELT  | 8820-2857   | 96                 |
| 8 X 71 RE BELT | 8820-2757   | 71                 | 8 X 84 RE BELT | 8820-2809   | 84                 | 8 X 97 RE BELT  | 8820-2861   | 97                 |
| 8 X 72 RE BELT | 8820-2761   | 72                 | 8 X 85 RE BELT | 8820-2813   | 85                 | 8 X 98 RE BELT  | 8820-2865   | 98                 |
| 8 X 73 RE BELT | 8820-2765   | 73                 | 8 X 86 RE BELT | 8820-2817   | 86                 | 8 X 99 RE BELT  | 8820-2869   | 99                 |
| 8 X 74 RE BELT | 8820-2769   | 74                 | 8 X 87 RE BELT | 8820-2821   | 87                 | 8 X 100 RE BELT | 8820-2873   | 100                |
| 8 X 75 RE BELT | 8820-2773   | 75                 | 8 X 88 RE BELT | 8820-2825   | 88                 | 8 X 101 RE BELT | 8820-2877   | 101                |
| 8 X 76 RE BELT | 8820-2777   | 76                 | 8 X 89 RE BELT | 8820-2829   | 89                 | 8 X 102 RE BELT | 8820-2881   | 102                |
| 8 X 77 RE BELT | 8820-2781   | 77                 | 8 X 90 RE BELT | 8820-2833   | 90                 | 8 X 103 RE BELT | 8820-2885   | 103                |
| 8 X 78 RE BELT | 8820-2785   | 78                 | 8 X 91 RE BELT | 8820-2837   | 91                 | 8 X 104 RE BELT | 8820-2889   | 104                |
| 8 X 79 RE BELT | 8820-2789   | 79                 | 8 X 92 RE BELT | 8820-2841   | 92                 | 8 X 105 RE BELT | 8820-2893   | 105                |
| 8 X 80 RE BELT | 8820-2793   | 80                 | 8 X 93 RE BELT | 8820-2845   | 93                 | 8 X 106 RE BELT | 8820-2897   | 106                |

## 9/16" Diameter

Minimum order quantity for 9/16" Round Endless Belts is 87 belts per size +/- 10%.

| Part No.                         | Product No. | Inside Length (in) | Part No.                     | Product No. | Inside Length (in) | Part No.                          | Product No. | Inside Length (in) |
|----------------------------------|-------------|--------------------|------------------------------|-------------|--------------------|-----------------------------------|-------------|--------------------|
| <sup>16</sup> 9 X 41 3/8 RE BELT | 8820-3217   | 41 3/8             | 9 X 80 RE BELT               | 8820-3332   | 80                 | <sup>16</sup> 9 X 112 RE BELT     | 8820-3428   | 112                |
| 9 X 49 RE BELT                   | 8820-3239   | 49                 | 9 X 81 RE BELT               | 8820-3335   | 81                 | 9 X 113 RE BELT                   | 8820-3429   | 113                |
| 9 X 50 RE BELT                   | 8820-3242   | 50                 | 9 X 82 RE BELT               | 8820-3338   | 82                 | 9 X 114 RE BELT                   | 8820-3434   | 114                |
| 9 X 51 RE BELT                   | 8820-3245   | 51                 | 9 X 83 RE BELT               | 8820-3341   | 83                 | 9 X 115 RE BELT                   | 8820-3437   | 115                |
| 9 X 52 RE BELT                   | 8820-3248   | 52                 | 9 X 84 RE BELT               | 8820-3344   | 84                 | 9 X 116 RE BELT                   | 8820-3440   | 116                |
| 9 X 53 RE BELT                   | 8820-3251   | 53                 | 9 X 85 RE BELT               | 8820-3347   | 85                 | 9 X 118 RE BELT                   | 8820-3446   | 118                |
| <sup>16</sup> 9 X 54 RE BELT     | 8820-3254   | 54                 | 9 X 86 RE BELT               | 8820-3350   | 86                 | 9 X 119 RE BELT                   | 8820-3449   | 119                |
| 9 X 55 RE BELT                   | 8820-3257   | 55                 | 9 X 87 RE BELT               | 8820-3353   | 87                 | <sup>16</sup> 9 X 120 RE BELT     | 8820-3452   | 120                |
| 9 X 56 RE BELT                   | 8820-3260   | 56                 | 9 X 88 RE BELT               | 8820-3356   | 88                 | <sup>16</sup> 9 X 128 RE BELT     | 8820-3488   | 128                |
| 9 X 57 RE BELT                   | 8820-3263   | 57                 | 9 X 89 RE BELT               | 8820-3359   | 89                 | <sup>16</sup> 9 X 129 3/4 RE BELT | 8820-3439   | 129 3/4            |
| 9 X 58 RE BELT                   | 8820-3266   | 58                 | <sup>16</sup> 9 X 90 RE BELT | 8820-3362   | 90                 | <sup>16</sup> 9 X 135 RE BELT     | 8820-3489   | 135                |
| 9 X 59 RE BELT                   | 8820-3269   | 59                 | 9 X 91 RE BELT               | 8820-3365   | 91                 | <sup>16</sup> 9 X 144 RE BELT     | 8820-3458   | 144                |
| 9 X 60 RE BELT                   | 8820-3272   | 60                 | 9 X 92 RE BELT               | 8820-3368   | 92                 | <sup>16</sup> 9 X 148 RE BELT     | 8820-3490   | 148                |
| 9 X 61 RE BELT                   | 8820-3275   | 61                 | 9 X 93 RE BELT               | 8820-3371   | 93                 | <sup>16</sup> 9 X 155 RE BELT     | 8820-3460   | 155                |
| 9 X 62 RE BELT                   | 8820-3278   | 62                 | 9 X 94 RE BELT               | 8820-3374   | 94                 | <sup>16</sup> 9 X 166 RE BELT     | 8820-3491   | 166                |
| 9 X 63 RE BELT                   | 8820-3281   | 63                 | 9 X 95 RE BELT               | 8820-3377   | 95                 | <sup>16</sup> 9 X 172 RE BELT     | 8820-4281   | 172                |
| 9 X 64 RE BELT                   | 8820-3284   | 64                 | 9 X 96 RE BELT               | 8820-3380   | 96                 | <sup>16</sup> 9 X 176 RE BELT     | 8820-3492   | 176                |
| 9 X 65 RE BELT                   | 8820-3287   | 65                 | 9 X 97 RE BELT               | 8820-3383   | 97                 | <sup>16</sup> 9 X 190 RE BELT     | 8820-3493   | 190                |
| 9 X 66 RE BELT                   | 8820-3290   | 66                 | 9 X 98 RE BELT               | 8820-3386   | 98                 | <sup>16</sup> 9 X 200 RE BELT     | 8820-3469   | 200                |
| 9 X 67 RE BELT                   | 8820-3293   | 67                 | 9 X 99 RE BELT               | 8820-3389   | 99                 | <sup>16</sup> 9 X 210 RE BELT     | 8820-3486   | 210                |
| 9 X 68 RE BELT                   | 8820-3296   | 68                 | 9 X 100 RE BELT              | 8820-3392   | 100                | <sup>16</sup> 9 X 233 RE BELT     | 8820-3470   | 233                |
| 9 X 69 RE BELT                   | 8820-3299   | 69                 | 9 X 101 RE BELT              | 8820-3395   | 101                | <sup>16</sup> 9 X 250 RE BELT     | 8820-3494   | 250                |
| 9 X 70 RE BELT                   | 8820-3302   | 70                 | 9 X 102 RE BELT              | 8820-3398   | 102                | <sup>16</sup> 9 X 270 RE BELT     | 8820-3471   | 270                |
| 9 X 71 RE BELT                   | 8820-3305   | 71                 | 9 X 103 RE BELT              | 8820-3401   | 103                | <sup>16</sup> 9 X 308 RE BELT     | 8820-3472   | 308                |
| 9 X 72 RE BELT                   | 8820-3308   | 72                 | 9 X 104 RE BELT              | 8820-3404   | 104                | <sup>16</sup> 9 X 331 RE BELT     | 8820-3473   | 331                |
| 9 X 73 RE BELT                   | 8820-3311   | 73                 | 9 X 105 RE BELT              | 8820-3407   | 105                | <sup>16</sup> 9 X 345 RE BELT     | 8820-3495   | 345                |
| 9 X 74 RE BELT                   | 8820-3314   | 74                 | 9 X 106 RE BELT              | 8820-3485   | 106                | <sup>16</sup> 9 X 386 RE BELT     | 8820-3474   | 386                |
| 9 X 75 RE BELT                   | 8820-3317   | 75                 | 9 X 107 RE BELT              | 8820-3413   | 107                | <sup>16</sup> 9 X 416 RE BELT     | 8820-3475   | 416                |
| 9 X 76 RE BELT                   | 8820-3320   | 76                 | 9 X 108 RE BELT              | 8820-3416   | 108                | <sup>16</sup> 9 X 447 RE BELT     | 8820-3484   | 447                |
| 9 X 77 RE BELT                   | 8820-3323   | 77                 | 9 X 109 RE BELT              | 8820-3419   | 109                | <sup>16</sup> 9 X 465 RE BELT     | 8820-3476   | 465                |
| 9 X 78 RE BELT                   | 8820-3326   | 78                 | 9 X 110 RE BELT              | 8820-3422   | 110                | <sup>16</sup> 9 X 564 RE BELT     | 8820-3477   | 564                |
| 9 X 79 RE BELT                   | 8820-3329   | 79                 | 9 X 111 RE BELT              | 8820-3425   | 111                | <sup>16</sup> 9 X 660 RE BELT     | 8820-3478   | 660                |

SPECIALTY BELTS

<sup>16</sup> Stocked and minimum order quantities are not required. All others are Made-To-Order and lead times and minimum production quantities may apply. Contact Customer Service for availability.



# Multi-Speed Belts

## Recommended Sheaves

Contact the Gates Made-To-Order Metals Team.

### Notes

HV in the part number denotes Heavy Construction, which has a thickness of .700+.

### Product No. Series 9800, 9804 & 9833

| Part No.              | Product No. | O.C. (in) | Top Width (in) | Angle | Weight (Lbs.) | Part No.              | Product No. | O.C. (in) | Top Width (in) | Angle | Weight (Lbs.) |
|-----------------------|-------------|-----------|----------------|-------|---------------|-----------------------|-------------|-----------|----------------|-------|---------------|
| 1228V255              | 9804-0729   | 26.10     | 3/4            | 28    | .450          | 1632V210              | 9804-0323   | 21.90     | 1              | 32    | .460          |
| <sup>4</sup> 1230V341 | 9804-0814   | 34.60     | 3/4            | 30    | .570          | 1822V290              | 9804-0648   | 29.50     | 1 1/8          | 22    | .670          |
| 1230V348              | 9804-0815   | 35.30     | 3/4            | 30    | .580          | 1822V328              | 9804-0651   | 33.50     | 1 1/8          | 22    | .780          |
| 1330V242              | 9804-0447   | 24.70     | 13/16          | 30    | .550          | 1826V250              | 9804-0592   | 25.40     | 1 1/8          | 26    | .550          |
| 1422V235              | 9804-0816   | 24.00     | 7/8            | 22    | .440          | 1828V368              | 9804-0284   | 37.60     | 1 1/8          | 28    | .900          |
| 1422V240              | 9804-0495   | 24.70     | 7/8            | 22    | .455          | 1832V338              | 9804-0777   | 34.40     | 1 1/8          | 32    | .800          |
| 1422V270              | 9804-0494   | 27.70     | 7/8            | 22    | .490          | 1922V256              | 9804-0253   | 26.40     | 1 3/16         | 22    | .670          |
| 1422V290              | 9804-0584   | 29.60     | 7/8            | 22    | .510          | 1922V277              | 9804-0611   | 28.20     | 1 3/16         | 22    | .700          |
| 1422V300              | 9804-0493   | 30.70     | 7/8            | 22    | .530          | 1922V282              | 9804-0060   | 29.00     | 1 3/16         | 22    | .730          |
| 1422V330              | 9804-0492   | 33.70     | 7/8            | 22    | .570          | 1922V298              | 9804-0500   | 30.60     | 1 3/16         | 22    | .760          |
| 1422V340              | 9804-0708   | 34.60     | 7/8            | 22    | .580          | 1922V302              | 9804-0778   | 30.80     | 1 3/16         | 22    | .780          |
| 1422V360              | 9804-0328   | 36.70     | 7/8            | 22    | .600          | 1922V321              | 9804-0070   | 33.00     | 1 3/16         | 22    | .830          |
| 1422V400              | 9804-0348   | 40.80     | 7/8            | 22    | .650          | 1922V332              | 9804-0713   | 34.00     | 1 3/16         | 22    | .850          |
| 1422V420              | 9804-0329   | 42.80     | 7/8            | 22    | .680          | 1922V338              | 9804-0501   | 34.70     | 1 3/16         | 22    | .850          |
| 1422V440              | 9804-0817   | 44.50     | 7/8            | 22    | .700          | 1922V363              | 9804-0027   | 37.10     | 1 3/16         | 22    | .930          |
| 1422V460              | 9804-0768   | 46.50     | 7/8            | 22    | .720          | 1922V381              | 9804-0307   | 38.80     | 1 3/16         | 22    | .950          |
| 1422V466              | 9804-0325   | 47.00     | 7/8            | 22    | .730          | 1922V386              | 9804-0071   | 39.30     | 1 3/16         | 22    | .970          |
| 1422V470              | 9804-0818   | 47.50     | 7/8            | 22    | .740          | 1922V403              | 9804-0530   | 41.40     | 1 3/16         | 22    | 1.000         |
| 1422V480              | 9804-0337   | 48.70     | 7/8            | 22    | .750          | 1922V417              | 9804-0376   | 42.50     | 1 3/16         | 22    | 1.050         |
| 1422V540              | 9804-0331   | 54.80     | 7/8            | 22    | .820          | 1922V426              | 9804-0063   | 43.40     | 1 3/16         | 22    | 1.080         |
| 1422V600              | 9804-0332   | 60.70     | 7/8            | 22    | .900          | 1922V443              | 9804-0072   | 45.10     | 1 3/16         | 22    | 1.100         |
| 1422V660              | 9804-0333   | 66.70     | 7/8            | 22    | .960          | 1922V454              | 9804-0028   | 46.20     | 1 3/16         | 22    | 1.120         |
| 1422V780              | 9804-0339   | 78.70     | 7/8            | 22    | 1.120         | 1922V460              | 9804-0622   | 46.80     | 1 3/16         | 22    | 1.140         |
| 1426V299              | 9804-0656   | 30.50     | 7/8            | 26    | .660          | 1922V484              | 9804-0057   | 49.20     | 1 3/16         | 22    | 1.200         |
| 1426V328              | 9804-0636   | 33.30     | 7/8            | 26    | .700          | 1922V526              | 9804-0602   | 53.30     | 1 3/16         | 22    | 1.280         |
| 1426V362              | 9804-0635   | 36.70     | 7/8            | 26    | .740          | 1922V544              | 9804-0029   | 55.10     | 1 3/16         | 22    | 1.340         |
| 1430V215              | 9804-0702   | 21.80     | 7/8            | 30    | .450          | 1922V604              | 9804-0026   | 61.20     | 1 3/16         | 22    | 1.500         |
| 1430V315              | 9804-0819   | 32.00     | 7/8            | 30    | .600          | 1922V630              | 9804-0779   | 63.60     | 1 3/16         | 22    | 1.550         |
| 1430V375              | 9804-0820   | 38.00     | 7/8            | 30    | .700          | 1922V646              | 9804-0074   | 65.40     | 1 3/16         | 22    | 1.570         |
| 1526V264              | 9804-0505   | 27.00     | 15/16          | 26    | .540          | 1922V666              | 9804-0075   | 67.40     | 1 3/16         | 22    | 1.600         |
| 1526V294              | 9804-0506   | 30.00     | 15/16          | 26    | .590          | 1922V686              | 9804-0603   | 69.30     | 1 3/16         | 22    | 1.650         |
| 1528V298              | 9804-0769   | 30.30     | 15/16          | 28    | .600          | 1922V706              | 9804-0569   | 71.30     | 1 3/16         | 22    | 1.700         |
| 1528V326              | 9804-0770   | 33.10     | 15/16          | 28    | .640          | 1922V756              | 9804-0179   | 76.40     | 1 3/16         | 22    | 1.840         |
| 1528V360              | 9804-0771   | 36.50     | 15/16          | 28    | .700          | 1922V806              | 9804-0674   | 81.30     | 1 3/16         | 22    | 1.920         |
| 1528V414              | 9804-0772   | 41.90     | 15/16          | 28    | .790          | 1922V846              | 9804-0716   | 85.40     | 1 3/16         | 22    | 2.020         |
| 1622V270              | 9804-0822   | 27.50     | 1              | 22    | .600          | 1926V249              | 9804-0621   | 25.30     | 1 3/16         | 26    | .680          |
| 1622V297              | 9804-0823   | 30.20     | 1              | 22    | .620          | 1926V250              | 9804-0633   | 25.70     | 1 3/16         | 26    | .690          |
| 1622V307              | 9804-0571   | 31.10     | 1              | 22    | .635          | 1926V275              | 9804-0688   | 28.10     | 1 3/16         | 26    | .730          |
| 1622V520              | 9804-0572   | 52.50     | 1              | 22    | .820          | 1926V333              | 9804-0255   | 33.90     | 1 3/16         | 26    | .840          |
| 1626V262              | 9804-0773   | 26.70     | 1              | 26    | .600          | 1926V367              | 9804-0050   | 37.20     | 1 3/16         | 26    | .920          |
| 1626V290              | 9804-0536   | 29.80     | 1              | 26    | .650          | 1926V376              | 9804-0624   | 38.80     | 1 3/16         | 26    | .940          |
| 1626V304              | 9804-0305   | 31.10     | 1              | 26    | .700          | 1926V380              | 9804-0509   | 38.90     | 1 3/16         | 26    | .950          |
| 1626V330              | 9804-0293   | 33.80     | 1              | 26    | .740          | 1926V390              | 9804-0780   | 39.60     | 1 3/16         | 26    | .960          |
| 1626V339              | 9804-0248   | 34.70     | 1              | 26    | .750          | 1926V407              | 9804-0256   | 41.40     | 1 3/16         | 26    | 1.000         |
| 1626V380              | 9804-0774   | 38.50     | 1              | 26    | .840          | 1926V415              | 9804-0826   | 42.10     | 1 3/16         | 26    | 1.020         |
| 1626V384              | 9804-0308   | 39.20     | 1              | 26    | .850          | 1926V427              | 9804-0827   | 43.30     | 1 3/16         | 26    | 1.040         |
| 1626V395              | 9804-0618   | 40.30     | 1              | 26    | .860          | 1926V507              | 9804-0508   | 51.40     | 1 3/16         | 26    | 1.200         |
| 1626V411              | 9804-0537   | 41.90     | 1              | 26    | .900          | 1926V542              | 9804-0638   | 55.40     | 1 3/16         | 26    | 1.270         |
| 1626V428              | 9804-0775   | 43.30     | 1              | 26    | .930          | 1930V355              | 9804-0828   | 36.10     | 1 3/16         | 30    | .900          |
| 1626V440              | 9804-0291   | 44.70     | 1              | 26    | .960          | 1930V366              | 9804-0781   | 37.20     | 1 3/16         | 30    | .930          |
| 1626V455              | 9804-0617   | 46.20     | 1              | 26    | .980          | 1930V375              | 9804-0782   | 38.10     | 1 3/16         | 30    | .940          |
| 1626V513              | 9804-0776   | 51.80     | 1              | 26    | 1.100         | 1930V400              | 9804-0144   | 40.70     | 1 3/16         | 30    | 1.000         |
| 1626V517              | 9804-0249   | 52.10     | 1              | 26    | 1.130         | 1930V425              | 9804-0790   | 43.10     | 1 3/16         | 30    | 1.040         |
| 1626V597              | 9804-0393   | 60.60     | 1              | 26    | 1.270         | 1930V431              | 9804-0709   | 44.00     | 1 3/16         | 30    | 1.060         |
| 1626V604              | 9804-0306   | 61.20     | 1              | 26    | 1.300         | 1930V450              | 9804-0829   | 45.60     | 1 3/16         | 30    | 1.080         |
| 1628V210              | 9804-0686   | 21.20     | 1              | 28    | .430          | <sup>4</sup> 1930V475 | 9804-0830   | 48.10     | 1 3/16         | 30    | 1.130         |
| 1628V315              | 9804-0313   | 32.70     | 1              | 28    | .750          | 1930V485              | 9804-0177   | 49.10     | 1 3/16         | 30    | 1.140         |

<sup>4</sup> Minimum production quantity may apply. Contact Customer Service for availability.



# Multi-Speed Belts

## Product No. Series 9800, 9804 & 9833 (continued)

| Part No.              | Product No. | O.C. (in) | Top Width (in) | Angle | Weight (Lbs.) | Part No.               | Product No. | O.C. (in) | Top Width (in) | Angle | Weight (Lbs.) |
|-----------------------|-------------|-----------|----------------|-------|---------------|------------------------|-------------|-----------|----------------|-------|---------------|
| 1930V491              | 9804-0710   | 50.00     | 1 3/16         | 30    | 1.160         | 2530V500               | 9800-0712   | 50.90     | 1 9/16         | 30    | 2.800         |
| <sup>4</sup> 1930V500 | 9804-0831   | 50.60     | 1 3/16         | 30    | 1.170         | 2530V530               | 9800-0654   | 54.00     | 1 9/16         | 30    | 2.850         |
| 1930V530              | 9804-0783   | 53.60     | 1 3/16         | 30    | 1.220         | 2530V550               | 9800-0436   | 56.00     | 1 9/16         | 30    | 2.950         |
| 1930V541              | 9804-0220   | 55.00     | 1 3/16         | 30    | 1.250         | 2530V575               | 9833-0730   | 58.50     | 1 9/16         | 30    | 3.050         |
| 1930V560              | 9804-0764   | 56.90     | 1 3/16         | 30    | 1.280         | 2530V595               | 9800-0166   | 60.70     | 1 9/16         | 30    | 3.100         |
| 1930V585              | 9804-0178   | 59.10     | 1 3/16         | 30    | 1.330         | 2530V610               | 9800-0437   | 62.00     | 1 9/16         | 30    | 3.150         |
| 1930V600              | 9804-0784   | 60.60     | 1 3/16         | 30    | 1.350         | 2530V618               | 9800-0260   | 62.50     | 1 9/16         | 30    | 3.200         |
| 1930V641              | 9804-0221   | 64.60     | 1 3/16         | 30    | 1.450         | 2530V630               | 9800-0164   | 64.20     | 1 9/16         | 30    | 3.250         |
| 1930V800              | 9804-0835   | —         | —              | —     | 1.720         | 2530V660               | 9800-0438   | 67.00     | 1 9/16         | 30    | 3.300         |
| 2026V422              | 9804-0394   | 43.00     | 1 1/4          | 26    | 1.000         | 2530V670               | 9800-0165   | 68.20     | 1 9/16         | 30    | 3.350         |
| 2026V445              | 9804-0520   | 45.20     | 1 1/4          | 26    | 1.020         | 2530V680               | 9804-0854   | 68.70     | 1 9/16         | 30    | 3.400         |
| 2026V474              | 9804-0574   | 48.20     | 1 1/4          | 26    | 1.060         | 2530V690               | 9800-0439   | 70.00     | 1 9/16         | 30    | 3.450         |
| 2026V607              | 9804-0395   | 61.50     | 1 1/4          | 26    | 1.260         | 2530V700               | 9800-0275   | 71.00     | 1 9/16         | 30    | 3.470         |
| 2030V381              | 9804-0640   | 38.50     | 1 1/4          | 30    | .940          | 2530V730               | 9800-0211   | 74.20     | 1 9/16         | 30    | 3.500         |
| <sup>4</sup> 2126V297 | 9804-0842   | 30.40     | 1 5/16         | 26    | .830          | 2530V740               | 9800-0683   | 75.00     | 1 9/16         | 30    | 3.550         |
| 2126V309              | 9804-0314   | 31.70     | 1 5/16         | 26    | .860          | 2530V750               | 9800-0180   | 76.20     | 1 9/16         | 30    | 3.600         |
| 2126V365              | 9804-0526   | 37.40     | 1 5/16         | 26    | .990          | 2530V790               | 9800-0214   | 80.00     | 1 9/16         | 30    | 3.750         |
| 2126V468              | 9804-0721   | 47.70     | 1 5/16         | 26    | 1.250         | 2530V840               | 9800-0215   | 85.00     | 1 9/16         | 30    | 3.900         |
| 2130V374              | 9804-0749   | 38.00     | 1 5/16         | 30    | 1.020         | 2530V890               | 9800-0216   | 90.00     | 1 9/16         | 30    | 4.100         |
| 2226V307              | 9804-0677   | 31.20     | 1 3/8          | 26    | .850          | 2530V934               | 9800-0163   | 94.40     | 1 9/16         | 30    | 4.200         |
| 2230V266              | 9804-0615   | 27.50     | 1 3/8          | 30    | .750          | 2530V990               | 9800-0217   | 100.00    | 1 9/16         | 30    | 4.400         |
| 2230V273              | 9804-0786   | 27.90     | 1 3/8          | 30    | .760          | 2530V1090              | 9800-0218   | 110.00    | 1 9/16         | 30    | 4.700         |
| 2230V275              | 9804-0358   | 28.10     | 1 3/8          | 30    | .770          | <sup>4</sup> 2530V1190 | 9800-0219   | 119.70    | 1 9/16         | 30    | 5.050         |
| 2230V326              | 9804-0725   | 33.50     | 1 3/8          | 30    | .930          | 2530V1290              | 9800-0207   | 130.00    | 1 9/16         | 30    | 5.350         |
| 2230V375              | 9804-0678   | 38.20     | 1 3/8          | 30    | 1.070         | 2530V1490              | 9800-0904   | 150.00    | 1 9/16         | 30    | 6.000         |
| 2322V329              | 9804-0679   | 33.40     | 1 7/16         | 22    | 1.050         | <sup>4</sup> 2530V1690 | 9800-0794   | 169.80    | 1 9/16         | 30    | 6.650         |
| 2322V347              | 9804-0680   | 35.20     | 1 7/16         | 22    | 1.070         | 2626V369               | 9800-0645   | 37.40     | 1 5/8          | 26    | 1.400         |
| 2322V364              | 9804-0058   | 37.20     | 1 7/16         | 22    | 1.110         | 2626V388               | 9800-0649   | 39.70     | 1 5/8          | 26    | 1.600         |
| 2322V396              | 9804-0547   | 40.60     | 1 7/16         | 22    | 1.200         | 2630V345               | 9800-0616   | 35.30     | 1 5/8          | 30    | 1.150         |
| 2322V421              | 9804-0076   | 42.90     | 1 7/16         | 22    | 1.270         | 2630V395               | 9804-0858   | 40.20     | 1 5/8          | 30    | 1.680         |
| 2322V434              | 9804-0681   | 44.20     | 1 7/16         | 22    | 1.300         | 2636V332               | 9800-0360   | 34.00     | 1 5/8          | 36    | 1.000         |
| 2322V441              | 9804-0127   | 45.10     | 1 7/16         | 22    | 1.350         | 2822V778               | 9800-0017   | 79.50     | 1 3/4          | 22    | 3.000         |
| 2322V461              | 9804-0726   | 47.00     | 1 7/16         | 22    | 1.400         | 2826V412               | 9800-0646   | 41.90     | 1 3/4          | 26    | 1.550         |
| 2322V481              | 9804-0053   | 49.20     | 1 7/16         | 22    | 1.450         | 2826V452               | 9800-0650   | 46.00     | 1 3/4          | 26    | 1.700         |
| 2322V521              | 9804-0044   | 52.80     | 1 7/16         | 22    | 1.550         | 2830V337               | 9800-0691   | 34.80     | 1 3/4          | 30    | 1.240         |
| 2322V541              | 9804-0059   | 55.10     | 1 7/16         | 22    | 1.600         | 2830V363               | 9833-0662   | 36.80     | 1 3/4          | 30    | 1.340         |
| 2322V601              | 9804-0025   | 61.20     | 1 7/16         | 22    | 1.750         | 2830V366               | 9833-0434   | 37.20     | 1 3/4          | 30    | 1.330         |
| 2322V621              | 9804-0734   | 63.00     | 1 7/16         | 22    | 1.850         | 2830V367               | 9800-0916   | 37.90     | 1 3/4          | 30    | 1.370         |
| 2322V661              | 9804-0078   | 67.40     | 1 7/16         | 22    | 1.940         | 2830V393               | 9800-0664   | 39.90     | 1 3/4          | 30    | 1.460         |
| 2322V681              | 9804-0073   | 68.80     | 1 7/16         | 22    | 2.000         | 2830V396               | 9833-0435   | 40.30     | 1 3/4          | 30    | 1.480         |
| 2322V701              | 9804-0162   | 71.40     | 1 7/16         | 22    | 2.060         | 2830V422               | 9800-0665   | 42.70     | 1 3/4          | 30    | 1.560         |
| 2322V721              | 9804-0062   | 73.40     | 1 7/16         | 22    | 2.110         | 2830V428               | 9804-0859   | 43.60     | 1 3/4          | 30    | 1.600         |
| 2322V801              | 9804-0079   | 81.40     | 1 7/16         | 22    | 2.350         | 2836V343               | 9800-0120   | 35.10     | 1 3/4          | 36    | 1.270         |
| 2326V310              | 9804-0706   | 31.80     | 1 7/16         | 26    | .920          | 2836V350               | 9800-0324   | 35.80     | 1 3/4          | 36    | 1.300         |
| 2326V359              | 9804-0789   | 36.60     | 1 7/16         | 26    | 1.100         | 2836V380               | 9800-0367   | 38.80     | 1 3/4          | 36    | 1.400         |
| 2330V273              | 9804-0619   | 27.90     | 1 7/16         | 30    | .800          | 2926V366               | 9804-0081   | 37.50     | 1 13/16        | 26    | 2.030         |
| 2330V338              | 9800-0728   | 34.60     | 1 7/16         | 30    | .970          | 2926V400               | 9804-0759   | 40.80     | 1 13/16        | 26    | 2.200         |
| 2330V359              | 9804-0690   | 36.50     | 1 7/16         | 30    | 1.060         | 2926V426               | 9800-0258   | 43.50     | 1 13/16        | 26    | 2.300         |
| 2332V373              | 9804-0479   | 38.00     | 1 7/16         | 32    | 1.100         | 2926V471               | 9800-0082   | 48.00     | 1 13/16        | 26    | 2.450         |
| 2426V343              | 9800-0483   | 35.40     | 1 1/2          | 26    | 1.150         | 2926V477               | 9804-0762   | 48.50     | 1 13/16        | 26    | 2.500         |
| 2430V297              | 9804-0717   | 30.70     | 1 1/2          | 30    | 1.040         | 2926V486               | 9800-0083   | 49.20     | 1 13/16        | 26    | 2.550         |
| <sup>4</sup> 2430V302 | 9804-0845   | 30.90     | 1 1/2          | 30    | 1.050         | 2926V491               | 9800-0084   | 50.00     | 1 13/16        | 26    | 2.550         |
| 2430V345              | 9804-0847   | 35.20     | 1 1/2          | 30    | 1.170         | 2926V521               | 9800-0064   | 53.00     | 1 13/16        | 26    | 2.700         |
| 2430V379              | 9804-0848   | 38.60     | 1 1/2          | 30    | 1.270         | <sup>4</sup> 2926V534  | 9804-0861   | 54.20     | 1 13/16        | 26    | 2.750         |
| 2436V331              | 9804-0366   | 34.00     | 1 1/2          | 36    | 1.130         | 2926V546               | 9800-0067   | 55.50     | 1 13/16        | 26    | 2.800         |
| 2526V302              | 9800-0069   | 30.70     | 1 9/16         | 26    | 2.160         | 2926V574               | 9800-0085   | 58.30     | 1 13/16        | 26    | 2.900         |
| 2526V314              | 9800-0002   | 32.40     | 1 9/16         | 26    | 2.200         | 2926V586               | 9800-0068   | 59.50     | 1 13/16        | 26    | 2.950         |
| 2528V370              | 9804-0851   | 37.70     | 1 9/16         | 28    | 2.400         | 2926V606               | 9800-0015   | 61.50     | 1 13/16        | 26    | 3.050         |
| 2530V300              | 9800-0521   | 31.00     | 1 9/16         | 30    | 2.150         | 2926V616               | 9800-0149   | 63.30     | 1 13/16        | 26    | 3.100         |
| 2530V335              | 9804-0852   | 34.20     | 1 9/16         | 30    | 2.250         | 2926V636               | 9800-0086   | 64.40     | 1 13/16        | 26    | 3.180         |
| 2530V470              | 9804-0791   | 47.70     | 1 9/16         | 30    | 2.700         | 2926V646               | 9800-0087   | 65.50     | 1 13/16        | 26    | 3.200         |
| 2530V490              | 9800-0326   | 50.00     | 1 9/16         | 30    | 2.750         | 2926V666               | 9800-0088   | 67.50     | 1 13/16        | 26    | 3.320         |

<sup>4</sup> Minimum production quantity may apply. Contact Customer Service for availability.



# Multi-Speed Belts

## Product No. Series 9800, 9804 & 9833 (continued)

| Part No.              | Product No. | O.C. (in) | Top Width (in) | Angle | Weight (Lbs.) | Part No.               | Product No. | O.C. (in) | Top Width (in) | Angle | Weight (Lbs.) |
|-----------------------|-------------|-----------|----------------|-------|---------------|------------------------|-------------|-----------|----------------|-------|---------------|
| 2926V686              | 9800-0089   | 69.50     | 1 13/16        | 26    | 3.400         | 3326V478               | 9800-0628   | 48.50     | 2 1/16         | 26    | 2.400         |
| 2926V706              | 9800-0118   | 71.50     | 1 13/16        | 26    | 3.500         | 3430V424               | 9804-0877   | 43.30     | 2 1/8          | 30    | 2.350         |
| 2926V726              | 9800-0035   | 73.50     | 1 13/16        | 26    | 3.550         | 3430V476               | 9800-0878   | 48.80     | 2 1/8          | 30    | 2.650         |
| 2926V776              | 9800-0090   | 78.50     | 1 13/16        | 26    | 3.750         | 3432V450               | 9804-0880   | 45.80     | 2 1/8          | 32    | 2.520         |
| 2926V786              | 9800-0735   | 79.40     | 1 13/16        | 26    | 3.850         | 3432V456               | 9804-0797   | 46.50     | 2 1/8          | 32    | 2.550         |
| 2926V834              | 9800-0704   | 84.20     | 1 13/16        | 26    | 4.050         | 3432V480               | 9804-0881   | 48.80     | 2 1/8          | 32    | 2.670         |
| 2926V856              | 9800-0040   | 86.40     | 1 13/16        | 26    | 4.100         | 3432V484               | 9804-0798   | 49.30     | 2 1/8          | 32    | 2.700         |
| 2926V891              | 9804-0092   | 90.00     | 1 13/16        | 26    | 4.300         | 3432V528               | 9804-0882   | 53.40     | 2 1/8          | 32    | 2.920         |
| 2926V906              | 9800-0093   | 91.50     | 1 13/16        | 26    | 4.350         | 3432V534               | 9804-0799   | 54.30     | 2 1/8          | 32    | 2.970         |
| 2926V966              | 9800-0094   | 97.50     | 1 13/16        | 26    | 4.600         | 3436V404               | 9804-0364   | 41.30     | 2 1/8          | 36    | 2.270         |
| 2926V1006             | 9800-0095   | 101.50    | 1 13/16        | 26    | 4.750         | 3630V455               | 9804-0883   | 46.40     | 2 1/4          | 30    | 2.750         |
| 2926V1026             | 9800-0684   | 103.60    | 1 13/16        | 26    | 4.850         | 3636V479               | 9800-0361   | 48.80     | 2 1/4          | 36    | 3.300         |
| 2926V1086             | 9800-0685   | 109.60    | 1 13/16        | 26    | 5.100         | 3726V558               | 9800-0757   | 56.90     | 2 5/16         | 26    | 4.400         |
| 2930V348              | 9833-0727   | 35.50     | 1 13/16        | 26    | 1.950         | 3826V459               | 9804-0004   | 46.80     | 2 3/8          | 26    | 3.700         |
| 2930V492              | 9800-0590   | 50.00     | 1 13/16        | 26    | 2.560         | 3826V465               | 9800-0055   | 47.50     | 2 3/8          | 26    | 3.730         |
| 3028V386              | 9800-0529   | 39.40     | 1 7/8          | 28    | 1.710         | 3830V501               | 9800-0379   | 51.00     | 2 3/8          | 30    | 3.800         |
| <sup>4</sup> 3030V357 | 9800-0692   | 36.50     | 1 7/8          | 30    | 1.560         | 3830V510               | 9800-0689   | 52.00     | 2 3/8          | 30    | 3.820         |
| 3030V387              | 9800-0694   | 39.60     | 1 7/8          | 30    | 1.720         | 3830V517               | 9800-0614   | 52.70     | 2 3/8          | 30    | 3.850         |
| <sup>4</sup> 3036V351 | 9800-0310   | 36.00     | 1 7/8          | 36    | 1.530         | 3830V580               | 9800-0696   | 59.00     | 2 3/8          | 30    | 4.000         |
| 3226V392              | 9800-0670   | 39.80     | 2              | 26    | 2.050         | 3836V418               | 9800-0124   | 42.70     | 2 3/8          | 36    | 3.590         |
| 3226V400              | 9800-0012   | 41.10     | 2              | 26    | 2.100         | 3836V426               | 9800-0123   | 43.60     | 2 3/8          | 36    | 3.600         |
| 3226V433              | 9804-0581   | 44.10     | 2              | 26    | 2.200         | 4030V590               | 9804-0884   | 60.00     | 2 1/2          | 30    | 4.150         |
| 3226V439              | 9804-0864   | 44.70     | 2              | 26    | 2.250         | 4036V541               | 9800-0562   | 55.40     | 2 1/2          | 36    | 3.820         |
| 3226V450              | 9800-0695   | 45.80     | 2              | 26    | 2.300         | 4036V574               | 9800-0369   | 58.30     | 2 1/2          | 36    | 4.020         |
| 3226V465              | 9800-0400   | 47.40     | 2              | 26    | 2.350         | <sup>4</sup> 4230V503  | 9800-0637   | 51.40     | 2 5/8          | 30    | 4.350         |
| 3226V505              | 9800-0543   | 51.40     | 2              | 26    | 2.550         | 4230V556               | 9800-0601   | 56.80     | 2 5/8          | 30    | 4.450         |
| 3226V514              | 9800-0647   | 52.30     | 2              | 26    | 2.600         | 4230V605               | 9800-0489   | 61.00     | 2 5/8          | 30    | 4.600         |
| 3226V545              | 9800-0477   | 55.30     | 2              | 26    | 2.750         | 4234V998               | 9800-0143   | 100.90    | 2 5/8          | 34    | 5.500         |
| 3226V585              | 9800-0542   | 59.40     | 2              | 26    | 2.900         | 4330V521               | 9800-0594   | 53.20     | 2 11/16        | 30    | 4.650         |
| 3226V603              | 9800-0701   | 61.40     | 2              | 26    | 3.000         | 4430V510               | 9800-0513   | 52.00     | 2 3/4          | 30    | 4.200         |
| 3226V650              | 9804-0763   | 65.90     | 2              | 26    | 3.200         | 4430V530               | 9800-0736   | 54.00     | 2 3/4          | 30    | 4.300         |
| 3226V663              | 9800-0423   | 67.40     | 2              | 26    | 3.250         | 4430V548               | 9800-0463   | 55.00     | 2 3/4          | 30    | 4.500         |
| 3226V723              | 9800-0424   | 73.40     | 2              | 26    | 3.550         | 4430V555               | 9800-0132   | 56.50     | 2 3/4          | 30    | 4.500         |
| 3226V783              | 9800-0700   | 79.50     | 2              | 26    | 3.800         | 4430V560               | 9804-0886   | 57.00     | 2 3/4          | 30    | 4.630         |
| 3226V843              | 9800-0426   | 85.40     | 2              | 26    | 4.100         | <sup>4</sup> 4430V570  | 9804-0887   | 58.00     | 2 3/4          | 30    | 4.700         |
| 3226V903              | 9800-0427   | 91.40     | 2              | 26    | 4.350         | 4430V578               | 9800-0441   | 59.00     | 2 3/4          | 30    | 4.800         |
| 3226V963              | 9800-0428   | 97.40     | 2              | 26    | 4.600         | 4430V600               | 9804-0803   | 61.00     | 2 3/4          | 30    | 4.970         |
| 3226V1023             | 9800-0429   | 103.40    | 2              | 26    | 4.900         | 4430V610               | 9800-0111   | 62.00     | 2 3/4          | 30    | 5.070         |
| 3226V1083             | 9800-0430   | 109.40    | 2              | 26    | 5.200         | 4430V630               | 9800-0442   | 64.00     | 2 3/4          | 30    | 5.200         |
| 3230HV856             | 9800-0756   | 86.70     | 2              | 30    | 6.440         | 4430V652               | 9804-0888   | 66.20     | 2 3/4          | 30    | 5.500         |
| 3230HV931             | 9800-0755   | 94.20     | 2              | 30    | 5.900         | 4430V660               | 9800-0443   | 67.00     | 2 3/4          | 30    | 5.500         |
| 3230V419              | 9800-0653   | 42.70     | 2              | 30    | 2.000         | 4430V670               | 9800-0112   | 68.00     | 2 3/4          | 30    | 5.650         |
| 3230V481              | 9804-0866   | 48.90     | 2              | 30    | 2.300         | 4430V690               | 9800-0444   | 70.00     | 2 3/4          | 30    | 5.800         |
| <sup>4</sup> 3230V630 | 9804-0868   | 63.80     | 2              | 30    | 3.100         | 4430V700               | 9800-0150   | 71.00     | 2 3/4          | 30    | 5.800         |
| 3230V670              | 9804-0796   | 67.80     | 2              | 30    | 3.300         | 4430V730               | 9800-0065   | 74.00     | 2 3/4          | 30    | 6.200         |
| <sup>4</sup> 3230V850 | 9804-0873   | 85.80     | 2              | 30    | 4.200         | 4430V740               | 9800-0445   | 75.00     | 2 3/4          | 30    | 6.300         |
| 3236HV528             | 9800-0612   | 53.80     | 2              | 36    | 3.400         | 4430V760               | 9804-0806   | 77.00     | 2 3/4          | 30    | 6.400         |
| 3236HV553             | 9800-0604   | 56.30     | 2              | 36    | 3.600         | 4430V772               | 9833-0723   | 78.60     | 2 3/4          | 30    | 6.600         |
| 3236HV570             | 9800-0605   | 58.00     | 2              | 36    | 3.700         | 4430V790               | 9800-0113   | 80.00     | 2 3/4          | 30    | 6.800         |
| 3236HV585             | 9800-0606   | 59.50     | 2              | 36    | 3.850         | 4430V850               | 9800-0114   | 86.00     | 2 3/4          | 30    | 7.400         |
| 3236HV603             | 9800-0607   | 61.30     | 2              | 36    | 3.950         | 4430V910               | 9800-0115   | 92.00     | 2 3/4          | 30    | 7.800         |
| 3236HV613             | 9800-0347   | 62.20     | 2              | 36    | 4.000         | 4430V970               | 9800-0116   | 98.00     | 2 3/4          | 30    | 8.400         |
| 3236HV620             | 9800-0608   | 63.00     | 2              | 36    | 4.100         | 4430V1000              | 9800-0753   | 101.10    | 2 3/4          | 30    | 8.500         |
| 3236HV626             | 9800-0370   | 63.60     | 2              | 36    | 4.100         | 4430V1030              | 9800-0117   | 104.00    | 2 3/4          | 30    | 8.900         |
| 3236HV644             | 9800-0371   | 65.40     | 2              | 36    | 4.270         | 4430V1090              | 9800-0153   | 110.00    | 2 3/4          | 30    | 9.400         |
| 3236HV670             | 9800-0372   | 68.00     | 2              | 36    | 4.450         | 4430V1150              | 9800-0658   | 116.00    | 2 3/4          | 30    | 9.900         |
| 3236HV702             | 9800-0048   | 71.10     | 2              | 36    | 4.700         | 4430V1250              | 9800-0752   | 126.10    | 2 3/4          | 30    | 10.800        |
| 3236HV723             | 9800-0431   | 73.20     | 2              | 36    | 4.850         | 4430V1320              | 9800-0171   | 133.00    | 2 3/4          | 30    | 11.400        |
| 3236HV821             | 9800-0639   | 83.10     | 2              | 36    | 5.600         | 4430V1410              | 9800-0765   | 142.00    | 2 3/4          | 30    | 12.200        |
| 3236V369              | 9800-0122   | 37.70     | 2              | 36    | 1.800         | 4430V1460              | 9800-0766   | 147.00    | 2 3/4          | 30    | 12.600        |
| 3236V389              | 9800-0121   | 39.70     | 2              | 36    | 1.950         | 4430V1610              | 9800-0767   | 162.00    | 2 3/4          | 30    | 14.000        |
| 3236V432              | 9800-0368   | 44.20     | 2              | 36    | 2.350         | <sup>4</sup> 4430V1810 | 9800-0808   | 182.00    | 2 3/4          | 30    | 15.900        |

<sup>4</sup> Minimum production quantity may apply. Contact Customer Service for availability.



# Multi-Speed Belts

## Product No. Series 9800, 9804 & 9833 (continued)

| Part No.               | Product No. | O.C. (in) | Top Width (in) | Angle | Weight (Lbs.) | Part No.                 | Product No. | O.C. (in) | Top Width (in) | Angle | Weight (Lbs.) |
|------------------------|-------------|-----------|----------------|-------|---------------|--------------------------|-------------|-----------|----------------|-------|---------------|
| <sup>4</sup> 4430V1917 | 9800-0809   | 192.70    | 2 3/4          | 30    | 16.800        | <sup>4</sup> 4836V588    | 9800-0010   | 59.80     | 3              | 36    | 6.000         |
| 4436V525               | 9800-0125   | 53.50     | 2 3/4          | 36    | 4.700         | 4836V608                 | 9800-0096   | 61.90     | 3              | 36    | 6.200         |
| 4436V551               | 9800-0154   | 56.10     | 2 3/4          | 36    | 5.000         | 4836V618                 | 9800-0155   | 63.40     | 3              | 36    | 6.400         |
| 4436V576               | 9800-0131   | 58.60     | 2 3/4          | 36    | 5.300         | 4836V655                 | 9800-0133   | 66.60     | 3              | 36    | 6.800         |
| 4436V646               | 9800-0522   | 65.50     | 2 3/4          | 36    | 6.050         | 4836V789                 | 9800-0102   | 80.00     | 3              | 36    | 8.400         |
| 4436V714               | 9800-0363   | 72.70     | 2 3/4          | 36    | 6.800         | 4836V850                 | 9800-0031   | 86.10     | 3              | 36    | 9.100         |
| 4626V596               | 9800-0011   | 60.60     | 2 7/8          | 26    | 7.100         | 4836V1180                | 9800-0758   | 119.30    | 3              | 36    | 13.000        |
| 4630V650               | 9800-0613   | 66.10     | 2 7/8          | 30    | 7.350         | 5126V938                 | 9800-0246   | 95.00     | 3 3/16         | 26    | 11.650        |
| 4630V663               | 9800-0378   | 67.30     | 2 7/8          | 30    | 7.400         | 5130V732                 | 9800-0663   | 74.60     | 3 3/16         | 30    | 9.400         |
| 4630V668               | 9800-0698   | 68.10     | 2 7/8          | 30    | 7.450         | 5228V930                 | 9800-0894   | 94.40     | 3 1/4          | 28    | 10.500        |
| 4630V683               | 9800-0464   | 69.30     | 2 7/8          | 30    | 7.500         | <sup>5</sup> 5228V930S   | 9800-0737   | 94.40     | 3 1/4          | 28    | 21.000        |
| 4630V733               | 9800-0699   | 74.30     | 2 7/8          | 30    | 7.750         | 5230V662                 | 9800-0660   | 67.30     | 3 1/4          | 30    | 7.600         |
| 4630V1070              | 9800-0034   | 108.10    | 2 7/8          | 30    | 9.300         | 5230V734                 | 9800-0893   | 75.30     | 3 1/4          | 30    | 8.500         |
| 4632V722               | 9800-0510   | 73.50     | 2 7/8          | 32    | 7.700         | <sup>5</sup> 5230V734S   | 9800-0657   | 75.30     | 3 1/4          | 30    | 16.800        |
| 4830V602               | 9800-0652   | 61.10     | 3              | 30    | 6.000         | 5230V867                 | 9800-0895   | 88.30     | 3 1/4          | 30    | 9.950         |
| <sup>4</sup> 4830V614  | 9800-0548   | 62.50     | 3              | 30    | 6.050         | <sup>4,5</sup> 5230V867S | 9800-0659   | 88.30     | 3 1/4          | 30    | 20.000        |
| 4830V653               | 9800-0546   | 66.40     | 3              | 30    | 6.400         | <sup>4</sup> 5636V750    | 9800-0235   | 76.40     | 3 1/2          | 36    | 12.390        |
| 4830V692               | 9800-0545   | 70.30     | 3              | 30    | 6.750         | 5636V774                 | 9800-0237   | 78.70     | 3 1/2          | 36    | 10.950        |
| 4830V699               | 9800-0610   | 71.00     | 3              | 30    | 6.750         | 5830V756                 | 9800-0661   | 76.90     | 3 5/8          | 30    | 13.000        |
| 4830V730               | 9800-0544   | 74.10     | 3              | 30    | 7.100         | 5836V737                 | 9800-0309   | 75.00     | 3 5/8          | 36    | 13.000        |
| 4830V750               | 9800-0813   | 76.00     | 3              | 30    | 7.200         | 6036V850                 | 9800-0105   | 86.30     | 3 3/4          | 36    | 11.300        |
| 4830V850               | 9800-0566   | 86.10     | 3              | 30    | 8.000         | 6236V694                 | 9800-0147   | 70.80     | 3 7/8          | 36    | 9.200         |
| 4830V970               | 9800-0567   | 98.10     | 3              | 30    | 9.000         | 6236V762                 | 9800-0104   | 77.60     | 3 7/8          | 36    | 10.800        |
| <sup>4</sup> 4830V1070 | 9800-0598   | 108.10    | 3              | 30    | 9.750         | <sup>4</sup> 6236V905    | 9800-0013   | 91.90     | 3 7/8          | 36    | 14.380        |

MULTI-SPEED BELTS

<sup>4</sup> Minimum production quantity may apply. Contact Customer Service for availability.

<sup>5</sup> Set of 2.





## Quick-Link® - Emergency V-Belts

### Recommended Sheaves

Multi-Duty Sheaves

### Notes

Quick-Link does not meet ARPM requirements for V-belt static conductivity.

Quick-Link is available in lengths noted below.

**WARNING:** Do NOT use with backside idlers.

---

### Product No. Series 7760

| Part No.          | Product No. | Top Width (in) | Std. Box (ft) | Std. Sleeve (ft) | Weight (Lbs.) |
|-------------------|-------------|----------------|---------------|------------------|---------------|
| 0/3L Quick-Link   | 7760-6107   | 3/8            | 25            | —                | .048          |
| A/4L Quick-Link   | 7760-6108   | 1/2            | 25            | —                | .068          |
| A/4L-5 Quick-Link | 7760-6111   | 1/2            | —             | 5                | .070          |
| B/5L Quick-Link   | 7760-6109   | 21/32          | 25            | —                | .104          |
| B/5L-6 Quick-Link | 7760-6112   | 21/32          | —             | 6                | .100          |
| C Quick-Link      | 7760-6110   | 7/8            | 25            | —                | .156          |



# Nu-T-Link® Belting

## Recommended Sheaves

Multi-Duty Sheaves

### Notes

Nu-T-Link does not meet RMA requirements for V-belt static conductivity.

Nu-T-Link is available in 50 foot reels.

The studs are color coded: 0 - Red; A - Silver; B - Green; C - Blue; D - Black; E - Black.

**WARNING:** Do NOT use with backside idlers.

## Product No. Series 7760

### Nu-T-Link®

| Part No. | Product No. | Cross Section | Top Width (in) | Std. Roll (ft) | Weight (Lbs.) |
|----------|-------------|---------------|----------------|----------------|---------------|
| NTL/0    | 7760-6101   | 0             | 3/8            | 50             | .100          |
| NTL/A    | 7760-6102   | A             | 1/2            | 50             | .120          |
| NTL/B    | 7760-6103   | B             | 21/32          | 50             | .160          |
| NTL/C    | 7760-6104   | C             | 7/8            | 50             | .210          |

NOTE: A Nu-T-Link assembly tool will be supplied free of charge with belting. Additional assembly tools are available. Contact Customer Service for availability.

### Nu-T-Link® Belting Assembly Tool

| Part No. | Product No. |
|----------|-------------|
| NTL/TOOL | 7469-0701   |



## Easy-Splice V-Belting

### Recommended Sheaves

Multi-Duty Sheaves

### Notes

Easy-Splice fasteners are not available from Gates. Contact Flexible Steel Lacing Company in Downers Grove, IL at (630) 971-0150 or [www.flexco.com](http://www.flexco.com).

Easy-Splice is available in cross sections A-VO, B-VO, C-VO, D-VO and BB-VO, which correspond to the A, B, C, D, and BB standard industrial V-belt cross sections.

Sold in full rolls only.

### Product No. Series 9300 & 9310

| Part No. | Product No. | Std. Roll (ft) | Top Width (in) | Weight (Lbs.) | Max. Pieces Std. Roll | Min. Length Ea. Piece (ft) |
|----------|-------------|----------------|----------------|---------------|-----------------------|----------------------------|
| AVO/525  | 9300-0102   | 525 +/- 10 ft. | 1/2            | .092          | 3                     | 20                         |
| BBVO/350 | 9310-0104   | 350 +/- 30 ft. | 21/32          | .110          | 4                     | 20                         |
| BVO/500  | 9300-0103   | 500 +/- 10 ft. | 21/32          | .141          | 3                     | 20                         |
| CVO/450  | 9300-0104   | 450 +/- 10 ft. | 7/8            | .210          | 3                     | 20                         |
| DVO/160  | 9300-0105   | 160 +/- 10 ft. | 1 1/4          | .481          | 3                     | 20                         |



# Truflex® V-Belts

## Recommended Sheaves

Light-Duty Sheaves-Bored-to-Size/Light-Duty Sheaves-Bushed/Light-Duty Sheaves-Variable Pitch

### Notes

Truflex belts are offered in cross sections 2L (0), 3L (1), 4L (2), 5L (3).

LIGHT DUTY V-BELTS


## Product No. Series 8400

### 0 or 2L Section



| Part No. | Industry No. | Product No. | O.C. (in) | Weight (Lbs.) | Customer Pack | Part No. | Industry No. | Product No. | O.C. (in) | Weight (Lbs.) | Customer Pack |
|----------|--------------|-------------|-----------|---------------|---------------|----------|--------------|-------------|-----------|---------------|---------------|
| 0100     | 2L100        | 8400-0100   | 10.00     | .015          | 1             | 0240     | 2L240        | 8400-0240   | 24.00     | .036          | 1             |
| 0110     | 2L110        | 8400-0110   | 11.00     | .016          | 1             | 0250     | 2L250        | 8400-0250   | 25.00     | .020          | 1             |
| 0120     | 2L120        | 8400-0120   | 12.00     | .020          | 1             | 0260     | 2L260        | 8400-0260   | 26.00     | .040          | 1             |
| 0130     | 2L130        | 8400-0130   | 13.00     | .020          | 1             | 0270     | 2L270        | 8400-0270   | 27.00     | .042          | 1             |
| 0140     | 2L140        | 8400-0140   | 14.00     | .021          | 1             | 0280     | 2L280        | 8400-0280   | 28.00     | .043          | 1             |
| 0150     | 2L150        | 8400-0150   | 15.00     | .023          | 1             | 0290     | 2L290        | 8400-0290   | 29.00     | .044          | 1             |
| 0160     | 2L160        | 8400-0160   | 16.00     | .024          | 1             | 0310     | 2L310        | 8400-0310   | 31.00     | .048          | 1             |
| 0170     | 2L170        | 8400-0170   | 17.00     | .026          | 1             | 0340     | 2L340        | 8400-0340   | 34.00     | .052          | 1             |
| 0180     | 2L180        | 8400-0180   | 18.00     | .028          | 1             | 0350     | 2L350        | 8400-0350   | 35.00     | .054          | 1             |
| 0190     | 2L190        | 8400-0190   | 19.00     | .029          | 1             | 0360     | 2L360        | 8400-0360   | 36.00     | .056          | 1             |
| 0200     | 2L200        | 8400-0200   | 20.00     | .030          | 1             | 0380     | 2L380        | 8400-0380   | 38.00     | .059          | 1             |
| 0210     | 2L210        | 8400-0210   | 21.00     | .032          | 1             | 0460     | 2L460        | 8400-0460   | 46.00     | .071          | 1             |
| 0230     | 2L230        | 8400-0230   | 23.00     | .034          | 1             |          |              |             |           |               |               |

### 1 or 3L Section




| Part No. | Industry No. | Product No. | O.C. (in) | Weight (Lbs.) | Customer Pack | Part No. | Industry No. | Product No. | O.C. (in) | Weight (Lbs.) | Customer Pack |
|----------|--------------|-------------|-----------|---------------|---------------|----------|--------------|-------------|-----------|---------------|---------------|
| 1110     | 3L110        | 8400-1110   | 11.00     | .059          | 1             | 1400     | 3L400        | 8400-1400   | 40.00     | .130          | 1             |
| 1120     | 3L120        | 8400-1120   | 12.00     | .060          | 1             | 1410     | 3L410        | 8400-1410   | 41.00     | .132          | 1             |
| 1130     | 3L130        | 8400-1130   | 13.00     | .063          | 1             | 1415     | 3L415        | 8400-1415   | 41.50     | .133          | 1             |
| 1140     | 3L140        | 8400-1140   | 14.00     | .067          | 1             | 1420     | 3L420        | 8400-1420   | 42.00     | .134          | 1             |
| 1150     | 3L150        | 8400-1150   | 15.00     | .068          | 1             | 1430     | 3L430        | 8400-1430   | 43.00     | .137          | 1             |
| 1160     | 3L160        | 8400-1160   | 16.00     | .070          | 1             | 1440     | 3L440        | 8400-1440   | 44.00     | .140          | 1             |
| 1170     | 3L170        | 8400-1170   | 17.00     | .073          | 1             | 1450     | 3L450        | 8400-1450   | 45.00     | .142          | 1             |
| 1180     | 3L180        | 8400-1180   | 18.00     | .076          | 1             | 1460     | 3L460        | 8400-1460   | 46.00     | .145          | 1             |
| 1190     | 3L190        | 8400-1190   | 19.00     | .078          | 1             | 1470     | 3L470        | 8400-1470   | 47.00     | .148          | 1             |
| 1200     | 3L200        | 8400-1200   | 20.00     | .080          | 1             | 1480     | 3L480        | 8400-1480   | 48.00     | .150          | 1             |
| 1210     | 3L210        | 8400-1210   | 21.00     | .075          | 1             | 1490     | 3L490        | 8400-1490   | 49.00     | .152          | 1             |
| 1220     | 3L220        | 8400-1220   | 22.00     | .085          | 1             | 1500     | 3L500        | 8400-1500   | 50.00     | .154          | 1             |
| 1230     | 3L230        | 8400-1230   | 23.00     | .088          | 1             | 1510     | 3L510        | 8400-1510   | 51.00     | .157          | 1             |
| 1240     | 3L240        | 8400-1240   | 24.00     | .100          | 1             | 1520     | 3L520        | 8400-1520   | 52.00     | .159          | 1             |
| 1245     | 3L245        | 8400-1245   | 24.50     | .090          | 1             | 1530     | 3L530        | 8400-1530   | 53.00     | .162          | 1             |
| 1250     | 3L250        | 8400-1250   | 25.00     | .093          | 1             | 1540     | 3L540        | 8400-1540   | 54.00     | .165          | 1             |
| 1255     | 3L255        | 8400-1255   | 25.50     | .094          | 1             | 1550     | 3L550        | 8400-1550   | 55.00     | .167          | 1             |
| 1260     | 3L260        | 8400-1260   | 26.00     | .095          | 1             | 1560     | 3L560        | 8400-1560   | 56.00     | .169          | 1             |
| 1265     | 3L265        | 8400-1265   | 26.50     | .096          | 1             | 1570     | 3L570        | 8400-1570   | 57.00     | .173          | 1             |
| 1270     | 3L270        | 8400-1270   | 27.00     | .097          | 1             | 1580     | 3L580        | 8400-1580   | 58.00     | .174          | 1             |
| 1275     | 3L275        | 8400-1275   | 27.50     | .098          | 1             | 1590     | 3L590        | 8400-1590   | 59.00     | .177          | 1             |
| 1280     | 3L280        | 8400-1280   | 28.00     | .099          | 1             | 1600     | 3L600        | 8400-1600   | 60.00     | .178          | 1             |
| 1285     | 3L285        | 8400-1285   | 28.50     | .101          | 1             | 1610     | 3L610        | 8400-1610   | 61.00     | .183          | 1             |
| 1290     | 3L290        | 8400-1290   | 29.00     | .102          | 1             | 1620     | 3L620        | 8400-1620   | 62.00     | .184          | 1             |
| 1293     | 3L293        | 8400-1293   | 29.25     | .103          | 1             | 1630     | 3L630        | 8400-1630   | 63.00     | .186          | 1             |
| 1300     | 3L300        | 8400-1300   | 30.00     | .105          | 1             | 1640     | 3L640        | 8400-1640   | 64.00     | .189          | 1             |
| 1310     | 3L310        | 8400-1310   | 31.00     | .107          | 1             | 1650     | 3L650        | 8400-1650   | 65.00     | .192          | 1             |
| 1320     | 3L320        | 8400-1320   | 32.00     | .110          | 1             | 1660     | 3L660        | 8400-1660   | 66.00     | .194          | 1             |
| 1330     | 3L330        | 8400-1330   | 33.00     | .113          | 1             | 1670     | 3L670        | 8400-1670   | 67.00     | .195          | 1             |
| 1340     | 3L340        | 8400-1340   | 34.00     | .115          | 1             | 1675     | 3L675        | 8400-1675   | 67.50     | .196          | 1             |
| 1345     | 3L345        | 8400-1345   | 34.25     | .116          | 1             | 1680     | 3L680        | 8400-1680   | 68.00     | .199          | 1             |
| 1350     | 3L350        | 8400-1350   | 35.00     | .119          | 1             | 1690     | 3L690        | 8400-1690   | 69.00     | .203          | 1             |
| 1360     | 3L360        | 8400-1360   | 36.00     | .119          | 1             | 1700     | 3L700        | 8400-1700   | 70.00     | .204          | 1             |
| 1370     | 3L370        | 8400-1370   | 37.00     | .122          | 1             | 1710     | 3L710        | 8400-1710   | 71.00     | .206          | 1             |
| 1380     | 3L380        | 8400-1380   | 38.00     | .123          | 1             | 1730     | 3L730        | 8400-1730   | 73.00     | .211          | 1             |
| 1390     | 3L390        | 8400-1390   | 39.00     | .127          | 1             | 1740     | 3L740        | 8400-1740   | 74.00     | .213          | 1             |




# Truflex® V-Belts

Product No. Series 8400 (continued)



2 or 4L Section

| Part No. | Industry No. | Product No. | O.C. (in) | Weight (Lbs.) | Customer Pack | Part No. | Industry No. | Product No. | O.C. (in) | Weight (Lbs.) | Customer Pack |
|----------|--------------|-------------|-----------|---------------|---------------|----------|--------------|-------------|-----------|---------------|---------------|
| 2150     | 4L150        | 8400-2150   | 15.00     | .080          | 1             | 2510     | 4L510        | 8400-2510   | 51.00     | .270          | 1             |
| 2160     | 4L160        | 8400-2160   | 16.00     | .075          | 1             | 2520     | 4L520        | 8400-2520   | 52.00     | .280          | 1             |
| 2170     | 4L170        | 8400-2170   | 17.00     | .090          | 1             | 2530     | 4L530        | 8400-2530   | 53.00     | .280          | 1             |
| 2180     | 4L180        | 8400-2180   | 18.00     | .100          | 1             | 2540     | 4L540        | 8400-2540   | 54.00     | .290          | 1             |
| 2188     | 4L188        | 8400-2188   | 18.75     | .100          | 1             | 2550     | 4L550        | 8400-2550   | 55.00     | .300          | 1             |
| 2190     | 4L190        | 8400-2190   | 19.00     | .110          | 1             | 2560     | 4L560        | 8400-2560   | 56.00     | .300          | 1             |
| 2200     | 4L200        | 8400-2200   | 20.00     | .110          | 1             | 2570     | 4L570        | 8400-2570   | 57.00     | .300          | 1             |
| 2210     | 4L210        | 8400-2210   | 21.00     | .110          | 1             | 2580     | 4L580        | 8400-2580   | 58.00     | .310          | 1             |
| 2215     | 4L215        | 8400-2215   | 21.50     | .110          | 1             | 2590     | 4L590        | 8400-2590   | 59.00     | .310          | 1             |
| 2220     | 4L220        | 8400-2220   | 22.00     | .120          | 1             | 2600     | 4L600        | 8400-2600   | 60.00     | .320          | 1             |
| 2230     | 4L230        | 8400-2230   | 23.00     | .120          | 1             | 2610     | 4L610        | 8400-2610   | 61.00     | .330          | 1             |
| 2235     | 4L235        | 8400-2235   | 23.50     | .100          | 1             | 2620     | 4L620        | 8400-2620   | 62.00     | .330          | 1             |
| 2240     | 4L240        | 8400-2240   | 24.00     | .120          | 1             | 2630     | 4L630        | 8400-2630   | 63.00     | .340          | 1             |
| 2250     | 4L250        | 8400-2250   | 25.00     | .130          | 1             | 2640     | 4L640        | 8400-2640   | 64.00     | .340          | 1             |
| 2255     | 4L255        | 8400-2255   | 25.50     | .140          | 1             | 2650     | 4L650        | 8400-2650   | 65.00     | .350          | 1             |
| 2260     | 4L260        | 8400-2260   | 26.00     | .140          | 1             | 2660     | 4L660        | 8400-2660   | 66.00     | .350          | 1             |
| 2270     | 4L270        | 8400-2270   | 27.00     | .150          | 1             | 2670     | 4L670        | 8400-2670   | 67.00     | .360          | 1             |
| 2275     | 4L275        | 8400-2275   | 27.50     | .150          | 1             | 2680     | 4L680        | 8400-2680   | 68.00     | .360          | 1             |
| 2280     | 4L280        | 8400-2280   | 28.00     | .150          | 1             | 2690     | 4L690        | 8400-2690   | 69.00     | .370          | 1             |
| 2285     | 4L285        | 8400-2285   | 28.50     | .150          | 1             | 2700     | 4L700        | 8400-2700   | 70.00     | .370          | 1             |
| 2290     | 4L290        | 8400-2290   | 29.00     | .150          | 1             | 2710     | 4L710        | 8400-2710   | 71.00     | .380          | 1             |
| 2295     | 4L295        | 8400-2295   | 29.50     | .160          | 1             | 2720     | 4L720        | 8400-2720   | 72.00     | .390          | 1             |
| 2300     | 4L300        | 8400-2300   | 30.00     | .160          | 1             | 2730     | 4L730        | 8400-2730   | 73.00     | .390          | 1             |
| 2310     | 4L310        | 8400-2310   | 31.00     | .160          | 1             | 2740     | 4L740        | 8400-2740   | 74.00     | .400          | 1             |
| 2318     | 4L318        | 8400-2318   | 31.75     | .170          | 1             | 2750     | 4L750        | 8400-2750   | 75.00     | .400          | 1             |
| 2320     | 4L320        | 8400-2320   | 32.00     | .170          | 1             | 2760     | 4L760        | 8400-2760   | 76.00     | .410          | 1             |
| 2328     | 4L328        | 8400-2328   | 32.75     | .180          | 1             | 2770     | 4L770        | 8400-2770   | 77.00     | .410          | 1             |
| 2330     | 4L330        | 8400-2330   | 33.00     | .180          | 1             | 2780     | 4L780        | 8400-2780   | 78.00     | .420          | 1             |
| 2333     | 4L333        | 8400-2333   | 33.25     | .180          | 1             | 2790     | 4L790        | 8400-2790   | 79.00     | .420          | 1             |
| 2338     | 4L338        | 8400-2338   | 33.75     | .180          | 1             | 2800     | 4L800        | 8400-2800   | 80.00     | .430          | 1             |
| 2340     | 4L340        | 8400-2340   | 34.00     | .190          | 1             | 2810     | 4L810        | 8400-2810   | 81.00     | .440          | 1             |
| 2346     | 4L346        | 8400-2346   | 34.50     | .190          | 1             | 2820     | 4L820        | 8400-2820   | 82.00     | .440          | 1             |
| 2350     | 4L350        | 8400-2350   | 35.00     | .190          | 1             | 2830     | 4L830        | 8400-2830   | 83.00     | .450          | 1             |
| 2360     | 4L360        | 8400-2360   | 36.00     | .200          | 1             | 2840     | 4L840        | 8400-2840   | 84.00     | .450          | 1             |
| 2370     | 4L370        | 8400-2370   | 37.00     | .200          | 1             | 2850     | 4L850        | 8400-2850   | 85.00     | .460          | 1             |
| 2380     | 4L380        | 8400-2380   | 38.00     | .200          | 1             | 2860     | 4L860        | 8400-2860   | 86.00     | .460          | 1             |
| 2390     | 4L390        | 8400-2390   | 39.00     | .210          | 1             | 2870     | 4L870        | 8400-2870   | 87.00     | .470          | 1             |
| 2400     | 4L400        | 8400-2400   | 40.00     | .210          | 1             | 2880     | 4L880        | 8400-2880   | 88.00     | .470          | 1             |
| 2405     | 4L405        | 8400-2405   | 40.50     | .210          | 1             | 2890     | 4L890        | 8400-2890   | 89.00     | .480          | 1             |
| 2410     | 4L410        | 8400-2410   | 41.00     | .220          | 1             | 2900     | 4L900        | 8400-2900   | 90.00     | .480          | 1             |
| 2420     | 4L420        | 8400-2420   | 42.00     | .220          | 1             | 2910     | 4L910        | 8400-2910   | 91.00     | .490          | 1             |
| 2430     | 4L430        | 8400-2430   | 43.00     | .230          | 1             | 2920     | 4L920        | 8400-2920   | 92.00     | .500          | 1             |
| 2440     | 4L440        | 8400-2440   | 44.00     | .230          | 1             | 2930     | 4L930        | 8400-2930   | 93.00     | .500          | 1             |
| 2450     | 4L450        | 8400-2450   | 45.00     | .240          | 1             | 2940     | 4L940        | 8400-2940   | 94.00     | .500          | 1             |
| 2460     | 4L460        | 8400-2460   | 46.00     | .240          | 1             | 2950     | 4L950        | 8400-2950   | 95.00     | .510          | 1             |
| 2470     | 4L470        | 8400-2470   | 47.00     | .250          | 1             | 2960     | 4L960        | 8400-2960   | 96.00     | .510          | 1             |
| 2475     | 4L475        | 8400-2475   | 47.50     | .250          | 1             | 2970     | 4L970        | 8400-2970   | 97.00     | .520          | 1             |
| 2480     | 4L480        | 8400-2480   | 48.00     | .250          | 1             | 2980     | 4L980        | 8400-2980   | 98.00     | .530          | 1             |
| 2490     | 4L490        | 8400-2490   | 49.00     | .260          | 1             | 2990     | 4L990        | 8400-2990   | 99.00     | .530          | 1             |
| 2500     | 4L500        | 8400-2500   | 50.00     | .260          | 1             | 2999     | 4L1000       | 8400-2100   | 100.00    | .540          | 1             |



3 or 5L Section

| Part No. | Industry No. | Product No. | O.C. (in) | Weight (Lbs.) | Customer Pack | Part No. | Industry No. | Product No. | O.C. (in) | Weight (Lbs.) | Customer Pack |
|----------|--------------|-------------|-----------|---------------|---------------|----------|--------------|-------------|-----------|---------------|---------------|
| 3230     | 5L230        | 8400-3230   | 23.00     | .200          | 1             | 3265     | 5L265        | 8400-3265   | 26.50     | .230          | 1             |
| 3240     | 5L240        | 8400-3240   | 24.00     | .220          | 1             | 3270     | 5L270        | 8400-3270   | 27.00     | .240          | 1             |
| 3250     | 5L250        | 8400-3250   | 25.00     | .220          | 1             | 3280     | 5L280        | 8400-3280   | 28.00     | .250          | 1             |
| 3260     | 5L260        | 8400-3260   | 26.00     | .230          | 1             | 3290     | 5L290        | 8400-3290   | 29.00     | .250          | 1             |

LIGHT DUTY V-BELTS



# Truflex® V-Belts

## Product No. Series 8400 (continued)

### 3 or 5L Section (continued)

LIGHT DUTY V-BELTS

| Part No. | Industry No. | Product No. | O.C. (in) | Weight (Lbs.) | Customer Pack | Part No. | Industry No. | Product No. | O.C. (in) | Weight (Lbs.) | Customer Pack |
|----------|--------------|-------------|-----------|---------------|---------------|----------|--------------|-------------|-----------|---------------|---------------|
| 3300     | 5L300        | 8400-3300   | 30.00     | .260          | 1             | 3650     | 5L650        | 8400-3650   | 65.00     | .550          | 1             |
| 3310     | 5L310        | 8400-3310   | 31.00     | .270          | 1             | 3660     | 5L660        | 8400-3660   | 66.00     | .560          | 1             |
| 3320     | 5L320        | 8400-3320   | 32.00     | .280          | 1             | 3670     | 5L670        | 8400-3670   | 67.00     | .570          | 1             |
| 3330     | 5L330        | 8400-3330   | 33.00     | .290          | 1             | 3680     | 5L680        | 8400-3680   | 68.00     | .580          | 1             |
| 3340     | 5L340        | 8400-3340   | 34.00     | .300          | 1             | 3690     | 5L690        | 8400-3690   | 69.00     | .590          | 1             |
| 3350     | 5L350        | 8400-3350   | 35.00     | .300          | 1             | 3700     | 5L700        | 8400-3700   | 70.00     | .600          | 1             |
| 3355     | 5L355        | 8400-3355   | 35.50     | .310          | 1             | 3710     | 5L710        | 8400-3710   | 71.00     | .600          | 1             |
| 3360     | 5L360        | 8400-3360   | 36.00     | .310          | 1             | 3720     | 5L720        | 8400-3720   | 72.00     | .610          | 1             |
| 3370     | 5L370        | 8400-3370   | 37.00     | .320          | 1             | 3730     | 5L730        | 8400-3730   | 73.00     | .620          | 1             |
| 3380     | 5L380        | 8400-3380   | 38.00     | .330          | 1             | 3740     | 5L740        | 8400-3740   | 74.00     | .625          | 1             |
| 3390     | 5L390        | 8400-3390   | 39.00     | .340          | 1             | 3750     | 5L750        | 8400-3750   | 75.00     | .630          | 1             |
| 3400     | 5L400        | 8400-3400   | 40.00     | .350          | 1             | 3760     | 5L760        | 8400-3760   | 76.00     | .645          | 1             |
| 3410     | 5L410        | 8400-3410   | 41.00     | .350          | 1             | 3770     | 5L770        | 8400-3770   | 77.00     | .650          | 1             |
| 3420     | 5L420        | 8400-3420   | 42.00     | .360          | 1             | 3780     | 5L780        | 8400-3780   | 78.00     | .660          | 1             |
| 3430     | 5L430        | 8400-3430   | 43.00     | .370          | 1             | 3790     | 5L790        | 8400-3790   | 79.00     | .670          | 1             |
| 3440     | 5L440        | 8400-3440   | 44.00     | .380          | 1             | 3800     | 5L800        | 8400-3800   | 80.00     | .670          | 1             |
| 3450     | 5L450        | 8400-3450   | 45.00     | .390          | 1             | 3810     | 5L810        | 8400-3810   | 81.00     | .680          | 1             |
| 3460     | 5L460        | 8400-3460   | 46.00     | .400          | 1             | 3820     | 5L820        | 8400-3820   | 82.00     | .690          | 1             |
| 3470     | 5L470        | 8400-3470   | 47.00     | .400          | 1             | 3830     | 5L830        | 8400-3830   | 83.00     | .700          | 1             |
| 3480     | 5L480        | 8400-3480   | 48.00     | .410          | 1             | 3840     | 5L840        | 8400-3840   | 84.00     | .710          | 1             |
| 3490     | 5L490        | 8400-3490   | 49.00     | .420          | 1             | 3850     | 5L850        | 8400-3850   | 85.00     | .720          | 1             |
| 3500     | 5L500        | 8400-3500   | 50.00     | .430          | 1             | 3860     | 5L860        | 8400-3860   | 86.00     | .730          | 1             |
| 3510     | 5L510        | 8400-3510   | 51.00     | .440          | 1             | 3870     | 5L870        | 8400-3870   | 87.00     | .730          | 1             |
| 3520     | 5L520        | 8400-3520   | 52.00     | .450          | 1             | 3880     | 5L880        | 8400-3880   | 88.00     | .740          | 1             |
| 3530     | 5L530        | 8400-3530   | 53.00     | .450          | 1             | 3890     | 5L890        | 8400-3890   | 89.00     | .750          | 1             |
| 3540     | 5L540        | 8400-3540   | 54.00     | .460          | 1             | 3900     | 5L900        | 8400-3900   | 90.00     | .760          | 1             |
| 3550     | 5L550        | 8400-3550   | 55.00     | .470          | 1             | 3910     | 5L910        | 8400-3910   | 91.00     | .770          | 1             |
| 3560     | 5L560        | 8400-3560   | 56.00     | .480          | 1             | 3920     | 5L920        | 8400-3920   | 92.00     | .780          | 1             |
| 3570     | 5L570        | 8400-3570   | 57.00     | .490          | 1             | 3930     | 5L930        | 8400-3930   | 93.00     | .780          | 1             |
| 3580     | 5L580        | 8400-3580   | 58.00     | .490          | 1             | 3940     | 5L940        | 8400-3940   | 94.00     | .790          | 1             |
| 3590     | 5L590        | 8400-3590   | 59.00     | .500          | 1             | 3950     | 5L950        | 8400-3950   | 95.00     | .800          | 1             |
| 3600     | 5L600        | 8400-3600   | 60.00     | .510          | 1             | 3960     | 5L960        | 8400-3960   | 96.00     | .810          | 1             |
| 3610     | 5L610        | 8400-3610   | 61.00     | .520          | 1             | 3970     | 5L970        | 8400-3970   | 97.00     | .815          | 1             |
| 3620     | 5L620        | 8400-3620   | 62.00     | .530          | 1             | 3980     | 5L980        | 8400-3980   | 98.00     | .825          | 1             |
| 3630     | 5L630        | 8400-3630   | 63.00     | .540          | 1             | 3990     | 5L990        | 8400-3990   | 99.00     | .830          | 1             |
| 3640     | 5L640        | 8400-3640   | 64.00     | .550          | 1             | 3999     | 5L1000       | 8400-3100   | 100.00    | .840          | 1             |





# PoweRated® V-Belts

## Recommended Sheaves


Light-Duty Sheaves-Bored-to-Size/Light-Duty Sheaves-Bushed/Light-Duty Sheaves-Variable Pitch

### Notes

PoweRated belts do not meet RMA requirements for static conductivity.


LIGHT DUTY V-BELTS

## Product No. Series 8423



### 1 or 3L Section

| Part No. | Industry No. | Product No. | O.C. (in) | Weight (Lbs.) | Customer Pack | Part No. | Industry No. | Product No. | O.C. (in) | Weight (Lbs.) | Customer Pack |
|----------|--------------|-------------|-----------|---------------|---------------|----------|--------------|-------------|-----------|---------------|---------------|
| 6716     | 3L160K       | 8423-6716   | 16.00     | .060          | 1             | 6742     | 3L420K       | 8423-6742   | 42.00     | .150          | 1             |
| 6717     | 3L170K       | 8423-6717   | 17.00     | .065          | 1             | 6743     | 3L430K       | 8423-6743   | 43.00     | .150          | 1             |
| 6718     | 3L180K       | 8423-6718   | 18.00     | .070          | 1             | 6744     | 3L440K       | 8423-6744   | 44.00     | .155          | 1             |
| 6719     | 3L190K       | 8423-6719   | 19.00     | .070          | 1             | 6745     | 3L450K       | 8423-6745   | 45.00     | .160          | 1             |
| 6720     | 3L200K       | 8423-6720   | 20.00     | .080          | 1             | 6746     | 3L460K       | 8423-6746   | 46.00     | .160          | 1             |
| 6721     | 3L210K       | 8423-6721   | 21.00     | .150          | 1             | 6747     | 3L470K       | 8423-6747   | 47.00     | .165          | 1             |
| 6722     | 3L220K       | 8423-6722   | 22.00     | .100          | 1             | 6748     | 3L480K       | 8423-6748   | 48.00     | .170          | 1             |
| 6723     | 3L230K       | 8423-6723   | 23.00     | .075          | 1             | 6749     | 3L490K       | 8423-6749   | 49.00     | .170          | 1             |
| 6724     | 3L240K       | 8423-6724   | 24.00     | .090          | 1             | 6750     | 3L500K       | 8423-6750   | 50.00     | .175          | 1             |
| 6725     | 3L250K       | 8423-6725   | 25.00     | .090          | 1             | 6751     | 3L510K       | 8423-6751   | 51.00     | .180          | 1             |
| 6726     | 3L260K       | 8423-6726   | 26.00     | .095          | 1             | 6752     | 3L520K       | 8423-6752   | 52.00     | .180          | 1             |
| 6727     | 3L270K       | 8423-6727   | 27.00     | .100          | 1             | 6753     | 3L530K       | 8423-6753   | 53.00     | .185          | 1             |
| 6728     | 3L280K       | 8423-6728   | 28.00     | .100          | 1             | 6754     | 3L540K       | 8423-6754   | 54.00     | .190          | 1             |
| 6729     | 3L290K       | 8423-6729   | 29.00     | .105          | 1             | 6755     | 3L550K       | 8423-6755   | 55.00     | .195          | 1             |
| 6730     | 3L300K       | 8423-6730   | 30.00     | .110          | 1             | 6756     | 3L560K       | 8423-6756   | 56.00     | .195          | 1             |
| 6731     | 3L310K       | 8423-6731   | 31.00     | .110          | 1             | 6757     | 3L570K       | 8423-6757   | 57.00     | .200          | 1             |
| 6732     | 3L320K       | 8423-6732   | 32.00     | .115          | 1             | 6758     | 3L580K       | 8423-6758   | 58.00     | .205          | 1             |
| 6733     | 3L330K       | 8423-6733   | 33.00     | .115          | 1             | 6759     | 3L590K       | 8423-6759   | 59.00     | .205          | 1             |
| 6734     | 3L340K       | 8423-6734   | 34.00     | .120          | 1             | 6760     | 3L600K       | 8423-6760   | 60.00     | .210          | 1             |
| 6735     | 3L350K       | 8423-6735   | 35.00     | .125          | 1             | 6761     | 3L610K       | 8423-6761   | 61.00     | .215          | 1             |
| 6736     | 3L360K       | 8423-6736   | 36.00     | .125          | 1             | 6762     | 3L620K       | 8423-6762   | 62.00     | .220          | 1             |
| 6737     | 3L370K       | 8423-6737   | 37.00     | .130          | 1             | 6763     | 3L630K       | 8423-6763   | 63.00     | .220          | 1             |
| 6738     | 3L380K       | 8423-6738   | 38.00     | .135          | 1             | 6764     | 3L640K       | 8423-6764   | 64.00     | .225          | 1             |
| 6739     | 3L390K       | 8423-6739   | 39.00     | .140          | 1             | 6765     | 3L650K       | 8423-6765   | 65.00     | .230          | 1             |
| 6740     | 3L400K       | 8423-6740   | 40.00     | .140          | 1             | 6766     | 3L660K       | 8423-6766   | 66.00     | .230          | 1             |
| 6741     | 3L410K       | 8423-6741   | 41.00     | .145          | 1             | 6774     | 3L740K       | 8423-6774   | 74.00     | .260          | 1             |



### 2 or 4L Section

| Part No. | Industry No. | Product No. | O.C. (in) | Weight (Lbs.) | Customer Pack | Part No. | Industry No. | Product No. | O.C. (in) | Weight (Lbs.) | Customer Pack |
|----------|--------------|-------------|-----------|---------------|---------------|----------|--------------|-------------|-----------|---------------|---------------|
| 6817     | 4L170K       | 8423-6817   | 17.00     | .110          | 1             | 6840     | 4L400K       | 8423-6840   | 40.00     | .240          | 1             |
| 6818     | 4L180K       | 8423-6818   | 18.00     | .110          | 1             | 6841     | 4L410K       | 8423-6841   | 41.00     | .250          | 1             |
| 6819     | 4L190K       | 8423-6819   | 19.00     | .120          | 1             | 6842     | 4L420K       | 8423-6842   | 42.00     | .250          | 1             |
| 6820     | 4L200K       | 8423-6820   | 20.00     | .100          | 1             | 6843     | 4L430K       | 8423-6843   | 43.00     | .260          | 1             |
| 6821     | 4L210K       | 8423-6821   | 21.00     | .100          | 1             | 6844     | 4L440K       | 8423-6844   | 44.00     | .270          | 1             |
| 6822     | 4L220K       | 8423-6822   | 22.00     | .130          | 1             | 6845     | 4L450K       | 8423-6845   | 45.00     | .280          | 1             |
| 6823     | 4L230K       | 8423-6823   | 23.00     | .150          | 1             | 6846     | 4L460K       | 8423-6846   | 46.00     | .280          | 1             |
| 6824     | 4L240K       | 8423-6824   | 24.00     | .150          | 1             | 6847     | 4L470K       | 8423-6847   | 47.00     | .290          | 1             |
| 6825     | 4L250K       | 8423-6825   | 25.00     | .150          | 1             | 6848     | 4L480K       | 8423-6848   | 48.00     | .290          | 1             |
| 6826     | 4L260K       | 8423-6826   | 26.00     | .160          | 1             | 6849     | 4L490K       | 8423-6849   | 49.00     | .300          | 1             |
| 6827     | 4L270K       | 8423-6827   | 27.00     | .170          | 1             | 6850     | 4L500K       | 8423-6850   | 50.00     | .300          | 1             |
| 6828     | 4L280K       | 8423-6828   | 28.00     | .170          | 1             | 6851     | 4L510K       | 8423-6851   | 51.00     | .310          | 1             |
| 6829     | 4L290K       | 8423-6829   | 29.00     | .180          | 1             | 6852     | 4L520K       | 8423-6852   | 52.00     | .320          | 1             |
| 6830     | 4L300K       | 8423-6830   | 30.00     | .180          | 1             | 6853     | 4L530K       | 8423-6853   | 53.00     | .320          | 1             |
| 6831     | 4L310K       | 8423-6831   | 31.00     | .190          | 1             | 6854     | 4L540K       | 8423-6854   | 54.00     | .330          | 1             |
| 6832     | 4L320K       | 8423-6832   | 32.00     | .200          | 1             | 6855     | 4L550K       | 8423-6855   | 55.00     | .330          | 1             |
| 6833     | 4L330K       | 8423-6833   | 33.00     | .200          | 1             | 6856     | 4L560K       | 8423-6856   | 56.00     | .340          | 1             |
| 6834     | 4L340K       | 8423-6834   | 34.00     | .210          | 1             | 6857     | 4L570K       | 8423-6857   | 57.00     | .350          | 1             |
| 6835     | 4L350K       | 8423-6835   | 35.00     | .210          | 1             | 6858     | 4L580K       | 8423-6858   | 58.00     | .350          | 1             |
| 6836     | 4L360K       | 8423-6836   | 36.00     | .220          | 1             | 6859     | 4L590K       | 8423-6859   | 59.00     | .360          | 1             |
| 6837     | 4L370K       | 8423-6837   | 37.00     | .220          | 1             | 6860     | 4L600K       | 8423-6860   | 60.00     | .360          | 1             |
| 6838     | 4L380K       | 8423-6838   | 38.00     | .230          | 1             | 6861     | 4L610K       | 8423-6861   | 61.00     | .370          | 1             |
| 6839     | 4L390K       | 8423-6839   | 39.00     | .240          | 1             | 6862     | 4L620K       | 8423-6862   | 62.00     | .380          | 1             |




# PowerRated® V-Belts

Product No. Series 8423 (continued)

2 or 4L Section (continued)

| Part No. | Industry No. | Product No. | O.C. (in) | Weight (Lbs.) | Customer Pack | Part No. | Industry No. | Product No. | O.C. (in) | Weight (Lbs.) | Customer Pack |
|----------|--------------|-------------|-----------|---------------|---------------|----------|--------------|-------------|-----------|---------------|---------------|
| 6863     | 4L630K       | 8423-6863   | 63.00     | .380          | 1             | 6884     | 4L840K       | 8423-6884   | 84.00     | .510          | 1             |
| 6864     | 4L640K       | 8423-6864   | 64.00     | .390          | 1             | 6885     | 4L850K       | 8423-6885   | 85.00     | .510          | 1             |
| 6865     | 4L650K       | 8423-6865   | 65.00     | .390          | 1             | 6886     | 4L860K       | 8423-6886   | 86.00     | .520          | 1             |
| 6866     | 4L660K       | 8423-6866   | 66.00     | .400          | 1             | 6887     | 4L870K       | 8423-6887   | 87.00     | .530          | 1             |
| 6867     | 4L670K       | 8423-6867   | 67.00     | .400          | 1             | 6888     | 4L880K       | 8423-6888   | 88.00     | .530          | 1             |
| 6868     | 4L680K       | 8423-6868   | 68.00     | .410          | 1             | 6889     | 4L890K       | 8423-6889   | 89.00     | .540          | 1             |
| 6869     | 4L690K       | 8423-6869   | 69.00     | .420          | 1             | 6890     | 4L900K       | 8423-6890   | 90.00     | .550          | 1             |
| 6870     | 4L700K       | 8423-6870   | 70.00     | .430          | 1             | 6891     | 4L910K       | 8423-6891   | 91.00     | .550          | 1             |
| 6871     | 4L710K       | 8423-6871   | 71.00     | .430          | 1             | 6892     | 4L920K       | 8423-6892   | 92.00     | .560          | 1             |
| 6872     | 4L720K       | 8423-6872   | 72.00     | .440          | 1             | 6893     | 4L930K       | 8423-6893   | 93.00     | .560          | 1             |
| 6873     | 4L730K       | 8423-6873   | 73.00     | .450          | 1             | 6894     | 4L940K       | 8423-6894   | 94.00     | .570          | 1             |
| 6874     | 4L740K       | 8423-6874   | 74.00     | .450          | 1             | 6895     | 4L950K       | 8423-6895   | 95.00     | .580          | 1             |
| 6875     | 4L750K       | 8423-6875   | 75.00     | .460          | 1             | 6896     | 4L960K       | 8423-6896   | 96.00     | .580          | 1             |
| 6876     | 4L760K       | 8423-6876   | 76.00     | .450          | 1             | 6897     | 4L970K       | 8423-6897   | 97.00     | .590          | 1             |
| 6877     | 4L770K       | 8423-6877   | 77.00     | .470          | 1             | 6898     | 4L980K       | 8423-6898   | 98.00     | .590          | 1             |
| 6878     | 4L780K       | 8423-6878   | 78.00     | .470          | 1             | 6899     | 4L990K       | 8423-6899   | 99.00     | .600          | 1             |
| 6879     | 4L790K       | 8423-6879   | 79.00     | .480          | 1             | 68100    | 4L1000K      | 8423-8100   | 100.00    | .650          | 1             |
| 6880     | 4L800K       | 8423-6880   | 80.00     | .480          | 1             | 68105    | 4L1050K      | 8423-8105   | 105.00    | .700          | 1             |
| 6881     | 4L810K       | 8423-6881   | 81.00     | .490          | 1             | 68107    | 4L1070K      | 8423-8107   | 107.00    | .700          | 1             |
| 6882     | 4L820K       | 8423-6882   | 82.00     | .500          | 1             | 68117    | 4L1170K      | 8423-8117   | 117.00    | .750          | 1             |
| 6883     | 4L830K       | 8423-6883   | 83.00     | .500          | 1             |          |              |             |           |               |               |



3 or 5L Section

| Part No. | Industry No. | Product No. | O.C. (in) | Weight (Lbs.) | Customer Pack | Part No. | Industry No. | Product No. | O.C. (in) | Weight (Lbs.) | Customer Pack |
|----------|--------------|-------------|-----------|---------------|---------------|----------|--------------|-------------|-----------|---------------|---------------|
| 6923     | 5L230K       | 8423-6923   | 23.00     | .200          | 1             | 6956     | 5L560K       | 8423-6956   | 56.00     | .540          | 1             |
| 6924     | 5L240K       | 8423-6924   | 24.00     | .230          | 1             | 6957     | 5L570K       | 8423-6957   | 57.00     | .550          | 1             |
| 6925     | 5L250K       | 8423-6925   | 25.00     | .240          | 1             | 6958     | 5L580K       | 8423-6958   | 58.00     | .550          | 1             |
| 6926     | 5L260K       | 8423-6926   | 26.00     | .250          | 1             | 6959     | 5L590K       | 8423-6959   | 59.00     | .560          | 1             |
| 6927     | 5L270K       | 8423-6927   | 27.00     | .260          | 1             | 6960     | 5L600K       | 8423-6960   | 60.00     | .570          | 1             |
| 6928     | 5L280K       | 8423-6928   | 28.00     | .270          | 1             | 6961     | 5L610K       | 8423-6961   | 61.00     | .580          | 1             |
| 6929     | 5L290K       | 8423-6929   | 29.00     | .280          | 1             | 6962     | 5L620K       | 8423-6962   | 62.00     | .590          | 1             |
| 6930     | 5L300K       | 8423-6930   | 30.00     | .290          | 1             | 6963     | 5L630K       | 8423-6963   | 63.00     | .600          | 1             |
| 6931     | 5L310K       | 8423-6931   | 31.00     | .300          | 1             | 6964     | 5L640K       | 8423-6964   | 64.00     | .610          | 1             |
| 6932     | 5L320K       | 8423-6932   | 32.00     | .310          | 1             | 6965     | 5L650K       | 8423-6965   | 65.00     | .620          | 1             |
| 6933     | 5L330K       | 8423-6933   | 33.00     | .320          | 1             | 6966     | 5L660K       | 8423-6966   | 66.00     | .620          | 1             |
| 6934     | 5L340K       | 8423-6934   | 34.00     | .330          | 1             | 6967     | 5L670K       | 8423-6967   | 67.00     | .630          | 1             |
| 6935     | 5L350K       | 8423-6935   | 35.00     | .340          | 1             | 6968     | 5L680K       | 8423-6968   | 68.00     | .650          | 1             |
| 6936     | 5L360K       | 8423-6936   | 36.00     | .350          | 1             | 6969     | 5L690K       | 8423-6969   | 69.00     | .660          | 1             |
| 6937     | 5L370K       | 8423-6937   | 37.00     | .360          | 1             | 6970     | 5L700K       | 8423-6970   | 70.00     | .670          | 1             |
| 6938     | 5L380K       | 8423-6938   | 38.00     | .360          | 1             | 6971     | 5L710K       | 8423-6971   | 71.00     | .680          | 1             |
| 6939     | 5L390K       | 8423-6939   | 39.00     | .370          | 1             | 6972     | 5L720K       | 8423-6972   | 72.00     | .680          | 1             |
| 6940     | 5L400K       | 8423-6940   | 40.00     | .380          | 1             | 6973     | 5L730K       | 8423-6973   | 73.00     | .700          | 1             |
| 6941     | 5L410K       | 8423-6941   | 41.00     | .390          | 1             | 6974     | 5L740K       | 8423-6974   | 74.00     | .750          | 1             |
| 6942     | 5L420K       | 8423-6942   | 42.00     | .400          | 1             | 6975     | 5L750K       | 8423-6975   | 75.00     | .710          | 1             |
| 6943     | 5L430K       | 8423-6943   | 43.00     | .410          | 1             | 6976     | 5L760K       | 8423-6976   | 76.00     | .720          | 1             |
| 6944     | 5L440K       | 8423-6944   | 44.00     | .420          | 1             | 6977     | 5L770K       | 8423-6977   | 77.00     | .730          | 1             |
| 6945     | 5L450K       | 8423-6945   | 45.00     | .430          | 1             | 6978     | 5L780K       | 8423-6978   | 78.00     | .740          | 1             |
| 6946     | 5L460K       | 8423-6946   | 46.00     | .440          | 1             | 6979     | 5L790K       | 8423-6979   | 79.00     | .750          | 1             |
| 6947     | 5L470K       | 8423-6947   | 47.00     | .450          | 1             | 6980     | 5L800K       | 8423-6980   | 80.00     | .760          | 1             |
| 6948     | 5L480K       | 8423-6948   | 48.00     | .460          | 1             | 6981     | 5L810K       | 8423-6981   | 81.00     | .770          | 1             |
| 6949     | 5L490K       | 8423-6949   | 49.00     | .470          | 1             | 6982     | 5L820K       | 8423-6982   | 82.00     | .780          | 1             |
| 6950     | 5L500K       | 8423-6950   | 50.00     | .480          | 1             | 6983     | 5L830K       | 8423-6983   | 83.00     | .790          | 1             |
| 6951     | 5L510K       | 8423-6951   | 51.00     | .490          | 1             | 6984     | 5L840K       | 8423-6984   | 84.00     | .800          | 1             |
| 6952     | 5L520K       | 8423-6952   | 52.00     | .500          | 1             | 6985     | 5L850K       | 8423-6985   | 85.00     | .810          | 1             |
| 6953     | 5L530K       | 8423-6953   | 53.00     | .510          | 1             | 6986     | 5L860K       | 8423-6986   | 86.00     | .820          | 1             |
| 6954     | 5L540K       | 8423-6954   | 54.00     | .510          | 1             | 6987     | 5L870K       | 8423-6987   | 87.00     | .830          | 1             |
| 6955     | 5L550K       | 8423-6955   | 55.00     | .520          | 1             | 6988     | 5L880K       | 8423-6988   | 88.00     | .840          | 1             |

**PowerRated® V-Belts****Product No. Series 8423 (continued)****3 or 5L Section (continued)**

| Part No. | Industry No. | Product No. | O.C. (in) | Weight (Lbs.) | Customer Pack | Part No. | Industry No. | Product No. | O.C. (in) | Weight (Lbs.) | Customer Pack |
|----------|--------------|-------------|-----------|---------------|---------------|----------|--------------|-------------|-----------|---------------|---------------|
| 6989     | 5L890K       | 8423-6989   | 89.00     | .850          | 1             | 6995     | 5L950K       | 8423-6995   | 95.00     | .900          | 1             |
| 6990     | 5L900K       | 8423-6990   | 90.00     | .850          | 1             | 6996     | 5L960K       | 8423-6996   | 96.00     | .910          | 1             |
| 6991     | 5L910K       | 8423-6991   | 91.00     | .860          | 1             | 6997     | 5L970K       | 8423-6997   | 97.00     | .920          | 1             |
| 6992     | 5L920K       | 8423-6992   | 92.00     | .870          | 1             | 6998     | 5L980K       | 8423-6998   | 98.00     | .930          | 1             |
| 6993     | 5L930K       | 8423-6993   | 93.00     | .880          | 1             | 6999     | 5L990K       | 8423-6999   | 99.00     | .940          | 1             |
| 6994     | 5L940K       | 8423-6994   | 94.00     | .890          | 1             | 69100    | 5L1000K      | 8423-9100   | 100.00    | .900          | 1             |



# Polyflex® Belts

## Recommended Sheaves

Contact the Gates Made-To-Order Metals Team.

### Notes

Matched sets may have a manufacturing lead time and minimum order quantities may apply. Contact Customer Service for details. Polyflex Belts are available in 3M, 5M, 7M, and 11M cross sections.

LIGHT DUTY V-BELTS

## Product No. Series 8901

Nominal Top Width: 1/8"

### 3M

| Part No. | Product No. | Effective Length (in) | Part No. | Product No. | Effective Length (in) | Part No. | Product No. | Effective Length (in) |
|----------|-------------|-----------------------|----------|-------------|-----------------------|----------|-------------|-----------------------|
| 3M180    | 8901-0180   | 7.09                  | 3M290    | 8901-0290   | 11.42                 | 3M475    | 8901-0475   | 18.70                 |
| 3M185    | 8901-0185   | 7.28                  | 3M300    | 8901-0300   | 11.81                 | 3M487    | 8901-0487   | 19.17                 |
| 3M190    | 8901-0190   | 7.48                  | 3M307    | 8901-0307   | 12.09                 | 3M500    | 8901-0500   | 19.69                 |
| 3M195    | 8901-0195   | 7.68                  | 3M315    | 8901-0315   | 12.40                 | 3M515    | 8901-0515   | 20.28                 |
| 3M200    | 8901-0200   | 7.87                  | 3M325    | 8901-0325   | 12.80                 | 3M530    | 8901-0530   | 20.87                 |
| 3M206    | 8901-0206   | 8.11                  | 3M335    | 8901-0335   | 13.19                 | 3M545    | 8901-0545   | 21.46                 |
| 3M212    | 8901-0212   | 8.35                  | 3M345    | 8901-0345   | 13.58                 | 3M560    | 8901-0560   | 22.05                 |
| 3M218    | 8901-0218   | 8.58                  | 3M355    | 8901-0355   | 13.98                 | 3M580    | 8901-0580   | 22.83                 |
| 3M224    | 8901-0224   | 8.82                  | 3M365    | 8901-0365   | 14.37                 | 3M600    | 8901-0600   | 23.62                 |
| 3M230    | 8901-0230   | 9.06                  | 3M375    | 8901-0375   | 14.76                 | 3M615    | 8901-0615   | 24.21                 |
| 3M236    | 8901-0236   | 9.29                  | 3M387    | 8901-0387   | 15.24                 | 3M630    | 8901-0630   | 24.80                 |
| 3M243    | 8901-0243   | 9.57                  | 3M400    | 8901-0400   | 15.75                 | 3M650    | 8901-0650   | 25.59                 |
| 3M250    | 8901-0250   | 9.84                  | 3M412    | 8901-0412   | 16.22                 | 3M670    | 8901-0670   | 26.38                 |
| 3M258    | 8901-0258   | 10.16                 | 3M425    | 8901-0425   | 16.73                 | 3M690    | 8901-0690   | 27.17                 |
| 3M265    | 8901-0265   | 10.43                 | 3M437    | 8901-0437   | 17.20                 | 3M710    | 8901-0710   | 27.95                 |
| 3M272    | 8901-0272   | 10.71                 | 3M450    | 8901-0450   | 17.72                 | 3M730    | 8901-0730   | 28.74                 |
| 3M280    | 8901-0280   | 11.02                 | 3M462    | 8901-0462   | 18.19                 | 3M750    | 8901-0750   | 29.53                 |

## Product No. Series 8902

Nominal Strand Width: 3/16"

### 5M

| Part No. | Product No. | Effective Length (in) | Part No. | Product No. | Effective Length (in) | Part No. | Product No. | Effective Length (in) |
|----------|-------------|-----------------------|----------|-------------|-----------------------|----------|-------------|-----------------------|
| 5M280    | 8902-0280   | 11.02                 | 5M515    | 8902-0515   | 20.28                 | 5M950    | 8902-0950   | 37.40                 |
| 5M290    | 8902-0290   | 11.42                 | 5M530    | 8902-0530   | 20.87                 | 5M975    | 8902-0975   | 38.39                 |
| 5M300    | 8902-0300   | 11.81                 | 5M545    | 8902-0545   | 21.46                 | 5M1000   | 8902-1000   | 39.37                 |
| 5M307    | 8902-0307   | 12.09                 | 5M560    | 8902-0560   | 22.05                 | 5M1030   | 8902-1030   | 40.55                 |
| 5M315    | 8902-0315   | 12.40                 | 5M580    | 8902-0580   | 22.83                 | 5M1060   | 8902-1060   | 41.73                 |
| 5M325    | 8902-0325   | 12.80                 | 5M600    | 8902-0600   | 23.62                 | 5M1090   | 8902-1090   | 42.91                 |
| 5M335    | 8902-0335   | 13.19                 | 5M615    | 8902-0615   | 24.21                 | 5M1120   | 8902-1120   | 44.09                 |
| 5M345    | 8902-0345   | 13.58                 | 5M630    | 8902-0630   | 24.80                 | 5M1150   | 8902-1150   | 45.28                 |
| 5M355    | 8902-0355   | 13.98                 | 5M650    | 8902-0650   | 25.59                 | 5M1180   | 8902-1180   | 46.46                 |
| 5M365    | 8902-0365   | 14.37                 | 5M670    | 8902-0670   | 26.38                 | 5M1220   | 8902-1220   | 48.03                 |
| 5M375    | 8902-0375   | 14.76                 | 5M690    | 8902-0690   | 27.17                 | 5M1250   | 8902-1250   | 49.21                 |
| 5M387    | 8902-0387   | 15.24                 | 5M710    | 8902-0710   | 27.95                 | 5M1280   | 8902-1280   | 50.39                 |
| 5M400    | 8902-0400   | 15.75                 | 5M730    | 8902-0730   | 28.74                 | 5M1320   | 8902-1320   | 51.97                 |
| 5M412    | 8902-0412   | 16.22                 | 5M750    | 8902-0750   | 29.53                 | 5M1360   | 8902-1360   | 53.54                 |
| 5M425    | 8902-0425   | 16.73                 | 5M775    | 8902-0775   | 30.51                 | 5M1400   | 8902-1400   | 55.12                 |
| 5M437    | 8902-0437   | 17.20                 | 5M800    | 8902-0800   | 31.50                 | 5M1450   | 8902-1450   | 57.09                 |
| 5M450    | 8902-0450   | 17.72                 | 5M825    | 8902-0825   | 32.48                 | 5M1500   | 8902-1500   | 59.06                 |
| 5M462    | 8902-0462   | 18.19                 | 5M850    | 8902-0850   | 33.46                 | 5M1600   | 8902-1600   | 62.99                 |
| 5M475    | 8902-0475   | 18.70                 | 5M875    | 8902-0875   | 34.45                 | 5M1650   | 8902-1650   | 64.96                 |
| 5M487    | 8902-0487   | 19.17                 | 5M900    | 8902-0900   | 35.43                 | 5M1850   | 8902-1850   | 72.83                 |
| 5M500    | 8902-0500   | 19.69                 | 5M925    | 8902-0925   | 36.42                 |          |             |                       |

**Polyflex® Belts****Product No. Series 8903**

Nominal Top Width: 9/32"

**7M**

| Part No. | Product No. | Effective Length (in) | Part No. | Product No. | Effective Length (in) | Part No. | Product No. | Effective Length (in) |
|----------|-------------|-----------------------|----------|-------------|-----------------------|----------|-------------|-----------------------|
| 7M400    | 8903-0400   | 15.75                 | 7M825    | 8903-0825   | 32.48                 | 7M1400   | 8903-1400   | 55.12                 |
| 7M410    | 8903-0410   | 16.14                 | 7M850    | 8903-0850   | 33.46                 | 7M1450   | 8903-1450   | 57.09                 |
| 7M500    | 8903-0500   | 19.69                 | 7M875    | 8903-0875   | 34.45                 | 7M1500   | 8903-1500   | 59.06                 |
| 7M515    | 8903-0515   | 20.28                 | 7M900    | 8903-0900   | 35.43                 | 7M1550   | 8903-1550   | 61.02                 |
| 7M530    | 8903-0530   | 20.87                 | 7M925    | 8903-0925   | 36.42                 | 7M1600   | 8903-1600   | 62.99                 |
| 7M545    | 8903-0545   | 21.46                 | 7M950    | 8903-0950   | 37.40                 | 7M1650   | 8903-1650   | 64.96                 |
| 7M560    | 8903-0560   | 22.05                 | 7M975    | 8903-0975   | 38.39                 | 7M1700   | 8903-1700   | 66.93                 |
| 7M580    | 8903-0580   | 22.83                 | 7M1000   | 8903-1000   | 39.37                 | 7M1750   | 8903-1750   | 68.90                 |
| 7M600    | 8903-0600   | 23.62                 | 7M1030   | 8903-1030   | 40.55                 | 7M1800   | 8903-1800   | 70.87                 |
| 7M615    | 8903-0615   | 24.21                 | 7M1060   | 8903-1060   | 41.73                 | 7M1850   | 8903-1850   | 72.83                 |
| 7M630    | 8903-0630   | 24.80                 | 7M1090   | 8903-1090   | 42.91                 | 7M1900   | 8903-1900   | 74.80                 |
| 7M650    | 8903-0650   | 25.59                 | 7M1120   | 8903-1120   | 44.09                 | 7M1950   | 8903-1950   | 76.77                 |
| 7M670    | 8903-0670   | 26.38                 | 7M1150   | 8903-1150   | 45.28                 | 7M2000   | 8903-2000   | 78.74                 |
| 7M690    | 8903-0690   | 27.17                 | 7M1180   | 8903-1180   | 46.46                 | 7M2060   | 8903-2060   | 81.10                 |
| 7M710    | 8903-0710   | 27.95                 | 7M1220   | 8903-1220   | 48.03                 | 7M2120   | 8903-2120   | 83.46                 |
| 7M730    | 8903-0730   | 28.74                 | 7M1250   | 8903-1250   | 49.21                 | 7M2180   | 8903-2180   | 85.83                 |
| 7M750    | 8903-0750   | 29.53                 | 7M1280   | 8903-1280   | 50.39                 | 7M2240   | 8903-2240   | 88.19                 |
| 7M775    | 8903-0775   | 30.51                 | 7M1320   | 8903-1320   | 51.97                 | 7M2300   | 8903-2300   | 90.55                 |
| 7M800    | 8903-0800   | 31.50                 | 7M1360   | 8903-1360   | 53.54                 |          |             |                       |

Nominal Top Width: 7/16"

**Product No. Series 8904****11M**

| Part No. | Product No. | Effective Length (in) | Part No. | Product No. | Effective Length (in) | Part No. | Product No. | Effective Length (in) |
|----------|-------------|-----------------------|----------|-------------|-----------------------|----------|-------------|-----------------------|
| 11M710   | 8904-0710   | 27.95                 | 11M1060  | 8904-1060   | 41.73                 | 11M1600  | 8904-1600   | 62.99                 |
| 11M730   | 8904-0730   | 28.74                 | 11M1090  | 8904-1090   | 42.91                 | 11M1650  | 8904-1650   | 64.96                 |
| 11M750   | 8904-0750   | 29.53                 | 11M1120  | 8904-1120   | 44.09                 | 11M1700  | 8904-1700   | 66.93                 |
| 11M775   | 8904-0775   | 30.51                 | 11M1150  | 8904-1150   | 45.28                 | 11M1750  | 8904-1750   | 68.90                 |
| 11M800   | 8904-0800   | 31.50                 | 11M1180  | 8904-1180   | 46.46                 | 11M1800  | 8904-1800   | 70.87                 |
| 11M825   | 8904-0825   | 32.48                 | 11M1220  | 8904-1220   | 48.03                 | 11M1850  | 8904-1850   | 72.83                 |
| 11M850   | 8904-0850   | 33.46                 | 11M1250  | 8904-1250   | 49.21                 | 11M1900  | 8904-1900   | 74.80                 |
| 11M875   | 8904-0875   | 34.45                 | 11M1280  | 8904-1280   | 50.39                 | 11M1950  | 8904-1950   | 76.77                 |
| 11M900   | 8904-0900   | 35.43                 | 11M1320  | 8904-1320   | 51.97                 | 11M2000  | 8904-2000   | 78.74                 |
| 11M925   | 8904-0925   | 36.42                 | 11M1360  | 8904-1360   | 53.54                 | 11M2060  | 8904-2060   | 81.10                 |
| 11M950   | 8904-0950   | 37.40                 | 11M1400  | 8904-1400   | 55.12                 | 11M2120  | 8904-2120   | 83.46                 |
| 11M975   | 8904-0975   | 38.39                 | 11M1450  | 8904-1450   | 57.09                 | 11M2180  | 8904-2180   | 85.83                 |
| 11M1000  | 8904-1000   | 39.37                 | 11M1500  | 8904-1500   | 59.06                 | 11M2240  | 8904-2240   | 88.19                 |
| 11M1030  | 8904-1030   | 40.55                 | 11M1550  | 8904-1550   | 61.02                 | 11M2300  | 8904-2300   | 90.55                 |



# Polyflex® JB® Belts

## Recommended Sheaves

Contact the Gates Made-To-Order Metals Team.

### Notes

Manufacturing lead times and minimum order quantities may apply to matched sets and to rib configurations other than those listed. Minimum order quantities do not apply for belt lengths listed. Contact Customer Service for details.

Polyflex JB Belts are available in 3M, 5M, 7M, and 11M cross sections.

The Polyflex JB belt part number is comprised of the number of belt strands, cross section, effective length and the "JB" signifying joined band construction. For example; part number 3/5M1000JB represents 3 strands joined together, 5mm top width for each belt strand, effective length of 1000mm and joined band (JB) construction.

LIGHT DUTY V-BELTS

## Product No. Series 8911

Nominal Strand Width: 1/8"

### 3M



| Part No.  | Product No. | Effective Length (in) | Part No.  | Product No. | Effective Length (in) | Part No.  | Product No. | Effective Length (in) |
|-----------|-------------|-----------------------|-----------|-------------|-----------------------|-----------|-------------|-----------------------|
| 2/3M175JB | 8911-2175   | 6.74                  | 2/3M290JB | 8911-2290   | 11.27                 | 2/3M475JB | 8911-2475   | 18.55                 |
| 3/3M175JB | 8911-3175   | 6.74                  | 3/3M290JB | 8911-3290   | 11.27                 | 3/3M475JB | 8911-3475   | 18.55                 |
| 2/3M180JB | 8911-2180   | 6.94                  | 2/3M300JB | 8911-2300   | 11.66                 | 2/3M487JB | 8911-2487   | 19.02                 |
| 3/3M180JB | 8911-3180   | 6.94                  | 3/3M300JB | 8911-3300   | 11.66                 | 3/3M487JB | 8911-3487   | 19.02                 |
| 2/3M185JB | 8911-2185   | 7.13                  | 2/3M307JB | 8911-2307   | 11.94                 | 2/3M500JB | 8911-2500   | 19.54                 |
| 3/3M185JB | 8911-3185   | 7.13                  | 3/3M307JB | 8911-3307   | 11.94                 | 3/3M500JB | 8911-3500   | 19.54                 |
| 2/3M190JB | 8911-2190   | 7.33                  | 2/3M315JB | 8911-2315   | 12.25                 | 2/3M515JB | 8911-2515   | 20.13                 |
| 3/3M190JB | 8911-3190   | 7.33                  | 3/3M315JB | 8911-3315   | 12.25                 | 3/3M515JB | 8911-3515   | 20.13                 |
| 2/3M195JB | 8911-2195   | 7.53                  | 2/3M325JB | 8911-2325   | 12.65                 | 2/3M530JB | 8911-2530   | 20.72                 |
| 3/3M195JB | 8911-3195   | 7.53                  | 3/3M325JB | 8911-3325   | 12.65                 | 3/3M530JB | 8911-3530   | 20.72                 |
| 2/3M200JB | 8911-2200   | 7.72                  | 2/3M335JB | 8911-2335   | 13.04                 | 2/3M545JB | 8911-2545   | 21.31                 |
| 3/3M200JB | 8911-3200   | 7.72                  | 3/3M335JB | 8911-3335   | 13.04                 | 3/3M545JB | 8911-3545   | 21.31                 |
| 2/3M206JB | 8911-2206   | 7.96                  | 2/3M345JB | 8911-2345   | 13.43                 | 2/3M560JB | 8911-2560   | 21.90                 |
| 3/3M206JB | 8911-3206   | 7.96                  | 3/3M345JB | 8911-3345   | 13.43                 | 3/3M560JB | 8911-3560   | 21.90                 |
| 2/3M212JB | 8911-2212   | 8.20                  | 2/3M350JB | 8911-2350   | 13.63                 | 2/3M580JB | 8911-2580   | 22.69                 |
| 3/3M212JB | 8911-3212   | 8.20                  | 3/3M350JB | 8911-3350   | 13.63                 | 3/3M580JB | 8911-3580   | 22.69                 |
| 2/3M218JB | 8911-2218   | 8.43                  | 2/3M355JB | 8911-2355   | 13.83                 | 2/3M600JB | 8911-2600   | 23.47                 |
| 3/3M218JB | 8911-3218   | 8.43                  | 3/3M355JB | 8911-3355   | 13.83                 | 3/3M600JB | 8911-3600   | 23.47                 |
| 2/3M224JB | 8911-2224   | 8.67                  | 2/3M365JB | 8911-2365   | 14.22                 | 2/3M615JB | 8911-2615   | 24.06                 |
| 3/3M224JB | 8911-3224   | 8.67                  | 3/3M365JB | 8911-3365   | 14.22                 | 3/3M615JB | 8911-3615   | 24.06                 |
| 2/3M230JB | 8911-2230   | 8.91                  | 2/3M375JB | 8911-2375   | 14.61                 | 2/3M630JB | 8911-2630   | 24.65                 |
| 3/3M230JB | 8911-3230   | 8.91                  | 3/3M375JB | 8911-3375   | 14.61                 | 3/3M630JB | 8911-3630   | 24.65                 |
| 2/3M236JB | 8911-2236   | 9.14                  | 2/3M387JB | 8911-2387   | 15.09                 | 2/3M650JB | 8911-2650   | 25.44                 |
| 3/3M236JB | 8911-3236   | 9.14                  | 3/3M387JB | 8911-3387   | 15.09                 | 3/3M650JB | 8911-3650   | 25.44                 |
| 2/3M243JB | 8911-2243   | 9.42                  | 2/3M400JB | 8911-2400   | 15.60                 | 2/3M670JB | 8911-2670   | 26.23                 |
| 3/3M243JB | 8911-3243   | 9.42                  | 3/3M400JB | 8911-3400   | 15.60                 | 3/3M670JB | 8911-3670   | 26.23                 |
| 2/3M250JB | 8911-2250   | 9.69                  | 2/3M412JB | 8911-2412   | 16.07                 | 2/3M690JB | 8911-2690   | 27.01                 |
| 3/3M250JB | 8911-3250   | 9.69                  | 3/3M412JB | 8911-3412   | 16.07                 | 3/3M690JB | 8911-3690   | 27.01                 |
| 2/3M258JB | 8911-2258   | 10.01                 | 2/3M425JB | 8911-2425   | 15.68                 | 2/3M710JB | 8911-2710   | 27.80                 |
| 3/3M258JB | 8911-3258   | 10.01                 | 3/3M425JB | 8911-3425   | 15.68                 | 3/3M710JB | 8911-3710   | 27.80                 |
| 2/3M265JB | 8911-2265   | 10.28                 | 2/3M437JB | 8911-2437   | 17.06                 | 2/3M730JB | 8911-2730   | 28.59                 |
| 3/3M265JB | 8911-3265   | 10.28                 | 3/3M437JB | 8911-3437   | 17.06                 | 3/3M730JB | 8911-3730   | 28.59                 |
| 2/3M272JB | 8911-2272   | 10.56                 | 2/3M450JB | 8911-2450   | 17.57                 | 2/3M750JB | 8911-2750   | 29.38                 |
| 3/3M272JB | 8911-3272   | 10.56                 | 3/3M450JB | 8911-3450   | 17.57                 | 3/3M750JB | 8911-3750   | 29.38                 |
| 2/3M280JB | 8911-2280   | 10.87                 | 2/3M462JB | 8911-2462   | 18.04                 |           |             |                       |
| 3/3M280JB | 8911-3280   | 10.87                 | 3/3M462JB | 8911-3462   | 18.04                 |           |             |                       |

## Product No. Series 8912

Nominal Strand Width: 3/16"

### 5M



| Part No.  | Product No. | Effective Length (in) | Part No.  | Product No. | Effective Length (in) | Part No.  | Product No. | Effective Length (in) |
|-----------|-------------|-----------------------|-----------|-------------|-----------------------|-----------|-------------|-----------------------|
| 2/5M280JB | 8912-2280   | 11.02                 | 5/5M290JB | 8912-5290   | 11.42                 | 4/5M307JB | 8912-4307   | 12.09                 |
| 3/5M280JB | 8912-3280   | 11.02                 | 2/5M300JB | 8912-2300   | 11.81                 | 5/5M307JB | 8912-5307   | 12.09                 |
| 4/5M280JB | 8912-4280   | 11.02                 | 3/5M300JB | 8912-3300   | 11.81                 | 2/5M315JB | 8912-2315   | 12.40                 |
| 5/5M280JB | 8912-5280   | 11.02                 | 4/5M300JB | 8912-4300   | 11.81                 | 3/5M315JB | 8912-3315   | 12.40                 |
| 2/5M290JB | 8912-2290   | 11.42                 | 5/5M300JB | 8912-5300   | 11.81                 | 4/5M315JB | 8912-4315   | 12.40                 |
| 3/5M290JB | 8912-3290   | 11.42                 | 2/5M307JB | 8912-2307   | 12.09                 | 5/5M315JB | 8912-5315   | 12.40                 |
| 4/5M290JB | 8912-4290   | 11.42                 | 3/5M307JB | 8912-3307   | 12.09                 | 2/5M325JB | 8912-2325   | 12.80                 |



# Polyflex® JB® Belts

## Product No. Series 8912 (continued)

### 5M (continued)

| Part No.  | Product No. | Effective Length (in) | Part No.  | Product No. | Effective Length (in) | Part No.   | Product No. | Effective Length (in) |
|-----------|-------------|-----------------------|-----------|-------------|-----------------------|------------|-------------|-----------------------|
| 3/5M325JB | 8912-3325   | 12.80                 | 3/5M500JB | 8912-3500   | 19.69                 | 3/5M775JB  | 8912-3775   | 30.51                 |
| 4/5M325JB | 8912-4325   | 12.80                 | 4/5M500JB | 8912-4500   | 19.69                 | 4/5M775JB  | 8912-4775   | 30.51                 |
| 5/5M325JB | 8912-5325   | 12.80                 | 5/5M500JB | 8912-5500   | 19.69                 | 5/5M775JB  | 8912-5775   | 30.51                 |
| 2/5M335JB | 8912-2335   | 13.19                 | 2/5M515JB | 8912-2515   | 20.28                 | 2/5M800JB  | 8912-2800   | 31.50                 |
| 3/5M335JB | 8912-3335   | 13.19                 | 3/5M515JB | 8912-3515   | 20.28                 | 3/5M800JB  | 8912-3800   | 31.50                 |
| 4/5M335JB | 8912-4335   | 13.19                 | 4/5M515JB | 8912-4515   | 20.28                 | 4/5M800JB  | 8912-4800   | 31.50                 |
| 5/5M335JB | 8912-5335   | 13.19                 | 5/5M515JB | 8912-5515   | 20.28                 | 5/5M800JB  | 8912-5800   | 31.50                 |
| 2/5M345JB | 8912-2345   | 13.58                 | 2/5M530JB | 8912-2530   | 20.87                 | 2/5M825JB  | 8912-2825   | 32.48                 |
| 3/5M345JB | 8912-3345   | 13.58                 | 3/5M530JB | 8912-3530   | 20.87                 | 3/5M825JB  | 8912-3825   | 32.48                 |
| 4/5M345JB | 8912-4345   | 13.58                 | 4/5M530JB | 8912-4530   | 20.87                 | 4/5M825JB  | 8912-4825   | 32.48                 |
| 5/5M345JB | 8912-5345   | 13.58                 | 5/5M530JB | 8912-5530   | 20.87                 | 5/5M825JB  | 8912-5825   | 32.48                 |
| 2/5M355JB | 8912-2355   | 13.98                 | 2/5M545JB | 8912-2545   | 21.46                 | 2/5M850JB  | 8912-2850   | 33.46                 |
| 3/5M355JB | 8912-3355   | 13.98                 | 3/5M545JB | 8912-3545   | 21.46                 | 3/5M850JB  | 8912-3850   | 33.46                 |
| 4/5M355JB | 8912-4355   | 13.98                 | 4/5M545JB | 8912-4545   | 21.46                 | 4/5M850JB  | 8912-4850   | 33.46                 |
| 5/5M355JB | 8912-5355   | 13.98                 | 5/5M545JB | 8912-5545   | 21.46                 | 5/5M850JB  | 8912-5850   | 33.46                 |
| 2/5M365JB | 8912-2365   | 14.37                 | 2/5M560JB | 8912-2560   | 22.05                 | 2/5M875JB  | 8912-2875   | 34.45                 |
| 3/5M365JB | 8912-3365   | 14.37                 | 3/5M560JB | 8912-3560   | 22.05                 | 3/5M875JB  | 8912-3875   | 34.45                 |
| 4/5M365JB | 8912-4365   | 14.37                 | 4/5M560JB | 8912-4560   | 22.05                 | 4/5M875JB  | 8912-4875   | 34.45                 |
| 5/5M365JB | 8912-5365   | 14.37                 | 5/5M560JB | 8912-5560   | 22.05                 | 5/5M875JB  | 8912-5875   | 34.45                 |
| 2/5M375JB | 8912-2375   | 14.76                 | 2/5M580JB | 8912-2580   | 22.83                 | 2/5M900JB  | 8912-2900   | 35.43                 |
| 3/5M375JB | 8912-3375   | 14.76                 | 3/5M580JB | 8912-3580   | 22.83                 | 3/5M900JB  | 8912-3900   | 35.43                 |
| 4/5M375JB | 8912-4375   | 14.76                 | 4/5M580JB | 8912-4580   | 22.83                 | 4/5M900JB  | 8912-4900   | 35.43                 |
| 5/5M375JB | 8912-5375   | 14.76                 | 5/5M580JB | 8912-5580   | 22.83                 | 5/5M900JB  | 8912-5900   | 35.43                 |
| 2/5M387JB | 8912-2387   | 15.24                 | 2/5M600JB | 8912-2600   | 23.62                 | 2/5M925JB  | 8912-2925   | 36.42                 |
| 3/5M387JB | 8912-3387   | 15.24                 | 3/5M600JB | 8912-3600   | 23.62                 | 3/5M925JB  | 8912-3925   | 36.42                 |
| 4/5M387JB | 8912-4387   | 15.24                 | 4/5M600JB | 8912-4600   | 23.62                 | 4/5M925JB  | 8912-4925   | 36.42                 |
| 5/5M387JB | 8912-5387   | 15.24                 | 5/5M600JB | 8912-5600   | 23.62                 | 5/5M925JB  | 8912-5925   | 36.42                 |
| 2/5M400JB | 8912-2400   | 15.75                 | 2/5M615JB | 8912-2615   | 24.21                 | 2/5M950JB  | 8912-2950   | 37.40                 |
| 3/5M400JB | 8912-3400   | 15.75                 | 3/5M615JB | 8912-3615   | 24.21                 | 3/5M950JB  | 8912-3950   | 37.40                 |
| 4/5M400JB | 8912-4400   | 15.75                 | 4/5M615JB | 8912-4615   | 24.21                 | 4/5M950JB  | 8912-4950   | 37.40                 |
| 5/5M400JB | 8912-5400   | 15.75                 | 5/5M615JB | 8912-5615   | 24.21                 | 5/5M950JB  | 8912-5950   | 37.40                 |
| 2/5M412JB | 8912-2412   | 16.22                 | 2/5M630JB | 8912-2630   | 24.80                 | 2/5M975JB  | 8912-2975   | 38.39                 |
| 3/5M412JB | 8912-3412   | 16.22                 | 3/5M630JB | 8912-3630   | 24.80                 | 3/5M975JB  | 8912-3975   | 38.39                 |
| 4/5M412JB | 8912-4412   | 16.22                 | 4/5M630JB | 8912-4630   | 24.80                 | 4/5M975JB  | 8912-4975   | 38.39                 |
| 5/5M412JB | 8912-5412   | 16.22                 | 5/5M630JB | 8912-5630   | 24.80                 | 5/5M975JB  | 8912-5975   | 38.39                 |
| 2/5M425JB | 8912-2425   | 16.73                 | 2/5M650JB | 8912-2650   | 25.59                 | 2/5M1000JB | 8912-2100   | 39.37                 |
| 3/5M425JB | 8912-3425   | 16.73                 | 3/5M650JB | 8912-3650   | 25.59                 | 3/5M1000JB | 8912-3100   | 39.37                 |
| 4/5M425JB | 8912-4425   | 16.73                 | 4/5M650JB | 8912-4650   | 25.59                 | 4/5M1000JB | 8912-4100   | 39.37                 |
| 5/5M425JB | 8912-5425   | 16.73                 | 5/5M650JB | 8912-5650   | 25.59                 | 5/5M1000JB | 8912-5100   | 39.37                 |
| 2/5M437JB | 8912-2437   | 17.20                 | 2/5M670JB | 8912-2670   | 26.38                 | 2/5M1030JB | 8912-2103   | 40.55                 |
| 3/5M437JB | 8912-3437   | 17.20                 | 3/5M670JB | 8912-3670   | 26.38                 | 3/5M1030JB | 8912-3103   | 40.55                 |
| 4/5M437JB | 8912-4437   | 17.20                 | 4/5M670JB | 8912-4670   | 26.38                 | 4/5M1030JB | 8912-4103   | 40.55                 |
| 5/5M437JB | 8912-5437   | 17.20                 | 5/5M670JB | 8912-5670   | 26.38                 | 5/5M1030JB | 8912-5103   | 40.55                 |
| 2/5M450JB | 8912-2450   | 17.72                 | 2/5M690JB | 8912-2690   | 27.17                 | 2/5M1060JB | 8912-2106   | 41.73                 |
| 3/5M450JB | 8912-3450   | 17.72                 | 3/5M690JB | 8912-3690   | 27.17                 | 3/5M1060JB | 8912-3106   | 41.73                 |
| 4/5M450JB | 8912-4450   | 17.72                 | 4/5M690JB | 8912-4690   | 27.17                 | 4/5M1060JB | 8912-4106   | 41.73                 |
| 5/5M450JB | 8912-5450   | 17.72                 | 5/5M690JB | 8912-5690   | 27.17                 | 5/5M1060JB | 8912-5106   | 41.73                 |
| 2/5M462JB | 8912-2462   | 18.19                 | 2/5M710JB | 8912-2710   | 27.95                 | 2/5M1090JB | 8912-2109   | 42.91                 |
| 3/5M462JB | 8912-3462   | 18.19                 | 3/5M710JB | 8912-3710   | 27.95                 | 3/5M1090JB | 8912-3109   | 42.91                 |
| 4/5M462JB | 8912-4462   | 18.19                 | 4/5M710JB | 8912-4710   | 27.95                 | 4/5M1090JB | 8912-4109   | 42.91                 |
| 5/5M462JB | 8912-5462   | 18.19                 | 5/5M710JB | 8912-5710   | 27.95                 | 5/5M1090JB | 8912-5109   | 42.91                 |
| 2/5M475JB | 8912-2475   | 18.70                 | 2/5M730JB | 8912-2730   | 28.74                 | 2/5M1120JB | 8912-2112   | 44.09                 |
| 3/5M475JB | 8912-3475   | 18.70                 | 3/5M730JB | 8912-3730   | 28.74                 | 3/5M1120JB | 8912-3112   | 44.09                 |
| 4/5M475JB | 8912-4475   | 18.70                 | 4/5M730JB | 8912-4730   | 28.74                 | 4/5M1120JB | 8912-4112   | 44.09                 |
| 5/5M475JB | 8912-5475   | 18.70                 | 5/5M730JB | 8912-5730   | 28.74                 | 5/5M1120JB | 8912-5112   | 44.09                 |
| 2/5M487JB | 8912-2487   | 19.17                 | 2/5M750JB | 8912-2750   | 29.53                 | 2/5M1150JB | 8912-2115   | 45.28                 |
| 3/5M487JB | 8912-3487   | 19.17                 | 3/5M750JB | 8912-3750   | 29.53                 | 3/5M1150JB | 8912-3115   | 45.28                 |
| 4/5M487JB | 8912-4487   | 19.17                 | 4/5M750JB | 8912-4750   | 29.53                 | 4/5M1150JB | 8912-4115   | 45.28                 |
| 5/5M487JB | 8912-5487   | 19.17                 | 5/5M750JB | 8912-5750   | 29.53                 | 5/5M1150JB | 8912-5115   | 45.28                 |
| 2/5M500JB | 8912-2500   | 19.69                 | 2/5M775JB | 8912-2775   | 30.51                 | 2/5M1180JB | 8912-2118   | 46.46                 |

LIGHT DUTY V-BELTS





# Polyflex® JB® Belts

## Product No. Series 8912 (continued)

### 5M (continued)

| Part No.   | Product No. | Effective Length (in) | Part No.   | Product No. | Effective Length (in) | Part No.   | Product No. | Effective Length (in) |
|------------|-------------|-----------------------|------------|-------------|-----------------------|------------|-------------|-----------------------|
| 3/5M1180JB | 8912-3118   | 46.46                 | 3/5M1280JB | 8912-3128   | 50.39                 | 3/5M1400JB | 8912-3140   | 55.12                 |
| 4/5M1180JB | 8912-4118   | 46.46                 | 4/5M1280JB | 8912-4128   | 50.39                 | 4/5M1400JB | 8912-4140   | 55.12                 |
| 5/5M1180JB | 8912-5118   | 46.46                 | 5/5M1280JB | 8912-5128   | 50.39                 | 5/5M1400JB | 8912-5140   | 55.12                 |
| 2/5M1220JB | 8912-2122   | 48.03                 | 2/5M1320JB | 8912-2132   | 51.97                 | 2/5M1450JB | 8912-2145   | 57.09                 |
| 3/5M1220JB | 8912-3122   | 48.03                 | 3/5M1320JB | 8912-3132   | 51.97                 | 3/5M1450JB | 8912-3145   | 57.09                 |
| 4/5M1220JB | 8912-4122   | 48.03                 | 4/5M1320JB | 8912-4132   | 51.97                 | 4/5M1450JB | 8912-4145   | 57.09                 |
| 5/5M1220JB | 8912-5122   | 48.03                 | 5/5M1320JB | 8912-5132   | 51.97                 | 5/5M1450JB | 8912-5145   | 57.09                 |
| 2/5M1250JB | 8912-2125   | 49.21                 | 2/5M1360JB | 8912-2136   | 53.54                 | 4/5M1500JB | 8912-0001   | 59.06                 |
| 3/5M1250JB | 8912-3125   | 49.21                 | 3/5M1360JB | 8912-3136   | 53.54                 | 2/5M1500JB | 8912-2150   | 59.06                 |
| 4/5M1250JB | 8912-4125   | 49.21                 | 4/5M1360JB | 8912-4136   | 53.54                 | 3/5M1500JB | 8912-3150   | 59.06                 |
| 5/5M1250JB | 8912-5125   | 49.21                 | 5/5M1360JB | 8912-5136   | 53.54                 | 5/5M1500JB | 8912-5150   | 59.06                 |
| 2/5M1280JB | 8912-2128   | 50.39                 | 2/5M1400JB | 8912-2140   | 55.12                 |            |             |                       |

## Product No. Series 8913

### Nominal Strand Width: 9/32"



### 7M

| Part No.  | Product No. | Effective Length (in) | Part No.  | Product No. | Effective Length (in) | Part No.   | Product No. | Effective Length (in) |
|-----------|-------------|-----------------------|-----------|-------------|-----------------------|------------|-------------|-----------------------|
| 2/7M500JB | 8913-2500   | 19.30                 | 2/7M670JB | 8913-2670   | 26.00                 | 2/7M900JB  | 8913-2900   | 35.20                 |
| 3/7M500JB | 8913-3500   | 19.30                 | 3/7M670JB | 8913-3670   | 26.00                 | 3/7M900JB  | 8913-3900   | 35.20                 |
| 4/7M500JB | 8913-4500   | 19.30                 | 4/7M670JB | 8913-4670   | 26.00                 | 4/7M900JB  | 8913-4900   | 35.20                 |
| 5/7M500JB | 8913-5500   | 19.30                 | 5/7M670JB | 8913-5670   | 26.00                 | 5/7M900JB  | 8913-5900   | 35.20                 |
| 2/7M515JB | 8913-2515   | 19.90                 | 2/7M690JB | 8913-2690   | 26.80                 | 2/7M925JB  | 8913-2925   | 36.20                 |
| 3/7M515JB | 8913-3515   | 19.90                 | 3/7M690JB | 8913-3690   | 26.80                 | 3/7M925JB  | 8913-3925   | 36.20                 |
| 4/7M515JB | 8913-4515   | 19.90                 | 4/7M690JB | 8913-4690   | 26.80                 | 4/7M925JB  | 8913-4925   | 36.20                 |
| 5/7M515JB | 8913-5515   | 19.90                 | 5/7M690JB | 8913-5690   | 26.80                 | 5/7M925JB  | 8913-5925   | 36.20                 |
| 2/7M530JB | 8913-2530   | 20.50                 | 2/7M710JB | 8913-2710   | 27.70                 | 2/7M950JB  | 8913-2950   | 37.20                 |
| 3/7M530JB | 8913-3530   | 20.50                 | 3/7M710JB | 8913-3710   | 27.70                 | 3/7M950JB  | 8913-3950   | 37.20                 |
| 4/7M530JB | 8913-4530   | 20.50                 | 4/7M710JB | 8913-4710   | 27.70                 | 4/7M950JB  | 8913-4950   | 37.20                 |
| 5/7M530JB | 8913-5530   | 20.50                 | 5/7M710JB | 8913-5710   | 27.70                 | 5/7M950JB  | 8913-5950   | 37.20                 |
| 2/7M545JB | 8913-2545   | 21.10                 | 2/7M730JB | 8913-2730   | 28.50                 | 2/7M975JB  | 8913-2975   | 38.10                 |
| 3/7M545JB | 8913-3545   | 21.10                 | 3/7M730JB | 8913-3730   | 28.50                 | 3/7M975JB  | 8913-3975   | 38.10                 |
| 4/7M545JB | 8913-4545   | 21.10                 | 4/7M730JB | 8913-4730   | 28.50                 | 4/7M975JB  | 8913-4975   | 38.10                 |
| 5/7M545JB | 8913-5545   | 21.10                 | 5/7M730JB | 8913-5730   | 28.50                 | 5/7M975JB  | 8913-5975   | 38.10                 |
| 2/7M560JB | 8913-2560   | 21.60                 | 2/7M750JB | 8913-2750   | 29.30                 | 2/7M1000JB | 8913-2100   | 39.10                 |
| 3/7M560JB | 8913-3560   | 21.60                 | 3/7M750JB | 8913-3750   | 29.30                 | 3/7M1000JB | 8913-3100   | 39.10                 |
| 4/7M560JB | 8913-4560   | 21.60                 | 4/7M750JB | 8913-4750   | 29.30                 | 4/7M1000JB | 8913-4100   | 39.10                 |
| 5/7M560JB | 8913-5560   | 21.60                 | 5/7M750JB | 8913-5750   | 29.30                 | 5/7M1000JB | 8913-5100   | 39.10                 |
| 2/7M580JB | 8913-2580   | 22.40                 | 2/7M775JB | 8913-2775   | 30.30                 | 2/7M1030JB | 8913-2103   | 40.30                 |
| 3/7M580JB | 8913-3580   | 22.40                 | 3/7M775JB | 8913-3775   | 30.30                 | 3/7M1030JB | 8913-3103   | 40.30                 |
| 4/7M580JB | 8913-4580   | 22.40                 | 4/7M775JB | 8913-4775   | 30.30                 | 4/7M1030JB | 8913-4103   | 40.30                 |
| 5/7M580JB | 8913-5580   | 22.40                 | 5/7M775JB | 8913-5775   | 30.30                 | 5/7M1030JB | 8913-5103   | 40.30                 |
| 2/7M600JB | 8913-2600   | 23.20                 | 2/7M800JB | 8913-2800   | 31.20                 | 2/7M1060JB | 8913-2106   | 41.50                 |
| 3/7M600JB | 8913-3600   | 23.20                 | 3/7M800JB | 8913-3800   | 31.20                 | 3/7M1060JB | 8913-3106   | 41.50                 |
| 4/7M600JB | 8913-4600   | 23.20                 | 4/7M800JB | 8913-4800   | 31.20                 | 4/7M1060JB | 8913-4106   | 41.50                 |
| 5/7M600JB | 8913-5600   | 23.20                 | 5/7M800JB | 8913-5800   | 31.20                 | 5/7M1060JB | 8913-5106   | 41.50                 |
| 2/7M615JB | 8913-2615   | 23.80                 | 2/7M825JB | 8913-2825   | 32.20                 | 2/7M1090JB | 8913-2109   | 42.70                 |
| 3/7M615JB | 8913-3615   | 23.80                 | 3/7M825JB | 8913-3825   | 32.20                 | 3/7M1090JB | 8913-3109   | 42.70                 |
| 4/7M615JB | 8913-4615   | 23.80                 | 4/7M825JB | 8913-4825   | 32.20                 | 4/7M1090JB | 8913-4109   | 42.70                 |
| 5/7M615JB | 8913-5615   | 23.80                 | 5/7M825JB | 8913-5825   | 32.20                 | 5/7M1090JB | 8913-5109   | 42.70                 |
| 2/7M630JB | 8913-2630   | 24.40                 | 2/7M850JB | 8913-2850   | 33.20                 | 2/7M1120JB | 8913-2112   | 43.80                 |
| 3/7M630JB | 8913-3630   | 24.40                 | 3/7M850JB | 8913-3850   | 33.20                 | 3/7M1120JB | 8913-3112   | 43.80                 |
| 4/7M630JB | 8913-4630   | 24.40                 | 4/7M850JB | 8913-4850   | 33.20                 | 4/7M1120JB | 8913-4112   | 43.80                 |
| 5/7M630JB | 8913-5630   | 24.40                 | 5/7M850JB | 8913-5850   | 33.20                 | 5/7M1120JB | 8913-5112   | 43.80                 |
| 2/7M650JB | 8913-2650   | 25.20                 | 2/7M875JB | 8913-2875   | 34.20                 | 2/7M1150JB | 8913-2115   | 45.00                 |
| 3/7M650JB | 8913-3650   | 25.20                 | 3/7M875JB | 8913-3875   | 34.20                 | 3/7M1150JB | 8913-3115   | 45.00                 |
| 4/7M650JB | 8913-4650   | 25.20                 | 4/7M875JB | 8913-4875   | 34.20                 | 4/7M1150JB | 8913-4115   | 45.00                 |
| 5/7M650JB | 8913-5650   | 25.20                 | 5/7M875JB | 8913-5875   | 34.20                 | 5/7M1150JB | 8913-5115   | 45.00                 |



# Polyflex® JB® Belts

## Product No. Series 8913 (continued)

### 7M (continued)

| Part No.   | Product No. | Effective Length (in) | Part No.   | Product No. | Effective Length (in) | Part No.   | Product No. | Effective Length (in) |
|------------|-------------|-----------------------|------------|-------------|-----------------------|------------|-------------|-----------------------|
| 2/7M1180JB | 8913-2118   | 46.20                 | 2/7M1500JB | 8913-2150   | 58.80                 | 2/7M1900JB | 8913-2190   | 74.60                 |
| 3/7M1180JB | 8913-3118   | 46.20                 | 3/7M1500JB | 8913-3150   | 58.80                 | 3/7M1900JB | 8913-3190   | 74.60                 |
| 4/7M1180JB | 8913-4118   | 46.20                 | 4/7M1500JB | 8913-4150   | 58.80                 | 4/7M1900JB | 8913-4190   | 74.60                 |
| 5/7M1180JB | 8913-5118   | 46.20                 | 5/7M1500JB | 8913-5150   | 58.80                 | 5/7M1900JB | 8913-5190   | 74.60                 |
| 2/7M1220JB | 8913-2122   | 47.80                 | 2/7M1550JB | 8913-2155   | 60.80                 | 2/7M1950JB | 8913-2195   | 76.50                 |
| 3/7M1220JB | 8913-3122   | 47.80                 | 3/7M1550JB | 8913-3155   | 60.80                 | 3/7M1950JB | 8913-3195   | 76.50                 |
| 4/7M1220JB | 8913-4122   | 47.80                 | 4/7M1550JB | 8913-4155   | 60.80                 | 4/7M1950JB | 8913-4195   | 76.50                 |
| 5/7M1220JB | 8913-5122   | 47.80                 | 5/7M1550JB | 8913-5155   | 60.80                 | 5/7M1950JB | 8913-5195   | 76.50                 |
| 2/7M1250JB | 8913-2125   | 49.00                 | 2/7M1600JB | 8913-2160   | 62.70                 | 2/7M2000JB | 8913-2200   | 78.50                 |
| 3/7M1250JB | 8913-3125   | 49.00                 | 3/7M1600JB | 8913-3160   | 62.70                 | 3/7M2000JB | 8913-3200   | 78.50                 |
| 4/7M1250JB | 8913-4125   | 49.00                 | 4/7M1600JB | 8913-4160   | 62.70                 | 4/7M2000JB | 8913-4200   | 78.50                 |
| 5/7M1250JB | 8913-5125   | 49.00                 | 5/7M1600JB | 8913-5160   | 62.70                 | 5/7M2000JB | 8913-5200   | 78.50                 |
| 2/7M1280JB | 8913-2128   | 50.10                 | 2/7M1650JB | 8913-2165   | 64.70                 | 2/7M2060JB | 8913-2206   | 80.90                 |
| 3/7M1280JB | 8913-3128   | 50.10                 | 3/7M1650JB | 8913-3165   | 64.70                 | 3/7M2060JB | 8913-3206   | 80.90                 |
| 4/7M1280JB | 8913-4128   | 50.10                 | 4/7M1650JB | 8913-4165   | 64.70                 | 4/7M2060JB | 8913-4206   | 80.90                 |
| 5/7M1280JB | 8913-5128   | 50.10                 | 5/7M1650JB | 8913-5165   | 64.70                 | 5/7M2060JB | 8913-5206   | 80.90                 |
| 2/7M1320JB | 8913-2132   | 51.70                 | 2/7M1700JB | 8913-2170   | 66.70                 | 2/7M2120JB | 8913-2212   | 83.20                 |
| 3/7M1320JB | 8913-3132   | 51.70                 | 3/7M1700JB | 8913-3170   | 66.70                 | 3/7M2120JB | 8913-3212   | 83.20                 |
| 4/7M1320JB | 8913-4132   | 51.70                 | 4/7M1700JB | 8913-4170   | 66.70                 | 4/7M2120JB | 8913-4212   | 83.20                 |
| 5/7M1320JB | 8913-5132   | 51.70                 | 5/7M1700JB | 8913-5170   | 66.70                 | 5/7M2120JB | 8913-5212   | 83.20                 |
| 2/7M1360JB | 8913-2136   | 53.30                 | 2/7M1750JB | 8913-2175   | 68.60                 | 2/7M2180JB | 8913-2218   | 85.60                 |
| 3/7M1360JB | 8913-3136   | 53.30                 | 3/7M1750JB | 8913-3175   | 68.60                 | 3/7M2180JB | 8913-3218   | 85.60                 |
| 4/7M1360JB | 8913-4136   | 53.30                 | 4/7M1750JB | 8913-4175   | 68.60                 | 4/7M2180JB | 8913-4218   | 85.60                 |
| 5/7M1360JB | 8913-5136   | 53.30                 | 5/7M1750JB | 8913-5175   | 68.60                 | 5/7M2180JB | 8913-5218   | 85.60                 |
| 2/7M1400JB | 8913-2140   | 54.90                 | 2/7M1800JB | 8913-2180   | 70.60                 | 2/7M2240JB | 8913-2224   | 87.90                 |
| 3/7M1400JB | 8913-3140   | 54.90                 | 3/7M1800JB | 8913-3180   | 70.60                 | 3/7M2240JB | 8913-3224   | 87.90                 |
| 4/7M1400JB | 8913-4140   | 54.90                 | 4/7M1800JB | 8913-4180   | 70.60                 | 4/7M2240JB | 8913-4224   | 87.90                 |
| 5/7M1400JB | 8913-5140   | 54.90                 | 5/7M1800JB | 8913-5180   | 70.60                 | 5/7M2240JB | 8913-5224   | 87.90                 |
| 2/7M1450JB | 8913-2145   | 56.80                 | 2/7M1850JB | 8913-2185   | 72.60                 | 2/7M2300JB | 8913-2230   | 90.30                 |
| 3/7M1450JB | 8913-3145   | 56.80                 | 3/7M1850JB | 8913-3185   | 72.60                 | 3/7M2300JB | 8913-3230   | 90.30                 |
| 4/7M1450JB | 8913-4145   | 56.80                 | 4/7M1850JB | 8913-4185   | 72.60                 | 4/7M2300JB | 8913-4230   | 90.30                 |
| 5/7M1450JB | 8913-5145   | 56.80                 | 5/7M1850JB | 8913-5185   | 72.60                 | 5/7M2300JB | 8913-5230   | 90.30                 |

Nominal Strand Width: 7/16"

## Product No. Series 8914



### 11M

| Part No.   | Product No. | Effective Length (in) | Part No.    | Product No. | Effective Length (in) | Part No.    | Product No. | Effective Length (in) |
|------------|-------------|-----------------------|-------------|-------------|-----------------------|-------------|-------------|-----------------------|
| 2/11M710JB | 8914-2710   | 27.30                 | 2/11M950JB  | 8914-2950   | 36.70                 | 2/11M1250JB | 8914-2125   | 48.50                 |
| 3/11M710JB | 8914-3710   | 27.30                 | 3/11M950JB  | 8914-3950   | 36.70                 | 3/11M1250JB | 8914-3125   | 48.50                 |
| 2/11M730JB | 8914-2730   | 28.00                 | 2/11M975JB  | 8914-2975   | 37.70                 | 2/11M1280JB | 8914-2128   | 49.70                 |
| 3/11M730JB | 8914-3730   | 28.00                 | 3/11M975JB  | 8914-3975   | 37.70                 | 3/11M1280JB | 8914-3128   | 49.70                 |
| 2/11M750JB | 8914-2750   | 28.80                 | 2/11M1000JB | 8914-2100   | 38.70                 | 2/11M1320JB | 8914-2132   | 51.30                 |
| 3/11M750JB | 8914-3750   | 28.80                 | 3/11M1000JB | 8914-3100   | 38.70                 | 3/11M1320JB | 8914-3132   | 51.30                 |
| 2/11M775JB | 8914-2775   | 29.80                 | 2/11M1030JB | 8914-2103   | 39.90                 | 2/11M1360JB | 8914-2136   | 52.80                 |
| 3/11M775JB | 8914-3775   | 29.80                 | 3/11M1030JB | 8914-3103   | 39.90                 | 3/11M1360JB | 8914-3136   | 52.80                 |
| 2/11M800JB | 8914-2800   | 30.80                 | 2/11M1060JB | 8914-2106   | 41.00                 | 2/11M1400JB | 8914-2140   | 54.40                 |
| 3/11M800JB | 8914-3800   | 30.80                 | 3/11M1060JB | 8914-3106   | 41.00                 | 3/11M1400JB | 8914-3140   | 54.40                 |
| 2/11M825JB | 8914-2825   | 31.80                 | 2/11M1090JB | 8914-2109   | 42.20                 | 2/11M1450JB | 8914-2145   | 56.40                 |
| 3/11M825JB | 8914-3825   | 31.80                 | 3/11M1090JB | 8914-3109   | 42.20                 | 3/11M1450JB | 8914-3145   | 56.40                 |
| 2/11M850JB | 8914-2850   | 32.80                 | 2/11M1120JB | 8914-2112   | 43.40                 | 2/11M1500JB | 8914-2150   | 58.40                 |
| 3/11M850JB | 8914-3850   | 32.80                 | 3/11M1120JB | 8914-3112   | 43.40                 | 3/11M1500JB | 8914-3150   | 58.40                 |
| 2/11M875JB | 8914-2875   | 33.70                 | 2/11M1150JB | 8914-2115   | 44.60                 | 2/11M1550JB | 8914-2155   | 60.30                 |
| 3/11M875JB | 8914-3875   | 33.70                 | 3/11M1150JB | 8914-3115   | 44.60                 | 3/11M1550JB | 8914-3155   | 60.30                 |
| 2/11M900JB | 8914-2900   | 34.70                 | 2/11M1180JB | 8914-2118   | 45.80                 | 2/11M1600JB | 8914-2160   | 62.30                 |
| 3/11M900JB | 8914-3900   | 34.70                 | 3/11M1180JB | 8914-3118   | 45.80                 | 3/11M1600JB | 8914-3160   | 62.30                 |
| 2/11M925JB | 8914-2925   | 35.70                 | 2/11M1220JB | 8914-2122   | 47.30                 | 2/11M1650JB | 8914-2165   | 64.30                 |
| 3/11M925JB | 8914-3925   | 35.70                 | 3/11M1220JB | 8914-3122   | 47.30                 | 3/11M1650JB | 8914-3165   | 64.30                 |

LIGHT DUTY V-BELTS



# Polyflex® JB® Belts

**Product No. Series 8914 (continued)**

**11M (continued)**

| Part No.    | Product No. | Effective Length (in) | Part No.    | Product No. | Effective Length (in) | Part No.    | Product No. | Effective Length (in) |
|-------------|-------------|-----------------------|-------------|-------------|-----------------------|-------------|-------------|-----------------------|
| 2/11M1700JB | 8914-2170   | 66.20                 | 2/11M1900JB | 8914-2190   | 74.10                 | 2/11M2120JB | 8914-2212   | 82.80                 |
| 3/11M1700JB | 8914-3170   | 66.20                 | 3/11M1900JB | 8914-3190   | 74.10                 | 3/11M2120JB | 8914-3212   | 82.80                 |
| 2/11M1750JB | 8914-2175   | 68.20                 | 2/11M1950JB | 8914-2195   | 76.10                 | 2/11M2180JB | 8914-2218   | 85.10                 |
| 3/11M1750JB | 8914-3175   | 68.20                 | 3/11M1950JB | 8914-3195   | 76.10                 | 3/11M2180JB | 8914-3218   | 85.10                 |
| 2/11M1800JB | 8914-2180   | 70.20                 | 2/11M2000JB | 8914-2200   | 78.00                 | 2/11M2240JB | 8914-2224   | 87.50                 |
| 3/11M1800JB | 8914-3180   | 70.20                 | 3/11M2000JB | 8914-3200   | 78.00                 | 3/11M2240JB | 8914-3224   | 87.50                 |
| 2/11M1850JB | 8914-2185   | 72.10                 | 2/11M2060JB | 8914-2206   | 80.40                 | 2/11M2300JB | 8914-2230   | 89.90                 |
| 3/11M1850JB | 8914-3185   | 72.10                 | 3/11M2060JB | 8914-3206   | 80.40                 | 3/11M2300JB | 8914-3230   | 89.90                 |



# Poly Chain® GT® Sprockets

**Notes**

Abbreviations used for sprocket materials: GI=Gray Iron, DI=Ductile Iron, SiS=Sintered Steel, ST=Steel, CI=Cast Iron.

Details shown which do not affect drive function or overall weight may be changed without notification.

On a sprocket, pitch is the distance between groove centers and is measured on the pitch circle of the sprocket. The pitch circle of the sprocket coincides with the pitch line of the belt mating with it. The pitch diameter of the sprocket is always greater than its outside diameter.

Sprocket part numbers are comprised of pitch, number of grooves and width. For example; part number 8MX-48S-12 denotes 8mm pitch, 48 grooves, "S" for sprocket and 12mm width.

Sprockets with 90 or more grooves do not have flanges.

**WARNING:** Do NOT use these sprockets with rim speeds in excess of 6,500 fpm.

## Product No. Series 7715 & 7718 8mm Pitch Sprockets — For Belts 12mm Wide

| Part No.     | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|--------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| 8MX-22S-12   | 7718-1022   | 22                | 2.206               | .500          | ST       | 1008            | 1/2 - 1         |
| PB8MX-22S-12 | 7715-1222   | 22                | 2.206               | 1.100         | ST       | MPB             | 1/2 - 1 3/16    |
| 8MX-25S-12   | 7718-1025   | 25                | 2.506               | .700          | ST       | 1108            | 1/2 - 1 1/8     |
| PB8MX-25S-12 | 7715-1225   | 25                | 2.506               | 1.500         | ST       | MPB             | 1/2 - 1 1/2     |
| 8MX-26S-12   | 7718-1026   | 26                | 2.607               | .800          | ST       | 1108            | 1/2 - 1 1/8     |
| 8MX-27S-12   | 7718-1027   | 27                | 2.707               | .900          | ST       | 1108            | 1/2 - 1 1/8     |
| 8MX-28S-12   | 7718-1028   | 28                | 2.807               | 1.000         | ST       | 1108            | 1/2 - 1 1/8     |
| PB8MX-28S-12 | 7715-1228   | 28                | 2.807               | 1.869         | ST       | MPB             | 1/2 - 1 3/4     |
| 8MX-29S-12   | 7718-1029   | 29                | 2.907               | 1.200         | ST       | 1108            | 1/2 - 1 1/8     |
| 8MX-30S-12   | 7718-1030   | 30                | 3.008               | 1.300         | ST       | 1108            | 1/2 - 1 1/8     |
| PB8MX-30S-12 | 7715-1230   | 30                | 3.008               | 2.324         | ST       | MPB             | 1/2 - 1 13/16   |
| 8MX-31S-12   | 7718-1031   | 31                | 3.108               | 1.300         | ST       | 1210            | 1/2 - 1 1/4     |
| 8MX-32S-12   | 7718-1032   | 32                | 3.208               | 1.400         | DI       | 1210            | 1/2 - 1 1/4     |
| PB8MX-32S-12 | 7715-1232   | 32                | 3.208               | 2.675         | DI       | MPB             | 1/2 - 2         |
| 8MX-33S-12   | 7718-1033   | 33                | 3.308               | 1.300         | DI       | 1610            | 1/2 - 1 11/16   |
| 8MX-34S-12   | 7718-1034   | 34                | 3.409               | 1.310         | DI       | 1610            | 1/2 - 1 11/16   |
| 8MX-35S-12   | 7718-1035   | 35                | 3.509               | 1.300         | DI       | 1610            | 1/2 - 1 11/16   |
| 8MX-36S-12   | 7718-1036   | 36                | 3.609               | 1.150         | DI       | 1610            | 1/2 - 1 11/16   |
| 8MX-37S-12   | 7718-1037   | 37                | 3.709               | 1.600         | DI       | 1610            | 1/2 - 1 11/16   |
| 8MX-38S-12   | 7718-1038   | 38                | 3.810               | 1.700         | DI       | 1610            | 1/2 - 1 11/16   |
| 8MX-39S-12   | 7718-1039   | 39                | 3.910               | 1.700         | DI       | 1610            | 1/2 - 1 11/16   |
| 8MX-40S-12   | 7718-1040   | 40                | 4.010               | 1.700         | DI       | 2012            | 1/2 - 2 1/8     |
| 8MX-41S-12   | 7718-1041   | 41                | 4.110               | 1.800         | DI       | 2012            | 1/2 - 2 1/8     |
| 8MX-42S-12   | 7718-1042   | 42                | 4.211               | 2.250         | DI       | 2012            | 1/2 - 2 1/8     |
| 8MX-45S-12   | 7718-1045   | 45                | 4.511               | 2.500         | DI       | 2012            | 1/2 - 2 1/8     |
| 8MX-48S-12   | 7718-1048   | 48                | 4.812               | 3.400         | DI       | 2012            | 1/2 - 2 1/8     |
| 8MX-50S-12   | 7718-1050   | 50                | 5.013               | 3.700         | DI       | 2012            | 1/2 - 2 1/8     |
| 8MX-53S-12   | 7718-1053   | 53                | 5.314               | 4.700         | DI       | 2012            | 1/2 - 2 1/8     |
| 8MX-56S-12   | 7718-1056   | 56                | 5.614               | 5.400         | DI       | 2012            | 1/2 - 2 1/8     |
| 8MX-60S-12   | 7718-1060   | 60                | 6.015               | 6.300         | DI       | 2012            | 1/2 - 2 1/8     |
| 8MX-63S-12   | 7718-1063   | 63                | 6.316               | 5.550         | DI       | 2012            | 1/2 - 2 1/8     |
| 8MX-67S-12   | 7718-1067   | 67                | 6.717               | 4.300         | DI       | 2012            | 1/2 - 2 1/8     |
| 8MX-71S-12   | 7718-1071   | 71                | 7.118               | 4.700         | DI       | 2012            | 1/2 - 2 1/8     |
| 8MX-75S-12   | 7718-1075   | 75                | 7.519               | 5.100         | DI       | 2012            | 1/2 - 2 1/8     |
| 8MX-80S-12   | 7718-1080   | 80                | 8.020               | 5.800         | DI       | 2012            | 1/2 - 2 1/8     |
| 8MX-90S-12   | 7718-1090   | 90                | 9.023               | 9.380         | DI       | 2012            | 1/2 - 2 1/8     |
| 8MX-112S-12  | 7718-1112   | 112               | 11.229              | 13.850        | GI       | 2012            | 1/2 - 2 1/8     |
| 8MX-140S-12  | 7718-1140   | 140               | 14.036              | 17.300        | GI       | 2012            | 1/2 - 2 1/8     |
| 8MX-180S-12  | 7718-1180   | 180               | 18.046              | 30.000        | GI       | 2517            | 1/2 - 2 11/16   |
| 8MX-224S-12  | 7718-1224   | 224               | 22.457              | 41.200        | GI       | 2517            | 1/2 - 2 11/16   |

## 8mm Pitch Sprockets — For Belts 21mm Wide

| Part No.     | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|--------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| 8MX-22S-21   | 7718-2022   | 22                | 2.206               | .600          | ST       | 1008            | 1/2 - 1         |
| PB8MX-22S-21 | 7715-2022   | 22                | 2.206               | 1.400         | ST       | MPB             | 1/2 - 1 3/16    |
| 8MX-25S-21   | 7718-2025   | 25                | 2.506               | .900          | ST       | 1108            | 1/2 - 1 1/8     |



# Poly Chain® GT® Sprockets

## Product No. Series 7715 & 7718 (continued) 8mm Pitch Sprockets — For Belts 21mm Wide (continued)

SYNCHRONOUS METAL

| Part No.     | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|--------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| PB8MX-25S-21 | 7715-2025   | 25                | 2.506               | 1.900         | ST       | MPB             | 1/2 - 1 1/2     |
| 8MX-26S-21   | 7718-2026   | 26                | 2.607               | .800          | ST       | 1108            | 1/2 - 1 1/8     |
| 8MX-27S-21   | 7718-2027   | 27                | 2.707               | 1.100         | ST       | 1108            | 1/2 - 1 1/8     |
| 8MX-28S-21   | 7718-2028   | 28                | 2.807               | 2.100         | ST       | 1108            | 1/2 - 1 1/8     |
| PB8MX-28S-21 | 7715-2028   | 28                | 2.807               | 1.800         | ST       | MPB             | 1/2 - 1 3/4     |
| 8MX-29S-21   | 7718-2029   | 29                | 2.907               | 1.400         | ST       | 1108            | 1/2 - 1 1/8     |
| 8MX-30S-21   | 7718-2030   | 30                | 3.008               | 1.600         | ST       | 1108            | 1/2 - 1 1/8     |
| PB8MX-30S-21 | 7715-2030   | 30                | 3.008               | 2.900         | ST       | MPB             | 1/2 - 1 13/16   |
| 8MX-31S-21   | 7718-2031   | 31                | 3.108               | 1.400         | ST       | 1210            | 1/2 - 1 1/4     |
| 8MX-32S-21   | 7718-2032   | 32                | 3.208               | 3.000         | DI       | 1210            | 1/2 - 1 1/4     |
| PB8MX-32S-21 | 7715-2032   | 32                | 3.208               | 3.200         | DI       | MPB             | 1/2 - 2         |
| 8MX-33S-21   | 7718-2033   | 33                | 3.308               | 1.400         | DI       | 1610            | 1/2 - 1 11/16   |
| 8MX-34S-21   | 7718-2034   | 34                | 3.409               | 1.870         | DI       | 1610            | 1/2 - 1 11/16   |
| 8MX-35S-21   | 7718-2035   | 35                | 3.509               | 1.500         | DI       | 1610            | 1/2 - 1 11/16   |
| 8MX-36S-21   | 7718-2036   | 36                | 3.609               | 1.600         | DI       | 1610            | 1/2 - 1 11/16   |
| 8MX-37S-21   | 7718-2037   | 37                | 3.709               | 1.700         | DI       | 1610            | 1/2 - 1 11/16   |
| 8MX-38S-21   | 7718-2038   | 38                | 3.810               | 1.900         | DI       | 1610            | 1/2 - 1 11/16   |
| 8MX-39S-21   | 7718-2039   | 39                | 3.910               | 2.000         | DI       | 1610            | 1/2 - 1 11/16   |
| 8MX-40S-21   | 7718-2040   | 40                | 4.010               | 2.000         | DI       | 2012            | 1/2 - 2 1/8     |
| 8MX-41S-21   | 7718-2041   | 41                | 4.110               | 2.200         | DI       | 2012            | 1/2 - 2 1/8     |
| 8MX-42S-21   | 7718-2042   | 42                | 4.211               | 2.400         | DI       | 2012            | 1/2 - 2 1/8     |
| 8MX-45S-21   | 7718-2045   | 45                | 4.511               | 2.950         | DI       | 2012            | 1/2 - 2 1/8     |
| 8MX-48S-21   | 7718-2048   | 48                | 4.812               | 3.360         | DI       | 2012            | 1/2 - 2 1/8     |
| 8MX-50S-21   | 7718-2050   | 50                | 5.013               | 4.200         | DI       | 2012            | 1/2 - 2 1/8     |
| 8MX-53S-21   | 7718-2053   | 53                | 5.314               | 5.000         | DI       | 2012            | 1/2 - 2 1/8     |
| 8MX-56S-21   | 7718-2056   | 56                | 5.614               | 4.940         | DI       | 2012            | 1/2 - 2 1/8     |
| 8MX-60S-21   | 7718-2060   | 60                | 6.015               | 6.900         | DI       | 2012            | 1/2 - 2 1/8     |
| 8MX-63S-21   | 7718-2063   | 63                | 6.316               | 7.730         | DI       | 2012            | 1/2 - 2 1/8     |
| 8MX-67S-21   | 7718-2067   | 67                | 6.717               | 5.700         | DI       | 2517            | 1/2 - 2 11/16   |
| 8MX-71S-21   | 7718-2071   | 71                | 7.118               | 6.100         | DI       | 2517            | 1/2 - 2 11/16   |
| 8MX-75S-21   | 7718-2075   | 75                | 7.519               | 9.210         | DI       | 2517            | 1/2 - 2 11/16   |
| 8MX-80S-21   | 7718-2080   | 80                | 8.020               | 7.500         | DI       | 2517            | 1/2 - 2 11/16   |
| 8MX-90S-21   | 7718-2090   | 90                | 9.023               | 11.000        | DI       | 2517            | 1/2 - 2 11/16   |
| 8MX-112S-21  | 7718-2112   | 112               | 11.229              | 19.400        | GI       | 2517            | 1/2 - 2 11/16   |
| 8MX-140S-21  | 7718-2140   | 140               | 14.036              | 26.800        | GI       | 2517            | 1/2 - 2 11/16   |
| 8MX-180S-21  | 7718-2180   | 180               | 18.046              | 36.600        | GI       | 3020            | 7/8 - 3 1/4     |
| 8MX-224S-21  | 7718-2224   | 224               | 22.457              | 50.100        | GI       | 3020            | 7/8 - 3 1/4     |

## 8mm Pitch Sprockets — For Belts 36mm Wide

| Part No.     | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|--------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| PB8MX-22S-36 | 7715-3022   | 22                | 2.206               | 2.000         | ST       | MPB             | 1/2 - 1 3/16    |
| PB8MX-25S-36 | 7715-3025   | 25                | 2.506               | 2.696         | ST       | MPB             | 1/2 - 1 1/2     |
| PB8MX-28S-36 | 7715-3028   | 28                | 2.807               | 3.500         | ST       | MPB             | 1/2 - 1 3/4     |
| PB8MX-30S-36 | 7715-3030   | 30                | 3.008               | 4.100         | ST       | MPB             | 1/2 - 1 13/16   |
| 8MX-32S-36   | 7718-3032   | 32                | 3.208               | 2.000         | DI       | 1210            | 1/2 - 1 1/4     |
| PB8MX-32S-36 | 7715-3032   | 32                | 3.208               | 3.900         | DI       | MPB             | 1/2 - 2         |
| 8MX-33S-36   | 7718-3033   | 33                | 3.308               | 1.700         | DI       | 1610            | 1/2 - 1 11/16   |
| 8MX-34S-36   | 7718-3034   | 34                | 3.409               | 1.800         | DI       | 1610            | 1/2 - 1 11/16   |
| PB8MX-34S-36 | 7715-3034   | 34                | 3.409               | 4.300         | DI       | MPB             | 1/2 - 2 1/8     |
| 8MX-35S-36   | 7718-3035   | 35                | 3.509               | 2.000         | DI       | 1610            | 1/2 - 1 11/16   |
| 8MX-36S-36   | 7718-3036   | 36                | 3.609               | 2.700         | DI       | 1610            | 1/2 - 1 11/16   |
| PB8MX-36S-36 | 7715-3036   | 36                | 3.609               | 5.900         | DI       | MPB             | 1/2 - 2 5/16    |
| 8MX-37S-36   | 7718-3037   | 37                | 3.709               | 2.100         | DI       | 1610            | 1/2 - 1 11/16   |
| 8MX-38S-36   | 7718-3038   | 38                | 3.810               | 2.900         | DI       | 1610            | 1/2 - 1 11/16   |
| PB8MX-38S-36 | 7715-3038   | 38                | 3.810               | 6.700         | DI       | MPB             | 1/2 - 2 7/16    |
| 8MX-39S-36   | 7718-3039   | 39                | 3.910               | 2.400         | DI       | 1610            | 1/2 - 1 11/16   |



# Poly Chain® GT® Sprockets

## Product No. Series 7715 & 7718 (continued) 8mm Pitch Sprockets — For Belts 36mm Wide (continued)

| Part No.    | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in)  |
|-------------|-------------|-------------------|---------------------|---------------|----------|-----------------|------------------|
| 8MX-40S-36  | 7718-3040   | 40                | 4.010               | 2.500         | DI       | 2012            | 1/2 - 2 1/8      |
| 8MX-41S-36  | 7718-3041   | 41                | 4.110               | 2.400         | DI       | 2012            | 1/2 - 2 1/8      |
| 8MX-42S-36  | 7718-3042   | 42                | 4.211               | 2.800         | DI       | 2012            | 1/2 - 2 1/8      |
| 8MX-45S-36  | 7718-3045   | 45                | 4.511               | 3.958         | DI       | 2012            | 1/2 - 2 1/8      |
| 8MX-48S-36  | 7718-3048   | 48                | 4.812               | 4.300         | DI       | 2012            | 1/2 - 2 1/8      |
| 8MX-50S-36  | 7718-3050   | 50                | 5.013               | 5.100         | DI       | 2012            | 1/2 - 2 1/8      |
| 8MX-53S-36  | 7718-3053   | 53                | 5.314               | 6.000         | DI       | 2012            | 1/2 - 2 1/8      |
| 8MX-56S-36  | 7718-3056   | 56                | 5.614               | 6.500         | DI       | 2012            | 1/2 - 2 1/8      |
| 8MX-60S-36  | 7718-3060   | 60                | 6.015               | 8.900         | DI       | 2517            | 1/2 - 2 11/16    |
| 8MX-63S-36  | 7718-3063   | 63                | 6.316               | 9.300         | DI       | 2517            | 1/2 - 2 11/16    |
| 8MX-67S-36  | 7718-3067   | 67                | 6.717               | 10.000        | DI       | 2517            | 1/2 - 2 11/16    |
| 8MX-71S-36  | 7718-3071   | 71                | 7.118               | 7.000         | DI       | 2517            | 1/2 - 2 11/16    |
| 8MX-75S-36  | 7718-3075   | 75                | 7.519               | 13.300        | DI       | 2517            | 1/2 - 2 11/16    |
| 8MX-80S-36  | 7718-3080   | 80                | 8.020               | 15.300        | DI       | 3020            | 7/8 - 3 1/4      |
| 8MX-90S-36  | 7718-3090   | 90                | 9.023               | 20.900        | DI       | 3020            | 7/8 - 3 1/4      |
| 8MX-112S-36 | 7718-3112   | 112               | 11.229              | 22.000        | GI       | 3020            | 7/8 - 3 1/4      |
| 8MX-140S-36 | 7718-3140   | 140               | 14.036              | 39.300        | GI       | 3020            | 7/8 - 3 1/4      |
| 8MX-180S-36 | 7718-3180   | 180               | 18.046              | 48.900        | GI       | 3020            | 7/8 - 3 1/4      |
| 8MX-224S-36 | 7718-3224   | 224               | 22.457              | 92.200        | GI       | 3525            | 1 3/16 - 3 15/16 |

SYNCHRONOUS METAL

## 8mm Pitch Sprockets — For Belts 62mm Wide

| Part No.     | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in)  |
|--------------|-------------|-------------------|---------------------|---------------|----------|-----------------|------------------|
| PB8MX-22S-62 | 7715-6022   | 22                | 2.206               | 2.400         | ST       | MPB             | 1 - 1 3/16       |
| PB8MX-25S-62 | 7715-6025   | 25                | 2.506               | 3.600         | ST       | MPB             | 1 - 1 1/2        |
| PB8MX-28S-62 | 7715-6028   | 28                | 2.807               | 4.600         | ST       | MPB             | 1 - 1 3/4        |
| PB8MX-30S-62 | 7715-6030   | 30                | 3.008               | 5.300         | ST       | MPB             | 1 - 1 13/16      |
| PB8MX-32S-62 | 7715-6032   | 32                | 3.208               | 5.554         | DI       | MPB             | 1 - 2            |
| 8MX-34S-62   | 7718-6034   | 34                | 3.409               | 5.000         | DI       | 1610            | 1/2 - 1 11/16    |
| PB8MX-34S-62 | 7715-6034   | 34                | 3.409               | 5.700         | DI       | MPB             | 1 - 2 1/8        |
| 8MX-36S-62   | 7718-6036   | 36                | 3.609               | 5.300         | DI       | 1610            | 1/2 - 1 11/16    |
| PB8MX-36S-62 | 7715-6036   | 36                | 3.609               | 8.000         | DI       | MPB             | 1 - 2 5/16       |
| 8MX-38S-62   | 7718-6038   | 38                | 3.812               | 5.600         | DI       | 1610            | 1/2 - 1 11/16    |
| PB8MX-38S-62 | 7715-6038   | 38                | 3.812               | 9.100         | DI       | MPB             | 1 - 2 7/16       |
| 8MX-40S-62   | 7718-6040   | 40                | 4.010               | 5.900         | DI       | 2012            | 1/2 - 2 1/8      |
| PB8MX-40S-62 | 7715-6040   | 40                | 4.010               | 10.300        | DI       | MPB             | 1 - 2 9/16       |
| 8MX-42S-62   | 7718-6042   | 42                | 4.211               | 3.450         | DI       | 2012            | 1/2 - 2 1/8      |
| PB8MX-42S-62 | 7715-6042   | 42                | 4.211               | 11.600        | DI       | MPB             | 1 - 2 3/4        |
| 8MX-45S-62   | 7718-6045   | 45                | 4.511               | 6.500         | DI       | 2012            | 1/2 - 2 1/8      |
| PB8MX-45S-62 | 7715-6045   | 45                | 4.511               | 13.100        | DI       | MPB             | 1 - 2 3/4        |
| 8MX-48S-62   | 7718-6048   | 48                | 4.812               | 6.600         | CI       | 2517            | 1/2 - 2 11/16    |
| 8MX-50S-62   | 7718-6050   | 50                | 5.013               | 6.700         | CI       | 2517            | 1/2 - 2 11/16    |
| 8MX-53S-62   | 7718-6053   | 53                | 5.314               | 6.900         | CI       | 2517            | 1/2 - 2 11/16    |
| 8MX-56S-62   | 7718-6056   | 56                | 5.614               | 7.200         | CI       | 2517            | 1/2 - 2 11/16    |
| 8MX-60S-62   | 7718-6060   | 60                | 6.015               | 8.900         | CI       | 3020            | 7/8 - 3 1/4      |
| 8MX-63S-62   | 7718-6063   | 63                | 6.316               | 10.300        | CI       | 3020            | 7/8 - 3 1/4      |
| 8MX-67S-62   | 7718-6067   | 67                | 6.717               | 11.000        | CI       | 3020            | 7/8 - 3 1/4      |
| 8MX-71S-62   | 7718-6071   | 71                | 7.118               | 13.500        | CI       | 3020            | 7/8 - 3 1/4      |
| 8MX-75S-62   | 7718-6075   | 75                | 7.519               | 15.400        | CI       | 3020            | 7/8 - 3 1/4      |
| 8MX-80S-62   | 7718-6080   | 80                | 8.020               | 23.000        | CI       | 3020            | 7/8 - 3 1/4      |
| 8MX-90S-62   | 7718-6090   | 90                | 9.023               | 32.700        | CI       | 3020            | 7/8 - 3 1/4      |
| 8MX-112S-62  | 7718-6112   | 112               | 11.229              | 38.900        | CI       | 3020            | 7/8 - 3 1/4      |
| 8MX-140S-62  | 7718-6140   | 140               | 14.036              | 78.000        | CI       | 3525            | 1 3/16 - 3 15/16 |
| 8MX-180S-62  | 7718-6180   | 180               | 18.046              | 89.950        | CI       | 3525            | 1 3/16 - 3 15/16 |
| 8MX-224S-62  | 7718-6224   | 224               | 22.457              | 130.000       | CI       | 3525            | 1 3/16 - 3 15/16 |



# Poly Chain® GT® Sprockets

## Product No. Series 7727

8mm Pitch Poly Chain® GT® - QD® Sprockets for ACHE Applications — For 21mm Poly Chain® GT®2 Belts

| Part No.    | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|-------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| F8M-36S-21  | 7727-9536   | 36                | 3.609               | 2.100         | CI       | SH              | 1/2 - 1 5/8     |
| F8M-38S-21  | 7727-9538   | 38                | 3.810               | 2.100         | CI       | SH              | 1/2 - 1 5/8     |
| F8M-40S-21  | 7727-9540   | 40                | 4.010               | 2.300         | CI       | SH              | 1/2 - 1 5/8     |
| F8M-42S-21  | 7727-9542   | 42                | 4.211               | 2.500         | CI       | SH              | 1/2 - 1 5/8     |
| F8M-140S-21 | 7727-9544   | 140               | 14.036              | 25.000        | CI       | SF              | 1/2 - 2 13/16   |
| F8M-168S-21 | 7727-9568   | 168               | 16.843              | 33.800        | CI       | SF              | 1/2 - 2 13/16   |
| F8M-180S-21 | 7727-9580   | 180               | 18.046              | 36.600        | CI       | SF              | 1/2 - 2 13/16   |
| F8M-224S-21 | 7727-9524   | 224               | 22.457              | 50.100        | CI       | E               | 7/8 - 3 1/2     |

## Product No. Series 7716 & 7719

14mm Pitch Sprockets — For Belts 20mm Wide

| Part No.     | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in)  |
|--------------|-------------|-------------------|---------------------|---------------|----------|-----------------|------------------|
| 14MX-28S-20  | 7719-2028   | 28                | 4.912               | 3.900         | CI       | 2012            | 1/2 - 2 1/8      |
| 14MX-29S-20  | 7719-2029   | 29                | 5.088               | 4.500         | CI       | 2012            | 1/2 - 2 1/8      |
| 14MX-30S-20  | 7719-2030   | 30                | 5.263               | 4.800         | CI       | 2012            | 1/2 - 2 1/8      |
| 14MX-31S-20  | 7719-2031   | 31                | 5.439               | 5.500         | CI       | 2012            | 1/2 - 2 1/8      |
| 14MX-32S-20  | 7719-2032   | 32                | 5.614               | 5.900         | CI       | 2012            | 1/2 - 2 1/8      |
| 14MX-33S-20  | 7719-2033   | 33                | 5.790               | 6.300         | CI       | 2012            | 1/2 - 2 1/8      |
| 14MX-34S-20  | 7719-2034   | 34                | 5.965               | 6.900         | CI       | 2012            | 1/2 - 2 1/8      |
| 14MX-35S-20  | 7719-2035   | 35                | 6.141               | 7.300         | CI       | 2012            | 1/2 - 2 1/8      |
| 14MX-36S-20  | 7719-2036   | 36                | 6.316               | 7.600         | CI       | 2517            | 1/2 - 2 11/16    |
| 14MX-37S-20  | 7719-2037   | 37                | 6.492               | 8.200         | CI       | 2517            | 1/2 - 2 11/16    |
| 14MX-38S-20  | 7719-2038   | 38                | 6.667               | 8.820         | CI       | 2517            | 1/2 - 2 11/16    |
| 14MX-39S-20  | 7719-2039   | 39                | 6.842               | 9.800         | CI       | 2517            | 1/2 - 2 11/16    |
| 14MX-40S-20  | 7719-2040   | 40                | 7.018               | 10.110        | CI       | 2517            | 1/2 - 2 11/16    |
| 14MX-43S-20  | 7719-2043   | 43                | 7.544               | 11.670        | CI       | 2517            | 1/2 - 2 11/16    |
| 14MX-45S-20  | 7719-2045   | 45                | 7.895               | 13.500        | CI       | 3020            | 7/8 - 3 1/4      |
| 14MX-48S-20  | 7719-2048   | 48                | 8.421               | 16.440        | CI       | 3020            | 7/8 - 3 1/4      |
| 14MX-50S-20  | 7719-2050   | 50                | 8.772               | 18.250        | CI       | 3020            | 7/8 - 3 1/4      |
| 14MX-53S-20  | 7719-2053   | 53                | 9.299               | 20.500        | CI       | 3020            | 7/8 - 3 1/4      |
| 14MX-56S-20  | 7719-2056   | 56                | 9.825               | 23.150        | CI       | 3525            | 1 3/16 - 3 15/16 |
| 14MX-60S-20  | 7719-2060   | 60                | 10.527              | 27.450        | CI       | 3525            | 1 3/16 - 3 15/16 |
| 14MX-63S-20  | 7719-2063   | 63                | 11.053              | 30.190        | CI       | 3525            | 1 3/16 - 3 15/16 |
| 14MX-67S-20  | 7719-2067   | 67                | 11.755              | 31.250        | CI       | 3525            | 1 3/16 - 3 15/16 |
| 14MX-71S-20  | 7719-2071   | 71                | 12.457              | 32.510        | CI       | 3525            | 1 3/16 - 3 15/16 |
| 14MX-75S-20  | 7719-2075   | 75                | 13.158              | 36.150        | CI       | 3525            | 1 3/16 - 3 15/16 |
| 14MX-80S-20  | 7719-2080   | 80                | 14.036              | 35.430        | CI       | 3525            | 1 3/16 - 3 15/16 |
| 14MX-90S-20  | 7719-2090   | 90                | 15.790              | 41.290        | CI       | 3525            | 1 3/16 - 3 15/16 |
| 14MX-112S-20 | 7719-2112   | 112               | 19.650              | 68.000        | CI       | 3525            | 1 3/16 - 3 15/16 |
| 14MX-126S-20 | 7719-2126   | 126               | 22.106              | 79.000        | CI       | 3525            | 1 3/16 - 3 15/16 |
| 14MX-140S-20 | 7719-2140   | 140               | 24.562              | 93.000        | CI       | 3525            | 1 3/16 - 3 15/16 |
| 14MX-154S-20 | 7719-2154   | 154               | 27.019              | 104.000       | CI       | 3525            | 1 3/16 - 3 15/16 |
| 14MX-168S-20 | 7719-2168   | 168               | 29.475              | 99.500        | CI       | 3525            | 1 3/16 - 3 15/16 |
| 14MX-180S-20 | 7719-2180   | 180               | 31.580              | 135.000       | CI       | 3525            | 1 3/16 - 3 15/16 |
| 14MX-200S-20 | 7719-2200   | 200               | 35.089              | 156.000       | CI       | 3525            | 1 3/16 - 3 15/16 |
| 14MX-224S-20 | 7719-2224   | 224               | 39.300              | 150.200       | CI       | 4030            | 1 7/16 - 4 7/16  |

## 14mm Pitch Sprockets — For Belts 37mm Wide

| Part No.      | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|---------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| 14MX-28S-37   | 7719-3028   | 28                | 4.912               | 4.200         | CI       | 2012            | 1/2 - 2 1/8     |
| PB14MX-28S-37 | 7716-3028   | 28                | 4.912               | 11.700        | DI       | MPB             | 1 - 2 15/16     |
| 14MX-29S-37   | 7719-3029   | 29                | 5.088               | 4.700         | CI       | 2517            | 1/2 - 2 11/16   |

SYNCHRONOUS METAL





# Poly Chain® GT® Sprockets

## Product No. Series 7716 & 7719 (continued) 14mm Pitch Sprockets — For Belts 37mm Wide (continued)

| Part No.     | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in)  |
|--------------|-------------|-------------------|---------------------|---------------|----------|-----------------|------------------|
| 14MX-30S-37  | 7719-3030   | 30                | 5.263               | 5.000         | CI       | 2517            | 1/2 - 2 11/16    |
| 14MX-31S-37  | 7719-3031   | 31                | 5.439               | 6.000         | CI       | 2517            | 1/2 - 2 11/16    |
| 14MX-32S-37  | 7719-3032   | 32                | 5.614               | 7.200         | CI       | 2517            | 1/2 - 2 11/16    |
| 14MX-33S-37  | 7719-3033   | 33                | 5.790               | 7.500         | CI       | 2517            | 1/2 - 2 11/16    |
| 14MX-34S-37  | 7719-3034   | 34                | 5.965               | 7.800         | CI       | 2517            | 1/2 - 2 11/16    |
| 14MX-35S-37  | 7719-3035   | 35                | 6.141               | 8.300         | CI       | 2517            | 1/2 - 2 11/16    |
| 14MX-36S-37  | 7719-3036   | 36                | 6.316               | 8.800         | CI       | 2517            | 1/2 - 2 11/16    |
| 14MX-37S-37  | 7719-3037   | 37                | 6.492               | 9.300         | CI       | 2517            | 1/2 - 2 11/16    |
| 14MX-38S-37  | 7719-3038   | 38                | 6.667               | 10.800        | CI       | 3020            | 7/8 - 3 1/4      |
| 14MX-39S-37  | 7719-3039   | 39                | 6.842               | 11.900        | CI       | 3020            | 7/8 - 3 1/4      |
| 14MX-40S-37  | 7719-3040   | 40                | 7.018               | 12.200        | CI       | 3020            | 7/8 - 3 1/4      |
| 14MX-43S-37  | 7719-3043   | 43                | 7.544               | 12.500        | CI       | 3020            | 7/8 - 3 1/4      |
| 14MX-45S-37  | 7719-3045   | 45                | 7.895               | 15.800        | CI       | 3020            | 7/8 - 3 1/4      |
| 14MX-48S-37  | 7719-3048   | 48                | 8.421               | 18.700        | CI       | 3020            | 7/8 - 3 1/4      |
| 14MX-50S-37  | 7719-3050   | 50                | 8.772               | 21.100        | CI       | 3020            | 7/8 - 3 1/4      |
| 14MX-53S-37  | 7719-3053   | 53                | 9.299               | 24.700        | CI       | 3020            | 7/8 - 3 1/4      |
| 14MX-56S-37  | 7719-3056   | 56                | 9.825               | 28.200        | CI       | 3525            | 1 3/16 - 3 15/16 |
| 14MX-60S-37  | 7719-3060   | 60                | 10.527              | 32.200        | CI       | 3525            | 1 3/16 - 3 15/16 |
| 14MX-63S-37  | 7719-3063   | 63                | 11.053              | 42.800        | CI       | 3525            | 1 3/16 - 3 15/16 |
| 14MX-67S-37  | 7719-3067   | 67                | 11.755              | 43.500        | CI       | 3525            | 1 3/16 - 3 15/16 |
| 14MX-71S-37  | 7719-3071   | 71                | 12.457              | 44.100        | CI       | 3525            | 1 3/16 - 3 15/16 |
| 14MX-75S-37  | 7719-3075   | 75                | 13.158              | 45.500        | CI       | 3525            | 1 3/16 - 3 15/16 |
| 14MX-80S-37  | 7719-3080   | 80                | 14.036              | 48.700        | CI       | 3525            | 1 3/16 - 3 15/16 |
| 14MX-90S-37  | 7719-3090   | 90                | 15.790              | 53.300        | CI       | 3525            | 1 3/16 - 3 15/16 |
| 14MX-112S-37 | 7719-3112   | 112               | 19.650              | 87.000        | CI       | 3525            | 1 3/16 - 3 15/16 |
| 14MX-126S-37 | 7719-3126   | 126               | 22.106              | 89.000        | CI       | 3525            | 1 3/16 - 3 15/16 |
| 14MX-140S-37 | 7719-3140   | 140               | 24.562              | 100.900       | CI       | 3525            | 1 3/16 - 3 15/16 |
| 14MX-154S-37 | 7719-3154   | 154               | 27.019              | 100.200       | CI       | 3525            | 1 3/16 - 3 15/16 |
| 14MX-168S-37 | 7719-3168   | 168               | 29.475              | 179.000       | CI       | 4030            | 1 7/16 - 4 7/16  |
| 14MX-180S-37 | 7719-3180   | 180               | 31.580              | 172.300       | CI       | 4030            | 1 7/16 - 4 7/16  |
| 14MX-200S-37 | 7719-3200   | 200               | 35.089              | 185.400       | CI       | 4030            | 1 7/16 - 4 7/16  |
| 14MX-224S-37 | 7719-3224   | 224               | 39.300              | 229.100       | CI       | 4030            | 1 7/16 - 4 7/16  |

SYNCHRONOUS METAL

## 14mm Pitch Sprockets — For Belts 68mm Wide

| Part No.      | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|---------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| PB14MX-28S-68 | 7716-6028   | 28                | 4.912               | 17.000        | DI       | MPB             | 1 - 2 15/16     |
| 14MX-29S-68   | 7719-6029   | 29                | 5.088               | 14.700        | CI       | 2517            | 1/2 - 2 11/16   |
| PB14MX-29S-68 | 7716-6029   | 29                | 5.088               | 19.000        | DI       | MPB             | 1 - 3 3/16      |
| 14MX-30S-68   | 7719-6030   | 30                | 5.263               | 14.000        | CI       | 2517            | 1/2 - 2 11/16   |
| PB14MX-30S-68 | 7716-6030   | 30                | 5.263               | 20.000        | DI       | MPB             | 1 - 3 3/16      |
| 14MX-31S-68   | 7719-6031   | 31                | 5.439               | 14.300        | CI       | 2517            | 1/2 - 2 11/16   |
| PB14MX-31S-68 | 7716-6031   | 31                | 5.439               | 16.800        | DI       | MPB             | 1 - 3 7/16      |
| 14MX-32S-68   | 7719-6032   | 32                | 5.614               | 14.600        | CI       | 2517            | 1/2 - 2 11/16   |
| PB14MX-32S-68 | 7716-6032   | 32                | 5.614               | 18.000        | DI       | MPB             | 1 - 3 7/16      |
| 14MX-33S-68   | 7719-6033   | 33                | 5.790               | 14.900        | CI       | 2517            | 1/2 - 2 11/16   |
| PB14MX-33S-68 | 7716-6033   | 33                | 5.790               | 26.000        | DI       | MPB             | 1 - 3 1/2       |
| 14MX-34S-68   | 7719-6034   | 34                | 5.965               | 15.200        | CI       | 2517            | 1/2 - 2 11/16   |
| PB14MX-34S-68 | 7716-6034   | 34                | 5.965               | 21.100        | DI       | MPB             | 1 - 3 1/2       |
| 14MX-35S-68   | 7719-6035   | 35                | 6.141               | 15.500        | CI       | 3020            | 7/8 - 3 1/4     |
| 14MX-36S-68   | 7719-6036   | 36                | 6.316               | 15.800        | CI       | 3020            | 7/8 - 3 1/4     |
| 14MX-37S-68   | 7719-6037   | 37                | 6.492               | 16.100        | CI       | 3020            | 7/8 - 3 1/4     |
| 14MX-38S-68   | 7719-6038   | 38                | 6.667               | 16.400        | CI       | 3020            | 7/8 - 3 1/4     |
| 14MX-39S-68   | 7719-6039   | 39                | 6.842               | 16.700        | CI       | 3020            | 7/8 - 3 1/4     |
| 14MX-40S-68   | 7719-6040   | 40                | 7.018               | 17.000        | CI       | 3020            | 7/8 - 3 1/4     |
| 14MX-43S-68   | 7719-6043   | 43                | 7.544               | 17.200        | CI       | 3020            | 7/8 - 3 1/4     |
| 14MX-45S-68   | 7719-6045   | 45                | 7.895               | 20.400        | CI       | 3020            | 7/8 - 3 1/4     |



# Poly Chain® GT® Sprockets

## Product No. Series 7716 & 7719 (continued) 14mm Pitch Sprockets — For Belts 68mm Wide (continued)

| Part No.     | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in)   |
|--------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-------------------|
| 14MX-48S-68  | 7719-6048   | 48                | 8.421               | 24.600        | CI       | 3525            | 1 3/16 - 3 15/16  |
| 14MX-50S-68  | 7719-6050   | 50                | 8.772               | 29.400        | CI       | 3525            | 1 3/16 - 3 15/16  |
| 14MX-53S-68  | 7719-6053   | 53                | 9.299               | 35.700        | CI       | 3525            | 1 3/16 - 3 15/16  |
| 14MX-56S-68  | 7719-6056   | 56                | 9.825               | 39.900        | CI       | 3525            | 1 3/16 - 3 15/16  |
| 14MX-60S-68  | 7719-6060   | 60                | 10.527              | 50.600        | CI       | 3525            | 1 3/16 - 3 15/16  |
| 14MX-63S-68  | 7719-6063   | 63                | 11.053              | 58.000        | CI       | 3525            | 1 3/16 - 3 15/16  |
| 14MX-67S-68  | 7719-6067   | 67                | 11.755              | 60.000        | CI       | 3525            | 1 3/16 - 3 15/16  |
| 14MX-71S-68  | 7719-6071   | 71                | 12.457              | 63.300        | CI       | 3525            | 1 3/16 - 3 15/16  |
| 14MX-75S-68  | 7719-6075   | 75                | 13.158              | 68.600        | CI       | 3525            | 1 3/16 - 3 15/16  |
| 14MX-80S-68  | 7719-6080   | 80                | 14.036              | 76.300        | CI       | 3525            | 1 3/16 - 3 15/16  |
| 14MX-90S-68  | 7719-6090   | 90                | 15.790              | 82.600        | CI       | 4030            | 1 7/16 - 4 7/16   |
| 14MX-112S-68 | 7719-6112   | 112               | 19.650              | 100.370       | CI       | 4030            | 1 7/16 - 4 7/16   |
| 14MX-140S-68 | 7719-6140   | 140               | 24.562              | 190.000       | CI       | 4030            | 1 7/16 - 4 7/16   |
| 14MX-168S-68 | 7719-6168   | 168               | 29.475              | 239.100       | CI       | 4535            | 1 15/16 - 4 15/16 |
| 14MX-180S-68 | 7719-6180   | 180               | 31.580              | 250.600       | CI       | 4535            | 1 15/16 - 4 15/16 |
| 14MX-200S-68 | 7719-6200   | 200               | 35.089              | 262.500       | CI       | 4535            | 1 15/16 - 4 15/16 |
| 14MX-224S-68 | 7719-6224   | 224               | 39.300              | 350.000       | CI       | 5040            | 2 7/16 - 5        |

SYNCHRONOUS METAL

## 14mm Pitch Sprockets — For Belts 90mm Wide

| Part No.      | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in)   |
|---------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-------------------|
| PB14MX-28S-90 | 7716-9028   | 28                | 4.912               | 20.000        | DI       | MPB             | 1 1/2 - 2 15/16   |
| PB14MX-29S-90 | 7716-9029   | 29                | 5.088               | 22.095        | DI       | MPB             | 1 1/2 - 3 3/16    |
| PB14MX-30S-90 | 7716-9030   | 30                | 5.263               | 24.000        | DI       | MPB             | 1 1/2 - 3 3/16    |
| PB14MX-31S-90 | 7716-9031   | 31                | 5.439               | 21.800        | DI       | MPB             | 1 1/2 - 3 7/16    |
| PB14MX-32S-90 | 7716-9032   | 32                | 5.614               | 27.000        | DI       | MPB             | 1 1/2 - 3 7/16    |
| PB14MX-33S-90 | 7716-9033   | 33                | 5.790               | 30.000        | DI       | MPB             | 1 1/2 - 3 1/2     |
| PB14MX-34S-90 | 7716-9034   | 34                | 5.965               | 27.200        | DI       | MPB             | 1 1/2 - 3 1/2     |
| 14MX-35S-90   | 7719-9035   | 35                | 6.141               | 22.900        | CI       | 3020            | 7/8 - 3 1/4       |
| PB14MX-35S-90 | 7716-9035   | 35                | 6.141               | 28.700        | DI       | MPB             | 1 1/2 - 3 13/16   |
| 14MX-36S-90   | 7719-9036   | 36                | 6.316               | 23.100        | CI       | 3020            | 7/8 - 3 1/4       |
| PB14MX-36S-90 | 7716-9036   | 36                | 6.316               | 30.300        | DI       | MPB             | 1 1/2 - 3 13/16   |
| 14MX-37S-90   | 7719-9037   | 37                | 6.492               | 23.400        | CI       | 3020            | 7/8 - 3 1/4       |
| PB14MX-37S-90 | 7716-9037   | 37                | 6.492               | 32.100        | DI       | MPB             | 1 1/2 - 4 1/8     |
| 14MX-38S-90   | 7719-9038   | 38                | 6.667               | 23.700        | CI       | 3020            | 7/8 - 3 1/4       |
| PB14MX-38S-90 | 7716-9038   | 38                | 6.667               | 33.900        | DI       | MPB             | 1 1/2 - 4 1/8     |
| 14MX-39S-90   | 7719-9039   | 39                | 6.842               | 24.000        | CI       | 3020            | 7/8 - 3 1/4       |
| PB14MX-39S-90 | 7716-9039   | 39                | 6.842               | 35.800        | DI       | MPB             | 1 1/2 - 4 3/8     |
| 14MX-40S-90   | 7719-9040   | 40                | 7.018               | 24.300        | CI       | 3020            | 7/8 - 3 1/4       |
| PB14MX-40S-90 | 7716-9040   | 40                | 7.018               | 37.700        | DI       | MPB             | 1 1/2 - 4 3/8     |
| 14MX-43S-90   | 7719-9043   | 43                | 7.544               | 24.700        | CI       | 3525            | 1 3/16 - 3 15/16  |
| 14MX-45S-90   | 7719-9045   | 45                | 7.895               | 27.300        | CI       | 3525            | 1 3/16 - 3 15/16  |
| 14MX-48S-90   | 7719-9048   | 48                | 8.421               | 33.400        | CI       | 3525            | 1 3/16 - 3 15/16  |
| 14MX-50S-90   | 7719-9050   | 50                | 8.772               | 29.300        | CI       | 3525            | 1 3/16 - 3 15/16  |
| 14MX-53S-90   | 7719-9053   | 53                | 9.299               | 46.800        | CI       | 3525            | 1 3/16 - 3 15/16  |
| 14MX-56S-90   | 7719-9056   | 56                | 9.825               | 42.100        | CI       | 4030            | 1 7/16 - 4 7/16   |
| 14MX-60S-90   | 7719-9060   | 60                | 10.527              | 50.450        | CI       | 4030            | 1 7/16 - 4 7/16   |
| 14MX-63S-90   | 7719-9063   | 63                | 11.053              | 64.600        | CI       | 4030            | 1 7/16 - 4 7/16   |
| 14MX-67S-90   | 7719-9067   | 67                | 11.755              | 70.000        | CI       | 4030            | 1 7/16 - 4 7/16   |
| 14MX-71S-90   | 7719-9071   | 71                | 12.457              | 86.700        | CI       | 4030            | 1 7/16 - 4 7/16   |
| 14MX-75S-90   | 7719-9075   | 75                | 13.158              | 85.000        | CI       | 4030            | 1 7/16 - 4 7/16   |
| 14MX-80S-90   | 7719-9080   | 80                | 14.036              | 88.000        | CI       | 4030            | 1 7/16 - 4 7/16   |
| 14MX-90S-90   | 7719-9090   | 90                | 15.790              | 89.050        | CI       | 4030            | 1 7/16 - 4 7/16   |
| 14MX-112S-90  | 7719-9112   | 112               | 19.650              | 197.900       | CI       | 4535            | 1 15/16 - 4 15/16 |
| 14MX-140S-90  | 7719-9140   | 140               | 24.562              | 240.000       | CI       | 5040            | 2 7/16 - 5        |
| 14MX-168S-90  | 7719-9168   | 168               | 29.475              | 327.300       | CI       | 6050            | 4 7/16 - 6        |
| 14MX-180S-90  | 7719-9180   | 180               | 31.580              | 335.900       | CI       | 6050            | 4 7/16 - 6        |



# Poly Chain® GT® Sprockets

## Product No. Series 7716 & 7719 (continued) 14mm Pitch Sprockets — For Belts 90mm Wide (continued)

| Part No.     | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|--------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| 14MX-200S-90 | 7719-9200   | 200               | 35.089              | 344.500       | CI       | 6050            | 4 7/16 - 6      |
| 14MX-224S-90 | 7719-9224   | 224               | 39.300              | 589.000       | CI       | 6050            | 4 7/16 - 6      |

## 14mm Pitch Sprockets — For Belts 125mm Wide

| Part No.       | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in)   |
|----------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-------------------|
| PB14MX-28S-125 | 7716-8028   | 28                | 4.912               | 22.000        | DI       | MPB             | 1 1/2 - 2 15/16   |
| PB14MX-29S-125 | 7716-8029   | 29                | 5.087               | 27.000        | DI       | MPB             | 1 1/2 - 3 3/16    |
| PB14MX-30S-125 | 7716-8030   | 30                | 5.263               | 30.200        | DI       | MPB             | 1 1/2 - 3 3/16    |
| PB14MX-31S-125 | 7716-8031   | 31                | 5.438               | 32.000        | DI       | MPB             | 1 1/2 - 3 7/16    |
| PB14MX-32S-125 | 7716-8032   | 32                | 5.614               | 34.000        | DI       | MPB             | 1 1/2 - 3 7/16    |
| PB14MX-33S-125 | 7716-8033   | 33                | 5.790               | 31.800        | DI       | MPB             | 1 1/2 - 3 1/2     |
| PB14MX-34S-125 | 7716-8034   | 34                | 5.965               | 34.300        | DI       | MPB             | 1 1/2 - 3 1/2     |
| PB14MX-35S-125 | 7716-8035   | 35                | 6.140               | 36.200        | DI       | MPB             | 1 1/2 - 3 13/16   |
| PB14MX-36S-125 | 7716-8036   | 36                | 6.315               | 38.000        | DI       | MPB             | 1 1/2 - 3 13/16   |
| PB14MX-37S-125 | 7716-8037   | 37                | 6.491               | 40.300        | DI       | MPB             | 1 1/2 - 4 1/8     |
| PB14MX-38S-125 | 7716-8038   | 38                | 6.666               | 42.500        | DI       | MPB             | 1 1/2 - 4 1/8     |
| PB14MX-39S-125 | 7716-8039   | 39                | 6.842               | 44.900        | DI       | MPB             | 1 1/2 - 4 3/8     |
| PB14MX-40S-125 | 7716-8040   | 40                | 7.017               | 54.000        | DI       | MPB             | 1 1/2 - 4 3/8     |
| PB14MX-43S-125 | 7716-8043   | 43                | 7.543               | 55.500        | DI       | MPB             | 1 1/2 - 4 13/16   |
| PB14MX-45S-125 | 7716-8045   | 45                | 7.894               | 61.300        | DI       | MPB             | 1 1/2 - 5         |
| PB14MX-48S-125 | 7716-8048   | 48                | 8.421               | 68.700        | DI       | MPB             | 1 1/2 - 5 5/8     |
| 14MX-50S-125   | 7719-8050   | 50                | 8.771               | 39.400        | DI       | 4535            | 1 15/16 - 4 15/16 |
| 14MX-53S-125   | 7719-8053   | 53                | 9.290               | 50.100        | DI       | 4535            | 1 15/16 - 4 15/16 |
| 14MX-56S-125   | 7719-8056   | 56                | 9.824               | 52.600        | DI       | 4535            | 1 15/16 - 4 15/16 |
| 14MX-60S-125   | 7719-8060   | 60                | 10.526              | 63.300        | CI       | 4535            | 1 15/16 - 4 15/16 |
| 14MX-63S-125   | 7719-8063   | 63                | 11.052              | 77.200        | CI       | 4535            | 1 15/16 - 4 15/16 |
| 14MX-67S-125   | 7719-8067   | 67                | 11.754              | 93.800        | CI       | 4535            | 1 15/16 - 4 15/16 |
| 14MX-71S-125   | 7719-8071   | 71                | 12.455              | 93.000        | CI       | 5040            | 2 7/16 - 5        |
| 14MX-75S-125   | 7719-8075   | 75                | 13.157              | 132.800       | CI       | 5040            | 2 7/16 - 5        |
| 14MX-80S-125   | 7719-8080   | 80                | 14.034              | 137.000       | CI       | 5040            | 2 7/16 - 5        |
| 14MX-90S-125   | 7719-8090   | 90                | 15.790              | 121.000       | CI       | 5040            | 2 7/16 - 5        |
| 14MX-112S-125  | 7719-8112   | 112               | 19.650              | 210.600       | CI       | 6050            | 4 7/16 - 6        |
| 14MX-140S-125  | 7719-8140   | 140               | 24.560              | 270.300       | CI       | 6050            | 4 7/16 - 6        |
| 14MX-168S-125  | 7719-8168   | 168               | 29.472              | 345.200       | CI       | 7060            | 4 15/16 - 7       |
| 14MX-180S-125  | 7719-8180   | 180               | 31.580              | 365.200       | CI       | 7060            | 4 15/16 - 7       |
| 14MX-200S-125  | 7719-8200   | 200               | 35.086              | 373.500       | CI       | 7060            | 4 15/16 - 7       |
| 14MX-224S-125  | 7719-8224   | 224               | 39.300              | 753.000       | CI       | 7060            | 4 15/16 - 7       |

SYNCHRONOUS METAL

## Product No. Series 7719 14mm Pitch Poly Chain® GT® - Taper-Lock® Sprockets for ACHE Applications — For Belts 37mm Wide

| Part No.      | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|---------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| F14MX-180S-37 | 7719-9702   | 180               | 31.580              | 120.000       | CI       | 3020            | 7/8 - 3 1/4     |
| F14MX-200S-37 | 7719-9700   | 200               | 35.086              | 130.000       | CI       | 3020            | 7/8 - 3 1/4     |
| F14MX-224S-37 | 7719-9704   | 224               | 39.296              | 177.000       | CI       | 3020            | 7/8 - 3 1/4     |



# Poly Chain® GT® Sprockets

## Product No. Series 7727

### 14mm Pitch Poly Chain® GT® - QD® Sprockets for ACHE Applications — For Belts 20mm Wide

| Part No.     | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|--------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| F14M-28S-20  | 7727-9628   | 28                | 4.912               | 3.900         | DI       | SK              | 1/2 - 2 1/2     |
| F14M-29S-20  | 7727-9629   | 29                | 5.088               | 4.500         | DI       | SK              | 1/2 - 2 1/2     |
| F14M-30S-20  | 7727-9630   | 30                | 5.263               | 4.800         | CI       | SK              | 1/2 - 2 1/2     |
| F14M-31S-20  | 7727-9631   | 31                | 5.439               | 5.500         | CI       | SK              | 1/2 - 2 1/2     |
| F14M-32S-20  | 7727-9632   | 32                | 5.614               | 5.900         | CI       | SK              | 1/2 - 2 1/2     |
| F14M-33S-20  | 7727-9633   | 33                | 5.790               | 6.300         | CI       | SK              | 1/2 - 2 1/2     |
| F14M-34S-20  | 7727-9634   | 34                | 5.965               | 6.900         | CI       | SK              | 1/2 - 2 1/2     |
| F14M-35S-20  | 7727-9635   | 35                | 6.141               | 7.300         | CI       | SK              | 1/2 - 2 1/2     |
| F14M-36S-20  | 7727-9720   | 36                | 6.315               | 7.900         | CI       | SF              | 1 - 2 1/2       |
| F14M-140S-20 | 7727-9644   | 140               | 24.560              | 66.100        | CI       | E               | 7/8 - 3 1/2     |
| F14M-168S-20 | 7727-9668   | 168               | 29.472              | 90.000        | CI       | F               | 1 - 4           |
| F14M-180S-20 | 7727-9680   | 180               | 31.580              | 107.300       | CI       | F               | 1 - 4           |
| F14M-200S-20 | 7727-9600   | 200               | 35.086              | 119.000       | CI       | F               | 1 - 4           |
| F14M-224S-20 | 7727-9624   | 224               | 39.300              | 125.000       | CI       | F               | 1 - 4           |

SYNCHRONOUS METAL

### 14mm Pitch Poly Chain® GT® - QD® Sprockets for ACHE Applications — For Belts 37mm Wide

| Part No.     | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|--------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| F14M-28S-37  | 7727-9728   | 28                | 4.912               | 4.200         | DI       | SK              | 1/2 - 2 1/2     |
| F14M-29S-37  | 7727-9729   | 29                | 5.088               | 4.700         | DI       | SK              | 1/2 - 2 1/2     |
| F14M-30S-37  | 7727-9730   | 30                | 5.263               | 5.000         | DI       | SK              | 1/2 - 2 1/2     |
| F14M-31S-37  | 7727-9731   | 31                | 5.439               | 6.000         | DI       | SK              | 1/2 - 2 1/2     |
| F14M-32S-37  | 7727-9732   | 32                | 5.614               | 7.100         | CI       | SK              | 1/2 - 2 1/2     |
| F14M-33S-37  | 7727-9733   | 33                | 5.790               | 7.500         | DI       | SK              | 1/2 - 2 1/2     |
| F14M-34S-37  | 7727-9734   | 34                | 5.965               | 7.800         | DI       | SK              | 1/2 - 2 1/2     |
| F14M-35S-37  | 7727-9735   | 35                | 6.141               | 8.300         | DI       | SK              | 1/2 - 2 1/2     |
| F14M-36S-37  | 7727-9737   | 36                | 6.315               | 8.800         | CI       | SF              | 1/2 - 2 1/2     |
| F14M-180S-37 | 7727-9702   | 180               | 31.580              | 120.000       | CI       | E               | 7/8 - 3 1/2     |
| F14M-200S-37 | 7727-9700   | 200               | 35.089              | 130.000       | CI       | E               | 7/8 - 3 1/2     |
| F14M-224S-37 | 7727-9704   | 224               | 39.300              | 177.000       | CI       | E               | 7/8 - 3 1/2     |



# Poly Chain® GT® Sprockets - Stainless Steel

**Notes**

Details shown which do not affect drive function or overall weight may be changed without notification.

On a sprocket, pitch is the distance between groove centers and is measured on the pitch circle of the sprocket. The pitch circle of the sprocket coincides with the pitch line of the belt mating with it. The pitch diameter of the sprocket is always greater than its outside diameter.

Sprocket part numbers are comprised of pitch, number of grooves and width. For example; part number SS8MX-28S-12 denotes "SS" for stainless steel, 8mm pitch, 28 grooves, "S" for sprocket and 12mm width.

**Product No. Series 7769****8mm Pitch Sprockets — For Belts 12mm Wide**

| Part No.           | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|--------------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| SS 8MX-28S-12 1108 | 7769-1228   | 28                | 2.807               | .900          | SS       | 1108            | 1/2 - 1 1/8     |
| SS 8MX-28S-12 MPB  | 7769-9128   | 28                | 2.807               | 1.400         | SS       | MPB             | 1/2 - 1 3/4     |
| SS 8MX-29S-12 1108 | 7769-1229   | 29                | 2.907               | .900          | SS       | 1108            | 1/2 - 1 1/8     |
| SS 8MX-29S-12 MPB  | 7769-9129   | 29                | 2.907               | 1.500         | SS       | MPB             | 1/2 - 1 3/4     |
| SS 8MX-30S-12 1108 | 7769-1230   | 30                | 3.008               | 1.000         | SS       | 1108            | 1/2 - 1 1/8     |
| SS 8MX-30S-12 MPB  | 7769-9130   | 30                | 3.008               | 1.600         | SS       | MPB             | 1/2 - 1 13/16   |
| SS 8MX-32S-12 1210 | 7769-1232   | 32                | 3.208               | 1.200         | SS       | 1210            | 1/2 - 1 1/4     |
| SS 8MX-32S-12 MPB  | 7769-9132   | 32                | 3.208               | 1.700         | SS       | MPB             | 1/2 - 2         |
| SS 8MX-34S-12 1610 | 7769-1234   | 34                | 3.409               | 1.300         | SS       | 1610            | 1/2 - 1 11/16   |
| SS 8MX-34S-12 MPB  | 7769-9134   | 34                | 3.409               | 1.800         | SS       | MPB             | 1/2 - 2 1/8     |
| SS 8MX-36S-12 1610 | 7769-1236   | 36                | 3.609               | 1.400         | SS       | 1610            | 1/2 - 1 11/16   |
| SS 8MX-38S-12 1610 | 7769-1238   | 38                | 3.810               | 1.600         | SS       | 1610            | 1/2 - 1 11/16   |
| SS 8MX-40S-12 2012 | 7769-1240   | 40                | 4.010               | 1.900         | SS       | 2012            | 1/2 - 2 1/8     |
| SS 8MX-42S-12 2012 | 7769-1242   | 42                | 4.211               | 2.300         | SS       | 2012            | 1/2 - 2 1/8     |
| SS 8MX-45S-12 2012 | 7769-1245   | 45                | 4.511               | 2.500         | SS       | 2012            | 1/2 - 2 1/8     |
| SS 8MX-48S-12 2012 | 7769-1248   | 48                | 4.812               | 2.700         | SS       | 2012            | 1/2 - 2 1/8     |
| SS 8MX-50S-12 2012 | 7769-1250   | 50                | 5.013               | 3.900         | SS       | 2012            | 1/2 - 2 1/8     |
| SS 8MX-53S-12 2012 | 7769-1253   | 53                | 5.314               | 3.700         | SS       | 2012            | 1/2 - 2 1/8     |
| SS 8MX-56S-12 2012 | 7769-1256   | 56                | 5.514               | 4.200         | SS       | 2012            | 1/2 - 2 1/8     |
| SS 8MX-60S-12 2012 | 7769-1260   | 60                | 6.015               | 4.900         | SS       | 2012            | 1/2 - 2 1/8     |

SYNCHRONOUS METAL

**8mm Pitch Sprockets — For Belts 21mm Wide**

| Part No.           | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|--------------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| SS 8MX-28S-21 1108 | 7769-2128   | 28                | 2.807               | 2.100         | SS       | 1108            | 1/2 - 1 1/8     |
| SS 8MX-28S-21 MPB  | 7769-9228   | 28                | 2.807               | 1.800         | SS       | MPB             | 1/2 - 1 3/4     |
| SS 8MX-29S-21 1108 | 7769-2129   | 29                | 2.907               | 2.300         | SS       | 1108            | 1/2 - 1 1/8     |
| SS 8MX-29S-21 MPB  | 7769-9229   | 29                | 2.907               | 2.000         | SS       | MPB             | 1/2 - 1 3/4     |
| SS 8MX-30S-21 1108 | 7769-2130   | 30                | 3.008               | 2.500         | SS       | 1108            | 1/2 - 1 1/8     |
| SS 8MX-30S-21 MPB  | 7769-9230   | 30                | 3.008               | 2.200         | SS       | MPB             | 1/2 - 1 13/16   |
| SS 8MX-32S-21 1210 | 7769-2132   | 32                | 3.208               | 3.000         | SS       | 1210            | 1/2 - 1 1/4     |
| SS 8MX-32S-21 MPB  | 7769-9232   | 32                | 3.208               | 2.500         | SS       | MPB             | 1/2 - 2         |
| SS 8MX-34S-21 1610 | 7769-2134   | 34                | 3.409               | 1.900         | SS       | 1610            | 1/2 - 1 11/16   |
| SS 8MX-34S-21 MPB  | 7769-9234   | 34                | 3.409               | 2.700         | SS       | MPB             | 1/2 - 2         |
| SS 8MX-36S-21 1610 | 7769-2136   | 36                | 3.609               | 2.100         | SS       | 1610            | 1/2 - 1 11/16   |
| SS 8MX-38S-21 1610 | 7769-2138   | 38                | 3.810               | 2.300         | SS       | 1610            | 1/2 - 1 11/16   |
| SS 8MX-40S-21 2012 | 7769-2140   | 40                | 4.010               | 2.300         | SS       | 2012            | 1/2 - 2 1/8     |
| SS 8MX-42S-21 2012 | 7769-2142   | 42                | 4.211               | 2.500         | SS       | 2012            | 1/2 - 2 1/8     |
| SS 8MX-45S-21 2012 | 7769-2145   | 45                | 4.511               | 3.000         | SS       | 2012            | 1/2 - 2 1/8     |
| SS 8MX-48S-21 2012 | 7769-2148   | 48                | 4.812               | 3.400         | SS       | 2012            | 1/2 - 2 1/8     |
| SS 8MX-50S-21 2012 | 7769-2150   | 50                | 5.013               | 3.900         | SS       | 2012            | 1/2 - 2 1/8     |
| SS 8MX-53S-21 2012 | 7769-2153   | 53                | 5.314               | 4.400         | SS       | 2012            | 1/2 - 2 1/8     |
| SS 8MX-56S-21 2012 | 7769-2156   | 56                | 5.614               | 4.800         | SS       | 2012            | 1/2 - 2 1/8     |
| SS 8MX-60S-21 2012 | 7769-2160   | 60                | 6.015               | 7.700         | SS       | 2012            | 1/2 - 2 1/8     |



# Poly Chain® GT® Sprockets - Re-Bore

**Notes**

Details shown which do not affect drive function or overall weight may be changed without notification. Orders must be placed through the Made-to-Order Metals team. Rework applies only to plain bore sprockets. When ordering, specify the part number and rework needed. Rework options are as follows: BTS = Bored to Size and includes Standard Keyway and set screws. PB = Plain Bore. No Keyway. No Set Screws. KKY = Keyway only. SS = Set Screw only. To order, contact the Made-to-Order Metals Team 800-709-6001 or email makemymetal@gates.com.

**Product No. Series 7896**

**8MX**

| Part No.          | Product No. | Bore Range Min. (in) | Bore Range Max. (in) | Pitch Diameter (in) | Part No.          | Product No. | Bore Range Min. (in) | Bore Range Max. (in) | Pitch Diameter (in) |
|-------------------|-------------|----------------------|----------------------|---------------------|-------------------|-------------|----------------------|----------------------|---------------------|
| 8MX-22S-12 REBORE | 7896-3282   | 1/2                  | 1 3/16               | 2.206               | 8MX-34S-36 REBORE | 7896-3661   | 1/2                  | 2 1/8                | 3.409               |
| 8MX-25S-12 REBORE | 7896-3307   | 1/2                  | 1 1/2                | 2.506               | 8MX-36S-36 REBORE | 7896-3666   | 1/2                  | 2 5/16               | 3.609               |
| 8MX-28S-12 REBORE | 7896-3335   | 1/2                  | 1 3/4                | 2.807               | 8MX-38S-36 REBORE | 7896-3672   | 1/2                  | 2 7/16               | 3.810               |
| 8MX-30S-12 REBORE | 7896-3480   | 1/2                  | 1 13/16              | 3.008               | 8MX-22S-62 REBORE | 7896-3708   | 1                    | 1 3/16               | 2.206               |
| 8MX-32S-12 REBORE | 7896-3481   | 1/2                  | 2                    | 3.206               | 8MX-25S-62 REBORE | 7896-3801   | 1                    | 1 1/2                | 2.506               |
| 8MX-22S-21 REBORE | 7896-3482   | 1/2                  | 1 3/16               | 2.206               | 8MX-28S-62 REBORE | 7896-3802   | 1                    | 1 3/4                | 2.807               |
| 8MX-25S-21 REBORE | 7896-3488   | 1/2                  | 1 1/2                | 2.506               | 8MX-30S-62 REBORE | 7896-3838   | 1                    | 1 13/16              | 3.008               |
| 8MX-28S-21 REBORE | 7896-3489   | 1/2                  | 1 3/4                | 2.807               | 8MX-32S-62 REBORE | 7896-3842   | 1                    | 2                    | 3.208               |
| 8MX-30S-21 REBORE | 7896-3507   | 1/2                  | 1 13/16              | 3.008               | 8MX-34S-62 REBORE | 7896-3896   | 1                    | 2 1/8                | 3.409               |
| 8MX-32S-21 REBORE | 7896-3522   | 1/2                  | 2                    | 3.208               | 8MX-36S-62 REBORE | 7896-3902   | 1                    | 2 5/16               | 3.609               |
| 8MX-22S-36 REBORE | 7896-3527   | 1/2                  | 1 3/16               | 2.206               | 8MX-38S-62 REBORE | 7896-3903   | 1                    | 2 7/16               | 3.812               |
| 8MX-25S-36 REBORE | 7896-3528   | 1/2                  | 1 1/2                | 2.506               | 8MX-40S-62 REBORE | 7896-3920   | 1                    | 2 9/16               | 4.010               |
| 8MX-28S-36 REBORE | 7896-3529   | 1/2                  | 1 3/4                | 2.807               | 8MX-42S-62 REBORE | 7896-3965   | 1                    | 2 3/4                | 4.211               |
| 8MX-30S-36 REBORE | 7896-3600   | 1/2                  | 1 13/16              | 3.008               | 8MX-45S-62 REBORE | 7896-4034   | 1                    | 2 3/4                | 4.511               |
| 8MX-32S-36 REBORE | 7896-3659   | 1/2                  | 2                    | 3.208               |                   |             |                      |                      |                     |

**14MX**

| Part No.           | Product No. | Bore Range Min. (in) | Bore Range Max. (in) | Pitch Diameter (in) | Part No.            | Product No. | Bore Range Min. (in) | Bore Range Max. (in) | Pitch Diameter (in) |
|--------------------|-------------|----------------------|----------------------|---------------------|---------------------|-------------|----------------------|----------------------|---------------------|
| 14MX-28S-37 REBORE | 7896-4326   | 1/2                  | 2 15/16              | 4.912               | 14MX-39S-90 REBORE  | 7896-4753   | 1 1/2                | 4 3/8                | 6.842               |
| 14MX-28S-68 REBORE | 7896-4327   | 1                    | 2 15/16              | 4.912               | 14MX-40S-90 REBORE  | 7896-4754   | 1 1/2                | 4 3/8                | 7.018               |
| 14MX-29S-68 REBORE | 7896-4328   | 1                    | 3 3/16               | 5.088               | 14MX-28S-125 REBORE | 7896-4755   | 1 1/2                | 2 15/16              | 4.912               |
| 14MX-30S-68 REBORE | 7896-4329   | 1                    | 3 3/16               | 5.263               | 14MX-29S-125 REBORE | 7896-4890   | 1 1/2                | 3 3/16               | 5.087               |
| 14MX-31S-68 REBORE | 7896-4352   | 1                    | 3 7/16               | 5.439               | 14MX-30S-125 REBORE | 7896-4897   | 1 1/2                | 3 3/16               | 5.236               |
| 14MX-32S-68 REBORE | 7896-4483   | 1                    | 3 7/16               | 5.614               | 14MX-31S-125 REBORE | 7896-4968   | 1 1/2                | 3 7/16               | 5.438               |
| 14MX-33S-68 REBORE | 7896-4500   | 1                    | 3 1/2                | 5.790               | 14MX-32S-125 REBORE | 7896-5045   | 1 1/2                | 3 7/16               | 5.614               |
| 14MX-34S-68 REBORE | 7896-4504   | 1                    | 3 1/2                | 5.965               | 14MX-33S-125 REBORE | 7896-5055   | 1 1/2                | 3 1/2                | 5.790               |
| 14MX-28S-90 REBORE | 7896-4505   | 1 1/2                | 2 15/16              | 4.912               | 14MX-34S-125 REBORE | 7896-5082   | 1 1/2                | 3 1/2                | 5.965               |
| 14MX-29S-90 REBORE | 7896-4540   | 1 1/2                | 3 3/16               | 5.088               | 14MX-35S-125 REBORE | 7896-5161   | 1 1/2                | 3 13/16              | 6.140               |
| 14MX-30S-90 REBORE | 7896-4541   | 1 1/2                | 3 3/16               | 5.263               | 14MX-36S-125 REBORE | 7896-5171   | 1 1/2                | 3 13/16              | 6.315               |
| 14MX-31S-90 REBORE | 7896-4543   | 1 1/2                | 3 7/16               | 5.439               | 14MX-37S-125 REBORE | 7896-5251   | 1 1/2                | 4 1/8                | 6.491               |
| 14MX-32S-90 REBORE | 7896-4552   | 1 1/2                | 3 7/16               | 5.614               | 14MX-38S-125 REBORE | 7896-5257   | 1 1/2                | 4 1/8                | 6.666               |
| 14MX-33S-90 REBORE | 7896-4560   | 1 1/2                | 3 1/2                | 5.790               | 14MX-39S-125 REBORE | 7896-5268   | 1 1/2                | 4 3/8                | 6.842               |
| 14MX-34S-90 REBORE | 7896-4626   | 1 1/2                | 3 1/2                | 5.965               | 14MX-40S-125 REBORE | 7896-5280   | 1 1/2                | 4 3/8                | 7.017               |
| 14MX-35S-90 REBORE | 7896-4627   | 1 1/2                | 3 1/3                | 6.141               | 14MX-43S-125 REBORE | 7896-5326   | 1 1/2                | 4 13/16              | 7.543               |
| 14MX-36S-90 REBORE | 7896-4665   | 1 1/2                | 3 13/16              | 6.316               | 14MX-45S-125 REBORE | 7896-5447   | 1 1/2                | 5                    | 7.894               |
| 14MX-37S-90 REBORE | 7896-4630   | 1 1/2                | 4 1/8                | 6.492               | 14MX-48S-125 REBORE | 7896-5448   | 1 1/2                | 5 5/8                | 8.421               |
| 14MX-38S-90 REBORE | 7896-4704   | 1 1/2                | 4 1/8                | 6.667               |                     |             |                      |                      |                     |

SYNCHRONOUS METAL





# PowerGrip® GT® and Poly Chain® GT® - 5M Sprockets

**Notes**

Abbreviations used for sprocket materials: GI=Gray Iron, DI=Ductile Iron, SiS=Sintered Steel, ST=Steel, CI=Cast Iron.

Details shown which do not affect drive function or overall weight may be changed without notification.

On a sprocket, pitch is the distance between groove centers and is measured on the pitch circle of the sprocket. The pitch circle of the sprocket coincides with the pitch line of the belt mating with it. The pitch diameter of the sprocket is always greater than its outside diameter.

Sprocket part numbers are comprised of pitch, number of grooves and width. For example; part number P52-5MGT-15 denotes 52 grooves, 5mm pitch and 15mm width.

**WARNING:** Do NOT use these sprockets with rim speeds in excess of 6,500 fpm.**Product No. Series 7709****5mm Pitch Sprockets — For Belts 9 and 15mm Wide**

| Part No.        | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|-----------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| P18-5MGT-15-MPB | 7709-3018   | 18                | 1.128               | .240          | ST       | MPB             | 1/4 - 3/8       |
| P19-5MGT-15-MPB | 7709-3019   | 19                | 1.191               | .280          | ST       | MPB             | 1/4 - 7/16      |
| P20-5MGT-15-MPB | 7709-3020   | 20                | 1.253               | .320          | ST       | MPB             | 1/4 - 1/2       |
| P21-5MGT-15-MPB | 7709-3021   | 21                | 1.316               | .360          | ST       | MPB             | 1/4 - 1/2       |
| P22-5MGT-15-MPB | 7709-3022   | 22                | 1.379               | .400          | ST       | MPB             | 1/4 - 1/2       |
| P23-5MGT-15-MPB | 7709-3023   | 23                | 1.441               | .440          | ST       | MPB             | 3/8 - 5/8       |
| P24-5MGT-15-MPB | 7709-3024   | 24                | 1.504               | .470          | ST       | MPB             | 3/8 - 5/8       |
| P25-5MGT-15-MPB | 7709-3025   | 25                | 1.567               | .550          | ST       | MPB             | 3/8 - 5/8       |
| P26-5MGT-15-MPB | 7709-3026   | 26                | 1.629               | .566          | ST       | MPB             | 3/8 - 11/16     |
| P28-5MGT-15-MPB | 7709-3028   | 28                | 1.755               | .670          | ST       | MPB             | 1/2 - 3/4       |
| P30-5MGT-15-MPB | 7709-3030   | 30                | 1.880               | .771          | ST       | MPB             | 1/2 - 15/16     |
| P32-5MGT-15-MPB | 7709-3032   | 32                | 2.005               | .880          | ST       | MPB             | 1/2 - 15/16     |
| P34-5MGT-15-MPB | 7709-3034   | 34                | 2.130               | .950          | ST       | MPB             | 1/2 - 1         |
| P36-5MGT-15     | 7709-1036   | 36                | 2.256               | .500          | ST       | 1108            | 1/2 - 1 1/8     |
| P36-5MGT-15-MPB | 7709-3036   | 36                | 2.256               | 1.120         | ST       | MPB             | 1/2 - 1         |
| P38-5MGT-15     | 7709-1038   | 38                | 2.381               | .610          | ST       | 1108            | 1/2 - 1 1/8     |
| P38-5MGT-15-MPB | 7709-3038   | 38                | 2.381               | 1.350         | ST       | MPB             | 1/2 - 1 1/4     |
| P40-5MGT-15     | 7709-1040   | 40                | 2.506               | .720          | ST       | 1108            | 1/2 - 1 1/8     |
| P40-5MGT-15-MPB | 7709-3040   | 40                | 2.506               | 1.540         | ST       | MPB             | 1/2 - 1 5/16    |
| P44-5MGT-15     | 7709-1044   | 44                | 2.757               | .950          | ST       | 1108            | 1/2 - 1 1/8     |
| P45-5MGT-15-MPB | 7709-3045   | 45                | 2.820               | 2.000         | ST       | MPB             | 1/2 - 1 1/2     |
| P48-5MGT-15     | 7709-1048   | 48                | 3.007               | .970          | ST       | 1210            | 1/2 - 1 1/4     |
| P50-5MGT-15-MPB | 7709-3050   | 50                | 3.113               | 2.300         | ST       | MPB             | 1/2 - 1 3/4     |
| P52-5MGT-15     | 7709-1052   | 52                | 3.258               | 1.170         | DI       | 1210            | 1/2 - 1 1/4     |
| P56-5MGT-15     | 7709-1056   | 56                | 3.509               | 1.370         | DI       | 1610            | 1/2 - 1 11/16   |
| P60-5MGT-15     | 7709-1060   | 60                | 3.760               | 1.680         | DI       | 1610            | 1/2 - 1 11/16   |
| P64-5MGT-15     | 7709-1064   | 64                | 4.010               | 2.170         | DI       | 1610            | 1/2 - 1 11/16   |
| P68-5MGT-15     | 7709-1068   | 68                | 4.261               | 2.100         | DI       | 1610            | 1/2 - 1 11/16   |
| P72-5MGT-15     | 7709-1072   | 72                | 4.511               | 2.722         | DI       | 1610            | 1/2 - 1 11/16   |
| P80-5MGT-15     | 7709-1080   | 80                | 5.013               | 3.150         | DI       | 1610            | 1/2 - 1 11/16   |
| P90-5MGT-15     | 7709-1090   | 90                | 5.639               | 4.170         | DI       | 1610            | 1/2 - 1 11/16   |
| P112-5MGT-15    | 7709-1112   | 112               | 7.018               | 5.160         | DI       | 2012            | 1/2 - 2 1/8     |

SYNCHRONOUS METAL

**5mm Pitch Sprockets — For Belts 25mm Wide**

| Part No.        | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|-----------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| P18-5MGT-25-MPB | 7709-5018   | 18                | 1.128               | .390          | ST       | MPB             | 1/4 - 3/8       |
| P19-5MGT-25-MPB | 7709-5019   | 19                | 1.191               | .430          | ST       | MPB             | 1/4 - 7/16      |
| P20-5MGT-25-MPB | 7709-5020   | 20                | 1.253               | .470          | ST       | MPB             | 1/4 - 1/2       |
| P21-5MGT-25-MPB | 7709-5021   | 21                | 1.316               | .510          | ST       | MPB             | 1/4 - 1/2       |
| P22-5MGT-25-MPB | 7709-5022   | 22                | 1.379               | .550          | ST       | MPB             | 1/4 - 1/2       |
| P23-5MGT-25-MPB | 7709-5023   | 23                | 1.441               | .590          | ST       | MPB             | 3/8 - 5/8       |
| P24-5MGT-25-MPB | 7709-5024   | 24                | 1.504               | .640          | ST       | MPB             | 3/8 - 5/8       |
| P25-5MGT-25-MPB | 7709-5025   | 25                | 1.566               | .700          | ST       | MPB             | 3/8 - 5/8       |
| P26-5MGT-25-MPB | 7709-5026   | 26                | 1.629               | .760          | ST       | MPB             | 3/8 - 11/16     |
| P28-5MGT-25-MPB | 7709-5028   | 28                | 1.754               | .877          | ST       | MPB             | 1/2 - 15/16     |
| P30-5MGT-25-MPB | 7709-5030   | 30                | 1.880               | 1.000         | ST       | MPB             | 1/2 - 15/16     |
| P32-5MGT-25-MPB | 7709-5032   | 32                | 2.005               | 1.160         | ST       | MPB             | 1/2 - 15/16     |





# PowerGrip® GT® and Poly Chain® GT® - 5M Sprockets

**Product No. Series 7709 (continued)**

**5mm Pitch Sprockets — For Belts 25mm Wide (continued)**

| Part No.        | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|-----------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| P34-5MGT-25-MPB | 7709-5034   | 34                | 2.130               | 1.320         | ST       | MPB             | 1/2 - 1         |
| P36-5MGT-25     | 7709-2036   | 36                | 2.256               | .720          | ST       | 1108            | 1/2 - 1 1/8     |
| P36-5MGT-25-MPB | 7709-5036   | 36                | 2.256               | 1.490         | ST       | MPB             | 1/2 - 1         |
| P38-5MGT-25     | 7709-2038   | 38                | 2.381               | .800          | ST       | 1108            | 1/2 - 1 1/8     |
| P38-5MGT-25-MPB | 7709-5038   | 38                | 2.381               | .792          | ST       | MPB             | 1/2 - 1 1/4     |
| P40-5MGT-25     | 7709-2040   | 40                | 2.506               | 1.080         | ST       | 1108            | 1/2 - 1 1/8     |
| P40-5MGT-25-MPB | 7709-5040   | 40                | 2.506               | 2.100         | ST       | MPB             | 1/2 - 1 5/16    |
| P44-5MGT-25     | 7709-2044   | 44                | 2.757               | 1.200         | ST       | 1108            | 1/2 - 1 1/8     |
| P45-5MGT-25-MPB | 7709-5045   | 45                | 2.820               | 2.650         | ST       | MPB             | 1/2 - 1 1/2     |
| P48-5MGT-25     | 7709-2048   | 48                | 3.008               | 1.400         | ST       | 1210            | 1/2 - 1 1/4     |
| P50-5MGT-25-MPB | 7709-5050   | 50                | 3.133               | 3.000         | ST       | MPB             | 1/2 - 1 3/4     |
| P52-5MGT-25     | 7709-2052   | 52                | 3.258               | 1.430         | DI       | 1210            | 1/2 - 1 1/4     |
| P56-5MGT-25     | 7709-2056   | 56                | 3.509               | 1.640         | DI       | 1610            | 1/2 - 1 11/16   |
| P60-5MGT-25     | 7709-2060   | 60                | 3.760               | 1.830         | DI       | 1610            | 1/2 - 1 11/16   |
| P64-5MGT-25     | 7709-2064   | 64                | 4.010               | 2.160         | DI       | 1610            | 1/2 - 1 11/16   |
| P68-5MGT-25     | 7709-2068   | 68                | 4.261               | 2.460         | DI       | 2012            | 1/2 - 2 1/8     |
| P72-5MGT-25     | 7709-2072   | 72                | 4.511               | 2.840         | DI       | 2012            | 1/2 - 2 1/8     |
| P80-5MGT-25     | 7709-2080   | 80                | 5.013               | 3.610         | DI       | 2012            | 1/2 - 2 1/8     |
| P90-5MGT-25     | 7709-2090   | 90                | 5.639               | 4.690         | DI       | 2012            | 1/2 - 2 1/8     |
| P112-5MGT-25    | 7709-2112   | 112               | 7.018               | 6.020         | DI       | 2012            | 1/2 - 2 1/8     |

SYNCHRONOUS METAL



# PowerGrip® GT® Sprockets - 5MGT

**Notes**

5MGT sprockets are available in minimum plain bore (MPB).

Abbreviations used for sprocket material: AL=Aluminum.

Details shown which do not affect drive function or overall weight may be changed without notification.

On a sprocket, pitch is the distance between groove centers and is measured on the pitch circle of the sprocket. The pitch circle of the sprocket coincides with the pitch line of the belt mating with it. The pitch diameter of the sprocket is always greater than its outside diameter.

Sprocket part numbers are comprised of pitch, number of grooves and width. For example; part number 5MGT-32S-09AL denotes 5mm pitch, 32 grooves, "S" for sprocket, 9mm width and "AL" is aluminum.

**Product No. Series 7845****5mm Pitch Sprockets - Aluminum — For Belts 9mm Wide**

| Part No.      | Product No. | Number of Grooves | Pitch Diameter (in) | Bore Range Min. (in) | Bore Range Max. (in) | Material | Weight (Lbs.) |
|---------------|-------------|-------------------|---------------------|----------------------|----------------------|----------|---------------|
| P12-5MGT-09AL | 7845-0912   | 12                | .752                | .250                 | .250                 | AL       | .020          |
| P13-5MGT-09AL | 7845-0913   | 13                | .815                | .250                 | .250                 | AL       | .020          |
| P14-5MGT-09AL | 7845-0914   | 14                | .877                | .250                 | .250                 | AL       | .030          |
| P15-5MGT-09AL | 7845-0915   | 15                | .940                | .250                 | .250                 | AL       | .030          |
| P16-5MGT-09AL | 7845-0916   | 16                | 1.003               | .250                 | .313                 | AL       | .040          |
| P17-5MGT-09AL | 7845-0917   | 17                | 1.065               | .250                 | .313                 | AL       | .040          |
| P18-5MGT-09AL | 7845-0918   | 18                | 1.128               | .250                 | .375                 | AL       | .050          |
| P19-5MGT-09AL | 7845-0919   | 19                | 1.191               | .250                 | .437                 | AL       | .060          |
| P20-5MGT-09AL | 7845-0920   | 20                | 1.253               | .250                 | .500                 | AL       | .060          |
| P22-5MGT-09AL | 7845-0922   | 22                | 1.379               | .250                 | .625                 | AL       | .080          |
| P24-5MGT-09AL | 7845-0924   | 24                | 1.504               | .250                 | .687                 | AL       | .100          |
| P25-5MGT-09AL | 7845-0925   | 25                | 1.566               | .250                 | .687                 | AL       | .110          |
| P26-5MGT-09AL | 7845-0926   | 26                | 1.629               | .250                 | .750                 | AL       | .120          |
| P28-5MGT-09AL | 7845-0928   | 28                | 1.754               | .250                 | .875                 | AL       | .140          |
| P30-5MGT-09AL | 7845-0930   | 30                | 1.880               | .250                 | .875                 | AL       | .160          |
| P32-5MGT-09AL | 7845-0932   | 32                | 2.005               | .250                 | .937                 | AL       | .180          |
| P34-5MGT-09AL | 7845-0934   | 34                | 2.130               | .250                 | 1.062                | AL       | .210          |
| P36-5MGT-09AL | 7845-0936   | 36                | 2.256               | .313                 | 1.062                | AL       | .250          |
| P38-5MGT-09AL | 7845-0938   | 38                | 2.381               | .313                 | 1.187                | AL       | .280          |
| P40-5MGT-09AL | 7845-0940   | 40                | 2.506               | .313                 | 1.187                | AL       | .300          |
| P44-5MGT-09AL | 7845-0944   | 44                | 2.757               | .313                 | 1.187                | AL       | .350          |
| P48-5MGT-09AL | 7845-0948   | 48                | 3.008               | .375                 | 1.187                | AL       | .400          |
| P50-5MGT-09AL | 7845-0950   | 50                | 3.133               | .375                 | 1.187                | AL       | .430          |
| P56-5MGT-09AL | 7845-0956   | 56                | 3.509               | .375                 | 1.187                | AL       | .540          |
| P60-5MGT-09AL | 7845-0960   | 60                | 3.760               | .375                 | 1.187                | AL       | .620          |
| P62-5MGT-09AL | 7845-0962   | 62                | 3.885               | .375                 | 1.187                | AL       | .640          |
| P70-5MGT-09AL | 7845-0970   | 70                | 4.386               | .375                 | 1.187                | AL       | .800          |
| P72-5MGT-09AL | 7845-0972   | 72                | 4.511               | .375                 | 1.187                | AL       | .840          |

**5mm Pitch Sprockets - Aluminum — For Belts 15mm Wide**

| Part No.      | Product No. | Number of Grooves | Pitch Diameter (in) | Bore Range Min. (in) | Bore Range Max. (in) | Material | Weight (Lbs.) |
|---------------|-------------|-------------------|---------------------|----------------------|----------------------|----------|---------------|
| P12-5MGT-15AL | 7845-1512   | 12                | .752                | .250                 | .250                 | AL       | .020          |
| P13-5MGT-15AL | 7845-1513   | 13                | .815                | .250                 | .250                 | AL       | .030          |
| P14-5MGT-15AL | 7845-1514   | 14                | .877                | .250                 | .250                 | AL       | .040          |
| P15-5MGT-15AL | 7845-1515   | 15                | .940                | .250                 | .250                 | AL       | .040          |
| P16-5MGT-15AL | 7845-1516   | 16                | 1.003               | .250                 | .313                 | AL       | .050          |
| P17-5MGT-15AL | 7845-1517   | 17                | 1.065               | .250                 | .313                 | AL       | .060          |
| P18-5MGT-15AL | 7845-1518   | 18                | 1.128               | .250                 | .375                 | AL       | .070          |
| P19-5MGT-15AL | 7845-1519   | 19                | 1.191               | .250                 | .437                 | AL       | .080          |
| P20-5MGT-15AL | 7845-1520   | 20                | 1.253               | .250                 | .500                 | AL       | .080          |
| P22-5MGT-15AL | 7845-1522   | 22                | 1.379               | .250                 | .625                 | AL       | .110          |
| P24-5MGT-15AL | 7845-1524   | 24                | 1.504               | .250                 | .687                 | AL       | .130          |
| P25-5MGT-15AL | 7845-1525   | 25                | 1.566               | .250                 | .687                 | AL       | .140          |
| P26-5MGT-15AL | 7845-1526   | 26                | 1.629               | .250                 | .750                 | AL       | .160          |
| P28-5MGT-15AL | 7845-1528   | 28                | 1.754               | .250                 | .875                 | AL       | .180          |
| P30-5MGT-15AL | 7845-1530   | 30                | 1.880               | .250                 | .875                 | AL       | .210          |
| P32-5MGT-15AL | 7845-1532   | 32                | 2.005               | .250                 | .937                 | AL       | .240          |



# PowerGrip® GT® Sprockets - 5MGT

**Product No. Series 7845 (continued)**

**5mm Pitch Sprockets - Aluminum — For Belts 15mm Wide (continued)**

| Part No.      | Product No. | Number of Grooves | Pitch Diameter (in) | Bore Range Min. (in) | Bore Range Max. (in) | Material | Weight (Lbs.) |
|---------------|-------------|-------------------|---------------------|----------------------|----------------------|----------|---------------|
| P34-5MGT-15AL | 7845-1534   | 34                | 2.130               | .250                 | 1.062                | AL       | .280          |
| P36-5MGT-15AL | 7845-1536   | 36                | 2.256               | .313                 | 1.062                | AL       | .330          |
| P38-5MGT-15AL | 7845-1538   | 38                | 2.381               | .313                 | 1.187                | AL       | .360          |
| P40-5MGT-15AL | 7845-1540   | 40                | 2.506               | .313                 | 1.187                | AL       | .400          |
| P44-5MGT-15AL | 7845-1544   | 44                | 2.757               | .313                 | 1.187                | AL       | .470          |
| P48-5MGT-15AL | 7845-1548   | 48                | 3.008               | .375                 | 1.187                | AL       | .580          |
| P50-5MGT-15AL | 7845-1550   | 50                | 3.133               | .375                 | 1.187                | AL       | .620          |
| P56-5MGT-15AL | 7845-1556   | 56                | 3.509               | .375                 | 1.187                | AL       | .740          |
| P60-5MGT-15AL | 7845-1560   | 60                | 3.760               | .375                 | 1.187                | AL       | .840          |
| P62-5MGT-15AL | 7845-1562   | 62                | 3.885               | .375                 | 1.187                | AL       | .910          |
| P70-5MGT-15AL | 7845-1570   | 70                | 4.386               | .375                 | 1.187                | AL       | 1.140         |
| P72-5MGT-15AL | 7845-1572   | 72                | 4.511               | .375                 | 1.187                | AL       | 1.210         |

SYNCHRONOUS METAL



# PowerGrip® GT® Sprockets - 8M and 14M

**Notes**

Abbreviations used for sprocket materials: GI=Gray Iron, DI=Ductile Iron, SiS=Sintered Steel, ST=Steel, CI=Cast Iron.

Details shown which do not affect drive function or overall weight may be changed without notification.

On a sprocket, pitch is the distance between groove centers and is measured on the pitch circle of the sprocket. The pitch circle of the sprocket coincides with the pitch line of the belt mating with it. The pitch diameter of the sprocket is always greater than its outside diameter.

Sprocket part numbers are comprised of pitch, number of grooves and width. For example; part number P27-8MGT-30 denotes 27 grooves, 8mm pitch and 30mm width.

Sprockets with 90 or more grooves do not have flanges.

**WARNING:** Do NOT use these sprockets with rim speeds in excess of 6,500 fpm.

## Product No. Series 7708 8mm Pitch Sprockets — For Belts 12mm Wide

| Part No.    | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|-------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| P22-8MGT-12 | 7708-1222   | 22                | 2.206               | .550          | ST       | 1008            | 1/2 - 1         |
| P23-8MGT-12 | 7708-1223   | 23                | 2.306               | .440          | ST       | 1008            | 1/2 - 1         |
| P24-8MGT-12 | 7708-1224   | 24                | 2.406               | .700          | ST       | 1008            | 1/2 - 1         |
| P25-8MGT-12 | 7708-1225   | 25                | 2.507               | .700          | ST       | 1108            | 1/2 - 1 1/8     |
| P26-8MGT-12 | 7708-1226   | 26                | 2.607               | .800          | ST       | 1108            | 1/2 - 1 1/8     |
| P27-8MGT-12 | 7708-1227   | 27                | 2.707               | .630          | ST       | 1108            | 1/2 - 1 1/8     |
| P28-8MGT-12 | 7708-1228   | 28                | 2.807               | 1.000         | ST       | 1108            | 1/2 - 1 1/8     |
| P29-8MGT-12 | 7708-1229   | 29                | 2.908               | 1.000         | ST       | 1210            | 1/2 - 1 1/4     |
| P30-8MGT-12 | 7708-1230   | 30                | 3.008               | 1.000         | ST       | 1210            | 1/2 - 1 1/4     |
| P31-8MGT-12 | 7708-1231   | 31                | 3.108               | 1.300         | ST       | 1210            | 1/2 - 1 1/4     |
| P32-8MGT-12 | 7708-1232   | 32                | 3.208               | 1.200         | DI       | 1210            | 1/2 - 1 1/4     |
| P33-8MGT-12 | 7708-1233   | 33                | 3.309               | 1.300         | DI       | 1210            | 1/2 - 1 1/4     |
| P34-8MGT-12 | 7708-1234   | 34                | 3.409               | 1.600         | DI       | 1210            | 1/2 - 1 1/4     |
| P35-8MGT-12 | 7708-1235   | 35                | 3.509               | 1.300         | DI       | 1210            | 1/2 - 1 1/4     |
| P36-8MGT-12 | 7708-1236   | 36                | 3.609               | 1.900         | DI       | 1210            | 1/2 - 1 1/4     |
| P37-8MGT-12 | 7708-1237   | 37                | 3.710               | 2.000         | DI       | 1210            | 1/2 - 1 1/4     |
| P38-8MGT-12 | 7708-1238   | 38                | 3.810               | 2.200         | DI       | 1210            | 1/2 - 1 1/4     |
| P40-8MGT-12 | 7708-1240   | 40                | 4.010               | 2.400         | DI       | 1210            | 1/2 - 1 1/4     |
| P44-8MGT-12 | 7708-1244   | 44                | 4.411               | 2.500         | DI       | 1610            | 1/2 - 1 11/16   |
| P48-8MGT-12 | 7708-1248   | 48                | 4.812               | 3.400         | DI       | 1610            | 1/2 - 1 11/16   |
| P56-8MGT-12 | 7708-1256   | 56                | 5.614               | 4.800         | DI       | 1610            | 1/2 - 1 11/16   |
| P60-8MGT-12 | 7708-1260   | 60                | 5.961               | 5.600         | DI       | 1610            | 1/2 - 1 11/16   |
| P64-8MGT-12 | 7708-1264   | 64                | 6.416               | 4.200         | DI       | 1610            | 1/2 - 1 11/16   |
| P72-8MGT-12 | 7708-1272   | 72                | 7.218               | 6.550         | DI       | 1610            | 1/2 - 1 11/16   |
| P80-8MGT-12 | 7708-1280   | 80                | 8.020               | 5.800         | DI       | 1610            | 1/2 - 1 11/16   |
| P90-8MGT-12 | 7708-1290   | 90                | 9.023               | 9.450         | DI       | 1610            | 1/2 - 1 11/16   |

## 8mm Pitch Sprockets — For Belts 20mm Wide

| Part No.    | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|-------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| P22-8MGT-20 | 7708-2022   | 22                | 2.206               | .530          | ST       | 1108            | 1/2 - 1 1/8     |
| P24-8MGT-20 | 7708-2024   | 24                | 2.406               | .800          | ST       | 1108            | 1/2 - 1 1/8     |
| P25-8MGT-20 | 7708-2025   | 25                | 2.507               | .900          | ST       | 1108            | 1/2 - 1 1/8     |
| P26-8MGT-20 | 7708-2026   | 26                | 2.607               | 1.000         | ST       | 1108            | 1/2 - 1 1/8     |
| P27-8MGT-20 | 7708-2027   | 27                | 2.707               | 1.100         | ST       | 1108            | 1/2 - 1 1/8     |
| P28-8MGT-20 | 7708-2028   | 28                | 2.807               | 1.200         | ST       | 1108            | 1/2 - 1 1/8     |
| P29-8MGT-20 | 7708-2029   | 29                | 2.908               | 1.300         | ST       | 1108            | 1/2 - 1 1/8     |
| P30-8MGT-20 | 7708-2030   | 30                | 3.008               | 1.200         | ST       | 1210            | 1/2 - 1 1/4     |
| P31-8MGT-20 | 7708-2031   | 31                | 3.108               | 1.300         | ST       | 1210            | 1/2 - 1 1/4     |
| P32-8MGT-20 | 7708-2032   | 32                | 3.208               | 1.400         | DI       | 1210            | 1/2 - 1 1/4     |
| P33-8MGT-20 | 7708-2033   | 33                | 3.309               | 1.400         | DI       | 1210            | 1/2 - 1 1/4     |
| P34-8MGT-20 | 7708-2034   | 34                | 3.409               | 2.740         | DI       | 1610            | 1/2 - 1 11/16   |
| P35-8MGT-20 | 7708-2035   | 35                | 3.509               | 1.400         | DI       | 1610            | 1/2 - 1 11/16   |
| P36-8MGT-20 | 7708-2036   | 36                | 3.609               | 1.600         | DI       | 1610            | 1/2 - 1 11/16   |
| P37-8MGT-20 | 7708-2037   | 37                | 3.710               | 1.700         | DI       | 1610            | 1/2 - 1 11/16   |
| P38-8MGT-20 | 7708-2038   | 38                | 3.810               | 1.900         | DI       | 1610            | 1/2 - 1 11/16   |
| P39-8MGT-20 | 7708-2039   | 39                | 3.909               | 2.000         | DI       | 1610            | 1/2 - 1 11/16   |



# PowerGrip® GT® Sprockets - 8M and 14M

## Product No. Series 7708 (continued)

### 8mm Pitch Sprockets — For Belts 20mm Wide (continued)

| Part No.     | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|--------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| P40-8MGT-20  | 7708-2040   | 40                | 4.010               | 2.520         | DI       | 1610            | 1/2 - 1 11/16   |
| P42-8MGT-20  | 7708-2042   | 42                | 4.211               | 2.400         | DI       | 1610            | 1/2 - 1 11/16   |
| P44-8MGT-20  | 7708-2044   | 44                | 4.411               | 2.840         | DI       | 2012            | 1/2 - 2 1/8     |
| P46-8MGT-20  | 7708-2046   | 46                | 4.612               | 3.200         | DI       | 2012            | 1/2 - 2 1/8     |
| P48-8MGT-20  | 7708-2048   | 48                | 4.812               | 3.700         | DI       | 2012            | 1/2 - 2 1/8     |
| P50-8MGT-20  | 7708-2050   | 50                | 5.013               | 4.200         | DI       | 2012            | 1/2 - 2 1/8     |
| P53-8MGT-20  | 7708-2053   | 53                | 5.313               | 5.000         | DI       | 2012            | 1/2 - 2 1/8     |
| P56-8MGT-20  | 7708-2056   | 56                | 5.614               | 5.800         | DI       | 2012            | 1/2 - 2 1/8     |
| P64-8MGT-20  | 7708-2064   | 64                | 6.416               | 4.200         | DI       | 2012            | 1/2 - 2 1/8     |
| P72-8MGT-20  | 7708-2072   | 72                | 7.218               | 6.200         | DI       | 2012            | 1/2 - 2 1/8     |
| P80-8MGT-20  | 7708-2080   | 80                | 8.020               | 7.500         | DI       | 2517            | 1/2 - 2 11/16   |
| P90-8MGT-20  | 7708-2090   | 90                | 9.023               | 11.000        | DI       | 2517            | 1/2 - 2 11/16   |
| P112-8MGT-20 | 7708-2112   | 112               | 11.229              | 15.700        | GI       | 2517            | 1/2 - 2 11/16   |
| P144-8MGT-20 | 7708-2144   | 144               | 14.437              | 25.500        | GI       | 2517            | 1/2 - 2 11/16   |
| P192-8MGT-20 | 7708-2192   | 192               | 19.249              | 35.000        | GI       | 3020            | 7/8 - 3 1/4     |

SYNCHRONOUS METAL

### 8mm Pitch Sprockets — For Belts 30mm Wide

| Part No.     | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|--------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| P22-8MGT-30  | 7708-3022   | 22                | 2.206               | .700          | ST       | 1108            | 1/2 - 1 1/8     |
| P24-8MGT-30  | 7708-3024   | 24                | 2.406               | .900          | ST       | 1108            | 1/2 - 1 1/8     |
| P25-8MGT-30  | 7708-3025   | 25                | 2.507               | 1.100         | ST       | 1108            | 1/2 - 1 1/8     |
| P26-8MGT-30  | 7708-3026   | 26                | 2.607               | 1.300         | ST       | 1108            | 1/2 - 1 1/8     |
| P27-8MGT-30  | 7708-3027   | 27                | 2.707               | 1.400         | ST       | 1108            | 1/2 - 1 1/8     |
| P28-8MGT-30  | 7708-3028   | 28                | 2.807               | 1.600         | ST       | 1108            | 1/2 - 1 1/8     |
| P29-8MGT-30  | 7708-3029   | 29                | 2.908               | 1.550         | ST       | 1108            | 1/2 - 1 1/8     |
| P30-8MGT-30  | 7708-3030   | 30                | 3.008               | 1.500         | ST       | 1210            | 1/2 - 1 1/4     |
| P31-8MGT-30  | 7708-3031   | 31                | 3.108               | 1.650         | ST       | 1210            | 1/2 - 1 1/4     |
| P32-8MGT-30  | 7708-3032   | 32                | 3.208               | 1.760         | DI       | 1210            | 1/2 - 1 1/4     |
| P33-8MGT-30  | 7708-3033   | 33                | 3.309               | 1.750         | DI       | 1210            | 1/2 - 1 1/4     |
| P34-8MGT-30  | 7708-3034   | 34                | 3.409               | 1.810         | DI       | 1610            | 1/2 - 1 11/16   |
| P35-8MGT-30  | 7708-3035   | 35                | 3.509               | 2.000         | DI       | 1610            | 1/2 - 1 11/16   |
| P36-8MGT-30  | 7708-3036   | 36                | 3.609               | 2.240         | DI       | 1610            | 1/2 - 1 11/16   |
| P37-8MGT-30  | 7708-3037   | 37                | 3.710               | 2.300         | DI       | 1610            | 1/2 - 1 11/16   |
| P38-8MGT-30  | 7708-3038   | 38                | 3.810               | 2.560         | DI       | 1610            | 1/2 - 1 11/16   |
| P39-8MGT-30  | 7708-3039   | 39                | 3.910               | 2.500         | DI       | 1610            | 1/2 - 1 11/16   |
| P40-8MGT-30  | 7708-3040   | 40                | 4.010               | 2.350         | DI       | 2012            | 1/2 - 2 1/8     |
| P42-8MGT-30  | 7708-3042   | 42                | 4.211               | 3.000         | DI       | 2012            | 1/2 - 2 1/8     |
| P44-8MGT-30  | 7708-3044   | 44                | 4.411               | 3.200         | DI       | 2012            | 1/2 - 2 1/8     |
| P46-8MGT-30  | 7708-3046   | 46                | 4.612               | 3.900         | DI       | 2012            | 1/2 - 2 1/8     |
| P48-8MGT-30  | 7708-3048   | 48                | 4.812               | 4.340         | DI       | 2012            | 1/2 - 2 1/8     |
| P50-8MGT-30  | 7708-3050   | 50                | 5.013               | 5.000         | DI       | 2012            | 1/2 - 2 1/8     |
| P53-8MGT-30  | 7708-3053   | 53                | 5.314               | 6.200         | DI       | 2012            | 1/2 - 2 1/8     |
| P56-8MGT-30  | 7708-3056   | 56                | 5.614               | 6.670         | DI       | 2012            | 1/2 - 2 1/8     |
| P64-8MGT-30  | 7708-3064   | 64                | 6.416               | 9.540         | DI       | 2517            | 1/2 - 2 11/16   |
| P72-8MGT-30  | 7708-3072   | 72                | 7.218               | 12.760        | DI       | 2517            | 1/2 - 2 11/16   |
| P80-8MGT-30  | 7708-3080   | 80                | 8.020               | 16.570        | DI       | 2517            | 1/2 - 2 11/16   |
| P90-8MGT-30  | 7708-3090   | 90                | 9.023               | 16.810        | DI       | 2517            | 1/2 - 2 11/16   |
| P112-8MGT-30 | 7708-3112   | 112               | 11.229              | 25.500        | GI       | 2517            | 1/2 - 2 11/16   |
| P144-8MGT-30 | 7708-3144   | 144               | 14.437              | 22.500        | GI       | 2517            | 1/2 - 2 11/16   |
| P192-8MGT-30 | 7708-3192   | 192               | 19.249              | 31.200        | GI       | 3020            | 7/8 - 3 1/4     |

**PowerGrip® GT® Sprockets - 8M and 14M****Product No. Series 7708 (continued)****8mm Pitch Sprockets — For Belts 50mm Wide**

| Part No.        | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|-----------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| P28-8MGT-50-MPB | 7708-1028   | 28                | 2.807               | 3.900         | DI       | MPB             | 1/2 - 1 1/2     |
| P30-8MGT-50     | 7708-5030   | 30                | 3.008               | 2.200         | CI       | 1210            | 1/2 - 1 1/4     |
| P32-8MGT-50     | 7708-5032   | 32                | 3.208               | 2.400         | CI       | 1210            | 1/2 - 1 1/4     |
| P34-8MGT-50     | 7708-5034   | 34                | 3.409               | 2.400         | CI       | 1610            | 1/2 - 1 11/16   |
| P36-8MGT-50     | 7708-5036   | 36                | 3.609               | 2.750         | CI       | 1610            | 1/2 - 1 11/16   |
| P38-8MGT-50     | 7708-5038   | 38                | 3.810               | 3.180         | CI       | 1610            | 1/2 - 1 11/16   |
| P40-8MGT-50     | 7708-5040   | 40                | 4.010               | 3.390         | DI       | 2012            | 1/2 - 2 1/8     |
| P44-8MGT-50     | 7708-5044   | 44                | 4.411               | 4.580         | CI       | 2012            | 1/2 - 2 1/8     |
| P48-8MGT-50     | 7708-5048   | 48                | 4.812               | 5.970         | CI       | 2012            | 1/2 - 2 1/8     |
| P56-8MGT-50     | 7708-5056   | 56                | 5.614               | 8.090         | CI       | 2517            | 1/2 - 2 11/16   |
| P64-8MGT-50     | 7708-5064   | 64                | 6.416               | 11.850        | CI       | 2517            | 1/2 - 2 11/16   |
| P72-8MGT-50     | 7708-5072   | 72                | 7.218               | 16.490        | CI       | 2517            | 1/2 - 2 11/16   |
| P80-8MGT-50     | 7708-5080   | 80                | 8.020               | 20.850        | CI       | 2517            | 1/2 - 2 11/16   |
| P90-8MGT-50     | 7708-5090   | 90                | 9.023               | 26.690        | CI       | 3020            | 7/8 - 3 1/4     |
| P112-8MGT-50    | 7708-5112   | 112               | 11.229              | 35.520        | CI       | 3020            | 7/8 - 3 1/4     |
| P144-8MGT-50    | 7708-5144   | 144               | 14.437              | 51.300        | CI       | 3020            | 7/8 - 3 1/4     |
| P192-8MGT-50    | 7708-5192   | 192               | 19.249              | 90.000        | CI       | 3020            | 7/8 - 3 1/4     |

**8mm Pitch Sprockets — For Belts 85mm Wide**

| Part No.     | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in)  |
|--------------|-------------|-------------------|---------------------|---------------|----------|-----------------|------------------|
| P34-8MGT-85  | 7708-8034   | 34                | 3.409               | 3.850         | CI       | 1615            | 1/2 - 1 11/16    |
| P36-8MGT-85  | 7708-8036   | 36                | 3.609               | 4.310         | CI       | 1615            | 1/2 - 1 11/16    |
| P38-8MGT-85  | 7708-8038   | 38                | 3.810               | 4.900         | CI       | 1610            | 1/2 - 1 11/16    |
| P40-8MGT-85  | 7708-8040   | 40                | 4.010               | 4.560         | DI       | 2012            | 1/2 - 2 1/8      |
| P44-8MGT-85  | 7708-8044   | 44                | 4.411               | 5.960         | CI       | 2012            | 1/2 - 2 1/8      |
| P48-8MGT-85  | 7708-8048   | 48                | 4.812               | 7.640         | CI       | 2012            | 1/2 - 2 1/8      |
| P56-8MGT-85  | 7708-8056   | 56                | 5.614               | 10.770        | CI       | 2517            | 1/2 - 2 11/16    |
| P64-8MGT-85  | 7708-8064   | 64                | 6.416               | 16.910        | CI       | 2517            | 1/2 - 2 11/16    |
| P72-8MGT-85  | 7708-8072   | 72                | 7.218               | 17.670        | CI       | 3020            | 7/8 - 3 1/4      |
| P80-8MGT-85  | 7708-8080   | 80                | 8.020               | 22.250        | CI       | 3020            | 7/8 - 3 1/4      |
| P90-8MGT-85  | 7708-8090   | 90                | 9.023               | 32.760        | CI       | 3020            | 7/8 - 3 1/4      |
| P112-8MGT-85 | 7708-8112   | 112               | 11.229              | 37.840        | CI       | 3020            | 7/8 - 3 1/4      |
| P144-8MGT-85 | 7708-8144   | 144               | 14.437              | 78.000        | CI       | 3535            | 1 3/16 - 3 15/16 |
| P192-8MGT-85 | 7708-8192   | 192               | 19.249              | 110.200       | CI       | 3535            | 1 3/16 - 3 15/16 |

**Product No. Series 7711****14mm Pitch Sprockets — For Belts 40mm Wide**

| Part No.     | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|--------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| P28-14MGT-40 | 7711-4028   | 28                | 4.912               | 6.030         | CI       | 2012            | 1/2 - 2 1/8     |
| P29-14MGT-40 | 7711-4029   | 29                | 5.088               | 6.660         | CI       | 2012            | 1/2 - 2 1/8     |
| P30-14MGT-40 | 7711-4030   | 30                | 5.263               | 6.610         | CI       | 2012            | 1/2 - 2 1/8     |
| P31-14MGT-40 | 7711-4031   | 31                | 5.439               | 7.500         | CI       | 2012            | 1/2 - 2 1/8     |
| P32-14MGT-40 | 7711-4032   | 32                | 5.614               | 8.050         | CI       | 2012            | 1/2 - 2 1/8     |
| P33-14MGT-40 | 7711-4033   | 33                | 5.790               | 9.000         | CI       | 2012            | 1/2 - 2 1/8     |
| P34-14MGT-40 | 7711-4034   | 34                | 5.965               | 9.520         | CI       | 2012            | 1/2 - 2 1/8     |
| P35-14MGT-40 | 7711-4035   | 35                | 6.141               | 10.000        | CI       | 2012            | 1/2 - 2 1/8     |
| P36-14MGT-40 | 7711-4036   | 36                | 6.316               | 10.760        | CI       | 2517            | 1/2 - 2 11/16   |
| P37-14MGT-40 | 7711-4037   | 37                | 6.492               | 11.700        | CI       | 2517            | 1/2 - 2 11/16   |
| P38-14MGT-40 | 7711-4038   | 38                | 6.669               | 12.450        | CI       | 2517            | 1/2 - 2 11/16   |
| P39-14MGT-40 | 7711-4039   | 39                | 6.842               | 13.700        | CI       | 2517            | 1/2 - 2 11/16   |
| P40-14MGT-40 | 7711-4040   | 40                | 7.018               | 14.710        | CI       | 2517            | 1/2 - 2 11/16   |
| P42-14MGT-40 | 7711-4042   | 42                | 7.369               | 16.000        | CI       | 2517            | 1/2 - 2 11/16   |



# PowerGrip® GT® Sprockets - 8M and 14M

## Product No. Series 7711 (continued)

### 14mm Pitch Sprockets — For Belts 40mm Wide (continued)

| Part No.      | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|---------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| P44-14MGT-40  | 7711-4044   | 44                | 7.720               | 18.070        | CI       | 2517            | 1/2 - 2 11/16   |
| P46-14MGT-40  | 7711-4046   | 46                | 8.070               | 21.000        | CI       | 2517            | 1/2 - 2 11/16   |
| P48-14MGT-40  | 7711-4048   | 48                | 8.421               | 22.270        | CI       | 2517            | 1/2 - 2 11/16   |
| P50-14MGT-40  | 7711-4050   | 50                | 8.772               | 25.000        | CI       | 2517            | 1/2 - 2 11/16   |
| P52-14MGT-40  | 7711-4052   | 52                | 9.123               | 27.030        | CI       | 2517            | 1/2 - 2 11/16   |
| P56-14MGT-40  | 7711-4056   | 56                | 9.825               | 31.600        | CI       | 2517            | 1/2 - 2 11/16   |
| P60-14MGT-40  | 7711-4060   | 60                | 10.527              | 29.530        | CI       | 3020            | 7/8 - 3 1/4     |
| P64-14MGT-40  | 7711-4064   | 64                | 11.229              | 32.540        | CI       | 3020            | 7/8 - 3 1/4     |
| P68-14MGT-40  | 7711-4068   | 68                | 11.930              | 32.670        | CI       | 3020            | 7/8 - 3 1/4     |
| P72-14MGT-40  | 7711-4072   | 72                | 12.632              | 39.150        | CI       | 3020            | 7/8 - 3 1/4     |
| P80-14MGT-40  | 7711-4080   | 80                | 14.036              | 33.100        | CI       | 3020            | 7/8 - 3 1/4     |
| P90-14MGT-40  | 7711-4090   | 90                | 15.790              | 39.000        | CI       | 3020            | 7/8 - 3 1/4     |
| P112-14MGT-40 | 7711-4112   | 112               | 19.650              | 89.000        | CI       | 3020            | 7/8 - 3 1/4     |
| P144-14MGT-40 | 7711-4144   | 144               | 25.264              | 80.000        | CI       | 3020            | 7/8 - 3 1/4     |
| P168-14MGT-40 | 7711-4168   | 168               | 29.475              | 115.000       | CI       | 3020            | 7/8 - 3 1/4     |
| P192-14MGT-40 | 7711-4192   | 192               | 33.686              | 120.000       | CI       | 3020            | 7/8 - 3 1/4     |

SYNCHRONOUS METAL

### 14mm Pitch Sprockets — For Belts 55mm Wide

| Part No.      | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in)  |
|---------------|-------------|-------------------|---------------------|---------------|----------|-----------------|------------------|
| P28-14MGT-55  | 7711-5028   | 28                | 4.912               | 7.380         | CI       | 2012            | 1/2 - 2 1/8      |
| P29-14MGT-55  | 7711-5029   | 29                | 5.088               | 8.170         | CI       | 2012            | 1/2 - 2 1/8      |
| P30-14MGT-55  | 7711-5030   | 30                | 5.263               | 7.250         | CI       | 2517            | 1/2 - 2 11/16    |
| P32-14MGT-55  | 7711-5032   | 32                | 5.614               | 9.090         | CI       | 2517            | 1/2 - 2 11/16    |
| P34-14MGT-55  | 7711-5034   | 34                | 5.965               | 11.110        | CI       | 2517            | 1/2 - 2 11/16    |
| P36-14MGT-55  | 7711-5036   | 36                | 6.316               | 12.360        | CI       | 2517            | 1/2 - 2 11/16    |
| P38-14MGT-55  | 7711-5038   | 38                | 6.669               | 15.310        | CI       | 2517            | 1/2 - 2 11/16    |
| P40-14MGT-55  | 7711-5040   | 40                | 7.018               | 16.660        | CI       | 2517            | 1/2 - 2 11/16    |
| P44-14MGT-55  | 7711-5044   | 44                | 7.720               | 20.720        | CI       | 2517            | 1/2 - 2 11/16    |
| P48-14MGT-55  | 7711-5048   | 48                | 8.421               | 24.210        | CI       | 3020            | 7/8 - 3 1/4      |
| P52-14MGT-55  | 7711-5052   | 52                | 9.123               | 29.260        | CI       | 3020            | 7/8 - 3 1/4      |
| P56-14MGT-55  | 7711-5056   | 56                | 9.825               | 34.870        | CI       | 3020            | 7/8 - 3 1/4      |
| P60-14MGT-55  | 7711-5060   | 60                | 10.527              | 41.550        | CI       | 3020            | 7/8 - 3 1/4      |
| P64-14MGT-55  | 7711-5064   | 64                | 11.229              | 48.040        | CI       | 3020            | 7/8 - 3 1/4      |
| P68-14MGT-55  | 7711-5068   | 68                | 11.930              | 42.910        | CI       | 3020            | 7/8 - 3 1/4      |
| P72-14MGT-55  | 7711-5072   | 72                | 12.632              | 47.510        | CI       | 3020            | 7/8 - 3 1/4      |
| P80-14MGT-55  | 7711-5080   | 80                | 14.036              | 37.910        | CI       | 3020            | 7/8 - 3 1/4      |
| P90-14MGT-55  | 7711-5090   | 90                | 15.790              | 55.000        | CI       | 3020            | 7/8 - 3 1/4      |
| P112-14MGT-55 | 7711-5112   | 112               | 19.650              | 65.000        | CI       | 3020            | 7/8 - 3 1/4      |
| P144-14MGT-55 | 7711-5144   | 144               | 25.264              | 104.000       | CI       | 3020            | 7/8 - 3 1/4      |
| P168-14MGT-55 | 7711-5168   | 168               | 29.475              | 124.000       | CI       | 3020            | 7/8 - 3 1/4      |
| P192-14MGT-55 | 7711-5192   | 192               | 33.686              | 314.600       | CI       | 3535            | 1 3/16 - 3 15/16 |
| P216-14MGT-55 | 7711-0050   | 216               | 37.893              | 150.000       | CI       | 3020            | 7/8 - 3 1/4      |

### 14mm Pitch Sprockets — For Belts 85mm Wide

| Part No.     | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|--------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| P28-14MGT-85 | 7711-8028   | 28                | 4.912               | 10.130        | CI       | 2012            | 1/2 - 2 1/8     |
| P29-14MGT-85 | 7711-8029   | 29                | 5.088               | 11.420        | CI       | 2012            | 1/2 - 2 1/8     |
| P30-14MGT-85 | 7711-8030   | 30                | 5.263               | 12.000        | CI       | 2517            | 1/2 - 2 11/16   |
| P32-14MGT-85 | 7711-8032   | 32                | 5.614               | 12.360        | CI       | 2517            | 1/2 - 2 11/16   |
| P34-14MGT-85 | 7711-8034   | 34                | 5.965               | 14.990        | CI       | 2517            | 1/2 - 2 11/16   |
| P36-14MGT-85 | 7711-8036   | 36                | 6.316               | 13.570        | DI       | 3020            | 7/8 - 3 1/4     |
| P38-14MGT-85 | 7711-8038   | 38                | 6.669               | 16.610        | CI       | 3020            | 7/8 - 3 1/4     |



**PowerGrip® GT® Sprockets - 8M and 14M****Product No. Series 7711 (continued)  
14mm Pitch Sprockets — For Belts 85mm Wide (continued)**

| Part No.      | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in)  |
|---------------|-------------|-------------------|---------------------|---------------|----------|-----------------|------------------|
| P40-14MGT-85  | 7711-8040   | 40                | 7.018               | 19.940        | CI       | 3020            | 7/8 - 3 1/4      |
| P44-14MGT-85  | 7711-8044   | 44                | 7.720               | 23.090        | CI       | 3020            | 7/8 - 3 1/4      |
| P48-14MGT-85  | 7711-8048   | 48                | 8.421               | 29.800        | CI       | 3020            | 7/8 - 3 1/4      |
| P52-14MGT-85  | 7711-8052   | 52                | 9.123               | 41.980        | CI       | 3535            | 1 3/16 - 3 15/16 |
| P56-14MGT-85  | 7711-8056   | 56                | 9.825               | 51.400        | CI       | 3535            | 1 3/16 - 3 15/16 |
| P60-14MGT-85  | 7711-8060   | 60                | 10.527              | 62.000        | CI       | 3535            | 1 3/16 - 3 15/16 |
| P64-14MGT-85  | 7711-8064   | 64                | 11.229              | 72.660        | CI       | 3535            | 1 3/16 - 3 15/16 |
| P68-14MGT-85  | 7711-8068   | 68                | 11.930              | 64.560        | CI       | 3535            | 1 3/16 - 3 15/16 |
| P72-14MGT-85  | 7711-8072   | 72                | 12.632              | 98.000        | CI       | 3535            | 1 3/16 - 3 15/16 |
| P80-14MGT-85  | 7711-8080   | 80                | 14.036              | 67.300        | CI       | 3535            | 1 3/16 - 3 15/16 |
| P90-14MGT-85  | 7711-8090   | 90                | 15.790              | 82.800        | CI       | 3535            | 1 3/16 - 3 15/16 |
| P112-14MGT-85 | 7711-8112   | 112               | 19.650              | 120.000       | DI       | 3535            | 1 3/16 - 3 15/16 |
| P144-14MGT-85 | 7711-8144   | 144               | 25.264              | 127.000       | CI       | 4040            | 1 7/16 - 4 7/16  |
| P168-14MGT-85 | 7711-8168   | 168               | 29.475              | 148.000       | CI       | 4040            | 1 7/16 - 4 7/16  |
| P192-14MGT-85 | 7711-8192   | 192               | 33.686              | 410.000       | CI       | 4040            | 1 7/16 - 4 7/16  |

**14mm Pitch Sprockets — For Belts 115mm Wide**

| Part No.          | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in)   |
|-------------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-------------------|
| P28-14MGT-115-MPB | 7711-1028   | 28                | 4.912               | 22.000        | DI       | MPB             | 1 1/4 - 2 11/16   |
| P29-14MGT-115-MPB | 7711-1029   | 29                | 5.088               | 23.000        | DI       | MPB             | 1 1/4 - 2 11/16   |
| P30-14MGT-115     | 7711-1030   | 30                | 5.263               | 12.880        | CI       | 2517            | 1/2 - 2 11/16     |
| P32-14MGT-115     | 7711-1032   | 32                | 5.614               | 14.810        | CI       | 2517            | 1/2 - 2 11/16     |
| P34-14MGT-115     | 7711-1034   | 34                | 5.965               | 18.900        | CI       | 2517            | 1/2 - 2 11/16     |
| P36-14MGT-115     | 7711-1036   | 36                | 6.316               | 17.370        | CI       | 3020            | 7/8 - 3 1/4       |
| P38-14MGT-115     | 7711-1038   | 38                | 6.669               | 19.310        | CI       | 3020            | 7/8 - 3 1/4       |
| P40-14MGT-115     | 7711-1040   | 40                | 7.018               | 23.460        | CI       | 3020            | 7/8 - 3 1/4       |
| P44-14MGT-115     | 7711-1044   | 44                | 7.720               | 29.250        | CI       | 3535            | 1 3/16 - 3 15/16  |
| P48-14MGT-115     | 7711-1048   | 48                | 8.421               | 40.100        | CI       | 3535            | 1 3/16 - 3 15/16  |
| P52-14MGT-115     | 7711-1052   | 52                | 9.123               | 45.360        | CI       | 4040            | 1 7/16 - 4 7/16   |
| P56-14MGT-115     | 7711-1056   | 56                | 9.825               | 58.400        | CI       | 4040            | 1 7/16 - 4 7/16   |
| P60-14MGT-115     | 7711-1060   | 60                | 10.527              | 73.000        | CI       | 4040            | 1 7/16 - 4 7/16   |
| P64-14MGT-115     | 7711-1064   | 64                | 11.229              | 81.000        | CI       | 4545            | 1 15/16 - 4 15/16 |
| P68-14MGT-115     | 7711-1068   | 68                | 11.930              | 106.000       | CI       | 4545            | 1 15/16 - 4 15/16 |
| P72-14MGT-115     | 7711-1072   | 72                | 12.632              | 112.200       | CI       | 4545            | 1 15/16 - 4 15/16 |
| P80-14MGT-115     | 7711-1080   | 80                | 14.036              | 159.000       | CI       | 4545            | 1 15/16 - 4 15/16 |
| P90-14MGT-115     | 7711-1090   | 90                | 15.790              | 132.000       | CI       | 4545            | 1 15/16 - 4 15/16 |
| P112-14MGT-115    | 7711-1112   | 112               | 19.650              | 190.000       | CI       | 4545            | 1 15/16 - 4 15/16 |
| P144-14MGT-115    | 7711-1144   | 144               | 25.264              | 166.000       | CI       | 4545            | 1 15/16 - 4 15/16 |
| P168-14MGT-115    | 7711-1168   | 168               | 29.475              | 198.000       | CI       | 4545            | 1 15/16 - 4 15/16 |
| P192-14MGT-115    | 7711-1192   | 192               | 33.686              | 437.800       | CI       | 4545            | 1 15/16 - 4 15/16 |
| P216-14MGT-115    | 7711-1216   | 216               | 37.896              | 307.000       | CI       | 6050            | 4 7/16 - 6        |

**14mm Pitch Sprockets — For Belts 170mm Wide**

| Part No.          | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in)   |
|-------------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-------------------|
| P36-14MGT-170-MPB | 7711-7036   | 36                | 6.316               | 45.000        | DI       | MPB             | 1 1/2 - 3 3/8     |
| P38-14MGT-170-MPB | 7711-7038   | 38                | 6.667               | 51.000        | DI       | MPB             | 1 1/2 - 3 3/8     |
| P40-14MGT-170     | 7711-7040   | 40                | 7.018               | 57.500        | CI       | 3535            | 1 3/16 - 3 15/16  |
| P44-14MGT-170     | 7711-7044   | 44                | 7.720               | 58.000        | CI       | 3535            | 1 3/16 - 3 15/16  |
| P48-14MGT-170     | 7711-7048   | 48                | 8.421               | 45.000        | CI       | 3535            | 1 3/16 - 3 15/16  |
| P52-14MGT-170     | 7711-7052   | 52                | 9.123               | 60.000        | CI       | 4040            | 1 7/16 - 4 7/16   |
| P56-14MGT-170     | 7711-7056   | 56                | 9.825               | 65.000        | CI       | 4040            | 1 7/16 - 4 7/16   |
| P60-14MGT-170     | 7711-7060   | 60                | 10.527              | 85.000        | CI       | 4545            | 1 15/16 - 4 15/16 |



# PowerGrip® GT® Sprockets - 8M and 14M

## Product No. Series 7711 (continued)

### 14mm Pitch Sprockets — For Belts 170mm Wide (continued)

| Part No.       | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in)   |
|----------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-------------------|
| P64-14MGT-170  | 7711-7064   | 64                | 11.229              | 91.020        | CI       | 4545            | 1 15/16 - 4 15/16 |
| P68-14MGT-170  | 7711-7068   | 68                | 11.930              | 110.000       | CI       | 4545            | 1 15/16 - 4 15/16 |
| P72-14MGT-170  | 7711-7072   | 72                | 12.632              | 115.000       | CI       | 4545            | 1 15/16 - 4 15/16 |
| P80-14MGT-170  | 7711-7080   | 80                | 14.036              | 125.000       | CI       | 4545            | 1 15/16 - 4 15/16 |
| P90-14MGT-170  | 7711-7090   | 90                | 15.790              | 145.000       | CI       | 4545            | 1 15/16 - 4 15/16 |
| P112-14MGT-170 | 7711-7112   | 112               | 19.650              | 175.000       | CI       | 4545            | 1 15/16 - 4 15/16 |
| P144-14MGT-170 | 7711-7144   | 144               | 25.264              | 240.000       | CI       | 6050            | 4 7/16 - 6        |
| P168-14MGT-170 | 7711-7168   | 168               | 29.475              | 278.000       | CI       | 6050            | 4 7/16 - 6        |
| P192-14MGT-170 | 7711-7192   | 192               | 33.686              | 322.000       | CI       | 6050            | 4 7/16 - 6        |
| P216-14MGT-170 | 7711-7216   | 216               | 37.896              | 300.000       | DI       | 6050            | 4 7/16 - 6        |

SYNCHRONOUS METAL

### 14mm Pitch PowerGrip® GT® - QD® Sprockets for ACHE Applications — For Belts 40mm Wide

| Part No.        | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|-----------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| F28-14MGT-40-SK | 7711-4328   | 28                | 4.912               | 4.300         | CI       | SK              | 1/2 - 2 1/2     |
| F29-14MGT-40-SK | 7711-4329   | 29                | 5.088               | 4.600         | CI       | SK              | 1/2 - 2 1/2     |
| F30-14MGT-40-SK | 7711-4330   | 30                | 5.263               | 5.200         | CI       | SK              | 1/2 - 2 1/2     |
| F31-14MGT-40-SK | 7711-4331   | 31                | 5.439               | 5.600         | CI       | SK              | 1/2 - 2 1/2     |
| F32-14MGT-40-SK | 7711-4332   | 32                | 5.614               | 6.400         | CI       | SK              | 1/2 - 2 1/2     |
| F33-14MGT-40-SK | 7711-4333   | 33                | 5.790               | 6.700         | CI       | SK              | 1/2 - 2 1/2     |
| F34-14MGT-40-SK | 7711-4334   | 34                | 5.965               | 7.100         | CI       | SK              | 1/2 - 2 1/2     |
| F35-14MGT-40-SK | 7711-4335   | 35                | 6.141               | 7.700         | CI       | SK              | 1/2 - 2 1/2     |
| F140-14MGT-40-E | 7711-4340   | 140               | 24.562              | 64.600        | CI       | E               | 7/8 - 3 1/2     |
| F168-14MGT-40-E | 7711-4368   | 168               | 29.475              | 85.300        | CI       | E               | 7/8 - 3 1/2     |
| F180-14MGT-40-E | 7711-4380   | 180               | 31.580              | 95.000        | CI       | E               | 7/8 - 3 1/2     |
| F192-14MGT-40-E | 7711-4392   | 192               | 33.686              | 109.000       | CI       | E               | 7/8 - 3 1/2     |
| F200-14MGT-40-E | 7711-4320   | 200               | 35.089              | 112.200       | CI       | E               | 7/8 - 3 1/2     |
| F216-14MGT-40-E | 7711-4316   | 216               | 37.895              | 125.000       | CI       | E               | 7/8 - 3 1/2     |
| F224-14MGT-40-F | 7711-4322   | 224               | 39.300              | 134.600       | CI       | F               | 1 - 3 15/16     |

### 14mm Pitch PowerGrip® GT® - QD® Sprockets for ACHE Applications — For Belts 55mm Wide

| Part No.              | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|-----------------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| F28-14MGT-55-SK       | 7711-5528   | 28                | 4.912               | 5.000         | CI       | SK              | 1/2 - 2 1/2     |
| F29-14MGT-55-SK       | 7711-5529   | 29                | 5.088               | 5.500         | CI       | SK              | 1/2 - 2 1/2     |
| F30-14MGT-55-SK       | 7711-5530   | 30                | 5.263               | 6.000         | CI       | SK              | 1/2 - 2 1/2     |
| F31-14MGT-55-SK       | 7711-5531   | 31                | 5.439               | 6.500         | CI       | SK              | 1/2 - 2 1/2     |
| F32-14MGT-55-SK       | 7711-5532   | 32                | 5.614               | 7.100         | CI       | SK              | 1/2 - 2 1/2     |
| F33-14MGT-55-SK       | 7711-5533   | 33                | 5.790               | 7.600         | CI       | SK              | 1/2 - 2 1/2     |
| F34-14MGT-55-SK       | 7711-5534   | 34                | 5.965               | 8.200         | CI       | SK              | 1/2 - 2 1/2     |
| F35-14MGT-55-SK       | 7711-5535   | 35                | 6.141               | 8.800         | CI       | SK              | 1/2 - 2 1/2     |
| F180-14MGT-55-F       | 7711-5580   | 180               | 31.580              | 119.200       | CI       | F               | 1 - 3 15/16     |
| F192-14MGT-55-3020 FF | 7711-0040   | 192               | 33.686              | 140.000       | CI       | 3020            | 7/8 - 3 1/4     |
| F200-14MGT-55-F       | 7711-5520   | 200               | 35.089              | 141.600       | CI       | F               | 1 - 3 15/16     |
| F224-14MGT-55-F       | 7711-5522   | 224               | 39.300              | 170.800       | CI       | F               | 1 - 3 15/16     |



# PowerGrip® GT® Sprockets - 2MR and 3MR

**Notes**

2MR and 3MR sprockets are available in minimum plain bore (MPB).

Abbreviations used for sprocket material: AL=Aluminum.

Details shown which do not affect drive function or overall weight may be changed without notification.

On a sprocket, pitch is the distance between groove centers and is measured on the pitch circle of the sprocket. The pitch circle of the sprocket coincides with the pitch line of the belt mating with it. The pitch diameter of the sprocket is always greater than its outside diameter.

Sprocket part numbers are comprised of pitch, number of grooves and width. For example; part number 2MR-32S-06 denotes 2mm pitch, 32 grooves, "S" for sprocket and 6mm width.

**Product No. Series 7842****2MR Pitch Sprockets - Aluminum - MPB Type — For Belts 4 and 6mm Wide**

| Part No.    | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|-------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| 2MR-12S-06  | 7842-6001   | 12                | .301                | .010          | AL       | MPB             | 1/8 - 1/8       |
| 2MR-13S-06  | 7842-6002   | 13                | .326                | .010          | AL       | MPB             | 1/8 - 1/8       |
| 2MR-14S-06  | 7842-6003   | 14                | .351                | .010          | AL       | MPB             | 1/8 - 1/8       |
| 2MR-15S-06  | 7842-6004   | 15                | .376                | .010          | AL       | MPB             | 3/16 - 3/16     |
| 2MR-16S-06  | 7842-6005   | 16                | .401                | .010          | AL       | MPB             | 3/16 - 3/16     |
| 2MR-17S-06  | 7842-6006   | 17                | .426                | .010          | AL       | MPB             | 3/16 - 3/16     |
| 2MR-18S-06  | 7842-6007   | 18                | .451                | .010          | AL       | MPB             | 3/16 - 3/16     |
| 2MR-19S-06  | 7842-6008   | 19                | .476                | .020          | AL       | MPB             | 3/16 - 3/16     |
| 2MR-20S-06  | 7842-6009   | 20                | .501                | .020          | AL       | MPB             | 3/16 - 3/16     |
| 2MR-21S-06  | 7842-6010   | 21                | .526                | .020          | AL       | MPB             | 3/16 - 3/16     |
| 2MR-22S-06  | 7842-6011   | 22                | .551                | .020          | AL       | MPB             | 3/16 - 3/16     |
| 2MR-24S-06  | 7842-6012   | 24                | .602                | .020          | AL       | MPB             | 1/4 - 1/4       |
| 2MR-25S-06  | 7842-6051   | 25                | .627                | .010          | AL       | MPB             | 1/4 - 1/4       |
| 2MR-26S-06  | 7842-6013   | 26                | .652                | .030          | AL       | MPB             | 1/4 - 1/4       |
| 2MR-28S-06  | 7842-6014   | 28                | .702                | .030          | AL       | MPB             | 1/4 - 1/4       |
| 2MR-30S-06  | 7842-6015   | 30                | .752                | .020          | AL       | MPB             | 1/4 - 5/16      |
| 2MR-32S-06  | 7842-6016   | 32                | .802                | .020          | AL       | MPB             | 1/4 - 3/8       |
| 2MR-36S-06  | 7842-6017   | 36                | .902                | .030          | AL       | MPB             | 1/4 - 7/16      |
| 2MR-40S-06  | 7842-6018   | 40                | 1.003               | .040          | AL       | MPB             | 1/4 - 1/2       |
| 2MR-42S-06  | 7842-6052   | 42                | 1.053               | .050          | AL       | MPB             | 1/4 - 5/8       |
| 2MR-44S-06  | 7842-6053   | 44                | 1.103               | .050          | AL       | MPB             | 1/4 - 11/16     |
| 2MR-45S-06  | 7842-6019   | 45                | 1.128               | .060          | AL       | MPB             | 1/4 - 11/16     |
| 2MR-48S-06  | 7842-6054   | 48                | 1.203               | .070          | AL       | MPB             | 1/4 - 11/16     |
| 2MR-50S-06  | 7842-6020   | 50                | 1.253               | .070          | AL       | MPB             | 1/4 - 11/16     |
| 2MR-56S-06  | 7842-6021   | 56                | 1.404               | .080          | AL       | MPB             | 1/4 - 13/16     |
| 2MR-60S-06  | 7842-6055   | 60                | 1.504               | .100          | AL       | MPB             | 1/4 - 7/8       |
| 2MR-62S-06  | 7842-6022   | 62                | 1.554               | .100          | AL       | MPB             | 1/4 - 15/16     |
| 2MR-68S-06  | 7842-6023   | 68                | 1.704               | .120          | AL       | MPB             | 1/4 - 15/16     |
| 2MR-72S-06  | 7842-6056   | 72                | 1.805               | .130          | AL       | MPB             | 1/4 - 15/16     |
| 2MR-74S-06  | 7842-6024   | 74                | 1.855               | .130          | AL       | MPB             | 1/4 - 1         |
| 2MR-80S-06  | 7842-6025   | 80                | 2.005               | .170          | AL       | MPB             | 5/16 - 1 1/4    |
| 2MR-90S-06  | 7842-6057   | 90                | 2.256               | .200          | AL       | MPB             | 5/16 - 1 1/4    |
| 2MR-100S-06 | 7842-6058   | 100               | 2.506               | .240          | AL       | MPB             | 5/16 - 1 1/4    |
| 2MR-120S-06 | 7842-6059   | 120               | 3.008               | .300          | AL       | MPB             | 3/8 - 1 1/4     |

SYNCHRONOUS METAL

**2MR Pitch Sprockets - Aluminum - MPB Type — For Belts 9mm Wide**

| Part No.   | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| 2MR-12S-09 | 7842-6026   | 12                | .301                | .010          | AL       | MPB             | 1/8 - 1/8       |
| 2MR-13S-09 | 7842-6027   | 13                | .326                | .010          | AL       | MPB             | 1/8 - 1/8       |
| 2MR-14S-09 | 7842-6028   | 14                | .351                | .010          | AL       | MPB             | 1/8 - 1/8       |
| 2MR-15S-09 | 7842-6029   | 15                | .376                | .010          | AL       | MPB             | 3/16 - 3/16     |
| 2MR-16S-09 | 7842-6030   | 16                | .401                | .010          | AL       | MPB             | 3/16 - 3/16     |
| 2MR-17S-09 | 7842-6031   | 17                | .426                | .011          | AL       | MPB             | 3/16 - 3/16     |
| 2MR-18S-09 | 7842-6032   | 18                | .451                | .010          | AL       | MPB             | 3/16 - 3/16     |
| 2MR-19S-09 | 7842-6033   | 19                | .476                | .020          | AL       | MPB             | 3/16 - 3/16     |
| 2MR-20S-09 | 7842-6034   | 20                | .501                | .011          | AL       | MPB             | 3/16 - 3/16     |
| 2MR-21S-09 | 7842-6035   | 21                | .526                | .020          | AL       | MPB             | 3/16 - 3/16     |



# PowerGrip® GT® Sprockets - 2MR and 3MR

## Product No. Series 7842 (continued)

### 2MR Pitch Sprockets - Aluminum - MPB Type — For Belts 9mm Wide (continued)

| Part No.    | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|-------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| 2MR-22S-09  | 7842-6036   | 22                | .551                | .020          | AL       | MPB             | 3/16 - 3/16     |
| 2MR-24S-09  | 7842-6037   | 24                | .602                | .020          | AL       | MPB             | 1/4 - 1/4       |
| 2MR-25S-09  | 7842-6060   | 25                | .627                | .020          | AL       | MPB             | 1/4 - 1/4       |
| 2MR-26S-09  | 7842-6038   | 26                | .652                | .020          | AL       | MPB             | 1/4 - 1/4       |
| 2MR-28S-09  | 7842-6039   | 28                | .702                | .020          | AL       | MPB             | 1/4 - 1/4       |
| 2MR-30S-09  | 7842-6040   | 30                | .752                | .020          | AL       | MPB             | 1/4 - 5/16      |
| 2MR-32S-09  | 7842-6041   | 32                | .802                | .030          | AL       | MPB             | 1/4 - 3/8       |
| 2MR-36S-09  | 7842-6042   | 36                | .902                | .040          | AL       | MPB             | 1/4 - 7/16      |
| 2MR-40S-09  | 7842-6043   | 40                | 1.003               | .050          | AL       | MPB             | 1/4 - 1/2       |
| 2MR-42S-09  | 7842-6061   | 42                | 1.053               | .060          | AL       | MPB             | 1/4 - 5/8       |
| 2MR-44S-09  | 7842-6062   | 44                | 1.103               | .060          | AL       | MPB             | 1/4 - 11/16     |
| 2MR-45S-09  | 7842-6044   | 45                | 1.128               | .070          | AL       | MPB             | 1/4 - 11/16     |
| 2MR-48S-09  | 7842-6063   | 48                | 1.203               | .080          | AL       | MPB             | 1/4 - 11/16     |
| 2MR-50S-09  | 7842-6045   | 50                | 1.253               | .080          | AL       | MPB             | 1/4 - 11/16     |
| 2MR-56S-09  | 7842-6046   | 56                | 1.404               | .100          | AL       | MPB             | 1/4 - 13/16     |
| 2MR-60S-09  | 7842-6064   | 60                | 1.504               | .120          | AL       | MPB             | 1/4 - 7/8       |
| 2MR-62S-09  | 7842-6047   | 62                | 1.554               | .120          | AL       | MPB             | 1/4 - 15/16     |
| 2MR-68S-09  | 7842-6048   | 68                | 1.704               | .140          | AL       | MPB             | 1/4 - 15/16     |
| 2MR-72S-09  | 7842-6065   | 72                | 1.805               | .160          | AL       | MPB             | 1/4 - 15/16     |
| 2MR-74S-09  | 7842-6049   | 74                | 1.855               | .170          | AL       | MPB             | 1/4 - 1         |
| 2MR-80S-09  | 7842-6050   | 80                | 2.005               | .210          | AL       | MPB             | 5/16 - 1 1/4    |
| 2MR-90S-09  | 7842-6066   | 90                | 2.256               | .250          | AL       | MPB             | 5/16 - 1 1/4    |
| 2MR-100S-09 | 7842-6067   | 100               | 2.506               | .290          | AL       | MPB             | 5/16 - 1 1/4    |
| 2MR-120S-09 | 7842-6068   | 120               | 3.008               | .310          | AL       | MPB             | 3/8 - 1 1/4     |

SYNCHRONOUS METAL

## Product No. Series 7843

### 3MR Pitch Sprockets - Aluminum - MPB Type — For Belts 6mm Wide

| Part No.   | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| 3MR-16S-06 | 7843-6047   | 16                | .602                | .010          | AL       | MPB             | 3/16 - 1/4      |
| 3MR-17S-06 | 7843-6048   | 17                | .639                | .010          | AL       | MPB             | 3/16 - 1/4      |
| 3MR-18S-06 | 7843-6049   | 18                | .677                | .011          | AL       | MPB             | 1/4 - 1/4       |
| 3MR-19S-06 | 7843-6050   | 19                | .714                | .020          | AL       | MPB             | 1/4 - 1/4       |
| 3MR-20S-06 | 7843-6051   | 20                | .752                | .020          | AL       | MPB             | 1/4 - 1/4       |
| 3MR-21S-06 | 7843-6052   | 21                | .790                | .020          | AL       | MPB             | 1/4 - 1/4       |
| 3MR-22S-06 | 7843-6053   | 22                | .827                | .020          | AL       | MPB             | 1/4 - 5/16      |
| 3MR-24S-06 | 7843-6054   | 24                | .902                | .030          | AL       | MPB             | 1/4 - 3/8       |
| 3MR-25S-06 | 7843-6055   | 25                | .940                | .030          | AL       | MPB             | 1/4 - 3/8       |
| 3MR-26S-06 | 7843-6056   | 26                | .977                | .030          | AL       | MPB             | 1/4 - 3/8       |
| 3MR-28S-06 | 7843-6057   | 28                | 1.053               | .040          | AL       | MPB             | 1/4 - 1/2       |
| 3MR-30S-06 | 7843-6058   | 30                | 1.128               | .040          | AL       | MPB             | 1/4 - 9/16      |
| 3MR-32S-06 | 7843-6059   | 32                | 1.203               | .040          | AL       | MPB             | 1/4 - 5/8       |
| 3MR-34S-06 | 7843-6060   | 34                | 1.278               | .060          | AL       | MPB             | 1/4 - 11/16     |
| 3MR-36S-06 | 7843-6061   | 36                | 1.353               | .070          | AL       | MPB             | 1/4 - 3/4       |
| 3MR-38S-06 | 7843-6062   | 38                | 1.429               | .080          | AL       | MPB             | 1/4 - 7/8       |
| 3MR-40S-06 | 7843-6063   | 40                | 1.504               | .080          | AL       | MPB             | 1/4 - 15/16     |
| 3MR-44S-06 | 7843-6064   | 44                | 1.654               | .120          | AL       | MPB             | 1/4 - 1         |
| 3MR-45S-06 | 7843-6065   | 45                | 1.692               | .120          | AL       | MPB             | 1/4 - 1         |
| 3MR-48S-06 | 7843-6066   | 48                | 1.805               | .130          | AL       | MPB             | 5/16 - 1        |
| 3MR-50S-06 | 7843-6067   | 50                | 1.880               | .140          | AL       | MPB             | 5/16 - 1        |
| 3MR-56S-06 | 7843-6068   | 56                | 2.105               | .160          | AL       | MPB             | 5/16 - 1        |
| 3MR-60S-06 | 7843-6069   | 60                | 2.256               | .180          | AL       | MPB             | 5/16 - 1        |
| 3MR-62S-06 | 7843-6070   | 62                | 2.331               | .190          | AL       | MPB             | 5/16 - 1        |
| 3MR-68S-06 | 7843-6071   | 68                | 2.557               | .230          | AL       | MPB             | 5/16 - 1        |
| 3MR-72S-06 | 7843-6072   | 72                | 2.707               | .250          | AL       | MPB             | 5/16 - 1        |
| 3MR-74S-06 | 7843-6073   | 74                | 2.782               | .260          | AL       | MPB             | 5/16 - 1        |
| 3MR-80S-06 | 7843-6074   | 80                | 3.008               | .310          | AL       | MPB             | 5/16 - 1        |



# PowerGrip® GT® Sprockets - 2MR and 3MR

## Product No. Series 7843 (continued)

### 3MR Pitch Sprockets - Aluminum - MPB Type — For Belts 9mm Wide

| Part No.    | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|-------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| 3MR-16S-09  | 7843-6001   | 16                | .602                | .020          | AL       | MPB             | 3/16 - 1/4      |
| 3MR-17S-09  | 7843-6002   | 17                | .639                | .020          | AL       | MPB             | 3/16 - 1/4      |
| 3MR-18S-09  | 7843-6003   | 18                | .677                | .020          | AL       | MPB             | 1/4 - 1/4       |
| 3MR-19S-09  | 7843-6004   | 19                | .714                | .020          | AL       | MPB             | 1/4 - 1/4       |
| 3MR-20S-09  | 7843-6005   | 20                | .752                | .020          | AL       | MPB             | 1/4 - 1/4       |
| 3MR-21S-09  | 7843-6006   | 21                | .790                | .030          | AL       | MPB             | 1/4 - 1/4       |
| 3MR-22S-09  | 7843-6007   | 22                | .827                | .030          | AL       | MPB             | 1/4 - 5/16      |
| 3MR-24S-09  | 7843-6008   | 24                | .902                | .030          | AL       | MPB             | 1/4 - 3/8       |
| 3MR-25S-09  | 7843-6075   | 25                | .940                | .040          | AL       | MPB             | 1/4 - 3/8       |
| 3MR-26S-09  | 7843-6009   | 26                | .978                | .040          | AL       | MPB             | 1/4 - 3/8       |
| 3MR-28S-09  | 7843-6010   | 28                | 1.053               | .050          | AL       | MPB             | 1/4 - 1/2       |
| 3MR-30S-09  | 7843-6011   | 30                | 1.128               | .050          | AL       | MPB             | 1/4 - 9/16      |
| 3MR-32S-09  | 7843-6012   | 32                | 1.203               | .060          | AL       | MPB             | 1/4 - 5/8       |
| 3MR-34S-09  | 7843-6013   | 34                | 1.278               | .080          | AL       | MPB             | 1/4 - 11/16     |
| 3MR-36S-09  | 7843-6014   | 36                | 1.353               | .090          | AL       | MPB             | 1/4 - 3/4       |
| 3MR-38S-09  | 7843-6015   | 38                | 1.429               | .100          | AL       | MPB             | 1/4 - 7/8       |
| 3MR-40S-09  | 7843-6016   | 40                | 1.504               | .110          | AL       | MPB             | 1/4 - 15/16     |
| 3MR-44S-09  | 7843-6076   | 44                | 1.654               | .120          | AL       | MPB             | 1/4 - 1         |
| 3MR-45S-09  | 7843-6017   | 45                | 1.692               | .174          | AL       | MPB             | 5/16 - 1        |
| 3MR-48S-09  | 7843-6077   | 48                | 1.805               | .150          | AL       | MPB             | 5/16 - 1        |
| 3MR-50S-09  | 7843-6018   | 50                | 1.880               | .160          | AL       | MPB             | 5/16 - 1        |
| 3MR-56S-09  | 7843-6019   | 56                | 2.105               | .200          | AL       | MPB             | 5/16 - 1        |
| 3MR-60S-09  | 7843-6078   | 60                | 2.256               | .220          | AL       | MPB             | 5/16 - 1        |
| 3MR-62S-09  | 7843-6020   | 62                | 2.331               | .230          | AL       | MPB             | 5/16 - 1        |
| 3MR-68S-09  | 7843-6021   | 68                | 2.557               | .280          | AL       | MPB             | 5/16 - 1        |
| 3MR-72S-09  | 7843-6079   | 72                | 2.707               | .310          | AL       | MPB             | 5/16 - 1        |
| 3MR-74S-09  | 7843-6022   | 74                | 2.782               | .320          | AL       | MPB             | 5/16 - 1        |
| 3MR-80S-09  | 7843-6023   | 80                | 3.008               | .370          | AL       | MPB             | 5/16 - 1        |
| 3MR-90S-09  | 7843-6080   | 90                | 3.384               | .420          | AL       | MPB             | 5/16 - 1        |
| 3MR-100S-09 | 7843-6081   | 100               | 3.760               | .500          | AL       | MPB             | 5/16 - 1        |
| 3MR-120S-09 | 7843-6082   | 120               | 4.511               | .620          | AL       | MPB             | 5/16 - 1        |

SYNCHRONOUS METAL

### 3MR Pitch Sprockets - Aluminum - MPB Type — For Belts 15mm Wide

| Part No.   | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| 3MR-16S-15 | 7843-6024   | 16                | .602                | .020          | AL       | MPB             | 3/16 - 1/4      |
| 3MR-17S-15 | 7843-6025   | 17                | .639                | .020          | AL       | MPB             | 3/16 - 1/4      |
| 3MR-18S-15 | 7843-6026   | 18                | .677                | .020          | AL       | MPB             | 1/4 - 1/4       |
| 3MR-19S-15 | 7843-6027   | 19                | .714                | .020          | AL       | MPB             | 1/4 - 1/4       |
| 3MR-20S-15 | 7843-6028   | 20                | .752                | .030          | AL       | MPB             | 1/4 - 1/4       |
| 3MR-21S-15 | 7843-6029   | 21                | .790                | .030          | AL       | MPB             | 1/4 - 1/4       |
| 3MR-22S-15 | 7843-6030   | 22                | .827                | .040          | AL       | MPB             | 1/4 - 5/16      |
| 3MR-24S-15 | 7843-6031   | 24                | .902                | .040          | AL       | MPB             | 1/4 - 3/8       |
| 3MR-25S-15 | 7843-6083   | 25                | .940                | .050          | AL       | MPB             | 1/4 - 3/8       |
| 3MR-26S-15 | 7843-6032   | 26                | .978                | .050          | AL       | MPB             | 1/4 - 3/8       |
| 3MR-28S-15 | 7843-6033   | 28                | 1.053               | .060          | AL       | MPB             | 1/4 - 1/2       |
| 3MR-30S-15 | 7843-6034   | 30                | 1.128               | .070          | AL       | MPB             | 1/4 - 9/16      |
| 3MR-32S-15 | 7843-6035   | 32                | 1.203               | .090          | AL       | MPB             | 1/4 - 5/8       |
| 3MR-34S-15 | 7843-6036   | 34                | 1.278               | .100          | AL       | MPB             | 1/4 - 11/16     |
| 3MR-36S-15 | 7843-6037   | 36                | 1.353               | .120          | AL       | MPB             | 1/4 - 3/4       |
| 3MR-38S-15 | 7843-6038   | 38                | 1.429               | .130          | AL       | MPB             | 1/4 - 7/8       |
| 3MR-40S-15 | 7843-6039   | 40                | 1.504               | .150          | AL       | MPB             | 1/4 - 15/16     |
| 3MR-44S-15 | 7843-6084   | 44                | 1.654               | .180          | AL       | MPB             | 1/4 - 1         |
| 3MR-45S-15 | 7843-6040   | 45                | 1.692               | .190          | AL       | MPB             | 1/4 - 1         |
| 3MR-48S-15 | 7843-6085   | 48                | 1.805               | .210          | AL       | MPB             | 5/16 - 1        |
| 3MR-50S-15 | 7843-6041   | 50                | 1.880               | .220          | AL       | MPB             | 5/16 - 1        |
| 3MR-56S-15 | 7843-6042   | 56                | 2.105               | .270          | AL       | MPB             | 5/16 - 1        |



## PowerGrip® GT® Sprockets - 2MR and 3MR

**Product No. Series 7843 (continued)**

**3MR Pitch Sprockets - Aluminum - MPB Type — For Belts 15mm Wide (continued)**

| Part No.    | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|-------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| 3MR-60S-15  | 7843-6086   | 60                | 2.256               | .300          | AL       | MPB             | 5/16 - 1        |
| 3MR-62S-15  | 7843-6043   | 62                | 2.331               | .320          | AL       | MPB             | 5/16 - 1        |
| 3MR-68S-15  | 7843-6044   | 68                | 2.557               | .380          | AL       | MPB             | 5/16 - 1        |
| 3MR-72S-15  | 7843-6087   | 72                | 2.707               | .430          | AL       | MPB             | 5/16 - 1        |
| 3MR-74S-15  | 7843-6045   | 74                | 2.782               | .450          | AL       | MPB             | 5/16 - 1        |
| 3MR-80S-15  | 7843-6046   | 80                | 3.008               | .520          | AL       | MPB             | 5/16 - 1        |
| 3MR-90S-15  | 7843-6088   | 90                | 3.384               | .600          | AL       | MPB             | 5/16 - 1        |
| 3MR-100S-15 | 7843-6089   | 100               | 3.760               | .730          | AL       | MPB             | 5/16 - 1        |
| 3MR-120S-15 | 7843-6090   | 120               | 4.511               | .850          | AL       | MPB             | 5/16 - 1        |

SYNCHRONOUS METAL



# PowerGrip® HTD® Sprockets

**Notes**

3M and 5M PowerGrip HTD Sprockets are available in minimum plain bore (MPB). 20M sprockets are available in QD style.

Abbreviations used for sprocket materials: AL=Aluminum and GI=Gray Iron.

Details shown which do not affect drive function or overall weight may be changed without notification.

On a sprocket, pitch is the distance between groove centers and is measured on the pitch circle of the sprocket. The pitch circle of the sprocket coincides with the pitch line of the belt mating with it. The pitch diameter of the sprocket is always greater than its outside diameter.

Sprocket part numbers are comprised of number of grooves, pitch and width. For example; part number P14-5M-09AL denotes 14 grooves, 5mm pitch, 9mm width and "AL" for aluminum.

**WARNING:** Do NOT use these sprockets with rim speeds in excess of 6,500 fpm.

**Product No. Series 7882****3mm Pitch Sprockets - Aluminum - MPB Type — For Belts 6mm Wide**

| Part No.    | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|-------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| P10-3M-06AL | 7882-0001   | 10                | .376                | .010          | AL       | MPB             | 1/8 - 1/8       |
| P11-3M-06AL | 7882-1082   | 11                | .414                | .010          | AL       | MPB             | 1/8 - 1/8       |
| P12-3M-06AL | 7882-0003   | 12                | .451                | .020          | AL       | MPB             | 3/16 - 3/16     |
| P13-3M-06AL | 7882-1083   | 13                | .489                | .010          | AL       | MPB             | 3/16 - 3/16     |
| P14-3M-06AL | 7882-0005   | 14                | .526                | .020          | AL       | MPB             | 3/16 - 3/16     |
| P15-3M-06AL | 7882-0007   | 15                | .564                | .020          | AL       | MPB             | 3/16 - 3/16     |
| P16-3M-06AL | 7882-0009   | 16                | .602                | .020          | AL       | MPB             | 3/16 - 3/16     |
| P17-3M-06AL | 7882-0011   | 17                | .639                | .020          | AL       | MPB             | 3/16 - 3/16     |
| P18-3M-06AL | 7882-0048   | 18                | .677                | .020          | AL       | MPB             | 1/4 - 1/4       |
| P19-3M-06AL | 7882-0014   | 19                | .714                | .020          | AL       | MPB             | 1/4 - 1/4       |
| P20-3M-06AL | 7882-0016   | 20                | .752                | .020          | AL       | MPB             | 1/4 - 1/4       |
| P22-3M-06AL | 7882-0018   | 22                | .827                | .020          | AL       | MPB             | 1/4 - 1/4       |
| P24-3M-06AL | 7882-0020   | 24                | .902                | .030          | AL       | MPB             | 1/4 - 5/16      |
| P25-3M-06AL | 7882-1084   | 25                | .940                | .030          | AL       | MPB             | 1/4 - 5/16      |
| P26-3M-06AL | 7882-0022   | 26                | .977                | .040          | AL       | MPB             | 1/4 - 5/16      |
| P28-3M-06AL | 7882-0024   | 28                | 1.053               | .040          | AL       | MPB             | 1/4 - 3/8       |
| P30-3M-06AL | 7882-0026   | 30                | 1.128               | .050          | AL       | MPB             | 1/4 - 7/16      |
| P32-3M-06AL | 7882-0028   | 32                | 1.203               | .050          | AL       | MPB             | 1/4 - 1/2       |
| P34-3M-06AL | 7882-0030   | 34                | 1.278               | .070          | AL       | MPB             | 1/4 - 9/16      |
| P36-3M-06AL | 7882-0032   | 36                | 1.353               | .080          | AL       | MPB             | 1/4 - 5/8       |
| P38-3M-06AL | 7882-0034   | 38                | 1.429               | .090          | AL       | MPB             | 1/4 - 3/4       |
| P40-3M-06AL | 7882-0036   | 40                | 1.504               | .100          | AL       | MPB             | 1/4 - 13/16     |
| P44-3M-06AL | 7882-0038   | 44                | 1.654               | .120          | AL       | MPB             | 1/4 - 15/16     |
| P48-3M-06AL | 7882-1085   | 48                | 1.805               | .130          | AL       | MPB             | 5/16 - 15/16    |
| P50-3M-06AL | 7882-0040   | 50                | 1.880               | .140          | AL       | MPB             | 5/16 - 15/16    |
| P56-3M-06AL | 7882-0042   | 56                | 2.105               | .160          | AL       | MPB             | 5/16 - 15/16    |
| P60-3M-06AL | 7882-1086   | 60                | 2.256               | .180          | AL       | MPB             | 5/16 - 15/16    |
| P62-3M-06AL | 7882-0044   | 62                | 2.331               | .190          | AL       | MPB             | 5/16 - 15/16    |
| P72-3M-06AL | 7882-0046   | 72                | 2.707               | .250          | AL       | MPB             | 5/16 - 15/16    |

**3mm Pitch Sprockets - Aluminum - MPB Type — For Belts 9mm Wide**

| Part No.    | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|-------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| P10-3M-09AL | 7882-0002   | 10                | .376                | .050          | AL       | MPB             | 1/8 - 1/8       |
| P11-3M-09AL | 7882-1087   | 11                | .414                | .010          | AL       | MPB             | 1/8 - 1/8       |
| P12-3M-09AL | 7882-0004   | 12                | .451                | .010          | AL       | MPB             | 3/16 - 3/16     |
| P13-3M-09AL | 7882-1088   | 13                | .489                | .010          | AL       | MPB             | 3/16 - 3/16     |
| P14-3M-09AL | 7882-0006   | 14                | .526                | .020          | AL       | MPB             | 3/16 - 3/16     |
| P15-3M-09AL | 7882-0008   | 15                | .564                | .020          | AL       | MPB             | 3/16 - 3/16     |
| P16-3M-09AL | 7882-0010   | 16                | .602                | .020          | AL       | MPB             | 3/16 - 3/16     |
| P17-3M-09AL | 7882-0012   | 17                | .639                | .020          | AL       | MPB             | 3/16 - 3/16     |
| P18-3M-09AL | 7882-0013   | 18                | .677                | .020          | AL       | MPB             | 1/4 - 1/4       |
| P19-3M-09AL | 7882-0015   | 19                | .714                | .020          | AL       | MPB             | 1/4 - 1/4       |
| P20-3M-09AL | 7882-0017   | 20                | .752                | .020          | AL       | MPB             | 1/4 - 1/4       |
| P22-3M-09AL | 7882-0019   | 22                | .827                | .030          | AL       | MPB             | 1/4 - 1/4       |
| P24-3M-09AL | 7882-0021   | 24                | .902                | .030          | AL       | MPB             | 1/4 - 5/16      |
| P25-3M-09AL | 7882-1089   | 25                | .940                | .040          | AL       | MPB             | 1/4 - 5/16      |



# PowerGrip® HTD® Sprockets

## Product No. Series 7882 (continued)

### 3mm Pitch Sprockets - Aluminum - MPB Type — For Belts 9mm Wide (continued)

| Part No.    | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|-------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| P26-3M-09AL | 7882-0023   | 26                | .977                | .040          | AL       | MPB             | 1/4 - 5/16      |
| P28-3M-09AL | 7882-0025   | 28                | 1.053               | .050          | AL       | MPB             | 1/4 - 3/8       |
| P30-3M-09AL | 7882-0027   | 30                | 1.128               | .050          | AL       | MPB             | 1/4 - 7/16      |
| P32-3M-09AL | 7882-0029   | 32                | 1.203               | .070          | AL       | MPB             | 1/4 - 1/2       |
| P34-3M-09AL | 7882-0031   | 34                | 1.278               | .080          | AL       | MPB             | 1/4 - 9/16      |
| P36-3M-09AL | 7882-0033   | 36                | 1.353               | .090          | AL       | MPB             | 1/4 - 5/8       |
| P38-3M-09AL | 7882-0035   | 38                | 1.429               | .100          | AL       | MPB             | 1/4 - 3/4       |
| P40-3M-09AL | 7882-0037   | 40                | 1.504               | .110          | AL       | MPB             | 1/4 - 13/16     |
| P44-3M-09AL | 7882-0039   | 44                | 1.654               | .140          | AL       | MPB             | 1/4 - 15/16     |
| P48-3M-09AL | 7882-1090   | 48                | 1.805               | .160          | AL       | MPB             | 5/16 - 15/16    |
| P50-3M-09AL | 7882-0041   | 50                | 1.880               | .180          | AL       | MPB             | 5/16 - 15/16    |
| P56-3M-09AL | 7882-0043   | 56                | 2.105               | .200          | AL       | MPB             | 5/16 - 15/16    |
| P60-3M-09AL | 7882-1091   | 60                | 2.256               | .220          | AL       | MPB             | 5/16 - 15/16    |
| P62-3M-09AL | 7882-0045   | 62                | 2.331               | .230          | AL       | MPB             | 5/16 - 15/16    |
| P72-3M-09AL | 7882-0047   | 72                | 2.707               | .300          | AL       | MPB             | 5/16 - 15/16    |

SYNCHRONOUS METAL

### 5mm Pitch Sprockets - Aluminum - MPB Type — For Belts 9mm Wide

| Part No.    | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|-------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| P12-5M-09AL | 7882-1092   | 12                | .752                | .020          | AL       | MPB             | 1/4 - 1/4       |
| P13-5M-09AL | 7882-1093   | 13                | .815                | .011          | AL       | MPB             | 1/4 - 1/4       |
| P14-5M-09AL | 7882-1077   | 14                | .877                | .030          | AL       | MPB             | 1/4 - 1/4       |
| P15-5M-09AL | 7882-1004   | 15                | .940                | .030          | AL       | MPB             | 1/4 - 1/4       |
| P16-5M-09AL | 7882-1006   | 16                | 1.003               | .040          | AL       | MPB             | 1/4 - 1/4       |
| P17-5M-09AL | 7882-1008   | 17                | 1.065               | .040          | AL       | MPB             | 1/4 - 5/16      |
| P18-5M-09AL | 7882-1010   | 18                | 1.128               | .050          | AL       | MPB             | 1/4 - 3/8       |
| P19-5M-09AL | 7882-1078   | 19                | 1.191               | .060          | AL       | MPB             | 1/4 - 7/16      |
| P20-5M-09AL | 7882-1013   | 20                | 1.253               | .060          | AL       | MPB             | 1/4 - 1/2       |
| P22-5M-09AL | 7882-1015   | 22                | 1.379               | .080          | AL       | MPB             | 1/4 - 5/8       |
| P24-5M-09AL | 7882-1017   | 24                | 1.504               | .100          | AL       | MPB             | 1/4 - 11/16     |
| P25-5M-09AL | 7882-1094   | 25                | 1.566               | .110          | AL       | MPB             | 1/4 - 11/16     |
| P26-5M-09AL | 7882-1021   | 26                | 1.629               | .120          | AL       | MPB             | 1/4 - 3/4       |
| P28-5M-09AL | 7882-1023   | 28                | 1.754               | .140          | AL       | MPB             | 1/4 - 7/8       |
| P30-5M-09AL | 7882-1025   | 30                | 1.880               | .160          | AL       | MPB             | 1/4 - 7/8       |
| P32-5M-09AL | 7882-1027   | 32                | 2.005               | .180          | AL       | MPB             | 1/4 - 15/16     |
| P34-5M-09AL | 7882-1031   | 34                | 2.130               | .210          | AL       | MPB             | 1/4 - 1 1/16    |
| P36-5M-09AL | 7882-1035   | 36                | 2.256               | .250          | AL       | MPB             | 5/16 - 1 1/16   |
| P38-5M-09AL | 7882-1039   | 38                | 2.381               | .280          | AL       | MPB             | 5/16 - 1 3/16   |
| P40-5M-09AL | 7882-1043   | 40                | 2.506               | .300          | AL       | MPB             | 5/16 - 1 3/16   |
| P44-5M-09AL | 7882-1047   | 44                | 2.757               | .350          | AL       | MPB             | 5/16 - 1 3/16   |
| P48-5M-09AL | 7882-1095   | 48                | 3.008               | .400          | AL       | MPB             | 3/8 - 1 3/16    |
| P50-5M-09AL | 7882-1053   | 50                | 3.133               | .430          | AL       | MPB             | 3/8 - 1 3/16    |
| P56-5M-09AL | 7882-1057   | 56                | 3.509               | .540          | AL       | MPB             | 3/8 - 1 3/16    |
| P60-5M-09AL | 7882-1096   | 60                | 3.760               | .620          | AL       | MPB             | 3/8 - 1 3/16    |
| P62-5M-09AL | 7882-1063   | 62                | 3.885               | .640          | AL       | MPB             | 3/8 - 1 3/16    |
| P70-5M-09AL | 7882-1097   | 70                | 4.386               | .800          | AL       | MPB             | 3/8 - 1 3/16    |
| P72-5M-09AL | 7882-1069   | 72                | 4.511               | .840          | AL       | MPB             | 3/8 - 1 3/16    |

### 5mm Pitch Sprockets - Aluminum - MPB Type — For Belts 15mm Wide

| Part No.    | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|-------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| P12-5M-15AL | 7882-1098   | 12                | .752                | .020          | AL       | MPB             | 1/4 - 1/4       |
| P13-5M-15AL | 7882-1099   | 13                | .815                | .030          | AL       | MPB             | 1/4 - 1/4       |
| P14-5M-15AL | 7882-1003   | 14                | .877                | .040          | AL       | MPB             | 1/4 - 1/4       |



# PowerGrip® HTD® Sprockets

## Product No. Series 7882 (continued)

### 5mm Pitch Sprockets - Aluminum - MPB Type — For Belts 15mm Wide (continued)

| Part No.    | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|-------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| P15-5M-15AL | 7882-1005   | 15                | .940                | .040          | AL       | MPB             | 1/4 - 1/4       |
| P16-5M-15AL | 7882-1007   | 16                | 1.003               | .050          | AL       | MPB             | 1/4 - 1/4       |
| P17-5M-15AL | 7882-1009   | 17                | 1.065               | .060          | AL       | MPB             | 1/4 - 5/16      |
| P18-5M-15AL | 7882-1011   | 18                | 1.128               | .070          | AL       | MPB             | 1/4 - 3/8       |
| P19-5M-15AL | 7882-1012   | 19                | 1.191               | .080          | AL       | MPB             | 1/4 - 7/16      |
| P20-5M-15AL | 7882-1014   | 20                | 1.253               | .080          | AL       | MPB             | 1/4 - 1/2       |
| P22-5M-15AL | 7882-1016   | 22                | 1.379               | .110          | AL       | MPB             | 1/4 - 5/8       |
| P24-5M-15AL | 7882-1018   | 24                | 1.504               | .130          | AL       | MPB             | 1/4 - 11/16     |
| P25-5M-15AL | 7882-1100   | 25                | 1.566               | .140          | AL       | MPB             | 1/4 - 11/16     |
| P26-5M-15AL | 7882-1022   | 26                | 1.629               | .160          | AL       | MPB             | 1/4 - 3/4       |
| P28-5M-15AL | 7882-1024   | 28                | 1.754               | .180          | AL       | MPB             | 1/4 - 7/8       |
| P30-5M-15AL | 7882-1026   | 30                | 1.880               | .210          | AL       | MPB             | 1/4 - 7/8       |
| P32-5M-15AL | 7882-1029   | 32                | 2.005               | .240          | AL       | MPB             | 1/4 - 15/16     |
| P34-5M-15AL | 7882-1033   | 34                | 2.130               | .280          | AL       | MPB             | 1/4 - 1 1/16    |
| P36-5M-15AL | 7882-1037   | 36                | 2.256               | .330          | AL       | MPB             | 5/16 - 1 1/16   |
| P38-5M-15AL | 7882-1041   | 38                | 2.381               | .360          | AL       | MPB             | 5/16 - 1 3/16   |
| P40-5M-15AL | 7882-1045   | 40                | 2.506               | .400          | AL       | MPB             | 5/16 - 1 3/16   |
| P44-5M-15AL | 7882-1049   | 44                | 2.757               | .470          | AL       | MPB             | 5/16 - 1 3/16   |
| P48-5M-15AL | 7882-1101   | 48                | 3.008               | .580          | AL       | MPB             | 3/8 - 1 3/16    |
| P50-5M-15AL | 7882-1054   | 50                | 3.133               | .620          | AL       | MPB             | 3/8 - 1 3/16    |
| P56-5M-15AL | 7882-1059   | 56                | 3.509               | .740          | AL       | MPB             | 3/8 - 1 3/16    |
| P60-5M-15AL | 7882-1102   | 60                | 3.760               | .840          | AL       | MPB             | 3/8 - 1 3/16    |
| P62-5M-15AL | 7882-1064   | 62                | 3.885               | .910          | AL       | MPB             | 3/8 - 1 3/16    |
| P70-5M-15AL | 7882-1103   | 70                | 4.386               | 1.140         | AL       | MPB             | 3/8 - 1 3/16    |
| P72-5M-15AL | 7882-1071   | 72                | 4.511               | 1.210         | AL       | MPB             | 3/8 - 1 3/16    |

SYNCHRONOUS METAL

### 20mm Pitch Sprockets — For Belts 115mm Wide

| Part No.     | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|--------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| P34-20M-115  | 7882-4024   | 34                | 8.522               | 36.500        | CI       | F               | 1 - 3 15/16     |
| P36-20M-115  | 7882-4026   | 36                | 9.023               | 46.300        | CI       | F               | 1 - 3 15/16     |
| P38-20M-115  | 7882-4028   | 38                | 9.524               | 51.000        | CI       | F               | 1 - 3 15/16     |
| P40-20M-115  | 7882-4031   | 40                | 10.026              | 57.400        | CI       | F               | 1 - 3 15/16     |
| P44-20M-115  | 7882-4034   | 44                | 11.028              | 70.800        | CI       | F               | 1 - 3 15/16     |
| P48-20M-115  | 7882-4037   | 48                | 12.031              | 90.900        | CI       | J               | 1 1/2 - 4 1/2   |
| P52-20M-115  | 7882-4040   | 52                | 13.033              | 110.000       | CI       | J               | 1 1/2 - 4 1/2   |
| P56-20M-115  | 7882-4045   | 56                | 14.036              | 106.000       | CI       | J               | 1 1/2 - 4 1/2   |
| P60-20M-115  | 7882-4079   | 60                | 15.038              | 116.000       | CI       | J               | 1 1/2 - 4 1/2   |
| P64-20M-115  | 7882-4054   | 64                | 16.041              | 127.000       | CI       | J               | 1 1/2 - 4 1/2   |
| P68-20M-115  | 7882-4059   | 68                | 17.032              | 148.000       | CI       | J               | 1 1/2 - 4 1/2   |
| P72-20M-115  | 7882-4064   | 72                | 18.046              | 122.000       | CI       | J               | 1 1/2 - 4 1/2   |
| P80-20M-115  | 7882-4069   | 80                | 20.051              | 237.000       | CI       | M               | 2 - 5 1/2       |
| P90-20M-115  | 7882-4074   | 90                | 22.557              | 275.000       | CI       | M               | 2 - 5 1/2       |
| P112-20M-115 | 7882-4001   | 112               | 28.071              | 243.000       | CI       | M               | 2 - 5 1/2       |
| P144-20M-115 | 7882-4080   | 144               | 36.092              | 612.000       | CI       | N               | 2 7/16 - 5 7/8  |
| P168-20M-115 | 7882-4081   | 168               | 42.107              | 465.000       | CI       | N               | 2 7/16 - 5 7/8  |
| P192-20M-115 | 7882-4014   | 192               | 48.122              | 786.000       | CI       | N               | 2 7/16 - 5 7/8  |
| P216-20M-115 | 7882-4019   | 216               | 54.136              | 907.000       | CI       | N               | 2 7/16 - 5 7/8  |

### 20mm Pitch Sprockets — For Belts 170mm Wide

| Part No.    | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|-------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| P34-20M-170 | 7882-4025   | 34                | 8.522               | 87.200        | CI       | MPB             | 2 1/8 - 4 1/4   |
| P36-20M-170 | 7882-4027   | 36                | 9.023               | 98.700        | CI       | MPB             | 2 1/8 - 4 1/2   |

# PowerGrip® HTD® Sprockets

## Product No. Series 7882 (continued)

### 20mm Pitch Sprockets — For Belts 170mm Wide (continued)

| Part No.     | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|--------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| P38-20M-170  | 7882-4029   | 38                | 9.524               | 62.000        | CI       | J               | 1 1/2 - 4 1/2   |
| P40-20M-170  | 7882-4032   | 40                | 10.026              | 69.000        | CI       | J               | 1 1/2 - 4 1/2   |
| P44-20M-170  | 7882-4035   | 44                | 11.028              | 88.100        | CI       | J               | 1 1/2 - 4 1/2   |
| P48-20M-170  | 7882-4038   | 48                | 12.031              | 120.000       | CI       | M               | 2 - 5 1/2       |
| P52-20M-170  | 7882-4041   | 52                | 13.033              | 149.000       | CI       | M               | 2 - 5 1/2       |
| P56-20M-170  | 7882-4046   | 56                | 14.036              | 166.000       | CI       | M               | 2 - 5 1/2       |
| P60-20M-170  | 7882-4050   | 60                | 15.038              | 199.000       | CI       | M               | 2 - 5 1/2       |
| P64-20M-170  | 7882-4055   | 64                | 16.041              | 174.800       | CI       | M               | 2 - 5 1/2       |
| P68-20M-170  | 7882-4060   | 68                | 17.032              | 198.000       | CI       | M               | 2 - 5 1/2       |
| P72-20M-170  | 7882-4065   | 72                | 18.046              | 207.000       | CI       | M               | 2 - 5 1/2       |
| P80-20M-170  | 7882-4070   | 80                | 20.051              | 262.000       | CI       | M               | 2 - 5 1/2       |
| P90-20M-170  | 7882-4075   | 90                | 22.557              | 303.000       | CI       | M               | 2 - 5 1/2       |
| P112-20M-170 | 7882-4002   | 112               | 28.071              | 473.000       | CI       | N               | 2 7/16 - 5 7/8  |
| P144-20M-170 | 7882-4006   | 144               | 36.092              | 520.000       | CI       | N               | 2 7/16 - 5 7/8  |
| P168-20M-170 | 7882-4010   | 168               | 42.107              | 560.000       | CI       | P               | 3 7/16 - 7      |
| P192-20M-170 | 7882-4015   | 192               | 48.122              | 783.000       | CI       | P               | 3 7/16 - 7      |
| P216-20M-170 | 7882-4020   | 216               | 54.136              | 820.000       | CI       | P               | 3 7/16 - 7      |

SYNCHRONOUS METAL

### 20mm Pitch Sprockets — For Belts 230mm Wide

| Part No.     | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|--------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| P38-20M-230  | 7882-4030   | 38                | 9.524               | 128.000       | CI       | MPB             | 2 7/8 - 4 3/4   |
| P40-20M-230  | 7882-4033   | 40                | 10.026              | 156.000       | CI       | MPB             | 2 7/8 - 5 1/4   |
| P44-20M-230  | 7882-4036   | 44                | 11.028              | 189.000       | CI       | MPB             | 2 7/8 - 6       |
| P48-20M-230  | 7882-4039   | 48                | 12.031              | 140.000       | CI       | M               | 2 - 5 1/2       |
| P52-20M-230  | 7882-4042   | 52                | 13.033              | 161.000       | CI       | M               | 2 - 5 1/2       |
| P56-20M-230  | 7882-4047   | 56                | 14.036              | 193.000       | CI       | M               | 2 - 5 1/2       |
| P60-20M-230  | 7882-4051   | 60                | 15.038              | 234.000       | CI       | M               | 2 - 5 1/2       |
| P64-20M-230  | 7882-4056   | 64                | 16.041              | 270.000       | CI       | M               | 2 - 5 1/2       |
| P68-20M-230  | 7882-4061   | 68                | 17.032              | 341.000       | CI       | N               | 2 7/16 - 5 7/8  |
| P72-20M-230  | 7882-4066   | 72                | 18.046              | 410.000       | CI       | N               | 2 7/16 - 5 7/8  |
| P80-20M-230  | 7882-4071   | 80                | 20.051              | 343.000       | CI       | N               | 2 7/16 - 5 7/8  |
| P90-20M-230  | 7882-4076   | 90                | 22.557              | 398.000       | CI       | N               | 2 7/16 - 5 7/8  |
| P112-20M-230 | 7882-4003   | 112               | 28.071              | 389.000       | CI       | N               | 2 7/16 - 5 7/8  |
| P144-20M-230 | 7882-4007   | 144               | 36.092              | 552.000       | CI       | P               | 2 15/16 - 7     |
| P168-20M-230 | 7882-4011   | 168               | 42.107              | 934.000       | CI       | P               | 2 15/16 - 7     |
| P192-20M-230 | 7882-4016   | 192               | 48.122              | 1,429.000     | CI       | W               | 4 - 8 1/2       |
| P216-20M-230 | 7882-4021   | 216               | 54.136              | 1,317.000     | CI       | W               | 4 - 8 1/2       |

### 20mm Pitch Sprockets — For Belts 290mm Wide

| Part No.     | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|--------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| P52-20M-290  | 7882-4043   | 52                | 13.033              | 202.000       | CI       | N               | 2 7/16 - 5 7/8  |
| P56-20M-290  | 7882-4048   | 56                | 14.036              | 237.000       | CI       | N               | 2 7/16 - 5 7/8  |
| P60-20M-290  | 7882-4052   | 60                | 15.038              | 276.000       | CI       | N               | 2 7/16 - 5 7/8  |
| P64-20M-290  | 7882-4057   | 64                | 16.041              | 320.000       | CI       | N               | 2 7/16 - 5 7/8  |
| P68-20M-290  | 7882-4062   | 68                | 17.032              | 368.000       | CI       | N               | 2 7/16 - 5 7/8  |
| P72-20M-290  | 7882-4067   | 72                | 18.046              | 404.000       | CI       | N               | 2 7/16 - 5 7/8  |
| P80-20M-290  | 7882-4072   | 80                | 20.051              | 376.000       | CI       | N               | 2 7/16 - 5 7/8  |
| P90-20M-290  | 7882-4077   | 90                | 22.557              | 431.000       | CI       | N               | 2 7/16 - 5 7/8  |
| P112-20M-290 | 7882-4004   | 112               | 28.071              | 799.000       | CI       | P               | 2 15/16 - 7     |
| P144-20M-290 | 7882-4008   | 144               | 36.092              | 1,004.000     | CI       | P               | 2 15/16 - 7     |
| P168-20M-290 | 7882-4012   | 168               | 42.107              | 1,410.000     | CI       | W               | 4 - 8 1/2       |
| P192-20M-290 | 7882-4017   | 192               | 48.122              | 1,552.000     | CI       | W               | 4 - 8 1/2       |



# PowerGrip® HTD® Sprockets

**Product No. Series 7882 (continued)**  
**20mm Pitch Sprockets — For Belts 290mm Wide (continued)**

| Part No.     | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|--------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| P216-20M-290 | 7882-4022   | 216               | 54.136              | 1,441.000     | CI       | W               | 4 - 8 1/2       |

**20mm Pitch Sprockets — For Belts 340mm Wide**

| Part No.     | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|--------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| P52-20M-340  | 7882-4044   | 52                | 13.033              | 219.000       | CI       | N               | 2 7/16 - 5 7/8  |
| P56-20M-340  | 7882-4049   | 56                | 14.036              | 258.000       | CI       | N               | 2 7/16 - 5 7/8  |
| P60-20M-340  | 7882-4053   | 60                | 15.038              | 294.000       | CI       | N               | 2 7/16 - 5 7/8  |
| P64-20M-340  | 7882-4058   | 64                | 16.041              | 339.000       | CI       | N               | 2 7/16 - 5 7/8  |
| P68-20M-340  | 7882-4063   | 68                | 17.032              | 389.000       | CI       | N               | 2 7/16 - 5 7/8  |
| P72-20M-340  | 7882-4068   | 72                | 18.046              | 438.000       | CI       | N               | 2 7/16 - 5 7/8  |
| P80-20M-340  | 7882-4073   | 80                | 20.051              | 462.000       | CI       | P               | 2 15/16 - 7     |
| P90-20M-340  | 7882-4078   | 90                | 22.557              | 507.000       | CI       | P               | 2 15/16 - 7     |
| P112-20M-340 | 7882-4005   | 112               | 28.071              | 870.000       | CI       | P               | 2 15/16 - 7     |
| P144-20M-340 | 7882-4009   | 144               | 36.092              | 1,215.000     | CI       | W               | 4 - 8 1/2       |
| P168-20M-340 | 7882-4013   | 168               | 42.107              | 1,514.000     | CI       | W               | 4 - 8 1/2       |
| P192-20M-340 | 7882-4018   | 192               | 48.122              | 1,817.000     | CI       | S               | 5 1/2 - 10      |
| P216-20M-340 | 7882-4023   | 216               | 54.136              | 1,601.000     | CI       | S               | 5 1/2 - 10      |

SYNCHRONOUS METAL



# PowerGrip® Timing Pulleys

**Notes**

Abbreviations used for pulley bore: MPB=Minimum Plain Bore. Abbreviations used for pulley materials: AL=Aluminum, ST=Steel, SiS=Sintered Steel, GI=Gray Iron, DI=Ductile Iron.

Details shown which do not affect drive function or overall weight may be changed without notification.

Gates PowerGrip Timing Pulleys are measured by number of grooves, pitch and width. For example; part number TL30L050 denotes "TL" for Taper-Lock, 30 grooves, L (.375") pitch and 1/2" width.

MXL and XL MPB pulleys are supplied with set screws. L and H pulleys are not supplied with keyway and set screws.

Pitch - The pitch of a PowerGrip Timing Pulley is the distance from center to center of the grooves (in inches). The letters correspond to pitches as follows: MXL = Mini Extra Light = 0.080" pitch; XL = Extra Light = 0.200" pitch; L = Light = 0.375" pitch; H = Heavy = 0.500" pitch.

The complete pulley designation must be used when ordering a Gates PowerGrip Pulley.

Width - The width designation is in hundredths of inches and corresponds to the width of the widest belt that can operate in the pulley.

**WARNING:** Do NOT use these sprockets with rim speeds in excess of 6,500 fpm.

SYNCHRONOUS METAL

## Product No. Series 7826 2/25" Pitch (0.08"/MXL) - Mini Extra Light — For Belts 1/8" Wide

| Part No.   | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| PB10MXL012 | 7826-0273   | 10                | .255                | .010          | AL       | MPB             | 1/8 - 1/8       |
| PB11MXL012 | 7826-0274   | 11                | .280                | .010          | AL       | MPB             | 1/8 - 1/8       |
| PB12MXL012 | 7826-0275   | 12                | .306                | .010          | AL       | MPB             | 1/8 - 1/8       |
| PB14MXL012 | 7826-0276   | 14                | .357                | .010          | AL       | MPB             | 3/16 - 3/16     |
| PB15MXL012 | 7826-0277   | 15                | .382                | .010          | AL       | MPB             | 3/16 - 3/16     |
| PB16MXL012 | 7826-0278   | 16                | .407                | .010          | AL       | MPB             | 3/16 - 1/4      |
| PB18MXL012 | 7826-0279   | 18                | .458                | .010          | AL       | MPB             | 3/16 - 3/16     |
| PB20MXL012 | 7826-0280   | 20                | .509                | .010          | AL       | MPB             | 3/16 - 3/16     |
| PB21MXL012 | 7826-0281   | 21                | .535                | .010          | AL       | MPB             | 3/16 - 3/16     |
| PB22MXL012 | 7826-0282   | 22                | .560                | .010          | AL       | MPB             | 3/16 - 3/16     |
| PB24MXL012 | 7826-0283   | 24                | .611                | .010          | AL       | MPB             | 1/4 - 1/4       |
| PB28MXL012 | 7826-0284   | 28                | .713                | .010          | AL       | MPB             | 1/4 - 1/4       |
| PB30MXL012 | 7826-0285   | 30                | .764                | .020          | AL       | MPB             | 1/4 - 5/16      |
| PB32MXL012 | 7826-0286   | 32                | .815                | .020          | AL       | MPB             | 1/4 - 3/8       |
| PB36MXL012 | 7826-0287   | 36                | .917                | .020          | AL       | MPB             | 1/4 - 3/8       |
| PB40MXL012 | 7826-0288   | 40                | 1.019               | .030          | AL       | MPB             | 1/4 - 1/2       |
| PB42MXL012 | 7826-0289   | 42                | 1.070               | .040          | AL       | MPB             | 1/4 - 1/2       |
| PB44MXL012 | 7826-0290   | 44                | 1.120               | .040          | AL       | MPB             | 1/4 - 5/8       |
| PB48MXL012 | 7826-0291   | 48                | 1.222               | .050          | AL       | MPB             | 1/4 - 5/8       |
| PB60MXL012 | 7826-0292   | 60                | 1.528               | .080          | AL       | MPB             | 1/4 - 3/4       |

## 2/25" Pitch (0.08"/MXL) - Mini Extra Light — For Belts 1/8", 3/16" and 1/4" Wide

| Part No.   | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| PB10MXL025 | 7826-0010   | 10                | .255                | .060          | AL       | MPB             | 1/8 - 1/8       |
| PB11MXL025 | 7826-0011   | 11                | .280                | .070          | AL       | MPB             | 1/8 - 1/8       |
| PB12MXL025 | 7826-0012   | 12                | .306                | .080          | AL       | MPB             | 1/8 - 1/8       |
| PB14MXL025 | 7826-0014   | 14                | .357                | .010          | AL       | MPB             | 1/8 - 1/8       |
| PB15MXL025 | 7826-0015   | 15                | .382                | .010          | AL       | MPB             | 3/16 - 3/16     |
| PB16MXL025 | 7826-0016   | 16                | .407                | .010          | AL       | MPB             | 3/16 - 3/16     |
| PB18MXL025 | 7826-0118   | 18                | .458                | .020          | AL       | MPB             | 3/16 - 3/16     |
| PB20MXL025 | 7826-0120   | 20                | .509                | .010          | AL       | MPB             | 3/16 - 3/16     |
| PB21MXL025 | 7826-0121   | 21                | .535                | .020          | AL       | MPB             | 3/16 - 3/16     |
| PB22MXL025 | 7826-0122   | 22                | .560                | .030          | AL       | MPB             | 3/16 - 3/16     |
| PB24MXL025 | 7826-0124   | 24                | .611                | .040          | AL       | MPB             | 1/4 - 1/4       |
| PB25MXL025 | 7826-0293   | 25                | .637                | .010          | AL       | MPB             | 1/4 - 1/4       |
| PB28MXL025 | 7826-0128   | 28                | .713                | .020          | AL       | MPB             | 1/4 - 1/4       |
| PB30MXL025 | 7826-0130   | 30                | .764                | .020          | AL       | MPB             | 1/4 - 1/4       |
| PB32MXL025 | 7826-0132   | 32                | .815                | .030          | AL       | MPB             | 1/4 - 1/4       |
| PB36MXL025 | 7826-0136   | 36                | .917                | .030          | AL       | MPB             | 1/4 - 1/4       |
| PB40MXL025 | 7826-0140   | 40                | 1.019               | .040          | AL       | MPB             | 1/4 - 1/4       |
| PB42MXL025 | 7826-0142   | 42                | 1.070               | .050          | AL       | MPB             | 1/4 - 1/4       |
| PB44MXL025 | 7826-0144   | 44                | 1.120               | .050          | AL       | MPB             | 1/4 - 1/4       |
| PB48MXL025 | 7826-0148   | 48                | 1.222               | .080          | AL       | MPB             | 1/4 - 1/4       |
| PB60MXL025 | 7826-0160   | 60                | 1.528               | .110          | AL       | MPB             | 1/4 - 1/4       |



# PowerGrip® Timing Pulleys

## Product No. Series 7826 (continued)

### 2/25" Pitch (0.08"/MXL) - Mini Extra Light — For Belts 1/8", 3/16" and 1/4" Wide (continued)

| Part No.    | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|-------------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| PB72MXL025  | 7826-0272   | 72                | 1.833               | .130          | AL       | MPB             | 1/4 - 1/4       |
| PB80MXL025  | 7826-0180   | 80                | 2.037               | .180          | AL       | MPB             | 5/16 - 5/16     |
| PB90MXL025  | 7826-0294   | 90                | 2.292               | .210          | AL       | MPB             | 5/16 - 3/4      |
| PB100MXL025 | 7826-0295   | 100               | 2.546               | .240          | AL       | MPB             | 5/16 - 3/4      |
| PB120MXL025 | 7826-0296   | 120               | 3.056               | .320          | AL       | MPB             | 3/8 - 3/4       |

## Product No. Series 7823 & 7881

### 1/5" Pitch (.200"/XL) - Extra Light Duty — For Belts 1/4" Wide

| Part No.  | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|-----------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| PB10XL025 | 7823-1500   | 10                | .637                | .010          | ST       | MPB             | 3/16 - 1/4      |
| PB11XL025 | 7823-1501   | 11                | .700                | .020          | ST       | MPB             | 3/16 - 1/4      |
| PB12XL025 | 7823-1502   | 12                | .764                | .020          | ST       | MPB             | 3/16 - 5/16     |
| PB13XL025 | 7823-1503   | 13                | .828                | .030          | ST       | MPB             | 1/4 - 5/16      |
| PB14XL025 | 7823-1504   | 14                | .891                | .030          | ST       | MPB             | 1/4 - 3/8       |
| PB15XL025 | 7823-1505   | 15                | .955                | .030          | ST       | MPB             | 1/4 - 1/2       |
| PB16XL025 | 7823-1506   | 16                | 1.019               | .040          | ST       | MPB             | 5/16 - 1/2      |
| PB18XL025 | 7823-1507   | 18                | 1.146               | .050          | ST       | MPB             | 1/4 - 1/2       |
| PB20XL025 | 7823-1508   | 20                | 1.273               | .070          | ST       | MPB             | 1/4 - 1/2       |
| PB21XL025 | 7823-1509   | 21                | 1.337               | .080          | ST       | MPB             | 1/4 - 1/2       |
| PB22XL025 | 7823-1510   | 22                | 1.401               | .090          | ST       | MPB             | 1/4 - 5/8       |
| PB24XL025 | 7823-1511   | 24                | 1.528               | .100          | ST       | MPB             | 1/4 - 5/8       |
| PB26XL025 | 7823-1512   | 26                | 1.655               | .120          | ST       | MPB             | 1/4 - 5/8       |
| PB28XL025 | 7823-1513   | 28                | 1.783               | .140          | ST       | MPB             | 1/4 - 3/4       |
| PB30XL025 | 7823-1514   | 30                | 1.910               | .160          | ST       | MPB             | 1/4 - 3/4       |

### 1/5" Pitch (.200"/XL) - Extra Light Duty — For Belts 1/4" and 3/8" Wide

| Part No.  | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|-----------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| PB10XL037 | 7823-0101   | 10                | .637                | .050          | ST       | MPB             | 3/16 - 3/16     |
| PB11XL037 | 7823-0106   | 11                | .700                | .070          | ST       | MPB             | 3/16 - 3/16     |
| PB12XL037 | 7823-0111   | 12                | .764                | .080          | ST       | MPB             | 3/16 - 1/4      |
| PB13XL037 | 7823-1515   | 13                | .828                | .030          | ST       | MPB             | 1/4 - 5/16      |
| PB14XL037 | 7823-0121   | 14                | .891                | .100          | ST       | MPB             | 1/4 - 1/4       |
| PB15XL037 | 7823-0126   | 15                | .955                | .120          | ST       | MPB             | 1/4 - 5/16      |
| PB16XL037 | 7823-0131   | 16                | 1.019               | .150          | ST       | MPB             | 1/4 - 3/8       |
| PB17XL037 | 7823-1516   | 17                | 1.082               | .060          | ST       | MPB             | 1/4 - 1/2       |
| PB18XL037 | 7823-0141   | 18                | 1.146               | .180          | ST       | MPB             | 1/4 - 1/2       |
| PB19XL037 | 7823-1517   | 19                | 1.210               | .070          | ST       | MPB             | 1/4 - 1/2       |
| PB20XL037 | 7823-0151   | 20                | 1.273               | .240          | ST       | MPB             | 1/4 - 9/16      |
| PB21XL037 | 7823-0156   | 21                | 1.337               | .270          | ST       | MPB             | 1/4 - 9/16      |
| PB22XL037 | 7823-0161   | 22                | 1.401               | .290          | ST       | MPB             | 1/4 - 3/4       |
| PB23XL037 | 7823-1518   | 23                | 1.464               | .110          | ST       | MPB             | 1/4 - 5/8       |
| PB24XL037 | 7823-0166   | 24                | 1.528               | .350          | ST       | MPB             | 1/4 - 11/16     |
| PB25XL037 | 7823-1519   | 25                | 1.592               | .130          | ST       | MPB             | 1/4 - 5/8       |
| PB26XL037 | 7823-1520   | 26                | 1.655               | .160          | ST       | MPB             | 1/4 - 3/4       |
| PB28XL037 | 7823-0176   | 28                | 1.783               | .470          | ST       | MPB             | 1/4 - 13/16     |
| PB30XL037 | 7823-0181   | 30                | 1.910               | .540          | ST       | MPB             | 5/16 - 15/16    |
| PB32XL037 | 7823-0186   | 32                | 2.037               | .240          | AL       | MPB             | 5/16 - 1        |
| TL32XL037 | 7881-6032   | 32                | 2.037               | .340          | SIS      | 1108            | 1/2 - 1 1/8     |
| PB36XL037 | 7823-0196   | 36                | 2.292               | .280          | AL       | MPB             | 5/16 - 1        |
| TL36XL037 | 7881-6036   | 36                | 2.292               | .500          | SIS      | 1108            | 1/2 - 1 1/8     |
| PB40XL037 | 7823-0201   | 40                | 2.546               | .330          | AL       | MPB             | 5/16 - 1        |
| TL40XL037 | 7881-6040   | 40                | 2.546               | .650          | SIS      | 1108            | 1/2 - 1 1/8     |

SYNCHRONOUS METAL



# PowerGrip® Timing Pulleys

## Product No. Series 7823 & 7881 (continued)

### 1/5" Pitch (.200"/XL) - Extra Light Duty — For Belts 1/4" and 3/8" Wide (continued)

| Part No.  | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|-----------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| PB42XL037 | 7823-0206   | 42                | 2.674               | .360          | AL       | MPB             | 5/16 - 1        |
| TL42XL037 | 7881-6042   | 42                | 2.674               | .770          | SIS      | 1108            | 1/2 - 1 1/8     |
| PB44XL037 | 7823-0211   | 44                | 2.801               | .390          | AL       | MPB             | 5/16 - 1        |
| TL44XL037 | 7881-6044   | 44                | 2.801               | .970          | SIS      | 1108            | 1/2 - 1 1/8     |
| PB45XL037 | 7823-1521   | 45                | 2.865               | .400          | AL       | MPB             | 5/16 - 1        |
| PB48XL037 | 7823-0216   | 48                | 3.056               | .390          | AL       | MPB             | 5/16 - 1        |
| TL48XL037 | 7881-6048   | 48                | 3.056               | 1.230         | DI       | 1108            | 1/2 - 1 1/8     |
| PB50XL037 | 7823-1522   | 50                | 3.183               | .400          | AL       | MPB             | 5/16 - 1        |
| PB60XL037 | 7823-0221   | 60                | 3.820               | .500          | AL       | MPB             | 3/8 - 1         |
| TL60XL037 | 7881-6060   | 60                | 3.820               | 2.150         | SIS      | 1210            | 1/2 - 1 1/4     |
| PB72XL037 | 7823-0226   | 72                | 4.584               | .670          | AL       | MPB             | 3/8 - 1         |
| TL72XL037 | 7881-6072   | 72                | 4.584               | 2.900         | SIS      | 1610            | 1/2 - 1 11/16   |

### 3/8" Pitch (.375"/L) - Light Duty — For Belts 1/2" Wide

| Part No. | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|----------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| PB10L050 | 7823-0301   | 10                | 1.194               | .250          | ST       | MPB             | 3/8 - 1/2       |
| PB12L050 | 7823-0311   | 12                | 1.432               | .390          | ST       | MPB             | 3/8 - 3/4       |
| PB13L050 | 7823-1523   | 13                | 1.552               | .480          | ST       | MPB             | 3/8 - 3/4       |
| PB14L050 | 7823-0321   | 14                | 1.671               | .537          | ST       | MPB             | 3/8 - 3/4       |
| PB15L050 | 7823-1524   | 15                | 1.790               | .630          | ST       | MPB             | 1/2 - 7/8       |
| PB16L050 | 7823-0331   | 16                | 1.910               | .730          | ST       | MPB             | 1/2 - 1         |
| PB17L050 | 7823-0336   | 17                | 2.029               | .810          | ST       | MPB             | 1/2 - 1 1/8     |
| TL18L050 | 7881-7001   | 18                | 2.149               | .440          | ST       | 1108            | 1/2 - 1 1/8     |
| PB19L050 | 7823-0346   | 19                | 2.268               | 1.302         | ST       | MPB             | 1/2 - 1 3/16    |
| TL20L050 | 7881-7004   | 20                | 2.387               | .680          | ST       | 1108            | 1/2 - 1 1/8     |
| PB21L050 | 7823-0356   | 21                | 2.507               | 1.370         | ST       | MPB             | 1/2 - 1 1/4     |
| TL22L050 | 7881-7007   | 22                | 2.626               | .900          | ST       | 1108            | 1/2 - 1 1/8     |
| TL24L050 | 7881-7010   | 24                | 2.865               | 1.000         | ST       | 1210            | 1/2 - 1 1/4     |
| TL26L050 | 7881-7013   | 26                | 3.104               | 1.110         | ST       | 1210            | 1/2 - 1 1/4     |
| TL28L050 | 7881-7016   | 28                | 3.342               | 1.400         | DI       | 1210            | 1/2 - 1 1/4     |
| TL30L050 | 7881-7019   | 30                | 3.581               | 1.500         | DI       | 1610            | 1/2 - 1 5/8     |
| TL32L050 | 7881-7022   | 32                | 3.820               | 1.900         | DI       | 1610            | 1/2 - 1 5/8     |
| PB36L050 | 7823-1525   | 36                | 4.297               | 4.210         | DI       | MPB             | 1/2 - 2 5/16    |
| TL40L050 | 7881-7054   | 40                | 4.775               | 2.400         | DI       | 2012            | 1/2 - 2 1/8     |
| TL48L050 | 7881-7055   | 48                | 5.730               | 3.200         | DI       | 2012            | 1/2 - 2 1/8     |
| TL60L050 | 7881-7056   | 60                | 7.162               | 4.900         | DI       | 2012            | 1/2 - 2 1/8     |
| TL72L050 | 7881-7057   | 72                | 8.594               | 6.000         | DI       | 2012            | 1/2 - 2 1/8     |
| TL84L050 | 7881-7058   | 84                | 10.027              | 8.000         | GI       | 2517            | 1/2 - 2 11/16   |

### 3/8" Pitch (.375"/L) - Light Duty — For Belts 3/4" Wide

| Part No. | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|----------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| PB12L075 | 7823-0511   | 12                | 1.432               | .480          | ST       | MPB             | 3/8 - 3/4       |
| PB13L075 | 7823-1526   | 13                | 1.552               | .580          | ST       | MPB             | 3/8 - 3/4       |
| PB14L075 | 7823-0521   | 14                | 1.671               | .660          | ST       | MPB             | 3/8 - 3/4       |
| PB15L075 | 7823-1527   | 15                | 1.790               | .770          | ST       | MPB             | 1/2 - 7/8       |
| PB16L075 | 7823-0531   | 16                | 1.910               | .900          | ST       | MPB             | 1/2 - 1 1/8     |
| PB17L075 | 7823-0536   | 17                | 2.029               | .994          | ST       | MPB             | 1/2 - 1 1/8     |
| TL18L075 | 7881-7002   | 18                | 2.149               | .500          | ST       | 1108            | 1/2 - 1 1/8     |
| PB19L075 | 7823-0546   | 19                | 2.268               | 1.300         | ST       | MPB             | 5/8 - 7/8       |
| TL20L075 | 7881-7005   | 20                | 2.387               | .680          | ST       | 1108            | 1/2 - 1 1/8     |
| PB21L075 | 7823-0556   | 21                | 2.507               | 1.640         | ST       | MPB             | 5/8 - 1 1/4     |
| TL22L075 | 7881-7008   | 22                | 2.626               | .967          | ST       | 1108            | 1/2 - 1 1/8     |

SYNCHRONOUS METAL





# PowerGrip® Timing Pulleys

## Product No. Series 7823 & 7881 (continued) 3/8" Pitch (.375"/L) - Light Duty — For Belts 3/4" Wide (continued)

| Part No. | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|----------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| TL24L075 | 7881-7011   | 24                | 2.865               | 1.000         | ST       | 1210            | 1/2 - 1 1/4     |
| TL26L075 | 7881-7014   | 26                | 3.104               | 1.200         | ST       | 1210            | 1/2 - 1 1/4     |
| TL28L075 | 7881-7017   | 28                | 3.342               | 1.200         | DI       | 1610            | 1/2 - 1 5/8     |
| TL30L075 | 7881-7020   | 30                | 3.581               | 1.500         | DI       | 1610            | 1/2 - 1 5/8     |
| TL32L075 | 7881-7023   | 32                | 3.820               | 1.900         | DI       | 1610            | 1/2 - 1 5/8     |
| PB36L075 | 7823-1528   | 36                | 4.297               | 5.140         | DI       | MPB             | 1/2 - 2 5/16    |
| TL40L075 | 7881-7059   | 40                | 4.775               | 3.372         | DI       | 2012            | 1/2 - 2 1/8     |
| TL48L075 | 7881-7060   | 48                | 5.730               | 3.200         | DI       | 2012            | 1/2 - 2 1/8     |
| TL60L075 | 7881-7061   | 60                | 7.162               | 4.900         | DI       | 2012            | 1/2 - 2 1/8     |
| TL72L075 | 7881-7062   | 72                | 8.594               | 7.000         | DI       | 2012            | 1/2 - 2 1/8     |
| TL84L075 | 7881-7063   | 84                | 10.027              | 9.000         | GI       | 2517            | 1/2 - 2 11/16   |

## 3/8" Pitch (.375"/L) - Light Duty — For Belts 1" Wide

| Part No. | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|----------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| PB13L100 | 7823-1529   | 13                | 1.552               | .690          | ST       | MPB             | 3/8 - 3/4       |
| PB14L100 | 7823-0721   | 14                | 1.671               | .790          | ST       | MPB             | 3/8 - 3/4       |
| PB15L100 | 7823-1530   | 15                | 1.790               | .920          | ST       | MPB             | 1/2 - 7/8       |
| PB16L100 | 7823-0731   | 16                | 1.910               | 1.100         | ST       | MPB             | 1/2 - 1         |
| PB17L100 | 7823-0736   | 17                | 2.029               | 1.190         | ST       | MPB             | 1/2 - 1         |
| TL18L100 | 7881-7003   | 18                | 2.149               | .750          | ST       | 1108            | 1/2 - 1 1/8     |
| PB19L100 | 7823-0746   | 19                | 2.268               | 1.550         | ST       | MPB             | 5/8 - 7/8       |
| TL20L100 | 7881-7006   | 20                | 2.387               | 1.000         | ST       | 1108            | 1/2 - 1 1/8     |
| PB21L100 | 7823-0756   | 21                | 2.507               | 1.930         | ST       | MPB             | 5/8 - 1 1/4     |
| TL22L100 | 7881-7009   | 22                | 2.626               | 1.300         | ST       | 1108            | 1/2 - 1 1/8     |
| TL24L100 | 7881-7012   | 24                | 2.865               | 1.300         | ST       | 1210            | 1/2 - 1 1/4     |
| TL26L100 | 7881-7015   | 26                | 3.104               | 1.700         | ST       | 1210            | 1/2 - 1 1/4     |
| TL28L100 | 7881-7018   | 28                | 3.342               | 1.300         | DI       | 1610            | 1/2 - 1 5/8     |
| TL30L100 | 7881-7021   | 30                | 3.581               | 2.200         | DI       | 1610            | 1/2 - 1 5/8     |
| TL32L100 | 7881-7024   | 32                | 3.820               | 2.700         | DI       | 1610            | 1/2 - 1 5/8     |
| PB36L100 | 7823-1532   | 36                | 4.297               | 6.070         | ST       | MPB             | 1/2 - 2 5/16    |
| TL40L100 | 7881-7064   | 40                | 4.775               | 4.061         | DI       | 2012            | 1/2 - 2 1/8     |
| TL48L100 | 7881-7065   | 48                | 5.730               | 5.100         | DI       | 2012            | 1/2 - 2 1/8     |
| TL60L100 | 7881-7066   | 60                | 7.162               | 6.000         | DI       | 2012            | 1/2 - 2 1/8     |
| TL72L100 | 7881-7067   | 72                | 8.594               | 12.890        | DI       | 2012            | 1/2 - 2 1/8     |
| TL84L100 | 7881-7068   | 84                | 10.027              | 10.000        | GI       | 2517            | 1/2 - 2 11/16   |

## Product No. Series 7881 1/2" Pitch (.500"/H) - Heavy Duty — For Belts 3/4" and 1" Wide

| Part No. | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|----------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| TL14H100 | 7881-7025   | 14                | 2.228               | .800          | ST       | 1108            | 1/2 - 1 1/8     |
| TL16H100 | 7881-7027   | 16                | 2.546               | 1.300         | ST       | 1108            | 1/2 - 1 1/8     |
| TL18H100 | 7881-7030   | 18                | 2.865               | 1.200         | ST       | 1210            | 1/2 - 1 1/4     |
| TL20H100 | 7881-7034   | 20                | 3.183               | 1.700         | DI       | 1210            | 1/2 - 1 1/4     |
| TL22H100 | 7881-7038   | 22                | 3.501               | 1.800         | DI       | 1610            | 1/2 - 1 5/8     |
| TL24H100 | 7881-7041   | 24                | 3.820               | 2.300         | DI       | 1610            | 1/2 - 1 5/8     |
| TL26H100 | 7881-7045   | 26                | 4.138               | 2.200         | DI       | 2012            | 1/2 - 2 1/8     |
| TL28H100 | 7881-7049   | 28                | 4.456               | 2.800         | DI       | 2012            | 1/2 - 1 5/8     |
| TL30H100 | 7881-7069   | 30                | 4.775               | 4.200         | DI       | 2012            | 1/2 - 2 1/8     |
| TL32H100 | 7881-7070   | 32                | 5.093               | 4.100         | DI       | 2517            | 1/2 - 2 11/16   |
| TL40H100 | 7881-7071   | 40                | 6.366               | 7.800         | DI       | 2517            | 1/2 - 2 11/16   |
| TL48H100 | 7881-7072   | 48                | 7.639               | 12.100        | DI       | 2517            | 1/2 - 2 11/16   |
| TL60H100 | 7881-7073   | 60                | 9.549               | 10.300        | GI       | 3020            | 7/8 - 3 1/4     |

## PowerGrip® Timing Pulleys

### Product No. Series 7881 (continued)

#### 1/2" Pitch (.500"/H) - Heavy Duty — For Belts 3/4" and 1" Wide (continued)

| Part No.  | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|-----------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| TL72H100  | 7881-7074   | 72                | 11.459              | 25.000        | GI       | 3020            | 7/8 - 3 1/4     |
| TL84H100  | 7881-7075   | 84                | 13.369              | 29.000        | GI       | 3020            | 7/8 - 3 1/4     |
| TL96H100  | 7881-7076   | 96                | 15.279              | 35.000        | GI       | 3020            | 7/8 - 3 1/4     |
| TL120H100 | 7881-7077   | 120               | 19.099              | 42.000        | GI       | 3020            | 7/8 - 3 1/4     |

#### 1/2" Pitch (.500"/H) - Heavy Duty — For Belts 1 1/2" Wide

| Part No.  | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|-----------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| TL14H150  | 7881-7026   | 14                | 2.228               | 1.000         | ST       | 1008            | 1/2 - 1 1/8     |
| TL16H150  | 7881-7028   | 16                | 2.546               | 1.500         | ST       | 1008            | 1/2 - 1 1/8     |
| TL18H150  | 7881-7031   | 18                | 2.865               | 1.600         | ST       | 1215            | 1/2 - 1 1/4     |
| TL20H150  | 7881-7035   | 20                | 3.183               | 2.200         | DI       | 1215            | 1/2 - 1 1/4     |
| TL22H150  | 7881-7053   | 22                | 3.501               | 2.354         | DI       | 1615            | 1/2 - 1 5/8     |
| TL24H150  | 7881-7042   | 24                | 3.820               | 2.200         | DI       | 2012            | 1/2 - 1 5/8     |
| TL26H150  | 7881-7046   | 26                | 4.138               | 3.200         | DI       | 2012            | 1/2 - 2 1/8     |
| TL28H150  | 7881-7050   | 28                | 4.456               | 4.100         | DI       | 2012            | 1/2 - 2 1/8     |
| TL30H150  | 7881-7078   | 30                | 4.775               | 4.600         | DI       | 2012            | 1/2 - 2 1/8     |
| TL32H150  | 7881-7079   | 32                | 5.093               | 4.600         | DI       | 2517            | 1/2 - 2 11/16   |
| TL40H150  | 7881-7080   | 40                | 6.366               | 8.600         | DI       | 2517            | 1/2 - 2 11/16   |
| TL48H150  | 7881-7081   | 48                | 7.639               | 13.600        | DI       | 2517            | 1/2 - 2 11/16   |
| TL60H150  | 7881-7082   | 60                | 9.549               | 12.300        | GI       | 3020            | 7/8 - 3 1/4     |
| TL72H150  | 7881-7083   | 72                | 11.459              | 27.000        | GI       | 3020            | 7/8 - 3 1/4     |
| TL84H150  | 7881-7084   | 84                | 13.369              | 32.000        | GI       | 3020            | 7/8 - 3 1/4     |
| TL96H150  | 7881-7085   | 96                | 15.279              | 38.000        | GI       | 3020            | 7/8 - 3 1/4     |
| TL120H150 | 7881-7086   | 120               | 19.099              | 50.000        | GI       | 3020            | 7/8 - 3 1/4     |

#### 1/2" Pitch (.500"/H) - Heavy Duty — For Belts 2" Wide

| Part No.  | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|-----------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| TL16H200  | 7881-7029   | 16                | 2.546               | 1.900         | ST       | 1008            | 1/2 - 1 1/8     |
| TL18H200  | 7881-7032   | 18                | 2.865               | 1.800         | ST       | 1215            | 1/2 - 1 1/4     |
| TL20H200  | 7881-7036   | 20                | 3.183               | 2.600         | DI       | 1215            | 1/2 - 1 1/4     |
| TL22H200  | 7881-7039   | 22                | 3.501               | 2.800         | DI       | 1615            | 1/2 - 1 5/8     |
| TL24H200  | 7881-7043   | 24                | 3.820               | 2.600         | DI       | 2012            | 1/2 - 2 1/8     |
| TL26H200  | 7881-7047   | 26                | 4.138               | 3.792         | DI       | 2012            | 1/2 - 2 1/8     |
| TL28H200  | 7881-7051   | 28                | 4.456               | 5.400         | DI       | 2012            | 1/2 - 2 1/8     |
| TL30H200  | 7881-7087   | 30                | 4.775               | 5.500         | DI       | 2012            | 1/2 - 2 1/8     |
| TL32H200  | 7881-7088   | 32                | 5.093               | 5.500         | DI       | 2517            | 1/2 - 2 11/16   |
| TL40H200  | 7881-7089   | 40                | 6.366               | 9.900         | DI       | 2517            | 1/2 - 2 11/16   |
| TL48H200  | 7881-7090   | 48                | 7.639               | 14.300        | DI       | 3020            | 1/2 - 2 11/16   |
| TL60H200  | 7881-7091   | 60                | 9.549               | 25.000        | GI       | 3020            | 7/8 - 3 1/4     |
| TL72H200  | 7881-7092   | 72                | 11.459              | 25.000        | GI       | 3020            | 7/8 - 3 1/4     |
| TL84H200  | 7881-7093   | 84                | 13.369              | 36.000        | GI       | 3020            | 7/8 - 3 1/4     |
| TL96H200  | 7881-7094   | 96                | 15.279              | 52.000        | GI       | 3535            | 7/8 - 3 1/4     |
| TL120H200 | 7881-7095   | 120               | 19.099              | 55.000        | GI       | 3020            | 7/8 - 3 1/4     |

#### 1/2" Pitch (.500"/H) - Heavy Duty — For Belts 3" Wide

| Part No. | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|----------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| TL16H300 | 7881-7096   | 16                | 2.546               | 2.500         | ST       | 1108            | 1/2 - 1 1/8     |
| TL18H300 | 7881-7033   | 18                | 2.865               | 2.600         | ST       | 1215            | 1/2 - 1 1/4     |
| TL20H300 | 7881-7037   | 20                | 3.183               | 3.900         | DI       | 1215            | 1/2 - 1 1/4     |



# PowerGrip® Timing Pulleys

**Product No. Series 7881 (continued)**

**1/2" Pitch (.500"/H) - Heavy Duty — For Belts 3" Wide (continued)**

| Part No.  | Product No. | Number of Grooves | Pitch Diameter (in) | Weight (Lbs.) | Material | Bore or Bushing | Bore Range (in) |
|-----------|-------------|-------------------|---------------------|---------------|----------|-----------------|-----------------|
| TL22H300  | 7881-7040   | 22                | 3.501               | 4.000         | DI       | 1615            | 1/2 - 1 5/8     |
| TL24H300  | 7881-7044   | 24                | 3.820               | 4.300         | DI       | 2012            | 1/2 - 2 1/8     |
| TL26H300  | 7881-7048   | 26                | 4.138               | 5.400         | DI       | 2012            | 1/2 - 2 1/8     |
| TL28H300  | 7881-7052   | 28                | 4.456               | 7.600         | DI       | 2012            | 1/2 - 2 1/8     |
| TL30H300  | 7881-7097   | 30                | 4.775               | 7.000         | DI       | 2012            | 1/2 - 2 1/8     |
| TL32H300  | 7881-7098   | 32                | 5.093               | 7.400         | DI       | 2517            | 1/2 - 2 11/16   |
| TL40H300  | 7881-7099   | 40                | 6.366               | 12.100        | DI       | 2517            | 1/2 - 2 11/16   |
| TL48H300  | 7881-7100   | 48                | 7.639               | 16.300        | DI       | 3020            | 7/8 - 3 1/3     |
| TL60H300  | 7881-7101   | 60                | 9.549               | 26.000        | GI       | 3020            | 7/8 - 3 1/4     |
| TL72H300  | 7881-7102   | 72                | 11.459              | 41.000        | GI       | 3020            | 7/8 - 3 1/4     |
| TL84H300  | 7881-7103   | 84                | 13.369              | 42.000        | GI       | 3020            | 7/8 - 3 1/4     |
| TL96H300  | 7881-7104   | 96                | 15.279              | 77.000        | GI       | 3535            | 7/8 - 3 1/4     |
| TL120H300 | 7881-7105   | 120               | 19.099              | 82.000        | GI       | 3535            | 7/8 - 3 1/4     |

SYNCHRONOUS METAL

# Clamping Plates for Long Length Belting

## Notes

Gates Clamping Plates are standard non-stock. Contact Customer Service for availability.

### Product No. Series 7887

#### PowerGrip® Timing

| Part No.  | Product No. | Pitch | Belt Width (in) | Weight (Lbs.) |
|-----------|-------------|-------|-----------------|---------------|
| CP-025-XL | 7887-0079   | XL    | .250            | .120          |
| CP-037-L  | 7887-0087   | L     | .375            | .540          |
| CP-037-XL | 7887-0081   | XL    | .375            | .140          |
| CP-050-H  | 7887-0096   | H     | .500            | 1.140         |
| CP-050-L  | 7887-0088   | L     | .500            | .580          |
| CP-050-XL | 7887-0082   | XL    | .500            | .140          |
| CP-075-H  | 7887-0097   | H     | .750            | 1.310         |
| CP-075-L  | 7887-0089   | L     | .750            | .670          |
| CP-100-H  | 7887-0098   | H     | 1.000           | 2.000         |
| CP-100-L  | 7887-0090   | L     | 1.000           | .770          |
| CP-150-H  | 7887-0099   | H     | 1.500           | 2.250         |
| CP-200-H  | 7887-0100   | H     | 2.000           | 2.150         |
| CP-300-H  | 7887-0101   | H     | 3.000           | 2.830         |

#### PowerGrip® HTD®

| Part No.   | Product No. | Pitch | Belt Width (mm) | Weight (Lbs.) |
|------------|-------------|-------|-----------------|---------------|
| CP-10-5HTD | 7887-0057   | 5M    | 9               | .150          |
| CP-15-5HTD | 7887-0058   | 5M    | 15              | .150          |
| CP-20-8HTD | 7887-0066   | 8M    | 20              | .600          |
| CP-25-5HTD | 7887-0059   | 5M    | 25              | .220          |
| CP-30-8HTD | 7887-0068   | 8M    | 30              | 1.050         |
| CP-50-8HTD | 7887-0069   | 8M    | 50              | 1.300         |
| CP-85-8HTD | 7887-0070   | 8M    | 85              | 1.700         |

#### PowerGrip® GT®

| Part No.  | Product No. | Pitch | Belt Width (mm) | Weight (Lbs.) |
|-----------|-------------|-------|-----------------|---------------|
| CP-04-2MR | 7887-0200   | 2MR   | 4               | .010          |
| CP-06-2MR | 7887-0201   | 2MR   | 6               | .010          |
| CP-06-3MR | 7887-0203   | 3MR   | 6               | .040          |
| CP-09-2MR | 7887-0202   | 2MR   | 9               | .020          |
| CP-09-3MR | 7887-0204   | 3MR   | 9               | .010          |
| CP-09-5MR | 7887-0206   | 5MR   | 9               | .130          |
| CP-15-3MR | 7887-0205   | 3MR   | 15              | .050          |
| CP-15-5MR | 7887-0207   | 5MR   | 15              | .250          |
| CP-20-8MR | 7887-0209   | 8MR   | 20              | .850          |
| CP-30-8MR | 7887-0210   | 8MR   | 30              | .730          |
| CP-50-8MR | 7887-0211   | 8MR   | 50              | .980          |

SYNCHRONOUS METAL



# Draftguard<sup>®</sup> Anti-Rotation Device

**Notes**

Details shown which do not affect drive function or overall weight may be changed without notification.

**Product No. Series 7814**

| Part No.                             | Product No. | Weight (Lbs.) |
|--------------------------------------|-------------|---------------|
| Draftguard Clutch                    | 7814-0006   | 7.700         |
| Draftguard Flange Assy               | 7814-0003   | 9.800         |
| Draftguard Kit                       | 7814-0004   | 24.600        |
| Draftguard Locking Ring              | 7814-0007   | 5.000         |
| Draftguard Spacer 3020               | 7814-0001   | .900          |
| Draftguard Spacer 3525 / 3535 / 4030 | 7814-0002   | 1.500         |
| Draftguard Torque Arm                | 7814-0005   | .500          |



# Super HC<sup>®</sup> Sheaves - QD<sup>®</sup>

**Notes**

Details shown which do not affect drive function or overall weight may be changed without notification. Sheaves and bushings must be ordered separately.

**WARNING:** Do NOT use these sheaves with rim speeds in excess of 6,500 fpm.

**Product No. Series 7872 & 7873**  
**3V Section**

| Part No.                | Product No. | Number of Grooves | Bushing | Bore Range Max. (in) | Face Width (in) | Weight (Lbs.) |
|-------------------------|-------------|-------------------|---------|----------------------|-----------------|---------------|
| QD1/3V2.20              | 7872-1022   | 1                 | JA      | 1 3/16               | 11/16           | .630          |
| QD2/3V2.20              | 7872-2022   | 2                 | JA      | 1 3/16               | 1 3/32          | .800          |
| <sup>6</sup> QD1/3V2.35 | 7872-1023   | 1                 | JA      | 1 3/16               | 11/16           | .800          |
| QD2/3V2.35              | 7872-2023   | 2                 | JA      | 1 3/16               | 1 3/32          | .960          |
| QD1/3V2.50              | 7872-1025   | 1                 | JA      | 1 3/16               | 11/16           | .970          |
| QD2/3V2.50              | 7872-2025   | 2                 | JA      | 1 3/16               | 1 3/32          | 1.180         |
| QD3/3V2.50              | 7872-3025   | 3                 | JA      | 1 3/16               | 1 1/2           | 1.350         |
| QD1/3V2.65              | 7872-1026   | 1                 | JA      | 1 3/16               | 11/16           | .780          |
| QD2/3V2.65              | 7872-2026   | 2                 | JA      | 1 3/16               | 1 3/32          | .620          |
| QD3/3V2.65              | 7872-3026   | 3                 | JA      | 1 3/16               | 1 1/2           | 1.160         |
| QD4/3V2.65              | 7872-4026   | 4                 | JA      | 1 3/16               | 1 29/32         | 1.420         |
| QD1/3V2.80              | 7872-1028   | 1                 | JA      | 1 3/16               | 11/16           | .920          |
| QD2/3V2.80              | 7872-2028   | 2                 | JA      | 1 3/16               | 1 3/32          | .790          |
| QD3/3V2.80              | 7872-3028   | 3                 | JA      | 1 3/16               | 1 1/2           | 1.360         |
| QD4/3V2.80              | 7872-4028   | 4                 | JA      | 1 3/16               | 1 29/32         | 1.680         |
| QD1/3V3.00              | 7872-1030   | 1                 | JA      | 1 3/16               | 11/16           | 1.180         |
| QD2/3V3.00              | 7872-2030   | 2                 | JA      | 1 3/16               | 1 3/32          | 1.010         |
| QD3/3V3.00              | 7872-3030   | 3                 | SH      | 1 5/8                | 1 1/2           | 1.860         |
| QD4/3V3.00              | 7872-4030   | 4                 | SH      | 1 5/8                | 1 29/32         | 2.030         |
| QD1/3V3.15              | 7872-1031   | 1                 | JA      | 1 3/16               | 11/16           | 1.320         |
| QD2/3V3.15              | 7872-2031   | 2                 | JA      | 1 3/16               | 1 3/32          | 1.180         |
| QD3/3V3.15              | 7872-3031   | 3                 | SH      | 1 5/8                | 1 1/2           | 2.250         |
| QD4/3V3.15              | 7872-4031   | 4                 | SH      | 1 5/8                | 1 29/32         | 2.420         |
| QD1/3V3.35              | 7872-1033   | 1                 | JA      | 1 3/16               | 11/16           | 1.600         |
| QD2/3V3.35              | 7872-2033   | 2                 | SH      | 1 5/8                | 1 3/32          | 1.000         |
| QD3/3V3.35              | 7872-3033   | 3                 | SH      | 1 5/8                | 1 1/2           | 1.510         |
| QD4/3V3.35              | 7872-4033   | 4                 | SH      | 1 5/8                | 1 29/32         | 2.230         |
| QD1/3V3.65              | 7872-1036   | 1                 | SH      | 1 5/8                | 11/16           | 1.590         |
| QD2/3V3.65              | 7872-2036   | 2                 | SH      | 1 5/8                | 1 3/32          | 1.410         |
| QD3/3V3.65              | 7872-3036   | 3                 | SH      | 1 5/8                | 1 1/2           | 2.120         |
| QD4/3V3.65              | 7872-4036   | 4                 | SH      | 1 5/8                | 1 29/32         | 2.160         |
| QD1/3V4.12              | 7872-1041   | 1                 | SH      | 1 5/8                | 11/16           | 2.060         |
| QD2/3V4.12              | 7872-2041   | 2                 | SH      | 1 5/8                | 1 3/32          | 2.260         |
| QD3/3V4.12              | 7872-3041   | 3                 | SH      | 1 5/8                | 1 1/2           | 2.640         |
| QD4/3V4.12              | 7872-4041   | 4                 | SH      | 1 5/8                | 1 29/32         | 3.050         |
| QD1/3V4.50              | 7872-1045   | 1                 | SH      | 1 5/8                | 11/16           | 2.600         |
| QD2/3V4.50              | 7872-2045   | 2                 | SH      | 1 5/8                | 1 3/32          | 2.810         |
| QD3/3V4.50              | 7872-3045   | 3                 | SDS     | 1 15/16              | 1 1/2           | 3.000         |
| QD4/3V4.50              | 7872-4045   | 4                 | SDS     | 1 15/16              | 1 29/32         | 3.470         |
| QD1/3V4.75              | 7872-1047   | 1                 | SH      | 1 5/8                | 11/16           | 3.000         |
| QD2/3V4.75              | 7872-2047   | 2                 | SH      | 1 5/8                | 1 3/32          | 3.210         |
| QD3/3V4.75              | 7872-3047   | 3                 | SDS     | 1 15/16              | 1 1/2           | 3.380         |
| QD4/3V4.75              | 7872-4047   | 4                 | SDS     | 1 15/16              | 1 29/32         | 4.040         |
| QD5/3V4.75              | 7872-5047   | 5                 | SDS     | 1 15/16              | 2 5/16          | 4.330         |
| QD6/3V4.75              | 7872-6047   | 6                 | SK      | 2 1/2                | 2 23/32         | 5.280         |
| QD8/3V4.75              | 7872-8047   | 8                 | SK      | 2 1/2                | 3 17/32         | 6.940         |
| QD10/3V4.75             | 7873-0047   | 10                | SK      | 2 1/2                | 4 11/32         | 7.420         |
| QD1/3V5.00              | 7872-1050   | 1                 | SH      | 1 5/8                | 11/16           | 3.300         |
| QD2/3V5.00              | 7872-2050   | 2                 | SH      | 1 5/8                | 1 3/32          | 3.640         |
| QD3/3V5.00              | 7872-3050   | 3                 | SDS     | 1 15/16              | 1 1/2           | 3.920         |
| QD4/3V5.00              | 7872-4050   | 4                 | SDS     | 1 15/16              | 1 29/32         | 4.590         |
| QD5/3V5.00              | 7872-5050   | 5                 | SDS     | 1 15/16              | 2 5/16          | 5.150         |
| QD6/3V5.00              | 7872-6050   | 6                 | SK      | 2 1/2                | 2 23/32         | 6.090         |
| QD8/3V5.00              | 7872-8050   | 8                 | SK      | 2 1/2                | 3 17/32         | 7.470         |
| QD10/3V5.00             | 7873-0050   | 10                | SK      | 2 1/2                | 4 11/32         | 8.670         |

HEAVY DUTY V-BELT METAL

<sup>6</sup> Standard/Non-Stock item. Check with Customer Service for availability.



# Super HC<sup>®</sup> Sheaves - QD<sup>®</sup>

## Product No. Series 7872 & 7873 (continued) 3V Section (continued)

| Part No.                 | Product No. | Number of Grooves | Bushing | Bore Range Max. (in) | Face Width (in) | Weight (Lbs.) |
|--------------------------|-------------|-------------------|---------|----------------------|-----------------|---------------|
| QD1/3V5.30               | 7872-1053   | 1                 | SH      | 1 5/8                | 11/16           | 3.790         |
| QD2/3V5.30               | 7872-2053   | 2                 | SH      | 1 5/8                | 1 3/32          | 4.180         |
| QD3/3V5.30               | 7872-3053   | 3                 | SDS     | 1 15/16              | 1 1/2           | 4.510         |
| QD4/3V5.30               | 7872-4053   | 4                 | SDS     | 1 15/16              | 1 29/32         | 5.220         |
| QD5/3V5.30               | 7872-5053   | 5                 | SK      | 2 1/2                | 2 5/16          | 5.990         |
| QD6/3V5.30               | 7872-6053   | 6                 | SK      | 2 1/2                | 2 23/32         | 6.600         |
| QD8/3V5.30               | 7872-8053   | 8                 | SK      | 2 1/2                | 3 17/32         | 7.550         |
| QD10/3V5.30              | 7873-0053   | 10                | SK      | 2 1/2                | 4 11/32         | 8.740         |
| QD1/3V5.60               | 7872-1056   | 1                 | SH      | 1 5/8                | 11/16           | 4.350         |
| QD2/3V5.60               | 7872-2056   | 2                 | SH      | 1 5/8                | 1 3/32          | 4.690         |
| QD3/3V5.60               | 7872-3056   | 3                 | SDS     | 1 15/16              | 1 1/2           | 4.980         |
| QD4/3V5.60               | 7872-4056   | 4                 | SDS     | 1 15/16              | 1 29/32         | 5.640         |
| QD5/3V5.60               | 7872-5056   | 5                 | SK      | 2 1/2                | 2 5/16          | 6.990         |
| QD6/3V5.60               | 7872-6056   | 6                 | SK      | 2 1/2                | 2 23/32         | 7.690         |
| QD8/3V5.60               | 7872-8056   | 8                 | SK      | 2 1/2                | 3 17/32         | 9.350         |
| QD10/3V5.60              | 7873-0056   | 10                | SK      | 2 1/2                | 4 11/32         | 11.000        |
| QD1/3V6.00               | 7872-1060   | 1                 | SH      | 1 5/8                | 11/16           | 5.050         |
| QD2/3V6.00               | 7872-2060   | 2                 | SH      | 1 5/8                | 1 3/32          | 5.700         |
| QD3/3V6.00               | 7872-3060   | 3                 | SDS     | 1 15/16              | 1 1/2           | 7.100         |
| QD4/3V6.00               | 7872-4060   | 4                 | SK      | 2 1/2                | 1 29/32         | 7.930         |
| QD5/3V6.00               | 7872-5060   | 5                 | SK      | 2 1/2                | 2 5/16          | 9.110         |
| QD6/3V6.00               | 7872-6060   | 6                 | SK      | 2 1/2                | 2 23/32         | 10.150        |
| QD8/3V6.00               | 7872-8060   | 8                 | SK      | 2 1/2                | 3 17/32         | 10.000        |
| QD10/3V6.00              | 7873-0060   | 10                | SK      | 2 1/2                | 4 11/32         | 11.390        |
| QD1/3V6.50               | 7872-1065   | 1                 | SH      | 1 5/8                | 11/16           | 6.100         |
| QD2/3V6.50               | 7872-2065   | 2                 | SDS     | 1 5/8                | 1 3/32          | 6.460         |
| QD3/3V6.50               | 7872-3065   | 3                 | SDS     | 1 15/16              | 1 1/2           | 8.200         |
| QD4/3V6.50               | 7872-4065   | 4                 | SK      | 2 1/2                | 1 29/32         | 9.610         |
| QD5/3V6.50               | 7872-5065   | 5                 | SK      | 2 1/2                | 2 5/16          | 10.720        |
| QD6/3V6.50               | 7872-6065   | 6                 | SK      | 2 1/2                | 2 23/32         | 11.770        |
| QD8/3V6.50               | 7872-8065   | 8                 | SK      | 2 1/2                | 3 17/32         | 14.350        |
| <sup>6</sup> QD10/3V6.50 | 7873-0065   | 10                | SK      | 2 1/2                | 4 11/32         | 14.320        |
| QD1/3V6.90               | 7872-1069   | 1                 | SH      | 1 5/8                | 11/16           | 6.930         |
| QD2/3V6.90               | 7872-2069   | 2                 | SDS     | 1 5/8                | 1 3/32          | 7.280         |
| QD3/3V6.90               | 7872-3069   | 3                 | SDS     | 1 15/16              | 1 1/2           | 8.910         |
| QD4/3V6.90               | 7872-4069   | 4                 | SK      | 2 1/2                | 1 29/32         | 11.080        |
| QD5/3V6.90               | 7872-5069   | 5                 | SK      | 2 1/2                | 2 5/16          | 13.040        |
| QD6/3V6.90               | 7872-6069   | 6                 | SK      | 2 1/2                | 2 23/32         | 14.510        |
| QD8/3V6.90               | 7872-8069   | 8                 | SK      | 2 1/2                | 3 17/32         | 14.090        |
| QD10/3V6.90              | 7873-0069   | 10                | SK      | 2 1/2                | 4 11/32         | 16.400        |
| QD1/3V8.00               | 7872-1080   | 1                 | SDS     | 1 15/16              | 11/16           | 8.210         |
| QD2/3V8.00               | 7872-2080   | 2                 | SDS     | 1 15/16              | 1 3/32          | 10.030        |
| QD3/3V8.00               | 7872-3080   | 3                 | SK      | 2 1/2                | 1 1/2           | 14.440        |
| QD4/3V8.00               | 7872-4080   | 4                 | SK      | 2 1/2                | 1 29/32         | 16.560        |
| QD5/3V8.00               | 7872-5080   | 5                 | SK      | 2 1/2                | 2 5/16          | 17.990        |
| QD6/3V8.00               | 7872-6080   | 6                 | SK      | 2 1/2                | 2 23/32         | 16.930        |
| QD8/3V8.00               | 7872-8080   | 8                 | SF      | 2 15/16              | 3 17/32         | 19.680        |
| QD10/3V8.00              | 7873-0080   | 10                | SF      | 2 15/16              | 4 11/32         | 19.000        |
| QD1/3V10.60              | 7872-1106   | 1                 | SDS     | 1 15/16              | 11/16           | 14.130        |
| QD2/3V10.60              | 7872-2106   | 2                 | SK      | 1 15/16              | 1 3/32          | 19.800        |
| QD3/3V10.60              | 7872-3106   | 3                 | SK      | 2 1/2                | 1 1/2           | 16.100        |
| QD4/3V10.60              | 7872-4106   | 4                 | SK      | 2 1/2                | 1 29/32         | 17.290        |
| QD5/3V10.60              | 7872-5106   | 5                 | SK      | 2 1/2                | 2 5/16          | 32.740        |
| QD6/3V10.60              | 7872-6106   | 6                 | SF      | 2 15/16              | 2 23/32         | 35.490        |
| QD8/3V10.60              | 7872-8106   | 8                 | SF      | 2 15/16              | 3 17/32         | 24.870        |
| QD10/3V10.60             | 7873-0106   | 10                | E       | 3 1/2                | 4 11/32         | 31.290        |
| QD1/3V14.00              | 7872-1140   | 1                 | SK      | 2 1/2                | 11/16           | 17.530        |
| QD2/3V14.00              | 7872-2140   | 2                 | SK      | 2 1/2                | 1 3/32          | 14.820        |
| QD3/3V14.00              | 7872-3140   | 3                 | SK      | 2 1/2                | 1 1/2           | 20.330        |
| QD4/3V14.00              | 7872-4140   | 4                 | SK      | 2 1/2                | 1 29/32         | 26.130        |

HEAVY DUTY V-BELT METAL

<sup>6</sup> Standard/Non-Stock item. Check with Customer Service for availability.





# Super HC<sup>®</sup> Sheaves - QD<sup>®</sup>

## Product No. Series 7872 & 7873 (continued) 3V Section (continued)

| Part No.                 | Product No. | Number of Grooves | Bushing | Bore Range Max. (in) | Face Width (in) | Weight (Lbs.) |
|--------------------------|-------------|-------------------|---------|----------------------|-----------------|---------------|
| QD5/3V14.00              | 7872-5140   | 5                 | SF      | 2 15/16              | 2 5/16          | 30.470        |
| QD6/3V14.00              | 7872-6140   | 6                 | SF      | 2 15/16              | 2 23/32         | 33.260        |
| QD8/3V14.00              | 7872-8140   | 8                 | E       | 3 1/2                | 3 17/32         | 45.540        |
| QD10/3V14.00             | 7873-0140   | 10                | E       | 3 1/2                | 4 11/32         | 49.700        |
| QD1/3V19.00              | 7872-1190   | 1                 | SK      | 2 1/2                | 1 1/16          | 34.810        |
| QD2/3V19.00              | 7872-2190   | 2                 | SK      | 2 1/2                | 1 3/32          | 35.060        |
| QD3/3V19.00              | 7872-3190   | 3                 | SF      | 2 15/16              | 1 1/2           | 34.300        |
| QD4/3V19.00              | 7872-4190   | 4                 | SF      | 2 15/16              | 1 29/32         | 36.990        |
| QD5/3V19.00              | 7872-5190   | 5                 | SF      | 2 15/16              | 2 5/16          | 43.650        |
| QD6/3V19.00              | 7872-6190   | 6                 | E       | 3 1/2                | 2 23/32         | 50.770        |
| <sup>6</sup> QD8/3V19.00 | 7872-8190   | 8                 | E       | 3 1/2                | 3 17/32         | 60.750        |
| QD10/3V19.00             | 7873-0190   | 10                | E       | 3 1/2                | 4 11/32         | 72.300        |
| QD2/3V25.00              | 7872-2250   | 2                 | SF      | 2 15/16              | 1 3/32          | 33.750        |
| QD3/3V25.00              | 7872-3250   | 3                 | SF      | 2 15/16              | 1 1/2           | 51.500        |
| QD4/3V25.00              | 7872-4250   | 4                 | SF      | 2 15/16              | 1 29/32         | 49.000        |
| QD5/3V25.00              | 7872-5250   | 5                 | E       | 3 1/2                | 2 5/16          | 68.000        |
| QD6/3V25.00              | 7872-6250   | 6                 | E       | 3 1/2                | 2 23/32         | 66.500        |
| QD8/3V25.00              | 7872-8250   | 8                 | E       | 3 1/2                | 3 17/32         | 84.500        |
| QD10/3V25.00             | 7873-0250   | 10                | F       | 3 15/16              | 4 11/32         | 98.600        |
| <sup>6</sup> QD3/3V33.50 | 7872-3335   | 3                 | SF      | 2 15/16              | 1 1/2           | 75.500        |
| QD4/3V33.50              | 7872-4335   | 4                 | E       | 3 1/2                | 1 29/32         | 96.000        |
| QD5/3V33.50              | 7872-5335   | 5                 | E       | 3 1/2                | 2 5/16          | 97.500        |
| QD6/3V33.50              | 7872-6335   | 6                 | E       | 3 1/2                | 2 23/32         | 105.000       |
| QD8/3V33.50              | 7872-8335   | 8                 | F       | 3 15/16              | 3 17/32         | 137.000       |
| QD10/3V33.50             | 7873-0335   | 10                | F       | 3 15/16              | 4 11/32         | 178.000       |

## Product No. Series 7874 & 7875 5V Section

| Part No.                | Product No. | Number of Grooves | Bushing | Bore Range Max. (in) | Face Width (in) | Weight (Lbs.) |
|-------------------------|-------------|-------------------|---------|----------------------|-----------------|---------------|
| QD2/5V4.40              | 7874-2044   | 2                 | SH      | 1 5/8                | 1 11/16         | 3.270         |
| QD3/5V4.40              | 7874-3044   | 3                 | SDS     | 1 15/16              | 2 3/8           | 4.410         |
| QD4/5V4.40              | 7874-4044   | 4                 | SD      | 1 15/16              | 3 1/16          | 5.530         |
| QD5/5V4.40              | 7874-5044   | 5                 | SD      | 1 15/16              | 3 3/4           | 6.420         |
| <sup>6</sup> QD6/5V4.40 | 7874-6044   | 6                 | SD      | 1 15/16              | 4 7/16          | 7.450         |
| QD2/5V4.65              | 7874-2046   | 2                 | SDS     | 1 15/16              | 1 11/16         | 4.160         |
| QD3/5V4.65              | 7874-3046   | 3                 | SDS     | 1 15/16              | 2 3/8           | 4.510         |
| QD4/5V4.65              | 7874-4046   | 4                 | SD      | 1 15/16              | 3 1/16          | 6.700         |
| <sup>6</sup> QD5/5V4.65 | 7874-5046   | 5                 | SD      | 1 15/16              | 3 3/4           | 7.940         |
| <sup>6</sup> QD6/5V4.65 | 7874-6046   | 6                 | SD      | 1 15/16              | 4 7/16          | 8.540         |
| QD2/5V4.90              | 7874-2049   | 2                 | SDS     | 1 15/16              | 1 11/16         | 3.950         |
| QD3/5V4.90              | 7874-3049   | 3                 | SDS     | 1 15/16              | 2 3/8           | 5.000         |
| QD4/5V4.90              | 7874-4049   | 4                 | SD      | 1 15/16              | 3 1/16          | 6.600         |
| <sup>6</sup> QD5/5V4.90 | 7874-5049   | 5                 | SD      | 1 15/16              | 3 3/4           | 8.580         |
| QD6/5V4.90              | 7874-6049   | 6                 | SD      | 1 15/16              | 4 7/16          | 10.320        |
| QD2/5V5.20              | 7874-2052   | 2                 | SDS     | 1 15/16              | 1 11/16         | 4.550         |
| QD3/5V5.20              | 7874-3052   | 3                 | SDS     | 1 15/16              | 2 3/8           | 5.790         |
| QD4/5V5.20              | 7874-4052   | 4                 | SD      | 1 15/16              | 3 1/16          | 7.700         |
| QD5/5V5.20              | 7874-5052   | 5                 | SD      | 1 15/16              | 3 3/4           | 8.690         |
| QD6/5V5.20              | 7874-6052   | 6                 | SD      | 1 15/16              | 4 7/16          | 10.280        |
| QD2/5V5.50              | 7874-2055   | 2                 | SDS     | 1 15/16              | 1 11/16         | 5.150         |
| QD3/5V5.50              | 7874-3055   | 3                 | SDS     | 1 15/16              | 2 3/8           | 6.470         |
| QD4/5V5.50              | 7874-4055   | 4                 | SD      | 1 15/16              | 3 1/16          | 9.150         |
| QD5/5V5.50              | 7874-5055   | 5                 | SD      | 1 15/16              | 3 3/4           | 10.240        |
| <sup>6</sup> QD6/5V5.50 | 7874-6055   | 6                 | SD      | 1 15/16              | 4 7/16          | 11.530        |
| QD2/5V5.90              | 7874-2059   | 2                 | SDS     | 1 15/16              | 1 11/16         | 6.160         |
| QD3/5V5.90              | 7874-3059   | 3                 | SDS     | 1 15/16              | 2 3/8           | 7.870         |

<sup>6</sup> Standard/Non-Stock item. Check with Customer Service for availability.

HEAVY DUTY V-BELT METAL



# Super HC<sup>®</sup> Sheaves - QD<sup>®</sup>

## Product No. Series 7874 & 7875 (continued)

### 5V Section (continued)

| Part No.    | Product No. | Number of Grooves | Bushing | Bore Range Max. (in) | Face Width (in) | Weight (Lbs.) |
|-------------|-------------|-------------------|---------|----------------------|-----------------|---------------|
| QD4/5V5.90  | 7874-4059   | 4                 | SD      | 1 15/16              | 3 1/16          | 10.250        |
| QD5/5V5.90  | 7874-5059   | 5                 | SK      | 2 1/2                | 3 3/4           | 10.820        |
| QD6/5V5.90  | 7874-6059   | 6                 | SK      | 2 1/2                | 4 7/16          | 12.300        |
| QD2/5V6.30  | 7874-2063   | 2                 | SK      | 2 1/2                | 1 11/16         | 7.600         |
| QD3/5V6.30  | 7874-3063   | 3                 | SK      | 2 1/2                | 2 3/8           | 9.570         |
| QD4/5V6.30  | 7874-4063   | 4                 | SK      | 2 1/2                | 3 1/16          | 11.010        |
| QD5/5V6.30  | 7874-5063   | 5                 | SK      | 2 1/2                | 3 3/4           | 12.700        |
| QD6/5V6.30  | 7874-6063   | 6                 | SK      | 2 1/2                | 4 7/16          | 14.170        |
| QD2/5V6.70  | 7874-2067   | 2                 | SK      | 2 1/2                | 1 11/16         | 8.960         |
| QD3/5V6.70  | 7874-3067   | 3                 | SK      | 2 1/2                | 2 3/8           | 10.620        |
| QD4/5V6.70  | 7874-4067   | 4                 | SK      | 2 1/2                | 3 1/16          | 12.330        |
| QD5/5V6.70  | 7874-5067   | 5                 | SF      | 2 15/16              | 3 3/4           | 13.840        |
| QD6/5V6.70  | 7874-6067   | 6                 | SF      | 2 15/16              | 4 7/16          | 16.000        |
| QD2/5V7.10  | 7874-2071   | 2                 | SK      | 2 1/2                | 1 11/16         | 10.310        |
| QD3/5V7.10  | 7874-3071   | 3                 | SF      | 2 15/16              | 2 3/8           | 12.350        |
| QD4/5V7.10  | 7874-4071   | 4                 | SF      | 2 15/16              | 3 1/16          | 14.820        |
| QD5/5V7.10  | 7874-5071   | 5                 | SF      | 2 15/16              | 3 3/4           | 16.740        |
| QD6/5V7.10  | 7874-6071   | 6                 | SF      | 2 15/16              | 4 7/16          | 17.790        |
| QD7/5V7.10  | 7874-7071   | 7                 | SF      | 2 15/16              | 5 1/8           | 18.800        |
| QD8/5V7.10  | 7874-8071   | 8                 | SF      | 2 15/16              | 5 13/16         | 21.780        |
| QD2/5V7.50  | 7874-2075   | 2                 | SK      | 2 1/2                | 1 11/16         | 11.770        |
| QD3/5V7.50  | 7874-3075   | 3                 | SF      | 2 15/16              | 2 3/8           | 13.230        |
| QD4/5V7.50  | 7874-4075   | 4                 | SF      | 2 15/16              | 3 1/16          | 15.340        |
| QD5/5V7.50  | 7874-5075   | 5                 | SF      | 2 15/16              | 3 3/4           | 17.980        |
| QD6/5V7.50  | 7874-6075   | 6                 | SF      | 2 15/16              | 4 7/16          | 21.740        |
| QD7/5V7.50  | 7874-7075   | 7                 | SF      | 2 15/16              | 5 1/8           | 22.000        |
| QD8/5V7.50  | 7874-8075   | 8                 | SF      | 2 15/16              | 5 13/16         | 28.040        |
| QD2/5V8.00  | 7874-2080   | 2                 | SK      | 2 1/2                | 1 11/16         | 14.210        |
| QD3/5V8.00  | 7874-3080   | 3                 | SF      | 2 15/16              | 2 3/8           | 16.680        |
| QD4/5V8.00  | 7874-4080   | 4                 | E       | 3 1/2                | 3 1/16          | 18.100        |
| QD5/5V8.00  | 7874-5080   | 5                 | E       | 3 1/2                | 3 3/4           | 20.220        |
| QD6/5V8.00  | 7874-6080   | 6                 | E       | 3 1/2                | 4 7/16          | 22.570        |
| QD7/5V8.00  | 7874-7080   | 7                 | E       | 3 1/2                | 5 1/8           | 25.000        |
| QD8/5V8.00  | 7874-8080   | 8                 | E       | 3 1/2                | 5 13/16         | 27.480        |
| QD9/5V8.00  | 7874-9080   | 9                 | E       | 3 1/2                | 6 1/2           | 29.000        |
| QD10/5V8.00 | 7875-0080   | 10                | E       | 3 1/2                | 7 3/16          | 31.410        |
| QD2/5V8.50  | 7874-2085   | 2                 | SK      | 2 1/2                | 1 11/16         | 13.070        |
| QD3/5V8.50  | 7874-3085   | 3                 | SF      | 2 15/16              | 2 3/8           | 17.780        |
| QD4/5V8.50  | 7874-4085   | 4                 | E       | 3 1/2                | 3 1/16          | 20.840        |
| QD5/5V8.50  | 7874-5085   | 5                 | E       | 3 1/2                | 3 3/4           | 24.350        |
| QD6/5V8.50  | 7874-6085   | 6                 | E       | 3 1/2                | 4 7/16          | 27.390        |
| QD7/5V8.50  | 7874-7085   | 7                 | E       | 3 1/2                | 5 1/8           | 28.000        |
| QD8/5V8.50  | 7874-8085   | 8                 | E       | 3 1/2                | 5 13/16         | 36.550        |
| QD9/5V8.50  | 7874-9085   | 9                 | E       | 3 1/2                | 6 1/2           | 33.000        |
| QD10/5V8.50 | 7875-0085   | 10                | E       | 3 1/2                | 7 3/16          | 42.440        |
| QD2/5V9.00  | 7874-2090   | 2                 | SK      | 2 1/2                | 1 11/16         | 15.800        |
| QD3/5V9.00  | 7874-3090   | 3                 | SF      | 2 15/16              | 2 3/8           | 21.880        |
| QD4/5V9.00  | 7874-4090   | 4                 | E       | 3 1/2                | 3 1/16          | 25.950        |
| QD5/5V9.00  | 7874-5090   | 5                 | E       | 3 1/2                | 3 3/4           | 26.750        |
| QD6/5V9.00  | 7874-6090   | 6                 | E       | 3 1/2                | 4 7/16          | 29.850        |
| QD7/5V9.00  | 7874-7090   | 7                 | E       | 3 1/2                | 5 1/8           | 32.000        |
| QD8/5V9.00  | 7874-8090   | 8                 | E       | 3 1/2                | 5 13/16         | 34.740        |
| QD9/5V9.00  | 7874-9090   | 9                 | E       | 3 1/2                | 6 1/2           | 37.000        |
| QD10/5V9.00 | 7875-0090   | 10                | F       | 3 15/16              | 7 3/16          | 43.660        |
| QD2/5V9.25  | 7874-2092   | 2                 | SK      | 2 1/2                | 1 11/16         | 19.450        |
| QD3/5V9.25  | 7874-3092   | 3                 | SF      | 2 15/16              | 2 3/8           | 21.300        |
| QD4/5V9.25  | 7874-4092   | 4                 | E       | 3 1/2                | 3 1/16          | 25.870        |
| QD5/5V9.25  | 7874-5092   | 5                 | E       | 3 1/2                | 3 3/4           | 28.320        |
| QD6/5V9.25  | 7874-6092   | 6                 | E       | 3 1/2                | 4 7/16          | 31.260        |
| QD7/5V9.25  | 7874-7092   | 7                 | E       | 3 1/2                | 5 1/8           | 33.000        |

HEAVY DUTY V-BELT METAL



# Super HC<sup>®</sup> Sheaves - QD<sup>®</sup>

## Product No. Series 7874 & 7875 (continued) 5V Section (continued)

| Part No.     | Product No. | Number of Grooves | Bushing | Bore Range Max. (in) | Face Width (in) | Weight (Lbs.) |
|--------------|-------------|-------------------|---------|----------------------|-----------------|---------------|
| QD8/5V9.25   | 7874-8092   | 8                 | F       | 3 15/16              | 5 13/16         | 43.350        |
| QD9/5V9.25   | 7874-9092   | 9                 | F       | 3 15/16              | 6 1/2           | 42.000        |
| QD10/5V9.25  | 7875-0092   | 10                | F       | 3 15/16              | 7 3/16          | 48.230        |
| QD2/5V9.75   | 7874-2097   | 2                 | SK      | 2 1/2                | 1 11/16         | 22.540        |
| QD3/5V9.75   | 7874-3097   | 3                 | SF      | 2 15/16              | 2 3/8           | 22.040        |
| QD4/5V9.75   | 7874-4097   | 4                 | E       | 3 1/2                | 3 1/16          | 29.150        |
| QD5/5V9.75   | 7874-5097   | 5                 | E       | 3 1/2                | 3 3/4           | 33.290        |
| QD6/5V9.75   | 7874-6097   | 6                 | E       | 3 1/2                | 4 7/16          | 34.980        |
| QD7/5V9.75   | 7874-7097   | 7                 | E       | 3 1/2                | 5 1/8           | 37.000        |
| QD8/5V9.75   | 7874-8097   | 8                 | F       | 3 15/16              | 5 13/16         | 53.570        |
| QD9/5V9.75   | 7874-9097   | 9                 | F       | 3 15/16              | 6 1/2           | 48.000        |
| QD10/5V9.75  | 7875-0097   | 10                | F       | 3 15/16              | 7 3/16          | 51.620        |
| QD2/5V10.30  | 7874-2103   | 2                 | SK      | 2 1/2                | 1 11/16         | 20.650        |
| QD3/5V10.30  | 7874-3103   | 3                 | SF      | 2 15/16              | 2 3/8           | 22.650        |
| QD4/5V10.30  | 7874-4103   | 4                 | E       | 3 1/2                | 3 1/16          | 33.480        |
| QD5/5V10.30  | 7874-5103   | 5                 | E       | 3 1/2                | 3 3/4           | 37.530        |
| QD6/5V10.30  | 7874-6103   | 6                 | E       | 3 1/2                | 4 7/16          | 43.440        |
| QD7/5V10.30  | 7874-7103   | 7                 | F       | 3 15/16              | 5 1/8           | 49.000        |
| QD8/5V10.30  | 7874-8103   | 8                 | F       | 3 15/16              | 5 13/16         | 53.390        |
| QD9/5V10.30  | 7874-9103   | 9                 | F       | 3 15/16              | 6 1/2           | 55.000        |
| QD10/5V10.30 | 7875-0103   | 10                | F       | 3 15/16              | 7 3/16          | 58.300        |
| QD2/5V10.90  | 7874-2109   | 2                 | SK      | 2 1/2                | 1 11/16         | 19.410        |
| QD3/5V10.90  | 7874-3109   | 3                 | SF      | 2 15/16              | 2 3/8           | 25.160        |
| QD4/5V10.90  | 7874-4109   | 4                 | E       | 3 1/2                | 3 1/16          | 37.330        |
| QD5/5V10.90  | 7874-5109   | 5                 | E       | 3 1/2                | 3 3/4           | 41.750        |
| QD6/5V10.90  | 7874-6109   | 6                 | E       | 3 1/2                | 4 7/16          | 43.740        |
| QD7/5V10.90  | 7874-7109   | 7                 | F       | 3 15/16              | 5 1/8           | 55.000        |
| QD8/5V10.90  | 7874-8109   | 8                 | F       | 3 15/16              | 5 13/16         | 53.000        |
| QD9/5V10.90  | 7874-9109   | 9                 | F       | 3 15/16              | 6 1/2           | 61.000        |
| QD10/5V10.90 | 7875-0109   | 10                | F       | 3 15/16              | 7 3/16          | 84.300        |
| QD2/5V11.30  | 7874-2113   | 2                 | SK      | 2 1/2                | 1 11/16         | 22.770        |
| QD3/5V11.30  | 7874-3113   | 3                 | SF      | 2 15/16              | 2 3/8           | 28.460        |
| QD4/5V11.30  | 7874-4113   | 4                 | E       | 3 1/2                | 3 1/16          | 41.120        |
| QD5/5V11.30  | 7874-5113   | 5                 | E       | 3 1/2                | 3 3/4           | 47.900        |
| QD6/5V11.30  | 7874-6113   | 6                 | E       | 3 1/2                | 4 7/16          | 50.670        |
| QD7/5V11.30  | 7874-7113   | 7                 | F       | 3 15/16              | 5 1/8           | 62.000        |
| QD8/5V11.30  | 7874-8113   | 8                 | F       | 3 15/16              | 5 13/16         | 76.940        |
| QD9/5V11.30  | 7874-9113   | 9                 | F       | 3 15/16              | 6 1/2           | 69.000        |
| QD10/5V11.30 | 7875-0113   | 10                | F       | 3 15/16              | 7 3/16          | 75.400        |
| QD2/5V11.80  | 7874-2118   | 2                 | SK      | 2 1/2                | 1 11/16         | 28.100        |
| QD3/5V11.80  | 7874-3118   | 3                 | SF      | 2 15/16              | 2 3/8           | 27.290        |
| QD4/5V11.80  | 7874-4118   | 4                 | E       | 3 1/2                | 3 1/16          | 36.840        |
| QD5/5V11.80  | 7874-5118   | 5                 | E       | 3 1/2                | 3 3/4           | 39.270        |
| QD6/5V11.80  | 7874-6118   | 6                 | E       | 3 1/2                | 4 7/16          | 46.860        |
| QD7/5V11.80  | 7874-7118   | 7                 | F       | 3 15/16              | 5 1/8           | 52.000        |
| QD8/5V11.80  | 7874-8118   | 8                 | F       | 3 15/16              | 5 13/16         | 71.700        |
| QD9/5V11.80  | 7874-9118   | 9                 | F       | 3 15/16              | 6 1/2           | 60.000        |
| QD10/5V11.80 | 7875-0118   | 10                | F       | 3 15/16              | 7 3/16          | 90.940        |
| QD2/5V12.50  | 7874-2125   | 2                 | SF      | 2 15/16              | 1 11/16         | 24.870        |
| QD3/5V12.50  | 7874-3125   | 3                 | E       | 3 1/2                | 2 3/8           | 36.960        |
| QD4/5V12.50  | 7874-4125   | 4                 | E       | 3 1/2                | 3 1/16          | 37.540        |
| QD5/5V12.50  | 7874-5125   | 5                 | E       | 3 1/2                | 3 3/4           | 41.460        |
| QD6/5V12.50  | 7874-6125   | 6                 | F       | 3 15/16              | 4 7/16          | 62.900        |
| QD7/5V12.50  | 7874-7125   | 7                 | F       | 3 15/16              | 5 1/8           | 58.000        |
| QD8/5V12.50  | 7874-8125   | 8                 | F       | 3 15/16              | 5 13/16         | 90.180        |
| QD9/5V12.50  | 7874-9125   | 9                 | F       | 3 15/16              | 6 1/2           | 66.000        |
| QD10/5V12.50 | 7875-0125   | 10                | J       | 4 1/2                | 7 3/16          | 116.000       |
| QD2/5V13.20  | 7874-2132   | 2                 | SF      | 2 15/16              | 1 11/16         | 27.640        |
| QD3/5V13.20  | 7874-3132   | 3                 | E       | 3 1/2                | 2 3/8           | 40.070        |
| QD4/5V13.20  | 7874-4132   | 4                 | E       | 3 1/2                | 3 1/16          | 39.660        |

HEAVY DUTY V-BELT METAL



# Super HC<sup>®</sup> Sheaves - QD<sup>®</sup>

## Product No. Series 7874 & 7875 (continued)

### 5V Section (continued)

| Part No.     | Product No. | Number of Grooves | Bushing | Bore Range Max. (in) | Face Width (in) | Weight (Lbs.) |
|--------------|-------------|-------------------|---------|----------------------|-----------------|---------------|
| QD5/5V13.20  | 7874-5132   | 5                 | E       | 3 1/2                | 3 3/4           | 44.730        |
| QD6/5V13.20  | 7874-6132   | 6                 | F       | 3 15/16              | 4 7/16          | 61.440        |
| QD7/5V13.20  | 7874-7132   | 7                 | F       | 3 15/16              | 5 1/8           | 63.000        |
| QD8/5V13.20  | 7874-8132   | 8                 | F       | 3 15/16              | 5 13/16         | 92.000        |
| QD9/5V13.20  | 7874-9132   | 9                 | F       | 3 15/16              | 6 1/2           | 72.000        |
| QD10/5V13.20 | 7875-0132   | 10                | J       | 4 1/2                | 7 3/16          | 125.000       |
| QD2/5V14.00  | 7874-2140   | 2                 | SF      | 2 15/16              | 1 11/16         | 30.690        |
| QD3/5V14.00  | 7874-3140   | 3                 | E       | 3 1/2                | 2 3/8           | 39.060        |
| QD4/5V14.00  | 7874-4140   | 4                 | E       | 3 1/2                | 3 1/16          | 46.660        |
| QD5/5V14.00  | 7874-5140   | 5                 | E       | 3 1/2                | 3 3/4           | 52.800        |
| QD6/5V14.00  | 7874-6140   | 6                 | F       | 3 15/16              | 4 7/16          | 68.720        |
| QD7/5V14.00  | 7874-7140   | 7                 | F       | 3 15/16              | 5 1/8           | 67.000        |
| QD8/5V14.00  | 7874-8140   | 8                 | F       | 3 15/16              | 5 13/16         | 118.000       |
| QD9/5V14.00  | 7874-9140   | 9                 | F       | 3 15/16              | 6 1/2           | 78.000        |
| QD10/5V14.00 | 7875-0140   | 10                | J       | 4 1/2                | 7 3/16          | 145.000       |
| QD2/5V15.00  | 7874-2150   | 2                 | SF      | 2 15/16              | 1 11/16         | 34.570        |
| QD3/5V15.00  | 7874-3150   | 3                 | E       | 3 1/2                | 2 3/8           | 41.550        |
| QD4/5V15.00  | 7874-4150   | 4                 | E       | 3 1/2                | 3 1/16          | 51.350        |
| QD5/5V15.00  | 7874-5150   | 5                 | E       | 3 1/2                | 3 3/4           | 53.790        |
| QD6/5V15.00  | 7874-6150   | 6                 | F       | 3 15/16              | 4 7/16          | 75.740        |
| QD7/5V15.00  | 7874-7150   | 7                 | F       | 3 15/16              | 5 1/8           | 66.000        |
| QD8/5V15.00  | 7874-8150   | 8                 | F       | 3 15/16              | 5 13/16         | 86.560        |
| QD9/5V15.00  | 7874-9150   | 9                 | J       | 4 1/2                | 6 1/2           | 91.000        |
| QD10/5V15.00 | 7875-0150   | 10                | J       | 4 1/2                | 7 3/16          | 180.000       |
| QD2/5V16.00  | 7874-2160   | 2                 | SF      | 2 15/16              | 1 11/16         | 36.580        |
| QD3/5V16.00  | 7874-3160   | 3                 | E       | 3 1/2                | 2 3/8           | 43.960        |
| QD4/5V16.00  | 7874-4160   | 4                 | E       | 3 1/2                | 3 1/16          | 54.570        |
| QD5/5V16.00  | 7874-5160   | 5                 | E       | 3 1/2                | 3 3/4           | 59.560        |
| QD6/5V16.00  | 7874-6160   | 6                 | F       | 3 15/16              | 4 7/16          | 79.820        |
| QD7/5V16.00  | 7874-7160   | 7                 | F       | 3 15/16              | 5 1/8           | 71.000        |
| QD8/5V16.00  | 7874-8160   | 8                 | F       | 3 15/16              | 5 13/16         | 88.000        |
| QD9/5V16.00  | 7874-9160   | 9                 | J       | 4 1/2                | 6 1/2           | 91.000        |
| QD10/5V16.00 | 7875-0160   | 10                | J       | 4 1/2                | 7 3/16          | 200.000       |
| QD2/5V18.70  | 7874-2187   | 2                 | SF      | 2 15/16              | 1 11/16         | 53.900        |
| QD3/5V18.70  | 7874-3187   | 3                 | E       | 3 1/2                | 2 3/8           | 64.510        |
| QD4/5V18.70  | 7874-4187   | 4                 | E       | 3 1/2                | 3 1/16          | 70.720        |
| QD5/5V18.70  | 7874-5187   | 5                 | F       | 3 15/16              | 3 3/4           | 85.000        |
| QD6/5V18.70  | 7874-6187   | 6                 | F       | 3 15/16              | 4 7/16          | 152.000       |
| QD7/5V18.70  | 7874-7187   | 7                 | F       | 3 15/16              | 5 1/8           | 88.000        |
| QD8/5V18.70  | 7874-8187   | 8                 | J       | 4 1/2                | 5 13/16         | 128.000       |
| QD9/5V18.70  | 7874-9187   | 9                 | J       | 4 1/2                | 6 1/2           | 110.000       |
| QD10/5V18.70 | 7875-0187   | 10                | J       | 4 1/2                | 7 3/16          | 200.000       |
| QD2/5V21.20  | 7874-2212   | 2                 | SF      | 2 15/16              | 1 11/16         | 46.000        |
| QD3/5V21.20  | 7874-3212   | 3                 | E       | 3 1/2                | 2 3/8           | 62.000        |
| QD4/5V21.20  | 7874-4212   | 4                 | E       | 3 1/2                | 3 1/16          | 71.000        |
| QD5/5V21.20  | 7874-5212   | 5                 | F       | 3 15/16              | 3 3/4           | 105.000       |
| QD6/5V21.20  | 7874-6212   | 6                 | F       | 3 15/16              | 4 7/16          | 101.000       |
| QD7/5V21.20  | 7874-7212   | 7                 | J       | 4 1/2                | 5 1/8           | 113.000       |
| QD8/5V21.20  | 7874-8212   | 8                 | J       | 4 1/2                | 5 13/16         | 145.000       |
| QD9/5V21.20  | 7874-9212   | 9                 | J       | 4 1/2                | 6 1/2           | 127.000       |
| QD10/5V21.20 | 7875-0212   | 10                | J       | 4 1/2                | 7 3/16          | 188.000       |
| QD2/5V23.60  | 7874-2236   | 2                 | E       | 3 1/2                | 1 11/16         | 46.000        |
| QD3/5V23.60  | 7874-3236   | 3                 | E       | 3 1/2                | 2 3/8           | 69.000        |
| QD4/5V23.60  | 7874-4236   | 4                 | F       | 3 15/16              | 3 1/16          | 110.000       |
| QD5/5V23.60  | 7874-5236   | 5                 | F       | 3 15/16              | 3 3/4           | 120.000       |
| QD6/5V23.60  | 7874-6236   | 6                 | J       | 4 1/2                | 4 7/16          | 142.000       |
| QD7/5V23.60  | 7874-7236   | 7                 | J       | 4 1/2                | 5 1/8           | 123.000       |
| QD8/5V23.60  | 7874-8236   | 8                 | J       | 4 1/2                | 5 13/16         | 165.000       |
| QD9/5V23.60  | 7874-9236   | 9                 | J       | 4 1/2                | 6 1/2           | 145.000       |
| QD10/5V23.60 | 7875-0236   | 10                | M       | 5 1/2                | 7 3/16          | 217.000       |

HEAVY DUTY V-BELT METAL



# Super HC<sup>®</sup> Sheaves - QD<sup>®</sup>

## Product No. Series 7874 & 7875 (continued) 5V Section (continued)

| Part No.     | Product No. | Number of Grooves | Bushing | Bore Range Max. (in) | Face Width (in) | Weight (Lbs.) |
|--------------|-------------|-------------------|---------|----------------------|-----------------|---------------|
| QD2/5V28.00  | 7874-2280   | 2                 | E       | 3 1/2                | 1 11/16         | 94.080        |
| QD3/5V28.00  | 7874-3280   | 3                 | E       | 3 1/2                | 2 3/8           | 93.990        |
| QD4/5V28.00  | 7874-4280   | 4                 | F       | 3 15/16              | 3 1/16          | 128.000       |
| QD5/5V28.00  | 7874-5280   | 5                 | F       | 3 15/16              | 3 3/4           | 141.000       |
| QD6/5V28.00  | 7874-6280   | 6                 | J       | 4 1/2                | 4 7/16          | 151.000       |
| QD7/5V28.00  | 7874-7280   | 7                 | J       | 4 1/2                | 5 1/8           | 162.000       |
| QD8/5V28.00  | 7874-8280   | 8                 | J       | 4 1/2                | 5 13/16         | 178.000       |
| QD9/5V28.00  | 7874-9280   | 9                 | M       | 5 1/2                | 6 1/2           | 230.000       |
| QD10/5V28.00 | 7875-0280   | 10                | M       | 5 1/2                | 7 3/16          | 260.000       |
| QD3/5V31.50  | 7874-3315   | 3                 | F       | 3 15/16              | 2 3/8           | 110.000       |
| QD4/5V31.50  | 7874-4315   | 4                 | F       | 3 15/16              | 3 1/16          | 145.000       |
| QD5/5V31.50  | 7874-5315   | 5                 | J       | 4 1/2                | 3 3/4           | 165.900       |
| QD6/5V31.50  | 7874-6315   | 6                 | J       | 4 1/2                | 4 7/16          | 190.000       |
| QD7/5V31.50  | 7874-7315   | 7                 | J       | 4 1/2                | 5 1/8           | 192.000       |
| QD8/5V31.50  | 7874-8315   | 8                 | M       | 5 1/2                | 5 13/16         | 286.000       |
| QD9/5V31.50  | 7874-9315   | 9                 | M       | 5 1/2                | 6 1/2           | 281.000       |
| QD10/5V31.50 | 7875-0315   | 10                | M       | 5 1/2                | 7 3/16          | 286.000       |
| QD3/5V37.50  | 7874-3375   | 3                 | F       | 3 15/16              | 2 3/8           | 144.000       |
| QD4/5V37.50  | 7874-4375   | 4                 | F       | 3 15/16              | 3 1/16          | 180.500       |
| QD5/5V37.50  | 7874-5375   | 5                 | J       | 4 1/2                | 3 3/4           | 225.500       |
| QD6/5V37.50  | 7874-6375   | 6                 | J       | 4 1/2                | 4 7/16          | 235.000       |
| QD7/5V37.50  | 7874-7375   | 7                 | M       | 5 1/2                | 5 1/8           | 304.000       |
| QD8/5V37.50  | 7874-8375   | 8                 | M       | 5 1/2                | 5 13/16         | 324.000       |
| QD9/5V37.50  | 7874-9375   | 9                 | M       | 5 1/2                | 6 1/2           | 335.000       |
| QD10/5V37.50 | 7875-0375   | 10                | M       | 5 1/2                | 7 3/16          | 340.000       |
| QD3/5V50.00  | 7874-3500   | 3                 | F       | 3 15/16              | 2 3/8           | 420.000       |
| QD4/5V50.00  | 7874-4500   | 4                 | J       | 4 1/2                | 3 1/16          | 328.000       |
| QD5/5V50.00  | 7874-5500   | 5                 | J       | 4 1/2                | 3 3/4           | 290.000       |
| QD6/5V50.00  | 7874-6500   | 6                 | M       | 5 1/2                | 4 7/16          | 360.000       |
| QD7/5V50.00  | 7874-7500   | 7                 | M       | 5 1/2                | 5 1/8           | 477.000       |
| QD8/5V50.00  | 7874-8500   | 8                 | M       | 5 1/2                | 5 13/16         | 444.000       |
| QD9/5V50.00  | 7874-9500   | 9                 | M       | 5 1/2                | 6 1/2           | 520.000       |
| QD10/5V50.00 | 7875-0500   | 10                | M       | 5 1/2                | 7 3/16          | 540.000       |

HEAVY DUTY V-BELT METAL

## Product No. Series 7876 & 7877 8V Section

| Part No.                  | Product No. | Number of Grooves | Bushing | Bore Range Max. (in) | Face Width (in) | Weight (Lbs.) |
|---------------------------|-------------|-------------------|---------|----------------------|-----------------|---------------|
| QD4/8V12.50               | 7876-4125   | 4                 | F       | 3 15/16              | 4 7/8           | 74.650        |
| QD5/8V12.50               | 7876-5125   | 5                 | F       | 3 15/16              | 6               | 70.000        |
| QD6/8V12.50               | 7876-6125   | 6                 | F       | 3 15/16              | 7 1/8           | 91.430        |
| QD8/8V12.50               | 7876-8125   | 8                 | J       | 4 1/2                | 9 3/8           | 110.000       |
| QD10/8V12.50              | 7877-0125   | 10                | J       | 4 1/2                | 11 5/8          | 133.000       |
| QD12/8V12.50              | 7877-2125   | 12                | M       | 5 1/2                | 13 7/8          | 153.000       |
| QD4/8V13.20               | 7876-4132   | 4                 | F       | 3 15/16              | 4 7/8           | 88.000        |
| QD5/8V13.20               | 7876-5132   | 5                 | F       | 3 15/16              | 6               | 82.960        |
| QD6/8V13.20               | 7876-6132   | 6                 | F       | 3 15/16              | 7 1/8           | 91.000        |
| QD8/8V13.20               | 7876-8132   | 8                 | J       | 4 1/2                | 9 3/8           | 128.000       |
| QD10/8V13.20              | 7877-0132   | 10                | J       | 4 1/2                | 11 5/8          | 151.000       |
| <sup>6</sup> QD12/8V13.20 | 7877-2132   | 12                | M       | 5 1/2                | 13 7/8          | 180.000       |
| QD4/8V14.00               | 7876-4140   | 4                 | F       | 3 15/16              | 4 7/8           | 76.690        |
| QD5/8V14.00               | 7876-5140   | 5                 | F       | 3 15/16              | 6               | 104.000       |
| QD6/8V14.00               | 7876-6140   | 6                 | F       | 3 15/16              | 7 1/8           | 118.000       |
| QD8/8V14.00               | 7876-8140   | 8                 | J       | 4 1/2                | 9 3/8           | 131.000       |
| QD10/8V14.00              | 7877-0140   | 10                | J       | 4 1/2                | 11 5/8          | 168.000       |
| QD12/8V14.00              | 7877-2140   | 12                | M       | 5 1/2                | 13 7/8          | 186.000       |
| QD4/8V15.00               | 7876-4150   | 4                 | F       | 3 15/16              | 4 7/8           | 111.000       |

<sup>6</sup> Standard/Non-Stock item. Check with Customer Service for availability.



# Super HC<sup>®</sup> Sheaves - QD<sup>®</sup>

## Product No. Series 7876 & 7877 (continued) 8V Section (continued)

| Part No.                  | Product No. | Number of Grooves | Bushing | Bore Range Max. (in) | Face Width (in) | Weight (Lbs.) |
|---------------------------|-------------|-------------------|---------|----------------------|-----------------|---------------|
| QD5/8V15.00               | 7876-5150   | 5                 | F       | 3 15/16              | 6               | 105.500       |
| QD6/8V15.00               | 7876-6150   | 6                 | J       | 4 1/2                | 7 1/8           | 128.000       |
| QD8/8V15.00               | 7876-8150   | 8                 | J       | 4 1/2                | 9 3/8           | 154.000       |
| QD10/8V15.00              | 7877-0150   | 10                | M       | 5 1/2                | 11 5/8          | 181.000       |
| QD12/8V15.00              | 7877-2150   | 12                | M       | 5 1/2                | 13 7/8          | 221.000       |
| QD4/8V16.00               | 7876-4160   | 4                 | F       | 3 15/16              | 4 7/8           | 97.000        |
| QD5/8V16.00               | 7876-5160   | 5                 | F       | 3 15/16              | 6               | 110.000       |
| QD6/8V16.00               | 7876-6160   | 6                 | J       | 4 1/2                | 7 1/8           | 143.000       |
| QD8/8V16.00               | 7876-8160   | 8                 | J       | 4 1/2                | 9 3/8           | 153.000       |
| QD10/8V16.00              | 7877-0160   | 10                | M       | 5 1/2                | 11 5/8          | 257.000       |
| QD12/8V16.00              | 7877-2160   | 12                | M       | 5 1/2                | 13 7/8          | 247.000       |
| <sup>6</sup> QD4/8V17.00  | 7876-4170   | 4                 | F       | 3 15/16              | 4 7/8           | 150.000       |
| QD5/8V17.00               | 7876-5170   | 5                 | J       | 4 1/2                | 6               | 150.000       |
| QD6/8V17.00               | 7876-6170   | 6                 | J       | 4 1/2                | 7 1/8           | 138.000       |
| QD8/8V17.00               | 7876-8170   | 8                 | M       | 5 1/2                | 9 3/8           | 186.000       |
| QD10/8V17.00              | 7877-0170   | 10                | M       | 5 1/2                | 11 5/8          | 261.000       |
| QD12/8V17.00              | 7877-2170   | 12                | M       | 5 1/2                | 13 7/8          | 267.000       |
| QD4/8V18.00               | 7876-4180   | 4                 | F       | 3 15/16              | 4 7/8           | 150.000       |
| QD5/8V18.00               | 7876-5180   | 5                 | J       | 4 1/2                | 6               | 150.000       |
| QD6/8V18.00               | 7876-6180   | 6                 | J       | 4 1/2                | 7 1/8           | 135.000       |
| QD8/8V18.00               | 7876-8180   | 8                 | M       | 5 1/2                | 9 3/8           | 218.000       |
| QD10/8V18.00              | 7877-0180   | 10                | M       | 5 1/2                | 11 5/8          | 295.000       |
| QD12/8V18.00              | 7877-2180   | 12                | M       | 5 1/2                | 13 7/8          | 274.000       |
| QD4/8V19.00               | 7876-4190   | 4                 | F       | 3 15/16              | 4 7/8           | 100.000       |
| QD5/8V19.00               | 7876-5190   | 5                 | J       | 4 1/2                | 6               | 146.000       |
| QD6/8V19.00               | 7876-6190   | 6                 | J       | 4 1/2                | 7 1/8           | 163.000       |
| QD8/8V19.00               | 7876-8190   | 8                 | M       | 5 1/2                | 9 3/8           | 190.000       |
| QD10/8V19.00              | 7877-0190   | 10                | M       | 5 1/2                | 11 5/8          | 249.000       |
| <sup>6</sup> QD12/8V19.00 | 7877-2190   | 12                | N       | 5 7/8                | 13 7/8          | 306.000       |
| QD4/8V20.00               | 7876-4200   | 4                 | J       | 4 1/2                | 4 7/8           | 145.000       |
| QD5/8V20.00               | 7876-5200   | 5                 | J       | 4 1/2                | 6               | 145.000       |
| QD6/8V20.00               | 7876-6200   | 6                 | M       | 5 1/2                | 7 1/8           | 100.000       |
| QD8/8V20.00               | 7876-8200   | 8                 | M       | 5 1/2                | 9 3/8           | 212.000       |
| QD10/8V20.00              | 7877-0200   | 10                | M       | 5 1/2                | 11 5/8          | 277.000       |
| <sup>6</sup> QD12/8V20.00 | 7877-2200   | 12                | N       | 5 7/8                | 13 7/8          | 338.000       |
| <sup>6</sup> QD4/8V21.20  | 7876-4212   | 4                 | J       | 4 1/2                | 4 7/8           | 181.000       |
| QD5/8V21.20               | 7876-5212   | 5                 | J       | 4 1/2                | 6               | 181.000       |
| QD6/8V21.20               | 7876-6212   | 6                 | M       | 5 1/2                | 7 1/8           | 188.000       |
| QD8/8V21.20               | 7876-8212   | 8                 | M       | 5 1/2                | 9 3/8           | 282.000       |
| QD10/8V21.20              | 7877-0212   | 10                | M       | 5 1/2                | 11 5/8          | 254.000       |
| QD12/8V21.20              | 7877-2212   | 12                | N       | 5 7/8                | 13 7/8          | 310.000       |
| <sup>6</sup> QD4/8V22.40  | 7876-4224   | 4                 | J       | 4 1/2                | 4 7/8           | 199.000       |
| QD5/8V22.40               | 7876-5224   | 5                 | M       | 4 1/2                | 6               | 199.000       |
| QD6/8V22.40               | 7876-6224   | 6                 | M       | 5 1/2                | 7 1/8           | 221.000       |
| QD8/8V22.40               | 7876-8224   | 8                 | M       | 5 1/2                | 9 3/8           | 258.000       |
| <sup>6</sup> QD10/8V22.40 | 7877-0224   | 10                | N       | 5 7/8                | 11 5/8          | 326.000       |
| <sup>6</sup> QD12/8V22.40 | 7877-2224   | 12                | N       | 5 7/8                | 13 7/8          | 361.000       |
| QD4/8V24.80               | 7876-4248   | 4                 | M       | 5 1/2                | 4 7/8           | 220.000       |
| <sup>6</sup> QD5/8V24.80  | 7876-5248   | 5                 | M       | 5 1/2                | 6               | 232.000       |
| QD6/8V24.80               | 7876-6248   | 6                 | M       | 5 1/2                | 7 1/8           | 302.000       |
| QD8/8V24.80               | 7876-8248   | 8                 | N       | 5 7/8                | 9 3/8           | 362.000       |
| QD10/8V24.80              | 7877-0248   | 10                | N       | 5 7/8                | 11 5/8          | 336.000       |
| <sup>6</sup> QD12/8V24.80 | 7877-2248   | 12                | N       | 5 7/8                | 13 7/8          | 313.000       |
| <sup>6</sup> QD4/8V30.00  | 7876-4300   | 4                 | M       | 5 1/2                | 4 7/8           | 292.000       |
| QD5/8V30.00               | 7876-5300   | 5                 | M       | 5 1/2                | 6               | 295.000       |
| QD6/8V30.00               | 7876-6300   | 6                 | M       | 5 1/2                | 7 1/8           | 345.000       |
| QD8/8V30.00               | 7876-8300   | 8                 | N       | 5 7/8                | 9 3/8           | 410.000       |
| QD10/8V30.00              | 7877-0300   | 10                | N       | 5 7/8                | 11 5/8          | 463.000       |
| QD12/8V30.00              | 7877-2300   | 12                | P       | 7                    | 13 7/8          | 567.000       |
| QD4/8V35.50               | 7876-4355   | 4                 | M       | 5 1/2                | 4 7/8           | 367.000       |

HEAVY DUTY V-BELT METAL

<sup>6</sup> Standard/Non-Stock item. Check with Customer Service for availability.



# Super HC<sup>®</sup> Sheaves - QD<sup>®</sup>

## Product No. Series 7876 & 7877 (continued) 8V Section (continued)

| Part No.                  | Product No. | Number of Grooves | Bushing | Bore Range Max. (in) | Face Width (in) | Weight (Lbs.) |
|---------------------------|-------------|-------------------|---------|----------------------|-----------------|---------------|
| <sup>6</sup> QD5/8V35.50  | 7876-5355   | 5                 | M       | 5 1/2                | 6               | 399.000       |
| QD6/8V35.50               | 7876-6355   | 6                 | N       | 5 7/8                | 7 1/8           | 444.000       |
| QD8/8V35.50               | 7876-8355   | 8                 | N       | 5 7/8                | 9 3/8           | 508.000       |
| <sup>6</sup> QD10/8V35.50 | 7877-0355   | 10                | P       | 7                    | 11 5/8          | 605.000       |
| <sup>6</sup> QD12/8V35.50 | 7877-2355   | 12                | P       | 7                    | 13 7/8          | 693.000       |
| <sup>6</sup> QD4/8V40.00  | 7876-4400   | 4                 | M       | 5 1/2                | 4 7/8           | 434.000       |
| QD5/8V40.00               | 7876-5400   | 5                 | M       | 5 1/2                | 6               | 471.000       |
| QD6/8V40.00               | 7876-6400   | 6                 | N       | 5 7/8                | 7 1/8           | 519.000       |
| QD8/8V40.00               | 7876-8400   | 8                 | N       | 5 7/8                | 9 3/8           | 592.000       |
| QD10/8V40.00              | 7877-0400   | 10                | P       | 7                    | 11 5/8          | 697.000       |
| QD12/8V40.00              | 7877-2400   | 12                | P       | 7                    | 13 7/8          | 796.000       |
| <sup>6</sup> QD4/8V44.50  | 7876-4445   | 4                 | M       | 5 1/2                | 4 7/8           | 369.000       |
| <sup>6</sup> QD5/8V44.50  | 7876-5445   | 5                 | N       | 5 7/8                | 6               | 427.000       |
| QD6/8V44.50               | 7876-6445   | 6                 | N       | 5 7/8                | 7 1/8           | 510.000       |
| QD8/8V44.50               | 7876-8445   | 8                 | P       | 7                    | 9 3/8           | 691.000       |
| <sup>6</sup> QD10/8V44.50 | 7877-0445   | 10                | P       | 7                    | 11 5/8          | 754.000       |
| <sup>6</sup> QD12/8V44.50 | 7877-2445   | 12                | P       | 7                    | 13 7/8          | 839.000       |
| <sup>6</sup> QD4/8V53.00  | 7876-4530   | 4                 | M       | 5 1/2                | 4 7/8           | 818.000       |
| <sup>6</sup> QD5/8V53.00  | 7876-5530   | 5                 | N       | 5 7/8                | 6               | 613.000       |
| QD6/8V53.00               | 7876-6530   | 6                 | N       | 5 7/8                | 7 1/8           | 924.000       |
| QD8/8V53.00               | 7876-8530   | 8                 | P       | 7                    | 9 3/8           | 1,040.000     |
| QD10/8V53.00              | 7877-0530   | 10                | P       | 7                    | 11 5/8          | 1,138.000     |
| <sup>6</sup> QD12/8V53.00 | 7877-2530   | 12                | W       | 8 1/2                | 13 7/8          | 1,343.000     |
| QD6/8V63.00               | 7876-6630   | 6                 | P       | 7                    | 7 1/8           | 860.000       |
| <sup>6</sup> QD8/8V63.00  | 7876-8630   | 8                 | P       | 7                    | 9 3/8           | 960.000       |
| <sup>6</sup> QD10/8V63.00 | 7877-0630   | 10                | W       | 8 1/2                | 11 5/8          | 1,143.000     |
| <sup>6</sup> QD12/8V63.00 | 7877-2630   | 12                | W       | 8 1/2                | 13 7/8          | 1,777.000     |
| <sup>6</sup> QD6/8V71.00  | 7876-6710   | 6                 | P       | 7                    | 7 1/8           | 1,558.000     |
| <sup>6</sup> QD8/8V71.00  | 7876-8710   | 8                 | W       | 8 1/2                | 9 3/8           | 1,490.000     |
| <sup>6</sup> QD10/8V71.00 | 7877-0710   | 10                | W       | 8 1/2                | 11 5/8          | 1,881.000     |
| <sup>6</sup> QD12/8V71.00 | 7877-2710   | 12                | W       | 8 1/2                | 13 7/8          | 2,002.000     |

HEAVY DUTY V-BELT METAL

<sup>6</sup> Standard/Non-Stock item. Check with Customer Service for availability.





# Multi-Duty® Sheaves - QD®

**Notes**

Details shown which do not affect drive function or overall weight may be changed without notification.  
Sheaves and bushings must be ordered separately.

The multi-duty function applies to part numbers showing both the A and B dimensions.

**WARNING:** Do NOT use these sheaves with rim speeds in excess of 6,500 fpm.  
Do NOT use with "A" section PowerBand belts.

## Product No. Series 7831 Combination A or B Section

| Part No.                  | Product No. | Number of Grooves | Outside Dia. (in) | Bushing | Bore Range Max. (in) | Face Width (in) | Weight (Lbs.) |
|---------------------------|-------------|-------------------|-------------------|---------|----------------------|-----------------|---------------|
| QD1A3.0/B3.4              | 7831-1030   | 1                 | 3.75              | SH      | 1 5/8                | 7/8             | 2.300         |
| QD2A3.0/B3.4              | 7831-2030   | 2                 | 3.75              | SH      | 1 5/8                | 1 3/4           | 3.390         |
| QD3A3.0/B3.4              | 7831-3030   | 3                 | 3.75              | SH      | 1 5/8                | 2 1/2           | 4.380         |
| QD4A3.0/B3.4              | 7831-4030   | 4                 | 3.75              | SD      | 1 15/16              | 3 1/4           | 4.730         |
| QD5A3.0/B3.4              | 7831-5030   | 5                 | 3.75              | SD      | 1 15/16              | 4               | 5.250         |
| <sup>6</sup> QD6A3.0/B3.4 | 7831-6030   | 6                 | 3.75              | SD      | 1 15/16              | 4 3/4           | 5.950         |
| QD1A3.2/B3.6              | 7831-1032   | 1                 | 3.95              | SH      | 1 5/8                | 7/8             | 3.000         |
| QD2A3.2/B3.6              | 7831-2032   | 2                 | 3.95              | SH      | 1 5/8                | 1 3/4           | 2.630         |
| QD3A3.2/B3.6              | 7831-3032   | 3                 | 3.95              | SH      | 1 5/8                | 2 1/2           | 3.480         |
| QD4A3.2/B3.6              | 7831-4032   | 4                 | 3.95              | SD      | 1 15/16              | 3 1/4           | 5.140         |
| QD5A3.2/B3.6              | 7831-5032   | 5                 | 3.95              | SD      | 1 15/16              | 4               | 5.900         |
| <sup>6</sup> QD6A3.2/B3.6 | 7831-6032   | 6                 | 3.95              | SD      | 1 15/16              | 4 3/4           | 6.760         |
| QD1A3.4/B3.8              | 7831-1034   | 1                 | 4.15              | SH      | 1 5/8                | 7/8             | 1.620         |
| QD2A3.4/B3.8              | 7831-2034   | 2                 | 4.15              | SH      | 1 5/8                | 1 3/4           | 2.950         |
| QD3A3.4/B3.8              | 7831-3034   | 3                 | 4.15              | SH      | 1 5/8                | 2 1/2           | 4.010         |
| QD4A3.4/B3.8              | 7831-4034   | 4                 | 4.15              | SD      | 1 15/16              | 3 1/4           | 6.320         |
| QD5A3.4/B3.8              | 7831-5034   | 5                 | 4.15              | SD      | 1 15/16              | 4               | 6.410         |
| <sup>6</sup> QD6A3.4/B3.8 | 7831-6034   | 6                 | 4.15              | SD      | 1 15/16              | 4 3/4           | 7.250         |
| QD1A3.6/B4.0              | 7831-1036   | 1                 | 4.35              | SH      | 1 5/8                | 7/8             | 1.860         |
| QD2A3.6/B4.0              | 7831-2036   | 2                 | 4.35              | SH      | 1 5/8                | 1 3/4           | 3.200         |
| QD3A3.6/B4.0              | 7831-3036   | 3                 | 4.35              | SH      | 1 5/8                | 2 1/2           | 4.180         |
| QD4A3.6/B4.0              | 7831-4036   | 4                 | 4.35              | SD      | 1 15/16              | 3 1/4           | 5.540         |
| QD5A3.6/B4.0              | 7831-5036   | 5                 | 4.35              | SD      | 1 15/16              | 4               | 6.580         |
| <sup>6</sup> QD6A3.6/B4.0 | 7831-6036   | 6                 | 4.35              | SD      | 1 15/16              | 4 3/4           | 6.940         |
| QD1A3.8/B4.2              | 7831-1038   | 1                 | 4.55              | SH      | 1 5/8                | 7/8             | 2.130         |
| QD2A3.8/B4.2              | 7831-2038   | 2                 | 4.55              | SH      | 1 5/8                | 1 3/4           | 3.570         |
| QD3A3.8/B4.2              | 7831-3038   | 3                 | 4.55              | SH      | 1 5/8                | 2 1/2           | 4.760         |
| QD4A3.8/B4.2              | 7831-4038   | 4                 | 4.55              | SD      | 1 15/16              | 3 1/4           | 6.330         |
| QD5A3.8/B4.2              | 7831-5038   | 5                 | 4.55              | SD      | 1 15/16              | 4               | 7.530         |
| QD6A3.8/B4.2              | 7831-6038   | 6                 | 4.55              | SD      | 1 15/16              | 4 3/4           | 8.710         |
| QD1A4.0/B4.4              | 7831-1040   | 1                 | 4.75              | SH      | 1 5/8                | 7/8             | 2.420         |
| QD2A4.0/B4.4              | 7831-2040   | 2                 | 4.75              | SH      | 1 5/8                | 1 3/4           | 3.880         |
| QD3A4.0/B4.4              | 7831-3040   | 3                 | 4.75              | SH      | 1 5/8                | 2 1/2           | 5.010         |
| QD4A4.0/B4.4              | 7831-4040   | 4                 | 4.75              | SD      | 1 15/16              | 3 1/4           | 6.740         |
| QD5A4.0/B4.4              | 7831-5040   | 5                 | 4.75              | SD      | 1 15/16              | 4               | 6.620         |
| QD6A4.0/B4.4              | 7831-6040   | 6                 | 4.75              | SD      | 1 15/16              | 4 3/4           | 9.130         |
| QD1A4.2/B4.6              | 7831-1042   | 1                 | 4.95              | SDS     | 1 15/16              | 7/8             | 2.940         |
| QD2A4.2/B4.6              | 7831-2042   | 2                 | 4.95              | SDS     | 1 15/16              | 1 3/4           | 4.000         |
| QD3A4.2/B4.6              | 7831-3042   | 3                 | 4.95              | SD      | 1 15/16              | 2 1/2           | 5.890         |
| QD4A4.2/B4.6              | 7831-4042   | 4                 | 4.95              | SD      | 1 15/16              | 3 1/4           | 7.130         |
| QD5A4.2/B4.6              | 7831-5042   | 5                 | 4.95              | SD      | 1 15/16              | 4               | 8.300         |
| QD6A4.2/B4.6              | 7831-6042   | 6                 | 4.95              | SD      | 1 15/16              | 4 3/4           | 9.510         |
| QD1A4.4/B4.8              | 7831-1044   | 1                 | 5.15              | SDS     | 1 15/16              | 7/8             | 3.240         |
| QD2A4.4/B4.8              | 7831-2044   | 2                 | 5.15              | SDS     | 1 15/16              | 1 3/4           | 4.310         |
| QD3A4.4/B4.8              | 7831-3044   | 3                 | 5.15              | SD      | 1 15/16              | 2 1/2           | 6.320         |
| QD4A4.4/B4.8              | 7831-4044   | 4                 | 5.15              | SD      | 1 15/16              | 3 1/4           | 7.610         |
| QD5A4.4/B4.8              | 7831-5044   | 5                 | 5.15              | SD      | 1 15/16              | 4               | 8.920         |
| <sup>6</sup> QD6A4.4/B4.8 | 7831-6044   | 6                 | 5.15              | SD      | 1 15/16              | 4 3/4           | 10.160        |
| QD1A4.6/B5.0              | 7831-1046   | 1                 | 5.35              | SDS     | 1 15/16              | 7/8             | 3.620         |
| QD2A4.6/B5.0              | 7831-2046   | 2                 | 5.35              | SDS     | 1 15/16              | 1 3/4           | 5.000         |
| QD3A4.6/B5.0              | 7831-3046   | 3                 | 5.35              | SD      | 1 15/16              | 2 1/2           | 6.920         |
| QD4A4.6/B5.0              | 7831-4046   | 4                 | 5.35              | SD      | 1 15/16              | 3 1/4           | 8.240         |
| QD5A4.6/B5.0              | 7831-5046   | 5                 | 5.35              | SD      | 1 15/16              | 4               | 9.680         |

<sup>6</sup> Standard/Non-Stock item. Check with Customer Service for availability.



# Multi-Duty® Sheaves - QD®

## Product No. Series 7831 (continued) Combination A or B Section (continued)

| Part No.              | Product No. | Number of Grooves | Outside Dia. (in) | Bushing | Bore Range Max. (in) | Face Width (in) | Weight (Lbs.) |
|-----------------------|-------------|-------------------|-------------------|---------|----------------------|-----------------|---------------|
| QD6A4.6/B5.0          | 7831-6046   | 6                 | 5.35              | SD      | 1 15/16              | 4 3/4           | 10.990        |
| QD1A4.8/B5.2          | 7831-1048   | 1                 | 5.55              | SDS     | 1 15/16              | 7/8             | 4.000         |
| QD2A4.8/B5.2          | 7831-2048   | 2                 | 5.55              | SDS     | 1 15/16              | 1 3/4           | 5.330         |
| QD3A4.8/B5.2          | 7831-3048   | 3                 | 5.55              | SD      | 1 15/16              | 2 1/2           | 7.960         |
| QD4A4.8/B5.2          | 7831-4048   | 4                 | 5.55              | SD      | 1 15/16              | 3 1/4           | 9.630         |
| QD5A4.8/B5.2          | 7831-5048   | 5                 | 5.55              | SD      | 1 15/16              | 4               | 11.190        |
| QD6A4.8/B5.2          | 7831-6048   | 6                 | 5.55              | SD      | 1 15/16              | 4 3/4           | 12.820        |
| QD1A5.0/B5.4          | 7831-1050   | 1                 | 5.75              | SDS     | 1 15/16              | 7/8             | 4.470         |
| QD2A5.0/B5.4          | 7831-2050   | 2                 | 5.75              | SDS     | 1 15/16              | 1 3/4           | 5.850         |
| QD3A5.0/B5.4          | 7831-3050   | 3                 | 5.75              | SD      | 1 15/16              | 2 1/2           | 8.310         |
| QD4A5.0/B5.4          | 7831-4050   | 4                 | 5.75              | SD      | 1 15/16              | 3 1/4           | 9.980         |
| QD5A5.0/B5.4          | 7831-5050   | 5                 | 5.75              | SK      | 2 1/2                | 4               | 10.450        |
| QD6A5.0/B5.4          | 7831-6050   | 6                 | 5.75              | SK      | 2 1/2                | 4 3/4           | 11.560        |
| QD7A5.0/B5.4          | 7831-7050   | 7                 | 5.75              | SK      | 2 1/2                | 5 1/2           | 12.600        |
| QD8B5.4               | 7832-8054   | 8                 | 5.75              | SK      | 2 1/2                | 6 1/4           | 13.300        |
| QD10B5.4              | 7833-0054   | 10                | 5.75              | SK      | 2 1/2                | 7 3/4           | 17.060        |
| QD1A5.2/B5.6          | 7831-1052   | 1                 | 5.95              | SDS     | 1 15/16              | 7/8             | 4.590         |
| QD2A5.2/B5.6          | 7831-2052   | 2                 | 5.95              | SDS     | 1 15/16              | 1 3/4           | 6.010         |
| QD3A5.2/B5.6          | 7831-3052   | 3                 | 5.95              | SD      | 1 15/16              | 2 1/2           | 9.410         |
| QD4A5.2/B5.6          | 7831-4052   | 4                 | 5.95              | SD      | 1 15/16              | 3 1/4           | 11.380        |
| QD5A5.2/B5.6          | 7831-5052   | 5                 | 5.95              | SK      | 2 1/2                | 4               | 11.020        |
| QD6A5.2/B5.6          | 7831-6052   | 6                 | 5.95              | SK      | 2 1/2                | 4 3/4           | 12.620        |
| QD7A5.2/B5.6          | 7831-7052   | 7                 | 5.95              | SK      | 2 1/2                | 5 1/2           | 14.000        |
| QD8B5.6               | 7832-8056   | 8                 | 5.95              | SK      | 2 1/2                | 6 1/4           | 16.820        |
| <sup>6</sup> QD10B5.6 | 7833-0056   | 10                | 5.95              | SK      | 2 1/2                | 7 3/4           | 18.870        |
| QD1A5.4/B5.8          | 7831-1054   | 1                 | 6.15              | SDS     | 1 15/16              | 7/8             | 4.800         |
| QD2A5.4/B5.8          | 7831-2054   | 2                 | 6.15              | SDS     | 1 15/16              | 1 3/4           | 6.570         |
| QD3A5.4/B5.8          | 7831-3054   | 3                 | 6.15              | SD      | 1 15/16              | 2 1/2           | 9.650         |
| QD4A5.4/B5.8          | 7831-4054   | 4                 | 6.15              | SD      | 1 15/16              | 3 1/4           | 11.360        |
| QD5A5.4/B5.8          | 7831-5054   | 5                 | 6.15              | SK      | 2 1/2                | 4               | 12.450        |
| QD6A5.4/B5.8          | 7831-6054   | 6                 | 6.15              | SK      | 2 1/2                | 4 3/4           | 14.160        |
| QD7A5.4/B5.8          | 7831-7054   | 7                 | 6.15              | SK      | 2 1/2                | 5 1/2           | 15.100        |
| QD8B5.8               | 7832-8058   | 8                 | 6.15              | SK      | 2 1/2                | 6 1/4           | 16.600        |
| QD10B5.8              | 7833-0058   | 10                | 6.15              | SK      | 2 1/2                | 7 3/4           | 19.800        |
| QD1A5.6/B6.0          | 7831-1056   | 1                 | 6.35              | SDS     | 1 15/16              | 7/8             | 5.230         |
| QD2A5.6/B6.0          | 7831-2056   | 2                 | 6.35              | SDS     | 1 15/16              | 1 3/4           | 7.120         |
| QD3A5.6/B6.0          | 7831-3056   | 3                 | 6.35              | SD      | 1 15/16              | 2 1/2           | 10.780        |
| QD4A5.6/B6.0          | 7831-4056   | 4                 | 6.35              | SD      | 1 15/16              | 3 1/4           | 12.800        |
| QD5A5.6/B6.0          | 7831-5056   | 5                 | 6.35              | SK      | 2 1/2                | 4               | 12.780        |
| QD6A5.6/B6.0          | 7831-6056   | 6                 | 6.35              | SK      | 2 1/2                | 4 3/4           | 15.120        |
| QD7A5.6/B6.0          | 7831-7056   | 7                 | 6.35              | SF      | 2 15/16              | 5 1/2           | 15.200        |
| QD8B6.0               | 7832-8060   | 8                 | 6.35              | SF      | 2 15/16              | 6 1/4           | 15.980        |
| <sup>6</sup> QD10B6.0 | 7833-0060   | 10                | 6.35              | SF      | 2 15/16              | 7 3/4           | 16.790        |
| QD1A5.8/B6.2          | 7831-1058   | 1                 | 6.55              | SDS     | 1 15/16              | 7/8             | 5.700         |
| QD2A5.8/B6.2          | 7831-2058   | 2                 | 6.55              | SDS     | 1 15/16              | 1 3/4           | 7.950         |
| QD3A5.8/B6.2          | 7831-3058   | 3                 | 6.55              | SD      | 1 15/16              | 2 1/2           | 12.020        |
| QD4A5.8/B6.2          | 7831-4058   | 4                 | 6.55              | SD      | 1 15/16              | 3 1/4           | 14.030        |
| QD5A5.8/B6.2          | 7831-5058   | 5                 | 6.55              | SK      | 2 1/2                | 4               | 14.100        |
| QD6A5.8/B6.2          | 7831-6058   | 6                 | 6.55              | SK      | 2 1/2                | 4 3/4           | 16.050        |
| QD7A5.8/B6.2          | 7831-7058   | 7                 | 6.55              | SF      | 2 15/16              | 5 1/2           | 16.700        |
| QD8B6.2               | 7832-8062   | 8                 | 6.55              | SF      | 2 15/16              | 6 1/4           | 18.400        |
| QD10B6.2              | 7833-0062   | 10                | 6.55              | SF      | 2 15/16              | 7 3/4           | 22.000        |
| QD1A6.0/B6.4          | 7831-1060   | 1                 | 6.75              | SDS     | 1 15/16              | 7/8             | 5.940         |
| QD2A6.0/B6.4          | 7831-2060   | 2                 | 6.75              | SDS     | 1 15/16              | 1 3/4           | 7.920         |
| QD3A6.0/B6.4          | 7831-3060   | 3                 | 6.75              | SD      | 1 15/16              | 2 1/2           | 11.730        |
| QD4A6.0/B6.4          | 7831-4060   | 4                 | 6.75              | SD      | 1 15/16              | 3 1/4           | 13.650        |
| QD5A6.0/B6.4          | 7831-5060   | 5                 | 6.75              | SK      | 2 1/2                | 4               | 16.760        |
| QD6A6.0/B6.4          | 7831-6060   | 6                 | 6.75              | SK      | 2 1/2                | 4 3/4           | 15.700        |
| QD7A6.0/B6.4          | 7831-7060   | 7                 | 6.75              | SF      | 2 15/16              | 5 1/2           | 17.200        |
| QD8B6.4               | 7832-8064   | 8                 | 6.75              | SF      | 2 15/16              | 6 1/4           | 19.660        |

<sup>6</sup> Standard/Non-Stock item. Check with Customer Service for availability.

HEAVY DUTY V-BELT METAL



# Multi-Duty® Sheaves - QD®

## Product No. Series 7831 (continued) Combination A or B Section (continued)

| Part No.              | Product No. | Number of Grooves | Outside Dia. (in) | Bushing | Bore Range Max. (in) | Face Width (in) | Weight (Lbs.) |
|-----------------------|-------------|-------------------|-------------------|---------|----------------------|-----------------|---------------|
| <sup>6</sup> QD10B6.4 | 7833-0064   | 10                | 6.75              | SF      | 2 15/16              | 7 3/4           | 25.160        |
| QD1A6.2/B6.6          | 7831-1062   | 1                 | 6.95              | SDS     | 1 15/16              | 7/8             | 6.440         |
| QD2A6.2/B6.6          | 7831-2062   | 2                 | 6.95              | SDS     | 1 15/16              | 1 3/4           | 9.000         |
| QD3A6.2/B6.6          | 7831-3062   | 3                 | 6.95              | SD      | 1 15/16              | 2 1/2           | 13.500        |
| QD4A6.2/B6.6          | 7831-4062   | 4                 | 6.95              | SD      | 1 15/16              | 3 1/4           | 15.280        |
| QD5A6.2/B6.6          | 7831-5062   | 5                 | 6.95              | SK      | 2 1/2                | 4               | 16.040        |
| QD6A6.2/B6.6          | 7831-6062   | 6                 | 6.95              | SK      | 2 1/2                | 4 3/4           | 20.880        |
| QD7A6.2/B6.6          | 7831-7062   | 7                 | 6.95              | SF      | 2 15/16              | 5 1/2           | 18.300        |
| QD8B6.6               | 7832-8066   | 8                 | 6.95              | SF      | 2 15/16              | 6 1/4           | 20.000        |
| QD10B6.6              | 7833-0066   | 10                | 6.95              | SF      | 2 15/16              | 7 3/4           | 24.000        |
| QD1A6.4/B6.8          | 7831-1064   | 1                 | 7.15              | SDS     | 1 15/16              | 7/8             | 7.000         |
| QD2A6.4/B6.8          | 7831-2064   | 2                 | 7.15              | SDS     | 1 15/16              | 1 3/4           | 9.710         |
| QD3A6.4/B6.8          | 7831-3064   | 3                 | 7.15              | SD      | 1 15/16              | 2 1/2           | 14.330        |
| QD4A6.4/B6.8          | 7831-4064   | 4                 | 7.15              | SD      | 1 15/16              | 3 1/4           | 16.950        |
| QD5A6.4/B6.8          | 7831-5064   | 5                 | 7.15              | SK      | 2 1/2                | 4               | 18.180        |
| QD6A6.4/B6.8          | 7831-6064   | 6                 | 7.15              | SK      | 2 1/2                | 4 3/4           | 23.280        |
| QD7A6.4/B6.8          | 7831-7064   | 7                 | 7.15              | SF      | 2 15/16              | 5 1/2           | 19.500        |
| <sup>6</sup> QD8B6.8  | 7832-8068   | 8                 | 7.15              | SF      | 2 15/16              | 6 1/4           | 24.330        |
| <sup>6</sup> QD10B6.8 | 7833-0068   | 10                | 7.15              | SF      | 2 15/16              | 7 3/4           | 24.400        |
| QD1A6.6/B7.0          | 7831-1066   | 1                 | 7.35              | SDS     | 1 15/16              | 7/8             | 7.000         |
| QD2A6.6/B7.0          | 7831-2066   | 2                 | 7.35              | SK      | 2 1/2                | 1 3/4           | 11.210        |
| QD3A6.6/B7.0          | 7831-3066   | 3                 | 7.35              | SK      | 2 1/2                | 2 1/2           | 13.020        |
| QD4A6.6/B7.0          | 7831-4066   | 4                 | 7.35              | SK      | 2 1/2                | 3 1/4           | 16.330        |
| QD5A6.6/B7.0          | 7831-5066   | 5                 | 7.35              | SF      | 2 15/16              | 4               | 16.840        |
| QD6A6.6/B7.0          | 7831-6066   | 6                 | 7.35              | SF      | 2 15/16              | 4 3/4           | 18.750        |
| QD7A6.6/B7.0          | 7831-7066   | 7                 | 7.35              | SF      | 2 15/16              | 5 1/2           | 21.000        |
| QD8B7.0               | 7832-8070   | 8                 | 7.35              | SF      | 2 15/16              | 6 1/4           | 23.000        |
| QD10B7.0              | 7833-0070   | 10                | 7.35              | SF      | 2 15/16              | 7 3/4           | 27.000        |
| QD1A7.0/B7.4          | 7831-1070   | 1                 | 7.75              | SDS     | 1 15/16              | 1               | 8.290         |
| QD2A7.0/B7.4          | 7831-2070   | 2                 | 7.75              | SK      | 2 1/2                | 1 3/4           | 13.120        |
| QD3A7.0/B7.4          | 7831-3070   | 3                 | 7.75              | SK      | 2 1/2                | 2 1/2           | 15.170        |
| QD4A7.0/B7.4          | 7831-4070   | 4                 | 7.75              | SK      | 2 1/2                | 3 1/4           | 18.210        |
| QD5A7.0/B7.4          | 7831-5070   | 5                 | 7.75              | SF      | 2 15/16              | 4               | 21.390        |
| QD6A7.0/B7.4          | 7831-6070   | 6                 | 7.75              | SF      | 2 15/16              | 4 3/4           | 20.890        |
| QD7A7.0/B7.4          | 7831-7070   | 7                 | 7.75              | SF      | 2 15/16              | 5 1/2           | 23.000        |
| QD8B7.4               | 7832-8074   | 8                 | 7.75              | SF      | 2 15/16              | 6 1/4           | 34.140        |
| <sup>6</sup> QD10B7.4 | 7833-0074   | 10                | 7.75              | SF      | 2 15/16              | 7 3/4           | 30.000        |
| QD1A7.6/B8.0          | 7831-1076   | 1                 | 8.35              | SDS     | 1 15/16              | 1               | 9.770         |
| QD2A7.6/B8.0          | 7831-2076   | 2                 | 8.35              | SK      | 2 1/2                | 1 3/4           | 12.530        |
| QD3A7.6/B8.0          | 7831-3076   | 3                 | 8.35              | SK      | 2 1/2                | 2 1/2           | 17.460        |
| QD4A7.6/B8.0          | 7831-4076   | 4                 | 8.35              | SK      | 2 1/2                | 3 1/4           | 20.830        |
| QD5A7.6/B8.0          | 7831-5076   | 5                 | 8.35              | SF      | 2 15/16              | 4               | 22.140        |
| QD6A7.6/B8.0          | 7831-6076   | 6                 | 8.35              | SF      | 2 15/16              | 4 3/4           | 23.940        |
| QD1A8.2/B8.6          | 7831-1082   | 1                 | 8.95              | SDS     | 1 15/16              | 1               | 10.830        |
| QD2A8.2/B8.6          | 7831-2082   | 2                 | 8.95              | SK      | 2 1/2                | 1 3/4           | 15.650        |
| QD3A8.2/B8.6          | 7831-3082   | 3                 | 8.95              | SK      | 2 1/2                | 2 1/2           | 22.120        |
| QD4A8.2/B8.6          | 7831-4082   | 4                 | 8.95              | SK      | 2 1/2                | 3 1/4           | 25.650        |
| QD5A8.2/B8.6          | 7831-5082   | 5                 | 8.95              | SF      | 2 15/16              | 4               | 24.950        |
| QD6A8.2/B8.6          | 7831-6082   | 6                 | 8.95              | SF      | 2 15/16              | 4 3/4           | 27.460        |
| QD7A8.2/B8.6          | 7831-7082   | 7                 | 8.95              | E       | 3 1/2                | 5 1/2           | 31.000        |
| QD8B8.6               | 7832-8086   | 8                 | 8.95              | E       | 3 1/2                | 6 1/4           | 33.570        |
| <sup>6</sup> QD10B8.6 | 7833-0086   | 10                | 8.95              | E       | 3 1/2                | 7 3/4           | 55.520        |
| QD1A9.0/B9.4          | 7831-1090   | 1                 | 9.75              | SDS     | 1 15/16              | 1               | 12.800        |
| QD2A9.0/B9.4          | 7831-2090   | 2                 | 9.75              | SK      | 2 1/2                | 1 3/4           | 16.350        |
| QD3A9.0/B9.4          | 7831-3090   | 3                 | 9.75              | SK      | 2 1/2                | 2 1/2           | 19.580        |
| QD4A9.0/B9.4          | 7831-4090   | 4                 | 9.75              | SK      | 2 1/2                | 3 1/4           | 24.660        |
| QD5A9.0/B9.4          | 7831-5090   | 5                 | 9.75              | SF      | 2 15/16              | 4               | 29.530        |
| QD6A9.0/B9.4          | 7831-6090   | 6                 | 9.75              | SF      | 2 15/16              | 4 3/4           | 34.130        |
| QD7A9.0/B9.4          | 7831-7090   | 7                 | 9.75              | E       | 3 1/2                | 5 1/2           | 33.000        |
| QD8B9.4               | 7832-8094   | 8                 | 9.75              | E       | 3 1/2                | 6 1/4           | 51.000        |

<sup>6</sup> Standard/Non-Stock item. Check with Customer Service for availability.

HEAVY DUTY V-BELT METAL



# Multi-Duty® Sheaves - QD®

**Product No. Series 7831 (continued)**  
**Combination A or B Section (continued)**

| Part No.               | Product No. | Number of Grooves | Outside Dia. (in) | Bushing | Bore Range Max. (in) | Face Width (in) | Weight (Lbs.) |
|------------------------|-------------|-------------------|-------------------|---------|----------------------|-----------------|---------------|
| <sup>6</sup> QD10B9.4  | 7833-0094   | 10                | 9.75              | E       | 3 1/2                | 7 3/4           | 60.700        |
| QD1A10.6/B11.0         | 7831-1106   | 1                 | 11.35             | SDS     | 1 15/16              | 1               | 12.760        |
| QD2A10.6/B11.0         | 7831-2106   | 2                 | 11.35             | SK      | 2 1/2                | 1 3/4           | 19.790        |
| QD3A10.6/B11.0         | 7831-3106   | 3                 | 11.35             | SK      | 2 1/2                | 2 1/2           | 19.800        |
| QD4A10.6/B11.0         | 7831-4106   | 4                 | 11.35             | SK      | 2 1/2                | 3 1/4           | 24.750        |
| QD5A10.6/B11.0         | 7831-5106   | 5                 | 11.35             | SF      | 2 15/16              | 4               | 34.150        |
| QD6A10.6/B11.0         | 7831-6106   | 6                 | 11.35             | SF      | 2 15/16              | 4 3/4           | 36.000        |
| QD7A10.6/B11.0         | 7831-7106   | 7                 | 11.35             | E       | 3 1/2                | 5 1/2           | 42.000        |
| <sup>6</sup> QD8B11.0  | 7832-8110   | 8                 | 11.35             | E       | 3 1/2                | 6 1/4           | 60.300        |
| <sup>6</sup> QD10B11.0 | 7833-0110   | 10                | 11.35             | E       | 3 1/2                | 7 3/4           | 69.480        |
| QD1A12.0/B12.4         | 7831-1120   | 1                 | 12.75             | SDS     | 1 15/16              | 1               | 13.790        |
| QD2A12.0/B12.4         | 7831-2120   | 2                 | 12.75             | SK      | 2 1/2                | 1 3/4           | 19.520        |
| QD3A12.0/B12.4         | 7831-3120   | 3                 | 12.75             | SK      | 2 1/2                | 2 1/2           | 23.340        |
| QD4A12.0/B12.4         | 7831-4120   | 4                 | 12.75             | SK      | 2 1/2                | 3 1/4           | 28.480        |
| QD5A12.0/B12.4         | 7831-5120   | 5                 | 12.75             | SF      | 2 15/16              | 4               | 36.320        |
| QD6A12.0/B12.4         | 7831-6120   | 6                 | 12.75             | SF      | 2 15/16              | 4 3/4           | 43.740        |
| QD7A12.0/B12.4         | 7831-7120   | 7                 | 12.75             | E       | 3 1/2                | 5 1/2           | 48.000        |
| QD8B12.4               | 7832-8124   | 8                 | 12.75             | E       | 3 1/2                | 6 1/4           | 54.380        |
| <sup>6</sup> QD10B12.4 | 7833-0124   | 10                | 12.75             | F       | 3 15/16              | 7 3/4           | 113.200       |
| QD1A13.2/B13.6         | 7831-1132   | 1                 | 13.95             | SDS     | 1 15/16              | 1               | 17.150        |
| QD2A13.2/B13.6         | 7831-2132   | 2                 | 13.95             | SK      | 2 1/2                | 1 3/4           | 25.560        |
| QD3A13.2/B13.6         | 7831-3132   | 3                 | 13.95             | SK      | 2 1/2                | 2 1/2           | 29.310        |
| QD4A13.2/B13.6         | 7831-4132   | 4                 | 13.95             | SK      | 2 1/2                | 3 1/4           | 34.470        |
| QD5A13.2/B13.6         | 7831-5132   | 5                 | 13.95             | SF      | 2 15/16              | 4               | 47.920        |
| QD6A13.2/B13.6         | 7831-6132   | 6                 | 13.95             | SF      | 2 15/16              | 4 3/4           | 52.460        |
| QD7A13.2/B13.6         | 7831-7132   | 7                 | 13.95             | E       | 3 1/2                | 5 1/2           | 49.000        |
| QD8B13.6               | 7832-8136   | 8                 | 13.95             | E       | 3 1/2                | 6 1/4           | 53.000        |
| QD10B13.6              | 7833-0136   | 10                | 13.95             | F       | 3 15/16              | 7 3/4           | 73.000        |
| QD1A15.0/B15.4         | 7831-1150   | 1                 | 15.75             | SK      | 2 1/2                | 1               | 20.930        |
| QD2A15.0/B15.4         | 7831-2150   | 2                 | 15.75             | SK      | 2 1/2                | 1 3/4           | 25.320        |
| QD3A15.0/B15.4         | 7831-3150   | 3                 | 15.75             | SK      | 2 1/2                | 2 1/2           | 41.500        |
| QD4A15.0/B15.4         | 7831-4150   | 4                 | 15.75             | SF      | 2 15/16              | 3 1/4           | 45.740        |
| QD5A15.0/B15.4         | 7831-5150   | 5                 | 15.75             | SF      | 2 15/16              | 4               | 49.000        |
| QD6A15.0/B15.4         | 7831-6150   | 6                 | 15.75             | SF      | 2 15/16              | 4 3/4           | 66.410        |
| QD7A15.0/B15.4         | 7831-7150   | 7                 | 15.75             | E       | 3 1/2                | 5 1/2           | 62.000        |
| <sup>6</sup> QD8B15.4  | 7832-8154   | 8                 | 15.75             | E       | 3 1/2                | 6 1/4           | 82.260        |
| <sup>6</sup> QD10B15.4 | 7833-0154   | 10                | 15.75             | F       | 3 15/16              | 7 3/4           | 98.500        |
| QD1A15.6/B16.0         | 7831-1156   | 1                 | 16.35             | SK      | 2 1/2                | 1               | 24.870        |
| QD2A15.6/B16.0         | 7831-2156   | 2                 | 16.35             | SK      | 2 1/2                | 1 3/4           | 32.830        |
| QD3A15.6/B16.0         | 7831-3156   | 3                 | 16.35             | SK      | 2 1/2                | 2 1/2           | 50.720        |
| QD4A15.6/B16.0         | 7831-4156   | 4                 | 16.35             | SF      | 2 15/16              | 3 1/4           | 56.030        |
| QD5A15.6/B16.0         | 7831-5156   | 5                 | 16.35             | SF      | 2 15/16              | 4               | 75.000        |
| QD6A15.6/B16.0         | 7831-6156   | 6                 | 16.35             | SF      | 2 15/16              | 4 3/4           | 81.850        |
| QD7A15.6/B16.0         | 7831-7156   | 7                 | 16.35             | E       | 3 1/2                | 5 1/2           | 69.000        |
| QD8B16.0               | 7832-8160   | 8                 | 16.35             | E       | 3 1/2                | 6 1/4           | 73.000        |
| QD10B16.0              | 7833-0160   | 10                | 16.35             | F       | 3 15/16              | 7 3/4           | 95.000        |
| QD1A18.0/B18.4         | 7831-1180   | 1                 | 18.75             | SK      | 2 1/2                | 1               | 50.180        |
| QD2A18.0/B18.4         | 7831-2180   | 2                 | 18.75             | SK      | 2 1/2                | 1 3/4           | 39.800        |
| QD3A18.0/B18.4         | 7831-3180   | 3                 | 18.75             | SK      | 2 1/2                | 2 1/2           | 45.850        |
| QD4A18.0/B18.4         | 7831-4180   | 4                 | 18.75             | SF      | 2 15/16              | 3 1/4           | 63.310        |
| QD5A18.0/B18.4         | 7831-5180   | 5                 | 18.75             | SF      | 2 15/16              | 4               | 70.360        |
| QD6A18.0/B18.4         | 7831-6180   | 6                 | 18.75             | SF      | 2 15/16              | 4 3/4           | 73.000        |
| QD7A18.0/B18.4         | 7831-7180   | 7                 | 18.75             | F       | 3 15/16              | 5 1/2           | 80.000        |
| <sup>6</sup> QD8B18.4  | 7832-8184   | 8                 | 18.75             | F       | 3 15/16              | 6 1/4           | 87.700        |
| <sup>6</sup> QD10B18.4 | 7833-0184   | 10                | 18.75             | F       | 3 15/16              | 7 3/4           | 116.000       |
| QD1A19.6/B20.0         | 7832-1200   | 1                 | 20.35             | SK      | 2 1/2                | 1               | 30.310        |
| QD2A19.6/B20.0         | 7832-2200   | 2                 | 20.35             | SF      | 2 15/16              | 1 3/4           | 41.340        |
| QD3A19.6/B20.0         | 7832-3200   | 3                 | 20.35             | SF      | 2 15/16              | 2 1/2           | 43.200        |
| QD4A19.6/B20.0         | 7832-4200   | 4                 | 20.35             | SF      | 2 15/16              | 3 3/4           | 58.000        |
| QD5A19.6/B20.0         | 7832-5200   | 5                 | 20.35             | E       | 3 1/2                | 4               | 74.000        |

<sup>6</sup> Standard/Non-Stock item. Check with Customer Service for availability.

HEAVY DUTY V-BELT METAL



# Multi-Duty® Sheaves - QD®

## Product No. Series 7831 (continued) Combination A or B Section (continued)

| Part No.               | Product No. | Number of Grooves | Outside Dia. (in) | Bushing | Bore Range Max. (in) | Face Width (in) | Weight (Lbs.) |
|------------------------|-------------|-------------------|-------------------|---------|----------------------|-----------------|---------------|
| QD6A19.6/B20.0         | 7832-6200   | 6                 | 20.35             | E       | 3 1/2                | 4 3/4           | 82.000        |
| QD7A19.6/B20.0         | 7832-7200   | 7                 | 20.35             | F       | 3 15/16              | 5 1/2           | 95.000        |
| QD8B20.0               | 7832-8200   | 8                 | 20.35             | F       | 3 15/16              | 6 1/4           | 87.000        |
| <sup>6</sup> QD10B20.0 | 7833-0200   | 10                | 20.35             | F       | 3 15/16              | 7 3/4           | 110.000       |
| QD1A24.6/B25.0         | 7832-1250   | 1                 | 25.35             | SF      | 2 15/16              | 1               | 40.000        |
| QD2A24.6/B25.0         | 7832-2250   | 2                 | 25.35             | SF      | 2 15/16              | 1 3/4           | 58.000        |
| QD3A24.6/B25.0         | 7832-3250   | 3                 | 25.35             | SF      | 2 15/16              | 2 1/2           | 73.000        |
| QD4A24.6/B25.0         | 7832-4250   | 4                 | 25.35             | E       | 3 1/2                | 3 1/4           | 77.000        |
| QD5A24.6/B25.0         | 7832-5250   | 5                 | 25.35             | E       | 3 1/2                | 4               | 97.330        |
| QD6A24.6/B25.0         | 7832-6250   | 6                 | 25.35             | E       | 3 1/2                | 4 3/4           | 116.000       |
| QD7A24.6/B25.0         | 7832-7250   | 7                 | 25.35             | F       | 3 15/16              | 5 1/2           | 123.000       |
| QD8B25.0               | 7832-8250   | 8                 | 25.35             | F       | 3 15/16              | 6 1/4           | 118.000       |
| QD10B25.0              | 7833-0250   | 10                | 25.00             | F       | 4                    | 7 3/4           | 142.000       |
| QD1A29.6/B30.0         | 7832-1300   | 1                 | 30.35             | SF      | 2 15/16              | 1               | 52.000        |
| QD2A29.6/B30.0         | 7832-2300   | 2                 | 30.35             | SF      | 2 15/16              | 1 3/4           | 72.000        |
| QD3A29.6/B30.0         | 7832-3300   | 3                 | 30.35             | SF      | 2 15/16              | 2 1/2           | 83.000        |
| QD4A29.6/B30.0         | 7832-4300   | 4                 | 30.35             | E       | 3 1/2                | 3 1/4           | 110.000       |
| QD5A29.6/B30.0         | 7832-5300   | 5                 | 30.35             | E       | 3 1/2                | 4               | 105.000       |
| QD6A29.6/B30.0         | 7832-6300   | 6                 | 30.35             | E       | 3 1/2                | 4 3/4           | 132.000       |
| QD7A29.6/B30.0         | 7832-7300   | 7                 | 30.35             | F       | 3 15/16              | 5 1/2           | 160.000       |
| <sup>6</sup> QD8B30.0  | 7832-8300   | 8                 | 30.35             | F       | 3 15/16              | 6 1/4           | 149.000       |
| <sup>6</sup> QD10B30.0 | 7833-0300   | 10                | 30.35             | F       | 3 15/16              | 7 3/4           | 165.000       |
| QD2A37.6/B38.0         | 7832-2380   | 2                 | 38.35             | SF      | 2 15/16              | 1 3/4           | 165.000       |
| QD3A37.6/B38.0         | 7832-3380   | 3                 | 38.35             | E       | 3 1/2                | 2 1/2           | 103.000       |
| QD4A37.6/B38.0         | 7832-4380   | 4                 | 38.35             | E       | 3 1/2                | 3 1/4           | 120.000       |
| QD5A37.6/B38.0         | 7832-5380   | 5                 | 38.35             | E       | 3 1/2                | 4               | 145.000       |
| QD6A37.6/B38.0         | 7832-6380   | 6                 | 38.35             | E       | 3 1/2                | 4 3/4           | 175.000       |
| QD7A37.6/B38.0         | 7832-7380   | 7                 | 38.35             | F       | 3 15/16              | 5 1/2           | 233.000       |
| <sup>6</sup> QD8B38.0  | 7832-8380   | 8                 | 38.35             | F       | 3 15/16              | 6 1/4           | 205.000       |
| <sup>6</sup> QD10B38.0 | 7833-0380   | 10                | 38.35             | J       | 4 1/2                | 7 3/4           | 230.000       |

HEAVY DUTY V-BELT METAL

## Product No. Series 7834 & 7835 C Section

| Part No.             | Product No. | Number of Grooves | Outside Dia. (in) | Bushing | Bore Range Max. (in) | Face Width (in) | Weight (Lbs.) |
|----------------------|-------------|-------------------|-------------------|---------|----------------------|-----------------|---------------|
| QD3C5.0              | 7834-3050   | 3                 | 5.40              | SD      | 1 15/16              | 3 3/8           | 8.550         |
| QD4C5.0              | 7834-4050   | 4                 | 5.40              | SD      | 1 15/16              | 4 3/8           | 10.420        |
| QD2C5.6              | 7834-2056   | 2                 | 6.00              | SD      | 1 15/16              | 2 3/8           | 8.500         |
| QD3C5.6              | 7834-3056   | 3                 | 6.00              | SD      | 1 15/16              | 3 3/8           | 11.500        |
| QD4C5.6              | 7834-4056   | 4                 | 6.00              | SD      | 1 15/16              | 4 3/8           | 13.300        |
| QD3C6.0              | 7834-3060   | 3                 | 6.40              | SF      | 2 15/16              | 3 3/8           | 11.500        |
| QD4C6.0              | 7834-4060   | 4                 | 6.40              | SF      | 2 15/16              | 4 3/8           | 13.900        |
| QD5C6.0              | 7834-5060   | 5                 | 6.40              | SF      | 2 15/16              | 5 3/8           | 16.300        |
| QD6C6.0              | 7834-6060   | 6                 | 6.40              | SF      | 2 15/16              | 6 3/8           | 18.600        |
| QD1C7.0              | 7834-1070   | 1                 | 7.40              | SF      | 2 15/16              | 1 3/8           | 9.500         |
| QD2C7.0              | 7834-2070   | 2                 | 7.40              | SF      | 2 15/16              | 2 3/8           | 12.400        |
| QD3C7.0              | 7834-3070   | 3                 | 7.40              | SF      | 2 15/16              | 3 3/8           | 14.970        |
| QD4C7.0              | 7834-4070   | 4                 | 7.40              | SF      | 2 15/16              | 4 3/8           | 17.840        |
| QD5C7.0              | 7834-5070   | 5                 | 7.40              | SF      | 2 15/16              | 5 3/8           | 22.670        |
| QD6C7.0              | 7834-6070   | 6                 | 7.40              | SF      | 2 15/16              | 6 3/8           | 24.100        |
| QD7C7.0              | 7834-7070   | 7                 | 7.40              | SF      | 2 15/16              | 7 3/8           | 26.000        |
| <sup>6</sup> QD8C7.0 | 7834-8070   | 8                 | 7.40              | SF      | 2 15/16              | 8 3/8           | 29.810        |
| QD1C7.5              | 7834-1075   | 1                 | 7.90              | SF      | 2 15/16              | 1 3/8           | 11.380        |
| QD2C7.5              | 7834-2075   | 2                 | 7.90              | SF      | 2 15/16              | 2 3/8           | 14.860        |
| QD3C7.5              | 7834-3075   | 3                 | 7.90              | SF      | 2 15/16              | 3 3/8           | 17.280        |
| QD4C7.5              | 7834-4075   | 4                 | 7.90              | SF      | 2 15/16              | 4 3/8           | 21.090        |
| QD5C7.5              | 7834-5075   | 5                 | 7.90              | SF      | 2 15/16              | 5 3/8           | 29.940        |

<sup>6</sup> Standard/Non-Stock item. Check with Customer Service for availability.



# Multi-Duty® Sheaves - QD®

## Product No. Series 7834 & 7835 (continued)

### C Section (continued)

| Part No.               | Product No. | Number of Grooves | Outside Dia. (in) | Bushing | Bore Range Max. (in) | Face Width (in) | Weight (Lbs.) |
|------------------------|-------------|-------------------|-------------------|---------|----------------------|-----------------|---------------|
| QD6C7.5                | 7834-6075   | 6                 | 7.90              | SF      | 2 15/16              | 6 3/8           | 33.610        |
| QD1C8.0                | 7834-1080   | 1                 | 8.40              | SF      | 2 15/16              | 1 3/8           | 13.230        |
| QD2C8.0                | 7834-2080   | 2                 | 8.40              | SF      | 2 15/16              | 2 3/8           | 16.620        |
| QD3C8.0                | 7834-3080   | 3                 | 8.40              | E       | 3 1/2                | 3 3/8           | 20.350        |
| QD4C8.0                | 7834-4080   | 4                 | 8.40              | E       | 3 1/2                | 4 3/8           | 24.120        |
| QD5C8.0                | 7834-5080   | 5                 | 8.40              | E       | 3 1/2                | 5 3/8           | 27.260        |
| QD6C8.0                | 7834-6080   | 6                 | 8.40              | E       | 3 1/2                | 6 3/8           | 32.320        |
| QD7C8.0                | 7834-7080   | 7                 | 8.40              | E       | 3 1/2                | 7 3/8           | 35.000        |
| QD8C8.0                | 7834-8080   | 8                 | 8.40              | E       | 3 1/2                | 8 3/8           | 37.520        |
| QD9C8.0                | 7834-9080   | 9                 | 8.40              | E       | 3 1/2                | 9 3/8           | 42.000        |
| QD10C8.0               | 7835-0080   | 10                | 8.40              | E       | 3 1/2                | 10 3/8          | 44.700        |
| QD1C8.5                | 7834-1085   | 1                 | 8.90              | SF      | 2 15/16              | 1 3/8           | 15.380        |
| QD2C8.5                | 7834-2085   | 2                 | 8.90              | SF      | 2 15/16              | 2 3/8           | 18.970        |
| QD3C8.5                | 7834-3085   | 3                 | 8.90              | E       | 3 1/2                | 3 3/8           | 23.410        |
| QD4C8.5                | 7834-4085   | 4                 | 8.90              | E       | 3 1/2                | 4 3/8           | 26.770        |
| QD5C8.5                | 7834-5085   | 5                 | 8.90              | E       | 3 1/2                | 5 3/8           | 37.000        |
| QD6C8.5                | 7834-6085   | 6                 | 8.90              | E       | 3 1/2                | 6 3/8           | 42.470        |
| QD7C8.5                | 7834-7085   | 7                 | 8.90              | E       | 3 1/2                | 7 3/8           | 40.000        |
| <sup>6</sup> QD8C8.5   | 7834-8085   | 8                 | 8.90              | E       | 3 1/2                | 8 3/8           | 46.380        |
| QD9C8.5                | 7834-9085   | 9                 | 8.90              | E       | 3 1/2                | 9 3/8           | 47.000        |
| <sup>6</sup> QD10C8.5  | 7835-0085   | 10                | 8.90              | E       | 3 1/2                | 10 3/8          | 50.580        |
| QD1C9.0                | 7834-1090   | 1                 | 9.40              | SF      | 2 15/16              | 1 3/8           | 17.770        |
| QD2C9.0                | 7834-2090   | 2                 | 9.40              | SF      | 2 15/16              | 2 3/8           | 22.200        |
| QD3C9.0                | 7834-3090   | 3                 | 9.40              | E       | 3 1/2                | 3 3/8           | 26.550        |
| QD4C9.0                | 7834-4090   | 4                 | 9.40              | E       | 3 1/2                | 4 3/8           | 30.630        |
| QD5C9.0                | 7834-5090   | 5                 | 9.40              | E       | 3 1/2                | 5 3/8           | 35.000        |
| QD6C9.0                | 7834-6090   | 6                 | 9.40              | F       | 3 15/16              | 6 3/8           | 42.310        |
| QD7C9.0                | 7834-7090   | 7                 | 9.40              | F       | 3 15/16              | 7 3/8           | 48.000        |
| QD8C9.0                | 7834-8090   | 8                 | 9.40              | F       | 3 15/16              | 8 3/8           | 50.070        |
| QD9C9.0                | 7834-9090   | 9                 | 9.40              | J       | 4 1/2                | 9 3/8           | 51.000        |
| <sup>6</sup> QD10C9.0  | 7835-0090   | 10                | 9.40              | J       | 4 1/2                | 10 3/8          | 101.000       |
| <sup>6</sup> QD12C9.0  | 7835-2090   | 12                | 9.40              | J       | 4 1/2                | 12 3/8          | 75.000        |
| <sup>6</sup> QD1C9.5   | 7834-1095   | 1                 | 9.90              | SF      | 2 15/16              | 1 3/8           | 19.840        |
| QD2C9.5                | 7834-2095   | 2                 | 9.90              | SF      | 2 15/16              | 2 3/8           | 23.990        |
| QD3C9.5                | 7834-3095   | 3                 | 9.90              | E       | 3 1/2                | 3 3/8           | 30.050        |
| QD4C9.5                | 7834-4095   | 4                 | 9.90              | E       | 3 1/2                | 4 3/8           | 34.300        |
| QD5C9.5                | 7834-5095   | 5                 | 9.90              | E       | 3 1/2                | 5 3/8           | 44.180        |
| QD6C9.5                | 7834-6095   | 6                 | 9.90              | F       | 3 15/16              | 6 3/8           | 53.680        |
| QD7C9.5                | 7834-7095   | 7                 | 9.90              | F       | 3 15/16              | 7 3/8           | 55.000        |
| QD8C9.5                | 7834-8095   | 8                 | 9.90              | F       | 3 15/16              | 8 3/8           | 56.130        |
| QD9C9.5                | 7834-9095   | 9                 | 9.90              | J       | 4 1/2                | 9 3/8           | 66.000        |
| <sup>6</sup> QD10C9.5  | 7835-0095   | 10                | 9.90              | J       | 4 1/2                | 10 3/8          | 101.000       |
| <sup>6</sup> QD12C9.5  | 7835-2095   | 12                | 9.90              | J       | 4 1/2                | 12 3/8          | 86.000        |
| QD1C10.0               | 7834-1100   | 1                 | 10.40             | SF      | 2 15/16              | 1 3/8           | 17.580        |
| QD2C10.0               | 7834-2100   | 2                 | 10.40             | SF      | 2 15/16              | 2 3/8           | 21.700        |
| QD3C10.0               | 7834-3100   | 3                 | 10.40             | E       | 3 1/2                | 3 3/8           | 33.700        |
| QD4C10.0               | 7834-4100   | 4                 | 10.40             | E       | 3 1/2                | 4 3/8           | 38.090        |
| QD5C10.0               | 7834-5100   | 5                 | 10.40             | E       | 3 1/2                | 5 3/8           | 42.670        |
| QD6C10.0               | 7834-6100   | 6                 | 10.40             | F       | 3 15/16              | 6 3/8           | 54.190        |
| QD7C10.0               | 7834-7100   | 7                 | 10.40             | F       | 3 15/16              | 7 3/8           | 60.000        |
| QD8C10.0               | 7834-8100   | 8                 | 10.40             | F       | 3 15/16              | 8 3/8           | 72.710        |
| QD9C10.0               | 7834-9100   | 9                 | 10.40             | J       | 4 1/2                | 9 3/8           | 72.000        |
| <sup>6</sup> QD10C10.0 | 7835-0100   | 10                | 10.40             | J       | 4 1/2                | 10 3/8          | 70.620        |
| <sup>6</sup> QD12C10.0 | 7835-2100   | 12                | 10.40             | J       | 4 1/2                | 12 3/8          | 86.000        |
| <sup>6</sup> QD1C10.5  | 7834-1105   | 1                 | 10.90             | SF      | 2 15/16              | 1 3/8           | 18.450        |
| QD2C10.5               | 7834-2105   | 2                 | 10.90             | SF      | 2 15/16              | 2 3/8           | 23.200        |
| QD3C10.5               | 7834-3105   | 3                 | 10.90             | E       | 3 1/2                | 3 3/8           | 37.990        |
| QD4C10.5               | 7834-4105   | 4                 | 10.90             | E       | 3 1/2                | 4 3/8           | 42.980        |
| QD5C10.5               | 7834-5105   | 5                 | 10.90             | E       | 3 1/2                | 5 3/8           | 42.000        |
| QD6C10.5               | 7834-6105   | 6                 | 10.90             | F       | 3 15/16              | 6 3/8           | 66.750        |

<sup>6</sup> Standard/Non-Stock item. Check with Customer Service for availability.

HEAVY DUTY V-BELT METAL





# Multi-Duty® Sheaves - QD®

## Product No. Series 7834 & 7835 (continued)

### C Section (continued)

| Part No.               | Product No. | Number of Grooves | Outside Dia. (in) | Bushing | Bore Range Max. (in) | Face Width (in) | Weight (Lbs.) |
|------------------------|-------------|-------------------|-------------------|---------|----------------------|-----------------|---------------|
| QD7C10.5               | 7834-7105   | 7                 | 10.90             | F       | 3 15/16              | 7 3/8           | 66.000        |
| QD8C10.5               | 7834-8105   | 8                 | 10.90             | F       | 3 15/16              | 8 3/8           | 90.000        |
| QD9C10.5               | 7834-9105   | 9                 | 10.90             | J       | 4 1/2                | 9 3/8           | 80.000        |
| <sup>6</sup> QD10C10.5 | 7835-0105   | 10                | 10.90             | J       | 4 1/2                | 10 3/8          | 101.000       |
| <sup>6</sup> QD12C10.5 | 7835-2105   | 12                | 10.90             | J       | 4 1/2                | 12 3/8          | 96.000        |
| <sup>6</sup> QD1C11.0  | 7834-1110   | 1                 | 11.40             | SF      | 2 15/16              | 1 3/8           | 22.220        |
| QD2C11.0               | 7834-2110   | 2                 | 11.40             | SF      | 2 15/16              | 2 3/8           | 24.570        |
| QD3C11.0               | 7834-3110   | 3                 | 11.40             | E       | 3 1/2                | 3 3/8           | 31.370        |
| QD4C11.0               | 7834-4110   | 4                 | 11.40             | E       | 3 1/2                | 4 3/8           | 46.440        |
| QD5C11.0               | 7834-5110   | 5                 | 11.40             | E       | 3 1/2                | 5 3/8           | 51.830        |
| QD6C11.0               | 7834-6110   | 6                 | 11.40             | F       | 3 15/16              | 6 3/8           | 65.650        |
| QD7C11.0               | 7834-7110   | 7                 | 11.40             | F       | 3 15/16              | 7 3/8           | 73.000        |
| QD8C11.0               | 7834-8110   | 8                 | 11.40             | F       | 3 15/16              | 8 3/8           | 75.990        |
| QD9C11.0               | 7834-9110   | 9                 | 11.40             | J       | 4 1/2                | 9 3/8           | 88.000        |
| QD10C11.0              | 7835-0110   | 10                | 11.40             | J       | 4 1/2                | 10 3/8          | 86.000        |
| <sup>6</sup> QD12C11.0 | 7835-2110   | 12                | 11.40             | J       | 4 1/2                | 12 3/8          | 104.000       |
| QD1C12.0               | 7834-1120   | 1                 | 12.40             | SF      | 2 15/16              | 1 3/8           | 22.010        |
| QD2C12.0               | 7834-2120   | 2                 | 12.40             | SF      | 2 15/16              | 2 3/8           | 27.010        |
| QD3C12.0               | 7834-3120   | 3                 | 12.40             | E       | 3 1/2                | 3 3/8           | 41.060        |
| QD4C12.0               | 7834-4120   | 4                 | 12.40             | E       | 3 1/2                | 4 3/8           | 48.450        |
| QD5C12.0               | 7834-5120   | 5                 | 12.40             | E       | 3 1/2                | 5 3/8           | 75.780        |
| QD6C12.0               | 7834-6120   | 6                 | 12.40             | F       | 3 15/16              | 6 3/8           | 95.700        |
| QD7C12.0               | 7834-7120   | 7                 | 12.40             | F       | 3 15/16              | 7 3/8           | 70.000        |
| QD8C12.0               | 7834-8120   | 8                 | 12.40             | F       | 3 15/16              | 8 3/8           | 34.520        |
| QD9C12.0               | 7834-9120   | 9                 | 12.40             | J       | 4 1/2                | 9 3/8           | 102.000       |
| QD10C12.0              | 7835-0120   | 10                | 12.40             | J       | 4 1/2                | 10 3/8          | 151.000       |
| <sup>6</sup> QD12C12.0 | 7835-2120   | 12                | 12.40             | J       | 4 1/2                | 12 3/8          | 126.000       |
| <sup>6</sup> QD1C13.0  | 7834-1130   | 1                 | 13.40             | SF      | 2 15/16              | 1 3/8           | 24.560        |
| QD2C13.0               | 7834-2130   | 2                 | 13.40             | SF      | 2 15/16              | 2 3/8           | 30.390        |
| QD3C13.0               | 7834-3130   | 3                 | 13.40             | E       | 3 1/2                | 3 3/8           | 41.450        |
| QD4C13.0               | 7834-4130   | 4                 | 13.40             | E       | 3 1/2                | 4 3/8           | 50.550        |
| QD5C13.0               | 7834-5130   | 5                 | 13.40             | E       | 3 1/2                | 5 3/8           | 60.620        |
| QD6C13.0               | 7834-6130   | 6                 | 13.40             | F       | 3 15/16              | 6 3/8           | 72.500        |
| QD7C13.0               | 7834-7130   | 7                 | 13.40             | F       | 3 15/16              | 7 3/8           | 78.000        |
| QD8C13.0               | 7834-8130   | 8                 | 13.40             | F       | 3 15/16              | 8 3/8           | 108.000       |
| QD9C13.0               | 7834-9130   | 9                 | 13.40             | J       | 4 1/2                | 9 3/8           | 99.000        |
| QD10C13.0              | 7835-0130   | 10                | 13.40             | J       | 4 1/2                | 10 3/8          | 120.000       |
| <sup>6</sup> QD12C13.0 | 7835-2130   | 12                | 13.40             | J       | 4 1/2                | 12 3/8          | 134.000       |
| <sup>6</sup> QD1C14.0  | 7834-1140   | 1                 | 14.40             | SF      | 2 15/16              | 1 3/8           | 27.380        |
| QD2C14.0               | 7834-2140   | 2                 | 14.40             | SF      | 2 15/16              | 2 3/8           | 33.660        |
| QD3C14.0               | 7834-3140   | 3                 | 14.40             | E       | 3 1/2                | 3 3/8           | 50.070        |
| QD4C14.0               | 7834-4140   | 4                 | 14.40             | E       | 3 1/2                | 4 3/8           | 54.450        |
| QD5C14.0               | 7834-5140   | 5                 | 14.40             | E       | 3 1/2                | 5 3/8           | 68.000        |
| QD6C14.0               | 7834-6140   | 6                 | 14.40             | F       | 3 15/16              | 6 3/8           | 84.000        |
| QD7C14.0               | 7834-7140   | 7                 | 14.40             | F       | 3 15/16              | 7 3/8           | 84.000        |
| QD8C14.0               | 7834-8140   | 8                 | 14.40             | F       | 3 15/16              | 8 3/8           | 144.500       |
| QD9C14.0               | 7834-9140   | 9                 | 14.40             | J       | 4 1/2                | 9 3/8           | 108.000       |
| <sup>6</sup> QD10C14.0 | 7835-0140   | 10                | 14.40             | J       | 4 1/2                | 10 3/8          | 181.000       |
| <sup>6</sup> QD12C14.0 | 7835-2140   | 12                | 14.40             | J       | 4 1/2                | 12 3/8          | 153.000       |
| <sup>6</sup> QD1C16.0  | 7834-1160   | 1                 | 16.40             | SF      | 2 15/16              | 1 3/8           | 33.760        |
| QD2C16.0               | 7834-2160   | 2                 | 16.40             | SF      | 2 15/16              | 2 3/8           | 41.280        |
| QD3C16.0               | 7834-3160   | 3                 | 16.40             | E       | 3 1/2                | 3 3/8           | 52.880        |
| QD4C16.0               | 7834-4160   | 4                 | 16.40             | E       | 3 1/2                | 4 3/8           | 62.880        |
| QD5C16.0               | 7834-5160   | 5                 | 16.40             | E       | 3 1/2                | 5 3/8           | 79.000        |
| QD6C16.0               | 7834-6160   | 6                 | 16.40             | F       | 3 15/16              | 6 3/8           | 92.000        |
| QD7C16.0               | 7834-7160   | 7                 | 16.40             | F       | 3 15/16              | 7 3/8           | 100.000       |
| QD8C16.0               | 7834-8160   | 8                 | 16.40             | F       | 3 15/16              | 8 3/8           | 125.300       |
| QD9C16.0               | 7834-9160   | 9                 | 16.40             | J       | 4 1/2                | 9 3/8           | 129.000       |
| QD10C16.0              | 7835-0160   | 10                | 16.40             | J       | 4 1/2                | 10 3/8          | 237.000       |
| <sup>6</sup> QD12C16.0 | 7835-2160   | 12                | 16.40             | J       | 4 1/2                | 12 3/8          | 175.000       |

HEAVY DUTY V-BELT METAL

<sup>6</sup> Standard/Non-Stock item. Check with Customer Service for availability.





# Multi-Duty® Sheaves - QD®

## Product No. Series 7834 & 7835 (continued)

### C Section (continued)

| Part No.               | Product No. | Number of Grooves | Outside Dia. (in) | Bushing | Bore Range Max. (in) | Face Width (in) | Weight (Lbs.) |
|------------------------|-------------|-------------------|-------------------|---------|----------------------|-----------------|---------------|
| <sup>6</sup> QD1C18.0  | 7834-1180   | 1                 | 18.40             | SF      | 2 15/16              | 1 3/8           | 44.500        |
| QD2C18.0               | 7834-2180   | 2                 | 18.40             | SF      | 2 15/16              | 2 3/8           | 56.160        |
| QD3C18.0               | 7834-3180   | 3                 | 18.40             | E       | 3 1/2                | 3 3/8           | 65.990        |
| QD4C18.0               | 7834-4180   | 4                 | 18.40             | E       | 3 1/2                | 4 3/8           | 85.010        |
| QD5C18.0               | 7834-5180   | 5                 | 18.40             | E       | 3 1/2                | 5 3/8           | 96.280        |
| QD6C18.0               | 7834-6180   | 6                 | 18.40             | F       | 3 15/16              | 6 3/8           | 126.000       |
| QD7C18.0               | 7834-7180   | 7                 | 18.40             | F       | 3 15/16              | 7 3/8           | 117.000       |
| <sup>6</sup> QD8C18.0  | 7834-8180   | 8                 | 18.40             | F       | 3 15/16              | 8 3/8           | 133.000       |
| QD9C18.0               | 7834-9180   | 9                 | 18.40             | J       | 4 1/2                | 9 3/8           | 143.000       |
| <sup>6</sup> QD10C18.0 | 7835-0180   | 10                | 18.40             | J       | 4 1/2                | 10 3/8          | 249.000       |
| <sup>6</sup> QD12C18.0 | 7835-2180   | 12                | 18.40             | J       | 4 1/2                | 12 3/8          | 198.000       |
| <sup>6</sup> QD1C20.0  | 7834-1200   | 1                 | 20.40             | SF      | 2 15/16              | 1 3/8           | 31.690        |
| QD2C20.0               | 7834-2200   | 2                 | 20.40             | SF      | 2 15/16              | 2 3/8           | 54.100        |
| QD3C20.0               | 7834-3200   | 3                 | 20.40             | E       | 3 1/2                | 3 3/8           | 69.000        |
| QD4C20.0               | 7834-4200   | 4                 | 20.40             | E       | 3 1/2                | 4 3/8           | 86.000        |
| QD5C20.0               | 7834-5200   | 5                 | 20.40             | F       | 3 15/16              | 5 3/8           | 114.000       |
| QD6C20.0               | 7834-6200   | 6                 | 20.40             | F       | 3 15/16              | 6 3/8           | 102.000       |
| QD7C20.0               | 7834-7200   | 7                 | 20.40             | J       | 4 1/2                | 7 3/8           | 131.000       |
| QD8C20.0               | 7834-8200   | 8                 | 20.40             | J       | 4 1/2                | 8 3/8           | 146.000       |
| QD9C20.0               | 7834-9200   | 9                 | 20.40             | J       | 4 1/2                | 9 3/8           | 156.000       |
| <sup>6</sup> QD10C20.0 | 7835-0200   | 10                | 20.40             | J       | 4 1/2                | 10 3/8          | 277.000       |
| <sup>6</sup> QD12C20.0 | 7835-2200   | 12                | 20.40             | M       | 5 1/2                | 12 3/8          | 237.000       |
| <sup>6</sup> QD1C24.0  | 7834-1240   | 1                 | 24.40             | SF      | 2 15/16              | 1 3/8           | 31.800        |
| <sup>6</sup> QD2C24.0  | 7834-2240   | 2                 | 24.40             | SF      | 2 15/16              | 2 3/8           | 61.000        |
| QD3C24.0               | 7834-3240   | 3                 | 24.40             | E       | 3 1/2                | 3 3/8           | 78.000        |
| QD4C24.0               | 7834-4240   | 4                 | 24.40             | F       | 3 15/16              | 4 3/8           | 108.000       |
| QD5C24.0               | 7834-5240   | 5                 | 24.40             | F       | 3 15/16              | 5 3/8           | 109.000       |
| QD6C24.0               | 7834-6240   | 6                 | 24.40             | F       | 3 15/16              | 6 3/8           | 150.000       |
| QD7C24.0               | 7834-7240   | 7                 | 24.40             | J       | 4 1/2                | 7 3/8           | 167.000       |
| <sup>6</sup> QD8C24.0  | 7834-8240   | 8                 | 24.40             | J       | 4 1/2                | 8 3/8           | 188.000       |
| QD9C24.0               | 7834-9240   | 9                 | 24.40             | J       | 4 1/2                | 9 3/8           | 192.000       |
| <sup>6</sup> QD10C24.0 | 7835-0240   | 10                | 24.40             | M       | 5 1/2                | 10 3/8          | 336.000       |
| <sup>6</sup> QD12C24.0 | 7835-2240   | 12                | 24.40             | M       | 5 1/2                | 12 3/8          | 277.000       |
| QD2C27.0               | 7834-2270   | 2                 | 27.40             | F       | 3 15/16              | 2 3/8           | 88.000        |
| QD3C27.0               | 7834-3270   | 3                 | 27.40             | F       | 3 15/16              | 3 3/8           | 101.000       |
| QD4C27.0               | 7834-4270   | 4                 | 27.40             | F       | 3 15/16              | 4 3/8           | 116.000       |
| QD5C27.0               | 7834-5270   | 5                 | 27.40             | F       | 3 15/16              | 5 3/8           | 133.000       |
| QD6C27.0               | 7834-6270   | 6                 | 27.40             | J       | 4 1/2                | 6 3/8           | 162.000       |
| QD7C27.0               | 7834-7270   | 7                 | 27.40             | J       | 4 1/2                | 7 3/8           | 209.000       |
| <sup>6</sup> QD8C27.0  | 7834-8270   | 8                 | 27.40             | J       | 4 1/2                | 8 3/8           | 230.000       |
| QD9C27.0               | 7834-9270   | 9                 | 27.40             | J       | 4 1/2                | 9 3/8           | 227.000       |
| <sup>6</sup> QD2C30.0  | 7834-2300   | 2                 | 30.40             | F       | 3 15/16              | 2 3/8           | 79.000        |
| QD3C30.0               | 7834-3300   | 3                 | 30.40             | E       | 3 15/16              | 3 3/8           | 129.000       |
| QD4C30.0               | 7834-4300   | 4                 | 30.40             | F       | 3 15/16              | 4 3/8           | 165.000       |
| QD5C30.0               | 7834-5300   | 5                 | 30.40             | F       | 3 15/16              | 5 3/8           | 160.000       |
| QD6C30.0               | 7834-6300   | 6                 | 30.40             | J       | 4 1/2                | 6 3/8           | 180.000       |
| QD7C30.0               | 7834-7300   | 7                 | 30.40             | J       | 4 1/2                | 7 3/8           | 221.000       |
| <sup>6</sup> QD8C30.0  | 7834-8300   | 8                 | 30.40             | J       | 4 1/2                | 8 3/8           | 230.000       |
| QD9C30.0               | 7834-9300   | 9                 | 30.40             | M       | 5 1/2                | 9 3/8           | 317.000       |
| <sup>6</sup> QD10C30.0 | 7835-0300   | 10                | 30.40             | M       | 5 1/2                | 10 3/8          | 305.000       |
| <sup>6</sup> QD12C30.0 | 7835-2300   | 12                | 30.40             | M       | 5 1/2                | 12 3/8          | 357.000       |
| QD3C36.0               | 7834-3360   | 3                 | 36.40             | F       | 3 15/16              | 3 3/8           | 143.000       |
| QD4C36.0               | 7834-4360   | 4                 | 36.40             | F       | 3 15/16              | 4 3/8           | 170.000       |
| QD5C36.0               | 7834-5360   | 5                 | 36.40             | J       | 4 1/2                | 5 3/8           | 205.000       |
| QD6C36.0               | 7834-6360   | 6                 | 36.40             | J       | 4 1/2                | 6 3/8           | 230.000       |
| QD7C36.0               | 7834-7360   | 7                 | 36.40             | J       | 4 1/2                | 7 3/8           | 282.000       |
| <sup>6</sup> QD8C36.0  | 7834-8360   | 8                 | 36.40             | M       | 5 1/2                | 8 3/8           | 285.000       |
| QD9C36.0               | 7834-9360   | 9                 | 36.40             | M       | 5 1/2                | 9 3/8           | 383.000       |
| <sup>6</sup> QD10C36.0 | 7835-0360   | 10                | 36.40             | M       | 5 1/2                | 10 3/8          | 335.000       |
| <sup>6</sup> QD12C36.0 | 7835-2360   | 12                | 36.40             | M       | 5 1/2                | 12 3/8          | 430.000       |

<sup>6</sup> Standard/Non-Stock item. Check with Customer Service for availability.

HEAVY DUTY V-BELT METAL



# Multi-Duty® Sheaves - QD®

## Product No. Series 7834 & 7835 (continued)

### C Section (continued)

| Part No.               | Product No. | Number of Grooves | Outside Dia. (in) | Bushing | Bore Range Max. (in) | Face Width (in) | Weight (Lbs.) |
|------------------------|-------------|-------------------|-------------------|---------|----------------------|-----------------|---------------|
| <sup>6</sup> QD3C44.0  | 7834-3440   | 3                 | 44.40             | F       | 3 15/16              | 3 3/8           | 170.000       |
| QD4C44.0               | 7834-4440   | 4                 | 44.40             | J       | 4 1/2                | 4 3/8           | 366.000       |
| QD5C44.0               | 7834-5440   | 5                 | 44.40             | J       | 4 1/2                | 5 3/8           | 260.000       |
| QD6C44.0               | 7834-6440   | 6                 | 44.40             | J       | 4 1/2                | 6 3/8           | 315.000       |
| QD7C44.0               | 7834-7440   | 7                 | 44.40             | M       | 5 1/2                | 7 3/8           | 442.000       |
| QD8C44.0               | 7834-8440   | 8                 | 44.40             | M       | 5 1/2                | 8 3/8           | 590.000       |
| QD9C44.0               | 7834-9440   | 9                 | 44.40             | M       | 5 1/2                | 9 3/8           | 493.000       |
| <sup>6</sup> QD10C44.0 | 7835-0440   | 10                | 44.40             | M       | 5 1/2                | 10 3/8          | 455.000       |
| <sup>6</sup> QD12C44.0 | 7835-2440   | 12                | 44.40             | M       | 5 1/2                | 12 3/8          | 520.000       |
| QD3C50.0               | 7834-3500   | 3                 | 50.40             | F       | 3 15/16              | 3 3/8           | 190.000       |
| <sup>6</sup> QD4C50.0  | 7834-4500   | 4                 | 50.40             | J       | 4 1/2                | 4 3/8           | 256.000       |
| <sup>6</sup> QD5C50.0  | 7834-5500   | 5                 | 50.40             | J       | 4 1/2                | 5 3/8           | 275.000       |
| QD6C50.0               | 7834-6500   | 6                 | 50.40             | J       | 4 1/2                | 6 3/8           | 325.000       |
| QD7C50.0               | 7834-7500   | 7                 | 50.40             | M       | 5 1/2                | 7 3/8           | 488.000       |
| QD8C50.0               | 7834-8500   | 8                 | 50.40             | M       | 5 1/2                | 8 3/8           | 530.000       |
| QD9C50.0               | 7834-9500   | 9                 | 50.40             | M       | 5 1/2                | 9 3/8           | 585.000       |
| QD10C50.0              | 7835-0500   | 10                | 50.40             | M       | 5 1/2                | 10 3/8          | 503.000       |
| <sup>6</sup> QD12C50.0 | 7835-2500   | 12                | 50.40             | M       | 5 1/2                | 12 3/8          | 595.000       |

D Section Sheaves are Standard/Non-Stock.

## Product No. Series 7836 & 7837

### D Section

| Part No.               | Product No. | Number of Grooves | Outside Dia. (in) | Bushing | Bore Range Max. (in) | Face Width (in) | Weight (Lbs.) |
|------------------------|-------------|-------------------|-------------------|---------|----------------------|-----------------|---------------|
| <sup>6</sup> QD3D12.0  | 7836-3120   | 3                 | 12.60             | F       | 3 15/16              | 4 5/8           | 83.000        |
| <sup>6</sup> QD4D12.0  | 7836-4120   | 4                 | 12.60             | F       | 3 15/16              | 6 1/16          | 85.000        |
| <sup>6</sup> QD5D12.0  | 7836-5120   | 5                 | 12.60             | F       | 3 15/16              | 7 1/2           | 98.000        |
| QD6D12.0               | 7836-6120   | 6                 | 12.60             | J       | 4 1/2                | 8 15/16         | 111.000       |
| <sup>6</sup> QD8D12.0  | 7836-8120   | 8                 | 12.60             | J       | 4 1/2                | 11 13/16        | 151.000       |
| <sup>6</sup> QD10D12.0 | 7837-0120   | 10                | 12.60             | M       | 5 1/2                | 14 11/16        | 153.000       |
| QD12D12.0              | 7837-2120   | 12                | 12.60             | M       | 5 1/2                | 17 9/16         | 176.000       |
| QD3D13.0               | 7836-3130   | 3                 | 13.60             | F       | 3 15/16              | 4 5/8           | 88.000        |
| <sup>6</sup> QD4D13.0  | 7836-4130   | 4                 | 13.60             | F       | 3 15/16              | 6 1/16          | 76.000        |
| <sup>6</sup> QD5D13.0  | 7836-5130   | 5                 | 13.60             | F       | 3 15/16              | 7 1/2           | 114.000       |
| <sup>6</sup> QD6D13.0  | 7836-6130   | 6                 | 13.60             | J       | 4 1/2                | 8 15/16         | 140.000       |
| <sup>6</sup> QD8D13.0  | 7836-8130   | 8                 | 13.60             | J       | 4 1/2                | 11 13/16        | 168.000       |
| <sup>6</sup> QD10D13.0 | 7837-0130   | 10                | 13.60             | M       | 5 1/2                | 14 11/16        | 180.000       |
| QD12D13.0              | 7837-2130   | 12                | 13.60             | M       | 5 1/2                | 17 9/16         | 210.000       |
| <sup>6</sup> QD3D13.5  | 7836-3135   | 3                 | 14.10             | F       | 3 15/16              | 4 5/8           | 88.000        |
| <sup>6</sup> QD4D13.5  | 7836-4135   | 4                 | 14.10             | F       | 3 15/16              | 6 1/16          | 107.000       |
| <sup>6</sup> QD5D13.5  | 7836-5135   | 5                 | 14.10             | F       | 3 15/16              | 7 1/2           | 134.000       |
| <sup>6</sup> QD6D13.5  | 7836-6135   | 6                 | 14.10             | J       | 4 1/2                | 8 15/16         | 140.000       |
| <sup>6</sup> QD8D13.5  | 7836-8135   | 8                 | 14.10             | J       | 4 1/2                | 11 13/16        | 168.000       |
| <sup>6</sup> QD10D13.5 | 7837-0135   | 10                | 14.10             | M       | 5 1/2                | 14 11/16        | 186.000       |
| QD12D13.5              | 7837-2135   | 12                | 14.10             | M       | 5 1/2                | 17 9/16         | 227.000       |
| <sup>6</sup> QD3D14.0  | 7836-3140   | 3                 | 14.60             | F       | 3 15/16              | 4 5/8           | 111.000       |
| <sup>6</sup> QD4D14.0  | 7836-4140   | 4                 | 14.60             | F       | 3 15/16              | 6 1/16          | 106.000       |
| <sup>6</sup> QD5D14.0  | 7836-5140   | 5                 | 14.60             | F       | 3 15/16              | 7 1/2           | 140.000       |
| <sup>6</sup> QD6D14.0  | 7836-6140   | 6                 | 14.60             | J       | 4 1/2                | 8 15/16         | 159.000       |
| <sup>6</sup> QD8D14.0  | 7836-8140   | 8                 | 14.60             | J       | 4 1/2                | 11 13/16        | 181.000       |
| <sup>6</sup> QD10D14.0 | 7837-0140   | 10                | 14.60             | M       | 5 1/2                | 14 11/16        | 221.000       |
| QD12D14.0              | 7837-2140   | 12                | 14.60             | M       | 5 1/2                | 17 9/16         | 244.000       |
| QD3D14.5               | 7836-3145   | 3                 | 15.10             | F       | 3 15/16              | 4 5/8           | 111.000       |
| <sup>6</sup> QD4D14.5  | 7836-4145   | 4                 | 15.10             | F       | 3 15/16              | 6 1/16          | 106.000       |
| <sup>6</sup> QD5D14.5  | 7836-5145   | 5                 | 15.10             | F       | 3 15/16              | 7 1/2           | 140.000       |
| <sup>6</sup> QD6D14.5  | 7836-6145   | 6                 | 15.10             | J       | 4 1/2                | 8 15/16         | 159.000       |
| <sup>6</sup> QD8D14.5  | 7836-8145   | 8                 | 15.10             | J       | 4 1/2                | 11 13/16        | 181.000       |
| <sup>6</sup> QD10D14.5 | 7837-0145   | 10                | 15.10             | M       | 5 1/2                | 14 11/16        | 221.000       |

<sup>6</sup> Standard/Non-Stock item. Check with Customer Service for availability.

HEAVY DUTY V-BELT METAL



# Multi-Duty® Sheaves - QD®

## Product No. Series 7836 & 7837 (continued)

### D Section (continued)

| Part No.               | Product No. | Number of Grooves | Outside Dia. (in) | Bushing | Bore Range Max. (in) | Face Width (in) | Weight (Lbs.) |
|------------------------|-------------|-------------------|-------------------|---------|----------------------|-----------------|---------------|
| QD12D14.5              | 7837-2145   | 12                | 15.10             | M       | 5 1/2                | 17 9/16         | 262.000       |
| <sup>6</sup> QD3D15.0  | 7836-3150   | 3                 | 15.60             | F       | 3 15/16              | 4 5/8           | 105.000       |
| <sup>6</sup> QD4D15.0  | 7836-4150   | 4                 | 15.60             | F       | 3 15/16              | 6 1/16          | 110.000       |
| <sup>6</sup> QD5D15.0  | 7836-5150   | 5                 | 15.60             | F       | 3 15/16              | 7 1/2           | 114.000       |
| <sup>6</sup> QD6D15.0  | 7836-6150   | 6                 | 15.60             | J       | 4 1/2                | 8 15/16         | 162.000       |
| <sup>6</sup> QD8D15.0  | 7836-8150   | 8                 | 15.60             | J       | 4 1/2                | 11 13/16        | 216.000       |
| <sup>6</sup> QD10D15.0 | 7837-0150   | 10                | 15.60             | M       | 5 1/2                | 14 11/16        | 247.000       |
| QD12D15.0              | 7837-2150   | 12                | 15.60             | M       | 5 1/2                | 17 9/16         | 281.000       |
| <sup>6</sup> QD3D15.5  | 7836-3155   | 3                 | 16.10             | F       | 3 15/16              | 4 5/8           | 105.000       |
| <sup>6</sup> QD4D15.5  | 7836-4155   | 4                 | 16.10             | F       | 3 15/16              | 6 1/16          | 110.000       |
| <sup>6</sup> QD5D15.5  | 7836-5155   | 5                 | 16.10             | F       | 3 15/16              | 7 1/2           | 146.000       |
| <sup>6</sup> QD6D15.5  | 7836-6155   | 6                 | 16.10             | J       | 4 1/2                | 8 15/16         | 162.000       |
| <sup>6</sup> QD8D15.5  | 7836-8155   | 8                 | 16.10             | J       | 4 1/2                | 11 13/16        | 216.000       |
| <sup>6</sup> QD10D15.5 | 7837-0155   | 10                | 16.10             | M       | 5 1/2                | 14 11/16        | 270.000       |
| QD12D15.5              | 7837-2155   | 12                | 16.10             | M       | 5 1/2                | 17 9/16         | 300.000       |
| <sup>6</sup> QD3D16.0  | 7836-3160   | 3                 | 16.60             | F       | 3 15/16              | 4 5/8           | 150.000       |
| <sup>6</sup> QD4D16.0  | 7836-4160   | 4                 | 16.60             | F       | 3 15/16              | 6 1/16          | 150.000       |
| <sup>6</sup> QD5D16.0  | 7836-5160   | 5                 | 16.60             | F       | 3 15/16              | 7 1/2           | 143.000       |
| <sup>6</sup> QD6D16.0  | 7836-6160   | 6                 | 16.60             | J       | 4 1/2                | 8 15/16         | 199.000       |
| <sup>6</sup> QD8D16.0  | 7836-8160   | 8                 | 16.60             | J       | 4 1/2                | 11 13/16        | 237.000       |
| <sup>6</sup> QD10D16.0 | 7837-0160   | 10                | 16.60             | M       | 5 1/2                | 14 11/16        | 267.000       |
| QD12D16.0              | 7837-2160   | 12                | 16.60             | M       | 5 1/2                | 17 9/16         | 279.000       |
| QD4D17.0               | 7836-4170   | 4                 | 17.60             | J       | 4 1/2                | 6 1/16          | 111.000       |
| QD5D17.0               | 7836-5170   | 5                 | 17.60             | J       | 4 1/2                | 7 1/2           | 128.000       |
| QD6D17.0               | 7836-6170   | 6                 | 17.60             | J       | 4 1/2                | 8 15/16         | 145.000       |
| QD8D17.0               | 7836-8170   | 8                 | 17.60             | J       | 4 1/2                | 11 13/16        | 176.000       |
| QD10D17.0              | 7837-0170   | 10                | 17.60             | M       | 5 1/2                | 14 11/16        | 263.000       |
| QD12D17.0              | 7837-2170   | 12                | 17.60             | M       | 5 1/2                | 17 9/16         | 289.000       |
| <sup>6</sup> QD3D18.0  | 7836-3180   | 3                 | 18.60             | J       | 4 1/2                | 4 5/8           | 146.000       |
| <sup>6</sup> QD4D18.0  | 7836-4180   | 4                 | 18.60             | J       | 4 1/2                | 6 1/16          | 146.000       |
| <sup>6</sup> QD5D18.0  | 7836-5180   | 5                 | 18.60             | J       | 4 1/2                | 7 1/2           | 164.000       |
| <sup>6</sup> QD6D18.0  | 7836-6180   | 6                 | 18.60             | J       | 4 1/2                | 8 15/16         | 223.000       |
| <sup>6</sup> QD8D18.0  | 7836-8180   | 8                 | 18.60             | M       | 5 1/2                | 11 13/16        | 249.000       |
| <sup>6</sup> QD10D18.0 | 7837-0180   | 10                | 18.60             | M       | 5 1/2                | 14 11/16        | 274.000       |
| QD12D18.0              | 7837-2180   | 12                | 18.60             | M       | 5 1/2                | 17 9/16         | 309.000       |
| <sup>6</sup> QD4D20.0  | 7836-4200   | 4                 | 20.60             | J       | 4 1/2                | 6 1/16          | 181.000       |
| <sup>6</sup> QD5D20.0  | 7836-5200   | 5                 | 20.60             | J       | 4 1/2                | 7 1/2           | 188.000       |
| <sup>6</sup> QD6D20.0  | 7836-6200   | 6                 | 20.60             | J       | 4 1/2                | 8 15/16         | 249.000       |
| <sup>6</sup> QD8D20.0  | 7836-8200   | 8                 | 20.60             | M       | 5 1/2                | 11 13/16        | 277.000       |
| <sup>6</sup> QD10D20.0 | 7837-0200   | 10                | 20.60             | M       | 5 1/2                | 14 11/16        | 408.000       |
| QD12D20.0              | 7837-2200   | 12                | 20.60             | M       | 5 1/2                | 17 9/16         | 352.000       |
| <sup>6</sup> QD3D22.0  | 7836-3220   | 3                 | 22.60             | J       | 4 1/2                | 4 5/8           | 199.000       |
| <sup>6</sup> QD4D22.0  | 7836-4220   | 4                 | 22.60             | J       | 4 1/2                | 6 1/16          | 199.000       |
| <sup>6</sup> QD5D22.0  | 7836-5220   | 5                 | 22.60             | J       | 4 1/2                | 7 1/2           | 221.000       |
| <sup>6</sup> QD6D22.0  | 7836-6220   | 6                 | 22.60             | M       | 5 1/2                | 8 15/16         | 258.000       |
| <sup>6</sup> QD8D22.0  | 7836-8220   | 8                 | 22.60             | M       | 5 1/2                | 11 13/16        | 326.000       |
| <sup>6</sup> QD10D22.0 | 7837-0220   | 10                | 22.60             | M       | 5 1/2                | 14 11/16        | 361.000       |
| QD12D22.0              | 7837-2220   | 12                | 22.60             | M       | 5 1/2                | 17 9/16         | 384.000       |
| QD3D24.0               | 7836-3240   | 3                 | 24.60             | J       | 4 1/2                | 4 5/8           | 135.000       |
| QD4D24.0               | 7836-4240   | 4                 | 24.60             | J       | 4 1/2                | 6 1/16          | 170.000       |
| QD5D24.0               | 7836-5240   | 5                 | 24.60             | J       | 4 1/2                | 7 1/2           | 192.000       |
| QD6D24.0               | 7836-6240   | 6                 | 24.60             | M       | 5 1/2                | 8 15/16         | 264.000       |
| <sup>6</sup> QD3D27.0  | 7836-3270   | 3                 | 27.60             | J       | 4 1/2                | 4 5/8           | 236.000       |
| <sup>6</sup> QD4D27.0  | 7836-4270   | 4                 | 27.60             | J       | 4 1/2                | 6 1/16          | 257.000       |
| <sup>6</sup> QD5D27.0  | 7836-5270   | 5                 | 27.60             | M       | 5 1/2                | 7 1/2           | 296.000       |
| <sup>6</sup> QD6D27.0  | 7836-6270   | 6                 | 27.60             | M       | 5 1/2                | 8 15/16         | 331.000       |
| QD8D27.0               | 7836-8270   | 8                 | 27.60             | M       | 5 1/2                | 11 13/16        | 376.000       |
| <sup>6</sup> QD10D27.0 | 7837-0270   | 10                | 27.60             | M       | 5 1/2                | 14 11/16        | 430.000       |
| QD12D27.0              | 7837-2270   | 12                | 27.60             | N       | 6                    | 17 9/16         | 515.000       |
| <sup>6</sup> QD3D33.0  | 7836-3330   | 3                 | 33.60             | J       | 4 1/2                | 4 5/8           | 332.000       |

HEAVY DUTY V-BELT METAL

<sup>6</sup> Standard/Non-Stock item. Check with Customer Service for availability.



# Multi-Duty® Sheaves - QD®

## Product No. Series 7836 & 7837 (continued)

### D Section (continued)

| Part No.               | Product No. | Number of Grooves | Outside Dia. (in) | Bushing | Bore Range Max. (in) | Face Width (in) | Weight (Lbs.) |
|------------------------|-------------|-------------------|-------------------|---------|----------------------|-----------------|---------------|
| <sup>6</sup> QD4D33.0  | 7836-4330   | 4                 | 33.60             | M       | 5 1/2                | 6 1/16          | 361.000       |
| <sup>6</sup> QD5D33.0  | 7836-5330   | 5                 | 33.60             | M       | 5 1/2                | 7 1/2           | 411.000       |
| <sup>6</sup> QD6D33.0  | 7836-6330   | 6                 | 33.60             | M       | 5 1/2                | 8 15/16         | 460.000       |
| <sup>6</sup> QD8D33.0  | 7836-8330   | 8                 | 33.60             | M       | 5 1/2                | 11 13/16        | 524.000       |
| <sup>6</sup> QD10D33.0 | 7837-0330   | 10                | 33.60             | N       | 5 7/8                | 14 11/16        | 638.000       |
| QD12D33.0              | 7837-2330   | 12                | 33.60             | N       | 6                    | 17 9/16         | 650.000       |
| <sup>6</sup> QD3D40.0  | 7836-3400   | 3                 | 40.60             | J       | 4 1/2                | 4 5/8           | 250.000       |
| <sup>6</sup> QD4D40.0  | 7836-4400   | 4                 | 40.60             | M       | 5 1/2                | 6 1/16          | 498.000       |
| <sup>6</sup> QD5D40.0  | 7836-5400   | 5                 | 40.60             | M       | 5 1/2                | 7 1/2           | 546.000       |
| <sup>6</sup> QD6D40.0  | 7836-6400   | 6                 | 40.60             | M       | 5 1/2                | 8 15/16         | 606.000       |
| <sup>6</sup> QD8D40.0  | 7836-8400   | 8                 | 40.60             | N       | 5 7/8                | 11 13/16        | 695.000       |
| <sup>6</sup> QD10D40.0 | 7837-0400   | 10                | 40.60             | N       | 5 7/8                | 14 11/16        | 788.000       |
| QD12D40.0              | 7837-2400   | 12                | 40.60             | P       | 7                    | 17 9/16         | 855.000       |
| <sup>6</sup> QD5D48.0  | 7836-5480   | 5                 | 48.60             | M       | 5 1/2                | 7 1/2           | 671.000       |
| <sup>6</sup> QD6D48.0  | 7836-6480   | 6                 | 48.60             | M       | 5 1/2                | 8 15/16         | 744.000       |
| <sup>6</sup> QD8D48.0  | 7836-8480   | 8                 | 48.60             | N       | 5 7/8                | 11 13/16        | 849.000       |
| <sup>6</sup> QD10D48.0 | 7837-0480   | 10                | 48.60             | P       | 7                    | 14 11/16        | 961.000       |
| QD12D48.0              | 7837-2480   | 12                | 48.60             | P       | 7                    | 17 9/16         | 1,085.000     |
| <sup>6</sup> QD5D58.0  | 7836-5580   | 5                 | 58.60             | M       | 5 1/2                | 7 1/2           | 750.000       |
| <sup>6</sup> QD6D58.0  | 7836-6580   | 6                 | 58.60             | N       | 5 7/8                | 8 15/16         | 800.000       |
| <sup>6</sup> QD8D58.0  | 7836-8580   | 8                 | 58.60             | N       | 5 7/8                | 11 13/16        | 975.000       |
| <sup>6</sup> QD10D58.0 | 7837-0580   | 10                | 58.60             | P       | 7                    | 14 11/16        | 1,200.000     |
| QD12D58.0              | 7837-2580   | 12                | 58.60             | P       | 7                    | 17 9/16         | 1,395.000     |

HEAVY DUTY V-BELT METAL

<sup>6</sup> Standard/Non-Stock item. Check with Customer Service for availability.



## JVS Adjustable Speed Sheaves - Bored-to-Size

### Notes

Details shown which do not affect drive function or overall weight may be changed without notification.  
JVS sheaves use standard 2 groove Multi-Duty A/B or Super HC 5V sheaves as companions.

### Product No. Series 7871

| Part No.        | Product No. | Outside Dia. (in) | Bore (in) | Bore Range Max. (in) | Weight (Lbs.) |
|-----------------|-------------|-------------------|-----------|----------------------|---------------|
| 2/JVS5.12 1.1/8 | 7871-0001   | 5.12              | 1 1/8     | 1 3/8                | 8.300         |
| 2/JVS5.12 1.3/8 | 7871-0002   | 5.12              | 1 3/8     | 1 3/8                | 7.900         |
| 2/JVS5.90 1.1/8 | 7871-0003   | 5.90              | 1 1/8     | 1 11/16              | 11.400        |
| 2/JVS5.90 1.3/8 | 7871-0004   | 5.90              | 1 3/8     | 1 11/16              | 10.900        |
| 2/JVS5.90 1.5/8 | 7871-0005   | 5.90              | 1 5/8     | 1 11/16              | 10.300        |
| 2/JVS6.69 1.1/8 | 7871-0006   | 6.69              | 1 1/8     | 1 11/16              | 14.300        |
| 2/JVS6.69 1.3/8 | 7871-0007   | 6.69              | 1 3/8     | 1 11/16              | 13.800        |
| 2/JVS6.69 1.5/8 | 7871-0008   | 6.69              | 1 5/8     | 1 11/16              | 13.200        |
| 2/JVS7.48 1.3/8 | 7871-0009   | 7.48              | 1 3/8     | 2 7/16               | 20.500        |
| 2/JVS7.48 1.5/8 | 7871-0010   | 7.48              | 1 5/8     | 2 7/16               | 19.900        |
| 2/JVS7.48 1.7/8 | 7871-0011   | 7.48              | 1 7/8     | 2 7/16               | 19.100        |
| 2/JVS8.27 1.3/8 | 7871-0012   | 8.27              | 1 3/8     | 2 7/16               | 24.300        |
| 2/JVS8.27 1.5/8 | 7871-0013   | 8.27              | 1 5/8     | 2 7/16               | 23.700        |
| 2/JVS8.27 1.7/8 | 7871-0014   | 8.27              | 1 7/8     | 2 7/16               | 22.900        |
| 2/JVS8.27 2.1/8 | 7871-0015   | 8.27              | 2 1/8     | 2 7/16               | 22.100        |
| 2/JVS9.06 1.3/8 | 7871-0016   | 9.06              | 1 3/8     | 2 7/16               | 27.300        |
| 2/JVS9.06 1.5/8 | 7871-0017   | 9.06              | 1 5/8     | 2 7/16               | 26.700        |
| 2/JVS9.06 1.7/8 | 7871-0018   | 9.06              | 1 7/8     | 2 7/16               | 25.900        |
| 2/JVS9.06 2.1/8 | 7871-0019   | 9.06              | 2 1/8     | 2 7/16               | 25.100        |

HEAVY DUTY V-BELT METAL



# 5VS & 8VS Adjustable Speed Sheaves - QD®

**Notes**

8 groove 5V companion sheaves are Made-to-Order. Contact Made-To-Order Metals.

8V companion sheaves are Made-to-Order. Contact Made-to-Order Metals.

Details shown which do not affect drive function or overall weight may be changed without notification.

**Product No. Series 7960****5V Section**

| Part No.     | Product No. | Number of Grooves | Outside Dia. (in) | Bushing | Weight (Lbs.) | Part No.     | Product No. | Number of Grooves | Outside Dia. (in) | Bushing | Weight (Lbs.) |
|--------------|-------------|-------------------|-------------------|---------|---------------|--------------|-------------|-------------------|-------------------|---------|---------------|
| QD2/5VS9.56  | 7960-0001   | 2                 | 9.56              | SK      | 37.000        | QD6/5VS11.54 | 7960-0015   | 6                 | 11.54             | 5VSLB   | 140.000       |
| QD3/5VS9.56  | 7960-0002   | 3                 | 9.56              | 5VSSB   | 52.000        | QD8/5VS11.54 | 7960-0016   | 8                 | 11.54             | 5VSLB   | 178.000       |
| QD4/5VS9.56  | 7960-0003   | 4                 | 9.56              | 5VSSB   | 64.000        | QD2/5VS12.52 | 7960-0017   | 2                 | 12.52             | SK      | 54.000        |
| QD5/5VS9.56  | 7960-0004   | 5                 | 9.56              | 5VSSB   | 76.000        | QD3/5VS12.52 | 7960-0018   | 3                 | 12.52             | 5VSSB   | 84.000        |
| QD6/5VS9.56  | 7960-0005   | 6                 | 9.56              | 5VSLB   | 100.000       | QD4/5VS12.52 | 7960-0019   | 4                 | 12.52             | 5VSSB   | 106.000       |
| QD2/5VS10.56 | 7960-0006   | 2                 | 10.56             | SK      | 42.000        | QD5/5VS12.52 | 7960-0020   | 5                 | 12.52             | 5VSSB   | 130.000       |
| QD3/5VS10.56 | 7960-0007   | 3                 | 10.56             | 5VSSB   | 62.000        | QD6/5VS12.52 | 7960-0021   | 6                 | 12.52             | 5VSLB   | 162.000       |
| QD4/5VS10.56 | 7960-0008   | 4                 | 10.56             | 5VSSB   | 78.000        | QD8/5VS12.52 | 7960-0022   | 8                 | 12.52             | 5VSLB   | 210.000       |
| QD5/5VS10.56 | 7960-0009   | 5                 | 10.56             | 5VSSB   | 92.000        | QD2/5VS14.09 | 7960-0023   | 2                 | 14.09             | SK      | 67.000        |
| QD6/5VS10.56 | 7960-0010   | 6                 | 10.56             | 5VSLB   | 118.000       | QD3/5VS14.09 | 7960-0024   | 3                 | 14.09             | 5VSSB   | 104.000       |
| QD2/5VS11.54 | 7960-0011   | 2                 | 11.54             | SK      | 48.000        | QD4/5VS14.09 | 7960-0025   | 4                 | 14.09             | 5VSSB   | 133.000       |
| QD3/5VS11.54 | 7960-0012   | 3                 | 11.54             | 5VSSB   | 74.000        | QD5/5VS14.09 | 7960-0026   | 5                 | 14.09             | 5VSSB   | 164.000       |
| QD4/5VS11.54 | 7960-0013   | 4                 | 11.54             | 5VSSB   | 92.000        | QD6/5VS14.09 | 7960-0027   | 6                 | 14.09             | 5VSLB   | 202.000       |
| QD5/5VS11.54 | 7960-0014   | 5                 | 11.54             | 5VSSB   | 110.000       | QD8/5VS14.09 | 7960-0028   | 8                 | 14.09             | 5VSLB   | 264.000       |

**5V Companion Sheaves**

| Part No.    | Product No. | Number of Grooves | Outside Dia. (in) | Bushing | Weight (Lbs.) | Part No.    | Product No. | Number of Grooves | Outside Dia. (in) | Bushing | Weight (Lbs.) |
|-------------|-------------|-------------------|-------------------|---------|---------------|-------------|-------------|-------------------|-------------------|---------|---------------|
| QD6/5V10.3W | 7960-0029   | 6                 | 10.30             | F       | 71.000        | QD6/5V16.0W | 7960-0037   | 6                 | 16.00             | F       | 110.000       |
| QD6/5V10.9W | 7960-0030   | 6                 | 10.90             | F       | 78.800        | QD6/5V18.7W | 7960-0038   | 6                 | 18.70             | J       | 144.800       |
| QD6/5V11.3W | 7960-0031   | 6                 | 11.30             | F       | 87.300        | QD6/5V21.2W | 7960-0039   | 6                 | 21.20             | J       | 170.300       |
| QD6/5V11.8W | 7960-0032   | 6                 | 11.80             | F       | 93.500        | QD6/5V23.6W | 7960-0040   | 6                 | 23.60             | J       | 202.300       |
| QD6/5V12.5W | 7960-0033   | 6                 | 12.50             | F       | 85.300        | QD6/5V28.0W | 7960-0041   | 6                 | 28.00             | J       | 219.800       |
| QD6/5V13.2W | 7960-0034   | 6                 | 13.20             | F       | 91.900        | QD6/5V31.5W | 7960-0042   | 6                 | 31.50             | J       | 278.000       |
| QD6/5V14.0W | 7960-0035   | 6                 | 14.00             | F       | 101.200       | QD6/5V37.5W | 7960-0043   | 6                 | 37.50             | J       | 341.900       |
| QD6/5V15.0W | 7960-0036   | 6                 | 15.00             | F       | 100.500       |             |             |                   |                   |         |               |

**Product No. Series 7961****8V Section**

| Part No.     | Product No. | Number of Grooves | Outside Dia. (in) | Bushing | Weight (Lbs.) | Part No.     | Product No. | Number of Grooves | Outside Dia. (in) | Bushing | Weight (Lbs.) |
|--------------|-------------|-------------------|-------------------|---------|---------------|--------------|-------------|-------------------|-------------------|---------|---------------|
| QD4/8VS14.17 | 7961-0001   | 4                 | 14.17             | 8VSSB   | 187.000       | QD4/8VS16.14 | 7961-0005   | 4                 | 16.14             | 8VSSB   | 215.000       |
| QD5/8VS14.17 | 7961-0002   | 5                 | 14.17             | 8VSSB   | 220.000       | QD5/8VS16.14 | 7961-0006   | 5                 | 16.14             | 8VSSB   | 250.000       |
| QD6/8VS14.17 | 7961-0003   | 6                 | 14.17             | 8VSSB   | 256.000       | QD6/8VS16.14 | 7961-0007   | 6                 | 16.14             | 8VSSB   | 290.000       |
| QD8/8VS14.17 | 7961-0004   | 8                 | 14.17             | 8VSLB   | 340.000       | QD8/8VS16.14 | 7961-0008   | 8                 | 16.14             | 8VSLB   | 388.000       |

HEAVY DUTY V-BELT METAL



# SVS Adjustable Speed Sheaves - Bored-To-Size

**Notes**

Details shown which do not affect drive function or overall weight may be changed without notification.

## Product No. Series 7962

### A or B Section

| Part No.          | Product No. | Outside Dia. (in) | Bore (in) | Bore Range Max. (in) | Weight (Lbs.) | Part No.          | Product No. | Outside Dia. (in) | Bore (in) | Bore Range Max. (in) | Weight (Lbs.) |
|-------------------|-------------|-------------------|-----------|----------------------|---------------|-------------------|-------------|-------------------|-----------|----------------------|---------------|
| SVS2/AB5.25 7/8   | 7962-0001   | 5.25              | 7/8       | 1 3/8                | 14.300        | SVS2/AB7.25 1 1/8 | 7962-0032   | 7.25              | 1 1/8     | 1 7/8                | 22.300        |
| SVS2/AB5.25 1 1/8 | 7962-0002   | 5.25              | 1 1/8     | 1 3/8                | 14.300        | SVS2/AB7.25 1 3/8 | 7962-0033   | 7.25              | 1 3/8     | 1 7/8                | 22.300        |
| SVS2/AB5.25 1 3/8 | 7962-0003   | 5.25              | 1 3/8     | 1 3/8                | 14.300        | SVS2/AB7.25 1 5/8 | 7962-0034   | 7.25              | 1 5/8     | 1 7/8                | 22.300        |
| SVS3/AB5.25 1 1/8 | 7962-0004   | 5.25              | 1 1/8     | 1 3/8                | 17.500        | SVS3/AB7.25 1 3/8 | 7962-0035   | 7.25              | 1 3/8     | 1 7/8                | 27.000        |
| SVS3/AB5.25 1 3/8 | 7962-0005   | 5.25              | 1 3/8     | 1 3/8                | 17.500        | SVS3/AB7.25 1 5/8 | 7962-0036   | 7.25              | 1 5/8     | 1 7/8                | 27.000        |
| SVS4/AB5.25 1 1/8 | 7962-0006   | 5.25              | 1 1/8     | 1 3/8                | 20.000        | SVS3/AB7.25 1 7/8 | 7962-0037   | 7.25              | 1 7/8     | 1 7/8                | 27.000        |
| SVS4/AB5.25 1 3/8 | 7962-0007   | 5.25              | 1 3/8     | 1 3/8                | 20.000        | SVS4/AB7.25 1 5/8 | 7962-0038   | 7.25              | 1 5/8     | 1 7/8                | 27.300        |
| SVS2/AB5.75 7/8   | 7962-0008   | 5.75              | 7/8       | 1 3/8                | 15.500        | SVS4/AB7.25 1 7/8 | 7962-0039   | 7.25              | 1 7/8     | 1 7/8                | 27.300        |
| SVS2/AB5.75 1 1/8 | 7962-0009   | 5.75              | 1 1/8     | 1 3/8                | 15.500        | SVS2/AB7.75 1 1/8 | 7962-0040   | 7.75              | 1 1/8     | 2 3/8                | 26.300        |
| SVS2/AB5.75 1 3/8 | 7962-0010   | 5.75              | 1 3/8     | 1 3/8                | 15.500        | SVS2/AB7.75 1 3/8 | 7962-0041   | 7.75              | 1 3/8     | 2 3/8                | 26.300        |
| SVS3/AB5.75 1 1/8 | 7962-0011   | 5.75              | 1 1/8     | 1 3/8                | 19.000        | SVS2/AB7.75 1 5/8 | 7962-0042   | 7.75              | 1 5/8     | 2 3/8                | 26.300        |
| SVS3/AB5.75 1 3/8 | 7962-0012   | 5.75              | 1 3/8     | 1 3/8                | 19.000        | SVS3/AB7.75 1 5/8 | 7962-0043   | 7.75              | 1 5/8     | 2 3/8                | 32.000        |
| SVS4/AB5.75 1 1/8 | 7962-0013   | 5.75              | 1 1/8     | 1 3/8                | 22.500        | SVS3/AB7.75 1 7/8 | 7962-0044   | 7.75              | 1 7/8     | 2 3/8                | 32.000        |
| SVS4/AB5.75 1 3/8 | 7962-0014   | 5.75              | 1 3/8     | 1 3/8                | 22.500        | SVS4/AB7.75 1 5/8 | 7962-0045   | 7.75              | 1 5/8     | 2 3/8                | 37.300        |
| SVS2/AB6.25 1 1/8 | 7962-0015   | 6.25              | 1 1/8     | 1 7/8                | 18.800        | SVS4/AB7.75 1 7/8 | 7962-0046   | 7.75              | 1 7/8     | 2 3/8                | 37.300        |
| SVS2/AB6.25 1 3/8 | 7962-0016   | 6.25              | 1 3/8     | 1 7/8                | 18.800        | SVS4/AB7.75 2 1/8 | 7962-0047   | 7.75              | 2 1/8     | 2 3/8                | 37.300        |
| SVS2/AB6.25 1 5/8 | 7962-0017   | 6.25              | 1 5/8     | 1 7/8                | 18.800        | SVS2/AB8.75 1 3/8 | 7962-0048   | 8.75              | 1 3/8     | 2 3/8                | 29.000        |
| SVS3/AB6.25 1 1/8 | 7962-0018   | 6.25              | 1 1/8     | 1 7/8                | 23.500        | SVS2/AB8.75 1 5/8 | 7962-0049   | 8.75              | 1 5/8     | 2 3/8                | 29.000        |
| SVS3/AB6.25 1 3/8 | 7962-0019   | 6.25              | 1 3/8     | 1 7/8                | 23.500        | SVS3/AB8.75 1 3/8 | 7962-0050   | 8.75              | 1 3/8     | 2 3/8                | 32.000        |
| SVS3/AB6.25 1 5/8 | 7962-0020   | 6.25              | 1 5/8     | 1 7/8                | 23.500        | SVS3/AB8.75 1 5/8 | 7962-0051   | 8.75              | 1 5/8     | 2 3/8                | 32.000        |
| SVS4/AB6.25 1 3/8 | 7962-0021   | 6.25              | 1 3/8     | 1 7/8                | 27.000        | SVS3/AB8.75 1 7/8 | 7962-0052   | 8.75              | 1 7/8     | 2 3/8                | 32.000        |
| SVS4/AB6.25 1 5/8 | 7962-0022   | 6.25              | 1 5/8     | 1 7/8                | 27.000        | SVS4/AB8.75 1 5/8 | 7962-0053   | 8.75              | 1 5/8     | 2 3/8                | 43.000        |
| SVS4/AB6.25 1 7/8 | 7962-0023   | 6.25              | 1 7/8     | 1 7/8                | 27.000        | SVS4/AB8.75 1 7/8 | 7962-0054   | 8.75              | 1 7/8     | 2 3/8                | 43.000        |
| SVS2/AB6.75 1 1/8 | 7962-0024   | 6.75              | 1 1/8     | 1 7/8                | 20.800        | SVS4/AB8.75 2 1/8 | 7962-0055   | 8.75              | 2 1/8     | 2 3/8                | 43.000        |
| SVS2/AB6.75 1 3/8 | 7962-0025   | 6.75              | 1 3/8     | 1 7/8                | 20.800        | SVS2/AB9.75 1 3/8 | 7962-0056   | 9.75              | 1 3/8     | 2 3/8                | 32.500        |
| SVS2/AB6.75 1 5/8 | 7962-0026   | 6.75              | 1 5/8     | 1 7/8                | 24.800        | SVS2/AB9.75 1 5/8 | 7962-0057   | 9.75              | 1 5/8     | 2 3/8                | 32.500        |
| SVS3/AB6.75 1 3/8 | 7962-0027   | 6.75              | 1 3/8     | 1 7/8                | 24.800        | SVS3/AB9.75 1 5/8 | 7962-0058   | 9.75              | 1 5/8     | 2 3/8                | 42.000        |
| SVS3/AB6.75 1 5/8 | 7962-0028   | 6.75              | 1 5/8     | 1 7/8                | 24.800        | SVS3/AB9.75 1 7/8 | 7962-0059   | 9.75              | 1 7/8     | 2 3/8                | 42.000        |
| SVS3/AB6.75 1 7/8 | 7962-0029   | 6.75              | 1 7/8     | 1 7/8                | 27.300        | SVS4/AB9.75 1 5/8 | 7962-0060   | 9.75              | 1 5/8     | 2 3/8                | 50.300        |
| SVS4/AB6.75 1 5/8 | 7962-0030   | 6.75              | 1 5/8     | 1 7/8                | 27.300        | SVS4/AB9.75 1 7/8 | 7962-0061   | 9.75              | 1 7/8     | 2 3/8                | 50.300        |
| SVS4/AB6.75 1 7/8 | 7962-0031   | 6.75              | 1 7/8     | 1 7/8                | 27.300        | SVS4/AB9.75 2 1/8 | 7962-0062   | 9.75              | 2 1/8     | 2 3/8                | 50.300        |

HEAVY DUTY V-BELT METAL

## Product No. Series 7963

### C Section

| Part No.          | Product No. | Outside Dia. (in) | Bore (in) | Bore Range Max. (in) | Weight (Lbs.) | Part No.          | Product No. | Outside Dia. (in) | Bore (in) | Bore Range Max. (in) | Weight (Lbs.) |
|-------------------|-------------|-------------------|-----------|----------------------|---------------|-------------------|-------------|-------------------|-----------|----------------------|---------------|
| SVS2/C9.56 1 5/8  | 7963-0001   | 9.56              | 1 5/8     | 2 1/2                | 40.500        | SVS3/C11.06 1 7/8 | 7963-0019   | 11.06             | 1 7/8     | 2 1/2                | 62.750        |
| SVS2/C9.56 1 7/8  | 7963-0002   | 9.56              | 1 7/8     | 2 1/2                | 40.500        | SVS3/C11.06 2 1/8 | 7963-0020   | 11.06             | 2 1/8     | 2 1/2                | 62.800        |
| SVS3/C9.56 1 5/8  | 7963-0003   | 9.56              | 1 5/8     | 2 1/2                | 54.000        | SVS3/C11.06 2 3/8 | 7963-0021   | 11.06             | 2 3/8     | 2 1/2                | 62.800        |
| SVS3/C9.56 1 7/8  | 7963-0004   | 9.56              | 1 7/8     | 2 1/2                | 54.000        | SVS4/C11.06 2 1/8 | 7963-0022   | 11.06             | 2 1/8     | 2 1/2                | 76.000        |
| SVS3/C9.56 2 1/8  | 7963-0005   | 9.56              | 2 1/8     | 2 1/2                | 54.000        | SVS4/C11.06 2 3/8 | 7963-0023   | 11.06             | 2 3/8     | 2 1/2                | 76.000        |
| SVS4/C9.56 2 1/8  | 7963-0006   | 9.56              | 2 1/8     | 2 1/2                | 63.000        | SVS2/C11.56 1 5/8 | 7963-0024   | 11.56             | 1 5/8     | 2 1/2                | 50.500        |
| SVS4/C9.56 2 3/8  | 7963-0007   | 9.56              | 2 3/8     | 2 1/2                | 63.000        | SVS2/C11.56 1 7/8 | 7963-0025   | 11.56             | 1 7/8     | 2 1/2                | 50.500        |
| SVS2/C10.56 1 5/8 | 7963-0008   | 10.56             | 1 5/8     | 2 1/2                | 44.300        | SVS2/C11.56 2 1/8 | 7963-0026   | 11.56             | 2 1/8     | 2 1/2                | 50.500        |
| SVS2/C10.56 1 7/8 | 7963-0009   | 10.56             | 1 7/8     | 2 1/2                | 44.300        | SVS3/C11.56 1 7/8 | 7963-0027   | 11.56             | 1 7/8     | 2 1/2                | 68.250        |
| SVS2/C10.56 2 1/8 | 7963-0010   | 10.56             | 2 1/8     | 2 1/2                | 49.300        | SVS3/C11.56 2 1/8 | 7963-0028   | 11.56             | 2 1/8     | 2 1/2                | 68.250        |
| SVS3/C10.56 1 7/8 | 7963-0011   | 10.56             | 1 7/8     | 2 1/2                | 59.000        | SVS3/C11.56 2 3/8 | 7963-0029   | 11.56             | 2 3/8     | 2 1/2                | 68.300        |
| SVS3/C10.56 2 1/8 | 7963-0012   | 10.56             | 2 1/8     | 2 1/2                | 59.000        | SVS4/C11.56 2 1/8 | 7963-0030   | 11.56             | 2 1/8     | 2 1/2                | 82.500        |
| SVS3/C10.56 2 3/8 | 7963-0013   | 10.56             | 2 3/8     | 2 1/2                | 59.000        | SVS4/C11.56 2 3/8 | 7963-0031   | 11.56             | 2 3/8     | 2 1/2                | 82.500        |
| SVS4/C10.56 2 1/8 | 7963-0014   | 10.56             | 2 1/8     | 2 1/2                | 71.800        | SVS2/C12.06 1 5/8 | 7963-0032   | 12.06             | 1 5/8     | 2 1/2                | 55.000        |
| SVS4/C10.56 2 3/8 | 7963-0015   | 10.56             | 2 3/8     | 2 1/2                | 71.800        | SVS2/C12.06 1 7/8 | 7963-0033   | 12.06             | 1 7/8     | 2 1/2                | 55.000        |
| SVS2/C11.06 1 5/8 | 7963-0016   | 11.06             | 1 5/8     | 2 1/2                | 49.250        | SVS2/C12.06 2 1/8 | 7963-0034   | 12.06             | 2 1/8     | 2 1/2                | 55.000        |
| SVS2/C11.06 1 7/8 | 7963-0017   | 11.06             | 1 7/8     | 2 1/2                | 49.300        | SVS3/C12.06 1 7/8 | 7963-0035   | 12.06             | 1 7/8     | 2 1/2                | 69.500        |
| SVS2/C11.06 2 1/8 | 7963-0018   | 11.06             | 2 1/8     | 2 1/2                | 49.300        | SVS3/C12.06 2 1/8 | 7963-0036   | 12.06             | 2 1/8     | 2 1/2                | 69.500        |





## SVS Adjustable Speed Sheaves - Bored-To-Size

**Product No. Series 7963 (continued)**

**C Section (continued)**

| Part No.          | Product No. | Outside Dia. (in) | Bore (in) | Bore Range Max. (in) | Weight (Lbs.) | Part No.          | Product No. | Outside Dia. (in) | Bore (in) | Bore Range Max. (in) | Weight (Lbs.) |
|-------------------|-------------|-------------------|-----------|----------------------|---------------|-------------------|-------------|-------------------|-----------|----------------------|---------------|
| SVS3/C12.06 2.3/8 | 7963-0037   | 12.06             | 2 3/8     | 2 1/2                | 69.500        | SVS3/C12.56 1.7/8 | 7963-0043   | 13.06             | 1 7/8     | 2 1/2                | 76.000        |
| SVS4/C12.06 2.1/8 | 7963-0038   | 12.06             | 2 1/8     | 2 1/2                | 85.500        | SVS3/C12.56 2.1/8 | 7963-0044   | 13.06             | 2 1/8     | 2 1/2                | 76.000        |
| SVS4/C12.06 2.3/8 | 7963-0039   | 12.06             | 2 3/8     | 2 1/2                | 85.500        | SVS3/C12.56 2.3/8 | 7963-0045   | 13.06             | 2 3/8     | 2 1/2                | 76.000        |
| SVS2/C12.56 1.5/8 | 7963-0040   | 13.06             | 1 5/8     | 2 1/2                | 59.750        | SVS4/C12.56 2.1/8 | 7963-0046   | 13.06             | 2 1/8     | 2 1/2                | 91.000        |
| SVS2/C12.56 1.7/8 | 7963-0041   | 13.06             | 1 7/8     | 2 1/2                | 59.800        | SVS4/C12.56 2.3/8 | 7963-0047   | 13.06             | 2 3/8     | 2 1/2                | 91.000        |
| SVS2/C12.56 2.1/8 | 7963-0042   | 13.06             | 2 1/8     | 2 1/2                | 59.800        |                   |             |                   |           |                      |               |

HEAVY DUTY V-BELT METAL



# Light Duty Sheaves - Bored-to-Size

**Notes**

Details shown which do not affect drive function or overall weight may be changed without notification.  
 Sheaves up to 3.80" outside diameter are Solid Type.  
 Sheaves with outside diameter larger than 3.80" are Web and Spoke Types.

**Product No. Series 7805 & 7807**

**One Groove "3L" - "4L" - Bored-to-Size**

(For use with No. 1 (3L) or No. 2 (4L) Section Truflex V-Belts.)

| Part No. | Outside Diameter (in) | Weight (Lbs.) | Pitch Diameter (in) |       | Stock Bore (In.) |       |                   |       |       |       |       |        |       |       |        |
|----------|-----------------------|---------------|---------------------|-------|------------------|-------|-------------------|-------|-------|-------|-------|--------|-------|-------|--------|
|          |                       |               | (3L)                | (4L)  | 1/2              | 5/8   | 3/4               | 7/8   | 15/16 | 1     | 1 1/8 | 1 3/16 | 1 1/4 | 1 3/8 | 1 7/16 |
|          |                       |               |                     |       | 7807-            | 7807- | 7807-             | 7807- | 7807- | 7807- | 7807- | 7807-  | 7807- | 7807- | 7807-  |
| AK15     | 1.50                  | .30           | 1.00                | 1.30  | 2046             | 2047  | —                 | —     | —     | —     | —     | —      | —     | —     | —      |
| AK16     | 1.65                  | .30           | 1.06                | 1.40  | 2035             | 2036  | —                 | —     | —     | —     | —     | —      | —     | —     | —      |
| AK17     | 1.75                  | .50           | 1.16                | 1.50  | 2041             | 2042  | <sup>8</sup> 2043 | —     | —     | —     | —     | —      | —     | —     | —      |
| AK18     | 1.85                  | .50           | 1.26                | 1.60  | —                | 2050  | —                 | —     | —     | —     | —     | —      | —     | —     | —      |
| AK19     | 1.95                  | .50           | 1.36                | 1.70  | 2051             | 2052  | 2053              | 2054  | —     | —     | —     | —      | —     | —     | —      |
| AK20     | 2.00                  | .50           | 1.46                | 1.80  | 2056             | 2057  | 2058              | —     | —     | —     | —     | —      | —     | —     | —      |
| AK21     | 2.10                  | .70           | 1.56                | 1.90  | 2059             | 2060  | 2061              | —     | —     | —     | —     | —      | —     | —     | —      |
| AK22     | 2.20                  | .80           | 1.66                | 2.00  | 2062             | 2063  | 2064              | 2065  | —     | —     | —     | —      | —     | —     | —      |
| AK23     | 2.30                  | .80           | 1.76                | 2.10  | 2066             | 2067  | 2068              | 2069  | —     | —     | —     | —      | —     | —     | —      |
| AK24     | 2.45                  | .90           | 1.86                | 2.20  | 2074             | 2075  | 2076              | 2077  | —     | 2078  | —     | —      | —     | —     | —      |
| AK25     | 2.50                  | .90           | 1.96                | 2.30  | 2083             | 2084  | 2085              | 2086  | —     | —     | —     | —      | —     | —     | —      |
| AK26     | 2.60                  | 1.00          | 2.06                | 2.40  | 2087             | 2088  | 2089              | —     | —     | —     | —     | —      | —     | —     | —      |
| AK27     | 2.70                  | 1.00          | 2.16                | 2.50  | 2090             | 2091  | 2092              | —     | —     | 2093  | —     | —      | —     | —     | —      |
| AK28     | 2.80                  | 1.10          | 2.26                | 2.60  | 2108             | 2109  | 2110              | 2111  | —     | 2112  | —     | —      | —     | —     | —      |
| AK30     | 3.05                  | 1.20          | 2.46                | 2.80  | 2120             | 2121  | 2122              | 2123  | —     | 2125  | —     | —      | —     | —     | —      |
| AK32     | 3.25                  | 1.40          | 2.66                | 3.00  | 2402             | 2403  | 2404              | 2405  | —     | 2406  | 2407  | —      | —     | —     | —      |
| AK34     | 3.45                  | 1.60          | 2.86                | 3.20  | 2144             | 2145  | 2146              | 2147  | —     | 2149  | 2150  | —      | —     | —     | —      |
| AK35     | 3.55                  | 1.70          | 2.96                | 3.30  | 2151             | 2152  | 2153              | 2154  | —     | 2155  | —     | —      | —     | —     | —      |
|          |                       |               |                     |       | 7805-            | 7805- | 7805-             | 7805- | 7805- | 7805- | 7805- | 7805-  | 7805- | 7805- | 7805-  |
| AK39     | 3.75                  | 2.00          | 3.16                | 3.50  | 2412             | 2413  | 2414              | 2415  | 2418  | 2416  | 2417  | —      | —     | —     | —      |
| AK41     | 3.95                  | 2.00          | 3.36                | 3.70  | 2168             | 2169  | 2170              | 2171  | 2172  | 2173  | 2174  | —      | —     | —     | —      |
| AK44     | 4.25                  | 1.80          | 3.66                | 4.00  | 2422             | 2423  | 2424              | 2425  | 2428  | 2426  | 2427  | —      | —     | —     | —      |
| AK46     | 4.45                  | 1.90          | 3.86                | 4.20  | 2192             | 2193  | 2194              | 2195  | 2196  | 2197  | 2198  | —      | —     | —     | —      |
| AK49     | 4.75                  | 1.90          | 4.16                | 4.50  | 2432             | 2433  | 2434              | 2435  | 2438  | 2436  | 2437  | —      | —     | —     | —      |
| AK51     | 4.95                  | 2.80          | 4.36                | 4.70  | 2216             | 2217  | 2218              | 2219  | —     | 2221  | 2222  | —      | —     | —     | —      |
| AK54     | 5.25                  | 2.40          | 4.66                | 5.00  | 2442             | 2443  | 2444              | 2445  | 2449  | 2446  | 2447  | 2448   | —     | —     | —      |
| AK56     | 5.45                  | 2.40          | 4.86                | 5.20  | 2240             | 2241  | 2242              | 2243  | 2244  | 2245  | 2246  | 2247   | —     | —     | —      |
| AK59     | 5.75                  | 2.60          | 5.16                | 5.50  | 2250             | 2251  | 2252              | 2253  | 2254  | 2255  | 2256  | 2257   | —     | —     | —      |
| AK61     | 5.95                  | 2.80          | 5.36                | 5.70  | 2264             | 2265  | 2266              | 2267  | 2268  | 2269  | 2270  | 2271   | —     | —     | —      |
| AK64     | 6.25                  | 2.90          | 5.66                | 6.00  | 2452             | 2453  | 2454              | 2455  | 2459  | 2456  | 2457  | 2458   | —     | —     | —      |
| AK66     | 6.45                  | 3.00          | 5.86                | 6.20  | —                | 2463  | 2464              | —     | —     | 2466  | 2467  | —      | —     | —     | —      |
| AK69     | 6.75                  | 3.10          | 6.16                | 6.50  | —                | —     | 2474              | —     | —     | 2476  | 2477  | —      | —     | —     | —      |
| AK71     | 6.95                  | 3.10          | 6.36                | 6.70  | 2482             | 2483  | 2484              | —     | —     | 2486  | 2487  | —      | —     | —     | 2488   |
| AK74     | 7.25                  | 3.30          | 6.66                | 7.00  | 2492             | 2493  | 2494              | —     | 2495  | 2496  | 2497  | 2498   | 2499  | —     | 2500   |
| AK79     | 7.75                  | 3.50          | 7.16                | 7.50  | —                | —     | 2504              | —     | —     | 2506  | 2507  | —      | —     | —     | 2510   |
| AK81     | 7.95                  | 5.00          | 7.36                | 7.70  | —                | 2522  | 2521              | —     | —     | 2520  | —     | —      | —     | —     | —      |
| AK84     | 8.25                  | 4.30          | 7.66                | 8.00  | 2532             | 2533  | 2534              | —     | 2535  | 2536  | —     | 2538   | —     | —     | 2540   |
| AK89     | 8.75                  | 4.60          | 8.16                | 8.50  | —                | —     | 2544              | —     | —     | 2546  | 2547  | —      | —     | —     | 2550   |
| AK91     | 8.95                  | 5.50          | 8.36                | 8.70  | —                | —     | 2561              | —     | —     | 2560  | —     | —      | —     | —     | —      |
| AK94     | 9.25                  | 5.00          | 8.66                | 9.00  | 2572             | 2573  | 2574              | —     | 2571  | 2576  | —     | 2578   | 2579  | —     | 2580   |
| AK99     | 9.75                  | 5.20          | 9.16                | 9.50  | —                | —     | 2583              | —     | —     | 2586  | —     | —      | —     | —     | 2590   |
| AK104    | 10.25                 | 5.60          | 9.66                | 10.00 | —                | 2613  | 2614              | —     | —     | 2616  | —     | 2618   | 2619  | 2621  | 2620   |
| AK109    | 10.75                 | 6.00          | 10.16               | 10.50 | —                | —     | 2644              | —     | —     | 2646  | —     | —      | —     | 2648  | 2640   |
| AK114    | 11.25                 | 6.90          | 10.66               | 11.00 | —                | —     | 2664              | —     | —     | 2666  | —     | 2668   | —     | —     | 2670   |
| AK124    | 12.25                 | 7.90          | 11.66               | 12.00 | —                | 2703  | 2704              | —     | —     | 2706  | —     | 2708   | 2709  | —     | 2710   |
| AK134    | 13.25                 | 8.90          | 12.66               | 13.00 | —                | —     | 2740              | —     | —     | 2741  | —     | 2742   | —     | 2743  | 2744   |
| AK144    | 14.25                 | 10.90         | 13.66               | 14.00 | —                | —     | 2780              | —     | —     | 2781  | —     | 2782   | —     | —     | 2783   |
| AK154    | 15.25                 | 9.60          | 14.66               | 15.00 | —                | —     | 2790              | —     | —     | 2791  | —     | 2792   | —     | —     | 2793   |
| AK184    | 18.25                 | 12.70         | 17.66               | 18.00 | —                | —     | 2800              | —     | —     | 2801  | —     | 2802   | —     | —     | 2803   |

NOTE: Pitch diameter is a reference diameter only.

8 No Keyseat.

LIGHT DUTY V-BELT METAL



# Light Duty Sheaves - Bored-to-Size

## Product No. Series 7805 & 7807 (Continued)

### Two Groove "3L" - "4L" - Bored-to-Size

(For use with No. 1 (3L) or No. 2 (4L) Section Truflex V-Belts.)

| Part No. | Outside Diameter (in) | Weight (Lbs.) | Pitch Diameter (in) |       | Stock Bore (In.) |           |           |           |       |           |           |        |       |        |
|----------|-----------------------|---------------|---------------------|-------|------------------|-----------|-----------|-----------|-------|-----------|-----------|--------|-------|--------|
|          |                       |               | (3L)                | (4L)  | 1/2              | 5/8       | 3/4       | 7/8       | 15/16 | 1         | 1 1/8     | 1 3/16 | 1 3/8 | 1 7/16 |
| 2AK20    | 2.05                  | .90           | 1.46                | 1.80  | 7807-0011        | 7807-0012 | 7807-0013 | 7807-0014 | 7807- | 7807-0025 | 7807-0025 | 7807-  | 7807- | 7807-  |
| 2AK21    | 2.15                  | 1.10          | 1.56                | 1.90  | 0015             | 0016      | 0017      | —         | —     | —         | —         | —      | —     | —      |
| 2AK22    | 2.25                  | 1.20          | 1.66                | 2.00  | 0021             | 0022      | 0023      | 0024      | —     | 0025      | —         | —      | —     | —      |
| 2AK23    | 2.35                  | 1.30          | 1.76                | 2.10  | —                | 0032      | 0033      | 0034      | —     | 0035      | —         | —      | —     | —      |
| 2AK25    | 2.55                  | 1.20          | 1.96                | 2.30  | 0111             | 0112      | 0113      | 0114      | —     | 0115      | 0116      | —      | —     | —      |
| 2AK26    | 2.65                  | 1.50          | 2.06                | 2.40  | —                | 0117      | 0118      | 0119      | —     | —         | —         | —      | —     | —      |
| 2AK27    | 2.75                  | 1.80          | 2.16                | 2.50  | —                | 0122      | 0123      | 0124      | —     | 0125      | 0126      | —      | —     | —      |
| 2AK28    | 2.85                  | 2.00          | 2.26                | 2.60  | —                | 0132      | 0133      | 0134      | —     | 0135      | —         | —      | —     | —      |
| 2AK30    | 3.05                  | 2.20          | 2.46                | 2.80  | 0221             | 0222      | 0223      | 0224      | —     | 0225      | 0226      | —      | —     | —      |
| 2AK32    | 3.25                  | 2.30          | 2.66                | 3.00  | 0141             | 0142      | 0143      | 0144      | —     | 0145      | 0146      | —      | —     | —      |
| 2AK34    | 3.45                  | 2.70          | 2.86                | 3.20  | 0151             | 0152      | 0153      | 0154      | —     | 0155      | 0156      | —      | —     | —      |
| 2AK41    | 3.95                  | 3.50          | 3.36                | 3.70  | —                | 0171      | 0172      | 0173      | —     | 0174      | 0175      | —      | —     | —      |
| 2AK39    | 3.75                  | 3.20          | 3.16                | 3.50  | 7805-0161        | 7805-0162 | 7805-0163 | 7805-0164 | 7805- | 7805-0165 | 7805-0166 | 7805-  | 7805- | 7805-  |
| 2AK44    | 4.25                  | 4.10          | 3.66                | 4.00  | —                | 0171      | 0172      | 0173      | —     | 0174      | 0175      | —      | —     | —      |
| 2AK46    | 4.45                  | 4.60          | 3.86                | 4.20  | —                | 0177      | —         | 0178      | —     | 0179      | 0180      | —      | —     | —      |
| 2AK49    | 4.75                  | 2.70          | 4.16                | 4.50  | —                | —         | 0182      | 0183      | —     | 0184      | 0242      | —      | 0243  | —      |
| 2AK51    | 4.95                  | 2.90          | 4.36                | 4.70  | —                | —         | 0186      | 0187      | —     | 0188      | 0244      | —      | 0245  | —      |
| 2AK54    | 5.25                  | 3.20          | 4.66                | 5.00  | —                | 0189      | 0190      | 0191      | —     | 0192      | 0246      | —      | 0247  | —      |
| 2AK56    | 5.45                  | 3.30          | 4.86                | 5.20  | —                | 0193      | 0194      | —         | —     | 0196      | 0248      | —      | 0249  | —      |
| 2AK59    | 5.75                  | 3.40          | 5.16                | 5.50  | —                | —         | —         | —         | —     | 0250      | 0251      | —      | 0252  | —      |
| 2AK61    | 5.95                  | 3.60          | 5.36                | 5.70  | —                | —         | 0197      | 0198      | —     | 0199      | 0253      | —      | 0254  | —      |
| 2AK64    | 6.25                  | 4.50          | 5.66                | 6.00  | —                | —         | 0200      | —         | —     | 0202      | 0255      | 0203   | 0256  | 0204   |
| 2AK74    | 7.25                  | 5.80          | 6.66                | 7.00  | —                | —         | 0205      | —         | —     | 0206      | 0257      | 0207   | 0258  | 0208   |
| 2AK84    | 8.25                  | 6.90          | 7.66                | 8.00  | —                | —         | 0209      | —         | 0210  | 0211      | 0259      | 0212   | 0260  | 0214   |
| 2AK94    | 9.25                  | 7.70          | 8.66                | 9.00  | —                | —         | 0215      | —         | —     | 0217      | 0261      | 0218   | 0262  | 0219   |
| 2AK104   | 10.25                 | 9.70          | 9.66                | 10.00 | —                | —         | 0220      | —         | 0221  | 0222      | —         | 0266   | —     | 0224   |
| 2AK114   | 11.25                 | 10.20         | 10.66               | 11.00 | —                | —         | —         | —         | —     | 0226      | —         | 0227   | 0263  | 0228   |
| 2AK124   | 12.25                 | 11.30         | 11.66               | 12.00 | —                | —         | —         | —         | —     | 0230      | —         | 0231   | —     | 0232   |
| 2AK134   | 13.25                 | 12.40         | 12.66               | 13.00 | —                | —         | —         | —         | —     | —         | —         | 0264   | —     | 0265   |
| 2AK144   | 14.25                 | 13.20         | 13.66               | 14.00 | —                | —         | —         | —         | —     | 0233      | —         | —      | —     | 0235   |
| 2AK154   | 15.25                 | 13.70         | 14.66               | 15.00 | —                | —         | —         | —         | —     | —         | —         | 0237   | —     | 0238   |
| 2AK184   | 18.25                 | 17.00         | 17.66               | 18.00 | —                | —         | —         | —         | —     | —         | —         | —      | —     | 0241   |

NOTE: Pitch diameter is a reference diameter only.

### One Groove "4L" - "5L" - Bored-to-Size

(For use with No. 2 (4L) or No. 3 (5L) Section Truflex V-Belts.)

| Part No. | Outside Diameter (in) | Weight (Lbs.) | Pitch Diameter (in) |      | Stock Bore (In.) |           |           |       |       |       |       |        |       |       |
|----------|-----------------------|---------------|---------------------|------|------------------|-----------|-----------|-------|-------|-------|-------|--------|-------|-------|
|          |                       |               | (4L)                | (5L) | 1/2              | 5/8       | 3/4       | 7/8   | 15/16 | 1     | 1 1/8 | 1 3/16 | 1 1/4 | 1 3/8 |
| BK19     | 2.05                  | .60           | 1.30                | 1.70 | 7807-            | 7807-3520 | 7807-3521 | 7807- | 7807- | 7807- | 7807- | 7807-  | 7807- | 7807- |
| BK20     | 2.15                  | .70           | 1.40                | 1.80 | 3527             | 3528      | 3529      | —     | —     | —     | —     | —      | —     | —     |
| BK22     | 2.35                  | .90           | 1.60                | 2.00 | 3534             | 3535      | 3536      | —     | —     | 3538  | —     | —      | —     | —     |
| BK23     | 2.45                  | .90           | 1.70                | 2.10 | 3539             | 3540      | 3541      | 3542  | —     | 3543  | —     | —      | —     | —     |
| BK24     | 2.55                  | .90           | 1.80                | 2.20 | 3545             | 3546      | 3547      | —     | —     | —     | —     | —      | —     | —     |
| BK25     | 2.65                  | 1.10          | 1.90                | 2.30 | 3551             | 3552      | 3553      | 3554  | —     | 3555  | —     | —      | —     | —     |
| BK26     | 2.75                  | 1.20          | 2.00                | 2.40 | 3565             | 3566      | 3567      | 3568  | —     | —     | —     | —      | —     | —     |
| BK27     | 2.85                  | 1.10          | 2.10                | 2.50 | 3575             | 3576      | 3577      | 3578  | —     | —     | —     | —      | —     | —     |
| BK28     | 2.95                  | 1.40          | 2.20                | 2.60 | 3587             | 3588      | 3589      | 3590  | —     | 3592  | 3593  | —      | —     | —     |
| BK30     | 3.15                  | 1.50          | 2.40                | 2.80 | 3597             | 3598      | 3599      | 3600  | —     | —     | —     | —      | —     | —     |
| BK31     | 3.25                  | 1.40          | 2.50                | 2.90 | 3907             | 3908      | 3909      | 3916  | —     | 3917  | 3919  | —      | —     | —     |
| BK32     | 3.35                  | 1.50          | 2.60                | 3.00 | 3621             | 3622      | 3623      | 3624  | —     | —     | —     | —      | —     | —     |
| BK34     | 3.55                  | 1.80          | 2.80                | 3.20 | 3611             | 3612      | 3613      | 3614  | —     | 3616  | 3618  | —      | —     | —     |
| BK22     | 2.35                  | .80           | 1.60                | 2.00 | 7805-            | 7805-     | 7805-     | 7805- | 7805- | 7805- | 7805- | 7805-  | 7805- | 7805- |
| BK24     | 2.55                  | .90           | 1.80                | 2.20 | —                | —         | —         | 3548  | —     | 3549  | —     | —      | —     | —     |

NOTE: Pitch diameter is a reference diameter only.

LIGHT DUTY V-BELT METAL



# Light Duty Sheaves - Bored-to-Size

**Product No. Series 7805 & 7807 (continued)**  
**One Groove "4L" - "5L" - Bored-to-Size (continued)**  
 (For use with No. 2 (4L) or No. 3 (5L) Section Truflex V-Belts.)

| Part No. | Outside Diameter (in) | Weight (Lbs.) | Pitch Diameter (in) |       | Stock Bore (In.) |       |       |       |       |       |       |        |       |       |        |       |       |
|----------|-----------------------|---------------|---------------------|-------|------------------|-------|-------|-------|-------|-------|-------|--------|-------|-------|--------|-------|-------|
|          |                       |               | (4L)                | (5L)  | 1/2              | 5/8   | 3/4   | 7/8   | 15/16 | 1     | 1 1/8 | 1 3/16 | 1 1/4 | 1 3/8 | 1 7/16 |       |       |
| BK27     | 2.85                  | 1.00          | 2.10                | 2.50  | 7805-            | 7805- | 7805- | 7805- | 7805- | 7805- | 7805- | 7805-  | 7805- | 7805- | 7805-  | 7805- | 7805- |
| BK30     | 3.15                  | 1.30          | 2.40                | 2.80  | —                | —     | —     | —     | —     | —     | 3601  | 3602   | —     | —     | —      | —     | —     |
| BK32     | 3.35                  | 1.50          | 2.60                | 3.00  | —                | —     | —     | —     | —     | —     | 3625  | —      | —     | —     | —      | —     | —     |
| BK36     | 3.75                  | 2.00          | 3.00                | 3.40  | 3930             | 3931  | 3932  | 3933  | —     | —     | 3934  | 3935   | —     | —     | —      | —     | —     |
| BK40     | 3.95                  | 2.20          | 3.20                | 3.60  | 3635             | 3636  | 3637  | 3638  | —     | —     | 3640  | 3641   | —     | —     | —      | —     | —     |
| BK45     | 4.25                  | 2.70          | 3.50                | 3.90  | 3950             | 3951  | 3952  | 3953  | —     | —     | 3954  | 3955   | —     | —     | —      | —     | —     |
| BK46     | 4.35                  | 2.70          | 3.60                | 4.00  | —                | —     | —     | 3959  | —     | —     | —     | —      | —     | —     | —      | —     | —     |
| BK47     | 4.45                  | 2.90          | 3.70                | 4.10  | 5201             | 5202  | 5203  | 5204  | —     | —     | 5205  | 5238   | —     | —     | —      | —     | —     |
| BK48     | 4.55                  | 2.90          | 3.80                | 4.20  | —                | 3968  | 3969  | 3970  | —     | —     | —     | 3961   | —     | —     | —      | —     | —     |
| BK50     | 4.75                  | 3.20          | 4.00                | 4.40  | 3980             | 3981  | 3982  | 3983  | 3979  | 3984  | 3985  | —      | —     | —     | —      | —     | —     |
| BK52     | 4.95                  | 3.40          | 4.20                | 4.60  | 3683             | 3684  | 3685  | 3686  | —     | —     | 3688  | 3689   | —     | —     | —      | —     | —     |
| BK55     | 5.25                  | 4.00          | 4.50                | 4.90  | 5206             | 5207  | 5208  | 5209  | —     | —     | 5210  | 5211   | 5239  | —     | —      | —     | —     |
| BK57     | 5.45                  | 4.10          | 4.70                | 5.10  | —                | 5213  | 5214  | 5215  | 5240  | —     | 5216  | 5217   | —     | —     | —      | —     | —     |
| BK60     | 5.75                  | 4.60          | 5.00                | 5.40  | 4050             | 4051  | 4052  | 4053  | —     | —     | 4054  | 4055   | 4056  | —     | —      | —     | —     |
| BK62     | 5.95                  | 3.60          | 5.20                | 5.60  | 3731             | 3732  | 3733  | 3734  | 3692  | 3736  | 3737  | 3738   | —     | —     | —      | —     | —     |
| BK65     | 6.25                  | 3.70          | 5.50                | 5.90  | —                | 4071  | 4072  | —     | —     | —     | 4074  | 4075   | —     | —     | —      | —     | —     |
| BK67     | 6.45                  | 3.70          | 5.70                | 6.10  | —                | 5218  | 5219  | —     | —     | —     | 5221  | 5222   | —     | —     | —      | —     | —     |
| BK70     | 6.75                  | 3.70          | 6.00                | 6.40  | —                | 5001  | 5002  | —     | 5241  | 5004  | 5005  | 5006   | —     | —     | —      | —     | 5008  |
| BK72     | 6.95                  | 3.80          | 6.20                | 6.60  | —                | —     | 5012  | —     | —     | 5014  | 5242  | —      | —     | —     | 5243   | —     | 5015  |
| BK75     | 7.25                  | 4.30          | 6.50                | 6.90  | —                | —     | 5224  | —     | —     | 5225  | 5244  | —      | —     | —     | —      | —     | 5284  |
| BK77     | 7.45                  | 4.50          | 6.70                | 7.10  | —                | —     | 5246  | —     | —     | 5247  | 5248  | —      | —     | —     | 5249   | —     | 5285  |
| BK80     | 7.75                  | 5.10          | 7.00                | 7.40  | —                | 5031  | 5032  | 5033  | —     | 5034  | 5035  | 5036   | 5037  | 5250  | —      | —     | 5038  |
| BK85     | 8.25                  | 5.50          | 7.50                | 7.90  | —                | —     | 5226  | —     | —     | 5227  | 5251  | 5286   | —     | 5252  | —      | —     | 5253  |
| BK90     | 8.75                  | 6.00          | 8.00                | 8.40  | —                | 5287  | 5282  | 5043  | 5254  | 5044  | 5255  | 5256   | —     | 5257  | —      | —     | 5258  |
| BK95     | 9.25                  | 6.30          | 8.50                | 8.90  | —                | —     | 5259  | —     | —     | 5260  | 5261  | —      | —     | 5262  | —      | —     | 5288  |
| BK100    | 9.75                  | 7.20          | 9.00                | 9.40  | —                | —     | 5092  | 5093  | 5263  | 5094  | 5095  | 5096   | 5097  | 5266  | —      | —     | 5098  |
| BK105    | 10.25                 | 7.70          | 9.50                | 9.90  | —                | —     | —     | —     | —     | 5265  | —     | —      | —     | 5283  | —      | —     | 5267  |
| BK110    | 10.75                 | 8.20          | 10.00               | 10.40 | —                | —     | 5102  | —     | —     | 5104  | 5268  | 5106   | —     | 5269  | —      | —     | 5270  |
| BK115    | 11.25                 | 8.70          | 10.50               | 10.90 | —                | —     | —     | —     | —     | 5271  | —     | —      | —     | 5120  | —      | —     | 5272  |
| BK120    | 11.75                 | 9.20          | 11.00               | 11.40 | —                | —     | 5172  | —     | —     | 5174  | —     | 5176   | —     | 5175  | —      | —     | 5178  |
| BK130    | 12.75                 | 9.60          | 12.00               | 12.40 | —                | —     | 6002  | —     | —     | 6004  | 6005  | 6006   | 6007  | —     | —      | —     | 6008  |
| BK140    | 13.75                 | 11.20         | 13.00               | 13.40 | —                | —     | 5273  | —     | —     | 5274  | 5275  | 5276   | —     | —     | —      | —     | 5277  |
| BK160    | 15.75                 | 11.20         | 15.00               | 15.40 | —                | —     | —     | —     | —     | 5229  | 5278  | 5230   | 5233  | —     | —      | —     | 5232  |
| BK190    | 18.75                 | 13.40         | 18.00               | 18.40 | —                | —     | —     | —     | —     | 5234  | —     | 5235   | 5281  | —     | —      | —     | 5237  |

NOTE: Pitch diameter is a reference diameter only.

LIGHT DUTY V-BELT METAL

**Two Groove "4L" - "5L" - Bored-to-Size**  
 (For use with No. 2 (4L) or No. 3 (5L) Section Truflex V-Belts.)

| Part No. | Outside Diameter (in) | Weight (Lbs.) | Pitch Diameter (in) |      | Stock Bore (In.) |       |       |       |       |       |        |       |        |       |       |       |       |
|----------|-----------------------|---------------|---------------------|------|------------------|-------|-------|-------|-------|-------|--------|-------|--------|-------|-------|-------|-------|
|          |                       |               | (4L)                | (5L) | 1/2              | 5/8   | 3/4   | 7/8   | 1     | 1 1/8 | 1 3/16 | 1 3/8 | 1 7/16 |       |       |       |       |
| 2BK23    | 2.45                  | 1.50          | 1.70                | 2.10 | 7807-            | 7807- | 7807- | 7807- | 7807- | 7807- | 7807-  | 7807- | 7807-  | 7807- | 7807- | 7807- | 7807- |
| 2BK25    | 2.65                  | 1.70          | 1.90                | 2.30 | 7211             | 7212  | 7213  | 7214  | 7215  | —     | —      | —     | —      | —     | —     | —     | —     |
| 2BK26    | 2.75                  | 1.40          | 2.00                | 2.40 | —                | 7217  | —     | 7218  | —     | 7216  | —      | —     | —      | —     | —     | —     | —     |
| 2BK27    | 2.85                  | 2.00          | 2.10                | 2.50 | 7221             | 7222  | 7223  | 7224  | 7225  | 7836  | —      | —     | —      | —     | —     | —     | —     |
| 2BK28    | 2.95                  | 2.10          | 2.20                | 2.60 | 7231             | 7232  | 7233  | 7234  | 7235  | 7236  | —      | —     | —      | —     | —     | —     | —     |
| 2BK30    | 3.15                  | 2.40          | 2.40                | 2.80 | 7837             | 7838  | 7839  | 7840  | 7841  | 7842  | —      | —     | —      | —     | —     | —     | —     |
| 2BK32    | 3.35                  | 2.70          | 2.60                | 3.00 | —                | 7812  | 7813  | 7814  | 7815  | 7816  | —      | —     | —      | —     | —     | —     | —     |
| 2BK34    | 3.55                  | 3.10          | 2.80                | 3.20 | —                | 7822  | 7823  | 7824  | 7825  | 7826  | —      | —     | —      | —     | —     | —     | —     |
| 2BK36    | 3.75                  | 3.50          | 3.00                | 3.40 | —                | 7827  | —     | —     | —     | —     | —      | —     | —      | —     | —     | —     | —     |
| 2BK40    | 3.95                  | 3.30          | 3.20                | 3.60 | —                | 7830  | 7831  | 7832  | 7833  | 7834  | —      | —     | —      | 7835  | —     | —     | —     |
| 2BK36    | 3.75                  | 3.40          | 3.00                | 3.40 | 7805-            | 7805- | 7805- | 7805- | 7805- | 7805- | 7805-  | 7805- | 7805-  | 7805- | 7805- | 7805- | 7805- |
| 2BK45    | 4.25                  | 3.70          | 3.50                | 3.90 | —                | —     | 7273  | 7274  | 7275  | 7276  | —      | —     | —      | 7282  | —     | —     | —     |
| 2BK47    | 4.45                  | 4.10          | 3.70                | 4.10 | —                | —     | —     | 7284  | 7285  | 7286  | —      | —     | —      | —     | —     | —     | —     |
| 2BK50    | 4.75                  | 4.50          | 4.00                | 4.40 | —                | —     | 7288  | —     | 7290  | 7291  | —      | —     | —      | 7292  | —     | —     | —     |

NOTE: Pitch diameter is a reference diameter only.



# Light Duty Sheaves - Bored-to-Size

**Product No. Series 7805 & 7807 (continued)**  
**Two Groove "4L" - "5L" - Bored-to-Size (continued)**  
 (For use with No. 2 (4L) or No. 3 (5L) Section Truflex V-Belts.)

| Part No. | Outside Diameter (in) | Weight (Lbs.) | Pitch Diameter (in) |       | Stock Bore (In.) |       |       |       |       |       |        |       |        |
|----------|-----------------------|---------------|---------------------|-------|------------------|-------|-------|-------|-------|-------|--------|-------|--------|
|          |                       |               | (4L)                | (5L)  | 1/2              | 5/8   | 3/4   | 7/8   | 1     | 1 1/8 | 1 3/16 | 1 3/8 | 1 7/16 |
| 2BK52    | 4.95                  | 4.80          | 4.20                | 4.60  | 7805-            | 7805- | 7805- | 7805- | 7805- | 7805- | 7805-  | 7805- | 7805-  |
| 2BK55    | 5.25                  | 5.20          | 4.50                | 4.90  | —                | —     | —     | —     | —     | 7301  | —      | 7352  | —      |
| 2BK57    | 5.45                  | 5.70          | 4.70                | 5.10  | —                | —     | —     | —     | 7304  | 7305  | —      | 7353  | —      |
| 2BK60    | 5.75                  | 6.40          | 5.00                | 5.40  | —                | —     | 7306  | 7307  | 7308  | 7309  | —      | 7354  | —      |
| 2BK62    | 5.95                  | 6.60          | 5.20                | 5.60  | —                | —     | —     | —     | 7355  | 7356  | —      | 7357  | —      |
| 2BK65    | 6.25                  | 5.30          | 5.50                | 5.90  | —                | —     | —     | —     | 7312  | 7313  | —      | 7358  | —      |
| 2BK67    | 6.45                  | 5.40          | 5.70                | 6.10  | —                | —     | —     | —     | 7315  | 7316  | —      | 7359  | —      |
| 2BK70    | 6.75                  | 6.40          | 6.00                | 6.40  | —                | —     | 7317  | —     | 7318  | 7360  | 7319   | 7361  | 7320   |
| 2BK80    | 7.75                  | 7.70          | 7.00                | 7.40  | —                | —     | 7321  | —     | 7323  | 7362  | 7324   | 7363  | 7325   |
| 2BK90    | 8.75                  | 8.70          | 8.00                | 8.40  | —                | —     | 7326  | —     | 7327  | 7364  | 7328   | 7365  | 7329   |
| 2BK100   | 9.75                  | 9.90          | 9.00                | 9.40  | —                | —     | 7330  | —     | 7332  | —     | 7333   | 7366  | 7334   |
| 2BK110   | 10.75                 | 10.80         | 10.00               | 10.40 | —                | —     | —     | —     | 7335  | —     | 7336   | —     | 7337   |
| 2BK120   | 11.75                 | 12.00         | 11.00               | 11.40 | —                | —     | —     | —     | 7339  | —     | 7340   | —     | 7341   |
| 2BK130   | 12.75                 | 13.80         | 12.00               | 12.40 | —                | —     | —     | —     | 7367  | —     | 7368   | —     | 7369   |
| 2BK140   | 13.75                 | 14.90         | 13.00               | 13.40 | —                | —     | —     | —     | 7342  | —     | 7343   | —     | 7344   |
| 2BK160   | 15.75                 | 17.70         | 15.00               | 15.40 | —                | —     | —     | —     | 7345  | —     | 7346   | —     | 7347   |
| 2BK190   | 18.75                 | 21.10         | 18.00               | 18.40 | —                | —     | —     | —     | —     | —     | 7349   | —     | 7350   |

NOTE: Pitch diameter is a reference diameter only.

LIGHT DUTY V-BELT METAL



# Light Duty Sheaves - Variable Pitch

**Notes**

Details shown which do not affect drive function or overall weight may be changed without notification.

**Product No. Series 7810**

**One Groove "3L" - "4L" - "5L" - Pitch**

(For use with No. 1 (3L), No. 2 (4L) or No. 3 (5L) Section Truflex V-Belts.)

| Part No. | Outside Diameter (in) | Weight (Lbs.) | Pitch Diameter (in) |           |           |           |           |           | Stock Bore (In.) |       |       |       |       |       |       |       |       |       |
|----------|-----------------------|---------------|---------------------|-----------|-----------|-----------|-----------|-----------|------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|          |                       |               | (3L) Min.           | (3L) Max. | (4L) Min. | (4L) Max. | (5L) Min. | (5L) Max. | 1/2              | 5/8   | 3/4   | 7/8   | 1     | 1 1/8 | 1 1/4 | 1 3/8 | 1 5/8 |       |
| 1VP25    | 2.32                  | 1.23          | 1.40                | 2.20      | —         | —         | —         | —         | 7810-            | 7810- | 7810- | 7810- | 7810- | 7810- | 7810- | 7810- | 7810- | 7810- |
| 1VP30    | 2.87                  | 1.27          | 1.80                | 2.70      | —         | —         | —         | —         | 1108             | 1110  | 1112  | —     | —     | —     | —     | —     | —     | —     |
| 1VP34    | 3.15                  | 1.55          | 1.70                | 2.50      | 1.90      | 2.90      | 2.40      | 3.20      | 1208             | 1210  | 1212  | —     | —     | —     | —     | —     | —     | —     |
| 1VP40    | 3.75                  | 2.10          | 2.30                | 3.10      | 2.40      | 3.40      | 2.70      | 2.70      | 1308             | 1310  | 1312  | 1314  | 1316  | 1318  | —     | —     | —     | —     |
| 1VP44    | 4.15                  | 2.60          | 2.70                | 3.50      | 2.80      | 3.80      | 3.10      | 4.10      | 1408             | 1410  | 1412  | 1414  | 1416  | 1418  | —     | —     | —     | —     |
| 1VP50    | 4.75                  | 3.30          | 3.30                | 4.10      | 3.40      | 4.40      | 3.70      | 4.70      | 1508             | 1510  | 1512  | 1514  | 1516  | 1518  | —     | —     | —     | —     |
| 1VP56    | 5.35                  | 4.30          | 3.90                | 4.70      | 4.00      | 5.00      | 4.30      | 5.30      | 1608             | 1610  | 1612  | 1614  | 1616  | 1618  | —     | —     | —     | —     |
| 1VP60    | 6.00                  | 1.90          | —                   | —         | 4.30      | 5.48      | 4.71      | 5.92      | 1708             | 1710  | 1712  | 1714  | 1716  | 1718  | —     | —     | —     | —     |
| 1VP62    | 5.95                  | 6.65          | 4.50                | 5.30      | 4.60      | 5.60      | 4.90      | 5.90      | —                | 1720  | 1722  | 1724  | —     | 1728  | —     | 1732  | 1734  | —     |
| 1VP65    | 6.50                  | 7.35          | —                   | —         | 4.70      | 5.70      | 4.80      | 6.00      | —                | 1810  | 1812  | 1814  | 1816  | 1818  | 1822  | 1823  | —     | —     |
| 1VP68    | 6.55                  | 7.80          | 5.10                | 5.90      | 5.20      | 6.20      | 5.50      | 6.50      | —                | 1832  | 1834  | —     | 1838  | —     | 1839  | 1841  | —     | —     |
| 1VP71    | 7.10                  | 9.75          | —                   | —         | 5.30      | 6.30      | 5.40      | 6.60      | —                | 1840  | 1842  | 1844  | 1846  | 1848  | 1852  | 1855  | —     | —     |
| 1VP75    | 7.50                  | 10.75         | —                   | —         | 5.70      | 6.70      | 5.80      | 7.00      | —                | 1882  | 1884  | —     | 1888  | —     | 1892  | 1894  | —     | —     |
|          |                       |               |                     |           |           |           |           |           | —                | 1862  | 1864  | 1867  | 1868  | —     | 1873  | 1875  | —     | —     |

NOTE: Pitch diameter is a reference diameter only. The minimum recommended pitch diameters should be observed for the specific belt section used.

**Two Groove "3L" - "4L" - "5L" - Pitch**

(For use with No. 1 (3L), No. 2 (4L) or No. 3 (5L) Section Truflex V-Belts.)

| Part No. | Outside Diameter (in) | Weight (Lbs.) | Pitch Diameter (in) |           |           |           |           |           | Stock Bore (In.) |       |       |       |       |       |       |       |       |       |
|----------|-----------------------|---------------|---------------------|-----------|-----------|-----------|-----------|-----------|------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|          |                       |               | (3L) Min.           | (3L) Max. | (4L) Min. | (4L) Max. | (5L) Min. | (5L) Max. | 1/2              | 5/8   | 3/4   | 7/8   | 1     | 1 1/8 | 1 1/4 | 1 3/8 | 1 5/8 |       |
| 2VP36    | 3.35                  | 3.85          | 1.90                | 2.70      | 2.00      | 3.00      | 2.50      | 3.50      | 7810-            | 7810- | 7810- | 7810- | 7810- | 7810- | 7810- | 7810- | 7810- | 7810- |
| 2VP42    | 3.95                  | 4.60          | 2.50                | 3.30      | 2.60      | 3.60      | 2.90      | 3.90      | 4358             | 4360  | 4362  | 4364  | 4366  | 4368  | —     | —     | —     | —     |
| 2VP50    | 4.75                  | 6.45          | 3.30                | 4.10      | 3.40      | 4.40      | 3.70      | 4.70      | —                | 4420  | 4422  | 4424  | 4426  | 4428  | —     | —     | —     | —     |
| 2VP56    | 5.35                  | 7.95          | 3.90                | 4.70      | 4.00      | 5.00      | 4.30      | 5.30      | —                | 4610  | 4612  | 4614  | 4616  | 4618  | —     | —     | —     | —     |
| 2VP60    | 6.00                  | 11.95         | —                   | —         | 4.20      | 5.20      | 4.30      | 5.50      | —                | 4720  | 4722  | 4724  | 4726  | 4728  | —     | 4732  | 4734  | —     |
| 2VP62    | 5.95                  | 11.85         | 4.50                | 5.30      | 4.60      | 5.60      | 4.90      | 5.90      | —                | 4742  | 4744  | 4746  | 4748  | —     | 4752  | 4754  | —     | —     |
| 2VP65    | 6.50                  | 13.00         | —                   | —         | 4.70      | 5.70      | 4.80      | 6.00      | —                | 4812  | 4814  | 4816  | 4818  | 4830  | 4832  | —     | —     | —     |
| 2VP68    | 6.55                  | 11.70         | 5.07                | 6.02      | 5.37      | 6.55      | 5.81      | 6.61      | —                | 4824  | —     | 4828  | —     | 4828  | —     | 4829  | 4834  | —     |
| 2VP71    | 7.10                  | 15.49         | —                   | —         | 5.30      | 6.30      | 5.40      | 6.60      | —                | 4843  | 4844  | 4846  | 4848  | —     | 4852  | 4854  | —     | —     |
| 2VP75    | 7.50                  | 16.50         | —                   | —         | 5.40      | 6.58      | 5.84      | 7.05      | —                | 4884  | —     | 4888  | —     | 4888  | —     | 4892  | 4894  | —     |
|          |                       |               |                     |           |           |           |           |           | —                | 4867  | 4868  | —     | 4867  | 4868  | —     | 4872  | 4874  | —     |

NOTE: Pitch diameter is a reference diameter only. The minimum recommended pitch diameters should be observed for the specific belt section used.

LIGHT DUTY V-BELT METAL



# Light Duty Sheaves - QT Bushed

**Notes**

Details shown which do not affect drive function or overall weight may be changed without notification.  
 QT Type bushings are sold separately.

**Product No. Series 7819****One Groove "3L" - "4L" Taper Bushed**

(For use with No. 1 (3L) or No. 2 (4L) Section Truflex V-Belts.)

| Part No. | Product No. | Outside Dia. (in) | Pitch Diameter (in) (3L) | Pitch Diameter (in) (4L) | Weight (Lbs.) |
|----------|-------------|-------------------|--------------------------|--------------------------|---------------|
| AK30QT   | 7819-0030   | 3.05              | 2.46                     | 2.80                     | 1.300         |
| AK32QT   | 7819-0032   | 3.25              | 2.66                     | 3.00                     | 1.400         |
| AK34QT   | 7819-0034   | 3.45              | 2.86                     | 3.20                     | 1.000         |
| AK39QT   | 7819-0100   | 3.75              | 3.16                     | 3.50                     | 1.300         |
| AK41QT   | 7819-0101   | 3.95              | 3.36                     | 3.70                     | 1.500         |
| AK44QT   | 7819-0102   | 4.25              | 3.66                     | 4.00                     | 2.000         |
| AK46QT   | 7819-0103   | 4.45              | 3.86                     | 4.20                     | 1.800         |
| AK49QT   | 7819-0104   | 4.75              | 4.16                     | 4.50                     | 2.000         |
| AK51QT   | 7819-0105   | 4.95              | 4.36                     | 4.70                     | 2.100         |
| AK54QT   | 7819-0106   | 5.25              | 4.66                     | 5.00                     | 2.400         |
| AK56QT   | 7819-0107   | 5.45              | 4.86                     | 5.20                     | 2.500         |
| AK59QT   | 7819-0108   | 5.75              | 5.16                     | 5.50                     | 2.800         |
| AK61QT   | 7819-0109   | 5.95              | 5.36                     | 5.70                     | 2.200         |
| AK64QT   | 7819-0110   | 6.25              | 5.66                     | 6.00                     | 2.300         |
| AK66QT   | 7819-0111   | 6.45              | 5.86                     | 6.20                     | 2.400         |
| AK69QT   | 7819-0112   | 6.75              | 6.16                     | 6.50                     | 2.500         |
| AK71QT   | 7819-0113   | 6.95              | 6.36                     | 6.70                     | 2.800         |
| AK74QT   | 7819-0114   | 7.25              | 6.66                     | 7.00                     | 3.200         |
| AK79QT   | 7819-0115   | 7.75              | 7.16                     | 7.50                     | 3.400         |
| AK84QT   | 7819-0118   | 8.25              | 7.66                     | 8.00                     | 3.600         |
| AK89QT   | 7819-0116   | 8.75              | 8.16                     | 8.50                     | 3.900         |
| AK94QT   | 7819-0120   | 9.25              | 8.66                     | 9.00                     | 4.200         |
| AK99QT   | 7819-0121   | 9.75              | 9.16                     | 9.50                     | 4.400         |
| AK104QT  | 7819-0122   | 10.25             | 9.66                     | 10.00                    | 4.700         |
| AK109QT  | 7819-0123   | 10.75             | 10.16                    | 10.50                    | 4.900         |
| AK114QT  | 7819-0124   | 11.25             | 10.66                    | 11.00                    | 5.200         |
| AK124QT  | 7819-0126   | 12.25             | 11.66                    | 12.00                    | 6.100         |
| AK134QT  | 7819-0128   | 13.25             | 12.66                    | 13.00                    | 6.600         |
| AK144QT  | 7819-0130   | 14.25             | 13.66                    | 14.00                    | 7.600         |
| AK154QT  | 7819-0131   | 15.25             | 14.66                    | 15.00                    | 9.300         |
| AK184QT  | 7819-0133   | 18.25             | 17.66                    | 18.00                    | 10.600        |

NOTE: Pitch diameter is a reference diameter only.

**One Groove "4L" - "5L" Taper Bushed**

(For use with No. 2 (4L) or No. 3 (5L) Section Truflex V-Belts.)

| Part No. | Product No. | Outside Dia. (in) | Pitch Diameter (in) (4L) | Pitch Diameter (in) (5L) | Weight (Lbs.) |
|----------|-------------|-------------------|--------------------------|--------------------------|---------------|
| BK30QT   | 7819-0140   | 3.15              | 2.40                     | 2.80                     | 1.400         |
| BK32QT   | 7819-0142   | 3.35              | 2.60                     | 3.00                     | 1.500         |
| BK34QT   | 7819-0144   | 3.55              | 2.80                     | 3.20                     | 1.700         |
| BK36QT   | 7819-0150   | 3.75              | 3.00                     | 3.40                     | 1.400         |
| BK40QT   | 7819-0151   | 3.95              | 3.20                     | 3.60                     | 1.600         |
| BK45QT   | 7819-0152   | 4.25              | 3.50                     | 3.90                     | 2.000         |
| BK47QT   | 7819-0153   | 4.45              | 3.70                     | 4.10                     | 1.900         |
| BK50QT   | 7819-0154   | 4.75              | 4.00                     | 4.40                     | 2.100         |
| BK52QT   | 7819-0155   | 4.95              | 4.20                     | 4.60                     | 2.200         |
| BK55QT   | 7819-0156   | 5.25              | 4.50                     | 4.90                     | 2.500         |
| BK57QT   | 7819-0157   | 5.45              | 4.70                     | 5.10                     | 2.600         |
| BK60QT   | 7819-0158   | 5.75              | 5.00                     | 5.40                     | 2.900         |
| BK62QT   | 7819-0159   | 5.95              | 5.20                     | 5.60                     | 3.100         |
| BK65QT   | 7819-0160   | 6.25              | 5.50                     | 5.90                     | 3.400         |
| BK67QT   | 7819-0161   | 6.45              | 5.70                     | 6.10                     | 3.600         |

NOTE: Pitch diameter is a reference diameter only.

LIGHT DUTY V-BELT METAL



## Light Duty Sheaves - QT Bushed

### Product No. Series 7819 (continued)

#### One Groove "4L" - "5L" Taper Bushed (continued)

(For use with No. 2 (4L) or No. 3 (5L) Section Truflex V-Belts.)

| Part No. | Product No. | Outside Dia. (in) | Pitch Diameter (in) (4L) | Pitch Diameter (in) (5L) | Weight (Lbs.) |
|----------|-------------|-------------------|--------------------------|--------------------------|---------------|
| BK70QT   | 7819-0162   | 6.75              | 6.00                     | 6.40                     | 2.900         |
| BK72QT   | 7819-0163   | 6.95              | 6.20                     | 6.60                     | 3.000         |
| BK75QT   | 7819-0164   | 7.25              | 6.50                     | 6.90                     | 3.200         |
| BK77QT   | 7819-0165   | 7.45              | 6.70                     | 7.10                     | 3.400         |
| BK80QT   | 7819-0166   | 7.75              | 7.00                     | 7.40                     | 3.700         |
| BK85QT   | 7819-0168   | 8.25              | 7.50                     | 7.90                     | 4.000         |
| BK90QT   | 7819-0169   | 8.75              | 8.00                     | 8.40                     | 4.300         |
| BK95QT   | 7819-0170   | 9.25              | 8.50                     | 8.90                     | 4.600         |
| BK100QT  | 7819-0171   | 9.75              | 9.00                     | 9.40                     | 4.900         |
| BK105QT  | 7819-0172   | 10.25             | 9.50                     | 9.90                     | 5.300         |
| BK110QT  | 7819-0173   | 10.75             | 10.00                    | 10.40                    | 5.600         |
| BK115QT  | 7819-0174   | 11.25             | 10.50                    | 10.90                    | 5.900         |
| BK120QT  | 7819-0175   | 11.75             | 11.00                    | 11.40                    | 6.200         |
| BK130QT  | 7819-0177   | 12.75             | 12.00                    | 12.40                    | 7.300         |
| BK140QT  | 7819-0179   | 13.75             | 13.00                    | 13.40                    | 8.200         |
| BK150QT  | 7819-0180   | 14.75             | 14.00                    | 14.40                    | 9.000         |
| BK160QT  | 7819-0182   | 15.75             | 15.00                    | 15.40                    | 9.700         |
| BK190QT  | 7819-0184   | 18.75             | 18.00                    | 18.40                    | 11.700        |

NOTE: Pitch diameter is a reference diameter only.

### Two Groove "3L" - "4L" Taper Bushed

(For use with No. 1 (3L) or No. 2 (4L) Section Truflex V-Belts.)

| Part No. | Product No. | Outside Dia. (in) | Pitch Diameter (in) (3L) | Pitch Diameter (in) (4L) | Weight (Lbs.) |
|----------|-------------|-------------------|--------------------------|--------------------------|---------------|
| 2AK30QT  | 7819-0197   | 3.05              | 2.46                     | 2.80                     | 1.700         |
| 2AK32QT  | 7819-0198   | 3.25              | 2.66                     | 3.00                     | 1.900         |
| 2AK34QT  | 7819-0199   | 3.45              | 2.86                     | 3.20                     | 1.500         |
| 2AK39QT  | 7819-0200   | 3.75              | 3.16                     | 3.50                     | 1.900         |
| 2AK41QT  | 7819-0201   | 3.95              | 3.36                     | 3.70                     | 2.100         |
| 2AK44QT  | 7819-0202   | 4.25              | 3.66                     | 4.00                     | 2.400         |
| 2AK46QT  | 7819-0203   | 4.45              | 3.86                     | 4.20                     | 2.600         |
| 2AK49QT  | 7819-0204   | 4.75              | 4.16                     | 4.50                     | 3.000         |
| 2AK51QT  | 7819-0205   | 4.95              | 4.36                     | 4.70                     | 3.300         |
| 2AK54QT  | 7819-0206   | 5.25              | 4.66                     | 5.00                     | 3.800         |
| 2AK56QT  | 7819-0207   | 5.45              | 4.86                     | 5.20                     | 4.100         |
| 2AK59QT  | 7819-0208   | 5.75              | 5.16                     | 5.50                     | 3.300         |
| 2AK61QT  | 7819-0209   | 5.95              | 5.36                     | 5.70                     | 3.400         |
| 2AK64QT  | 7819-0210   | 6.25              | 5.66                     | 6.00                     | 3.800         |
| 2AK74QT  | 7819-0214   | 7.25              | 6.66                     | 7.00                     | 4.600         |
| 2AK84QT  | 7819-0218   | 8.25              | 7.66                     | 8.00                     | 5.400         |
| 2AK94QT  | 7819-0220   | 9.25              | 8.66                     | 9.00                     | 6.200         |
| 2AK104QT | 7819-0222   | 10.25             | 9.66                     | 10.00                    | 7.100         |
| 2AK114QT | 7819-0224   | 11.25             | 10.66                    | 11.00                    | 7.800         |
| 2AK124QT | 7819-0226   | 12.25             | 11.66                    | 12.00                    | 8.700         |
| 2AK134QT | 7819-0228   | 13.25             | 12.66                    | 13.00                    | 9.500         |
| 2AK144QT | 7819-0230   | 14.25             | 13.66                    | 14.00                    | 10.700        |
| 2AK154QT | 7819-0231   | 15.25             | 14.66                    | 15.00                    | 12.300        |
| 2AK184QT | 7819-0233   | 18.25             | 17.66                    | 18.00                    | 15.500        |

NOTE: Pitch diameter is a reference diameter only.



## Light Duty Sheaves - QT Bushed

### Product No. Series 7819 (continued)

#### Two Groove "4L" - "5L" Taper Bushed

(For use with No. 2 (4L) or No. 3 (5L) Section Truflex V-Belts.)

| Part No. | Product No. | Outside Dia. (in) | Pitch Diameter (in) (4L) | Pitch Diameter (in) (5L) | Weight (Lbs.) |
|----------|-------------|-------------------|--------------------------|--------------------------|---------------|
| 2BK32QT  | 7819-0248   | 3.35              | 2.60                     | 3.00                     | 2.400         |
| 2BK34QT  | 7819-0249   | 3.55              | 2.80                     | 3.20                     | 2.600         |
| 2BK36QT  | 7819-0250   | 3.75              | 3.00                     | 3.40                     | 2.300         |
| 2BK40QT  | 7819-0251   | 3.95              | 3.20                     | 3.60                     | 2.600         |
| 2BK45QT  | 7819-0252   | 4.25              | 3.50                     | 3.90                     | 3.100         |
| 2BK47QT  | 7819-0253   | 4.45              | 3.70                     | 4.10                     | 3.400         |
| 2BK50QT  | 7819-0254   | 4.75              | 4.00                     | 4.40                     | 3.600         |
| 2BK52QT  | 7819-0255   | 4.95              | 4.20                     | 4.60                     | 3.900         |
| 2BK55QT  | 7819-0256   | 5.25              | 4.50                     | 4.90                     | 4.500         |
| 2BK57QT  | 7819-0257   | 5.45              | 4.70                     | 5.10                     | 4.800         |
| 2BK60QT  | 7819-0258   | 5.75              | 5.00                     | 5.40                     | 5.300         |
| 2BK62QT  | 7819-0259   | 5.95              | 5.20                     | 5.60                     | 5.700         |
| 2BK65QT  | 7819-0260   | 6.25              | 5.50                     | 5.90                     | 4.900         |
| 2BK67QT  | 7819-0261   | 6.45              | 5.70                     | 6.10                     | 5.000         |
| 2BK70QT  | 7819-0262   | 6.75              | 6.00                     | 6.40                     | 5.400         |
| 2BK72QT  | 7819-0285   | 6.95              | 6.20                     | 6.60                     | 5.500         |
| 2BK80QT  | 7819-0266   | 7.75              | 7.00                     | 7.40                     | 6.600         |
| 2BK90QT  | 7819-0269   | 8.75              | 8.00                     | 8.40                     | 7.600         |
| 2BK100QT | 7819-0271   | 9.75              | 9.00                     | 9.40                     | 8.900         |
| 2BK110QT | 7819-0273   | 10.75             | 10.00                    | 10.40                    | 9.900         |
| 2BK120QT | 7819-0275   | 11.75             | 11.00                    | 11.40                    | 11.000        |
| 2BK130QT | 7819-0277   | 12.75             | 12.00                    | 12.40                    | 12.300        |
| 2BK140QT | 7819-0279   | 13.75             | 13.00                    | 13.40                    | 13.400        |
| 2BK160QT | 7819-0282   | 15.75             | 15.00                    | 15.40                    | 16.200        |
| 2BK190QT | 7819-0284   | 18.75             | 18.00                    | 18.40                    | 20.000        |

NOTE: Pitch diameter is a reference diameter only.



# QD® Bushings - English Sizes

**Notes**

Details shown which do not affect drive function or overall weight may be changed without notification.

**WARNING:** Excessive cap-screw torque can cause sheave and/or bushing to break.  
Use of lubricants can result in sheave breakage.

**Product No. Series 7838 & 7839**

**NOTE: Bushings with standard keyseats do not include keys.**

| Part No.                | Product No. | Bore (in) | Weight (Lbs.) | Part No.                | Product No. | Bore (in) | Weight (Lbs.) |
|-------------------------|-------------|-----------|---------------|-------------------------|-------------|-----------|---------------|
| E.7/8                   | 7839-1014   | 7/8       | 11.800        | F 2.1/2                 | 7839-2208   | 2 1/2     | 15.370        |
| E 1.                    | 7839-1100   | 1         | 11.650        | F 2.5/8                 | 7839-2210   | 2 5/8     | 14.860        |
| E 1.1/16                | 7839-1101   | 1 1/16    | 11.500        | F 2.11/16               | 7839-2211   | 2 11/16   | 13.420        |
| E 1.1/8                 | 7839-1102   | 1 1/8     | 11.460        | F 2.3/4                 | 7839-2212   | 2 3/4     | 14.370        |
| E 1.3/16                | 7839-1103   | 1 3/16    | 11.400        | F 2.13/16               | 7839-2213   | 2 13/16   | 14.000        |
| E 1.1/4                 | 7839-1104   | 1 1/4     | 11.330        | F 2.7/8                 | 7839-2214   | 2 7/8     | 13.750        |
| E 1.5/16                | 7839-1105   | 1 5/16    | 11.260        | F 2.15/16               | 7839-2215   | 2 15/16   | 13.470        |
| E 1.3/8                 | 7839-1106   | 1 3/8     | 11.130        | F 3.                    | 7839-2300   | 3         | 13.200        |
| E 1.7/16                | 7839-1107   | 1 7/16    | 10.940        | F 3.1/8                 | 7839-2302   | 3 1/8     | 12.670        |
| E 1.1/2                 | 7839-1108   | 1 1/2     | 10.860        | F 3.3/16                | 7839-2303   | 3 3/16    | 14.000        |
| E 1.5/8                 | 7839-1110   | 1 5/8     | 10.690        | F 3.1/4                 | 7839-2304   | 3 1/4     | 12.000        |
| E 1.11/16               | 7839-1111   | 1 11/16   | 10.560        | <sup>12</sup> F 3.3/8   | 7839-2306   | 3 3/8     | 12.050        |
| E 1.3/4                 | 7839-1112   | 1 3/4     | 10.460        | <sup>12</sup> F 3.7/16  | 7839-2307   | 3 7/16    | 11.730        |
| E 1.7/8                 | 7839-1114   | 1 7/8     | 10.160        | <sup>12</sup> F 3.1/2   | 7839-2308   | 3 1/2     | 11.170        |
| E 1.15/16               | 7839-1115   | 1 15/16   | 9.990         | <sup>12</sup> F 3.5/8   | 7839-2310   | 3 5/8     | 10.530        |
| E 2.                    | 7839-1200   | 2         | 9.940         | <sup>12</sup> F 3.11/16 | 7839-2311   | 3 11/16   | 14.000        |
| E 2.1/8                 | 7839-1202   | 2 1/8     | 9.620         | <sup>12</sup> F 3.3/4   | 7839-2312   | 3 3/4     | 9.890         |
| E 2.3/16                | 7839-1203   | 2 3/16    | 9.420         | <sup>12</sup> F 3.7/8   | 7839-2314   | 3 7/8     | 9.260         |
| E 2.1/4                 | 7839-1204   | 2 1/4     | 9.280         | <sup>12</sup> F 3.15/16 | 7839-2315   | 3 15/16   | 8.110         |
| E 2.5/16                | 7839-1205   | 2 5/16    | 9.070         | <sup>13</sup> F 4.      | 7839-2400   | 4         | 7.960         |
| E 2.3/8                 | 7839-1206   | 2 3/8     | 8.950         | J 1.1/2                 | 7839-3108   | 1 1/2     | 28.970        |
| E 2.7/16                | 7839-1207   | 2 7/16    | 8.770         | J 1.5/8                 | 7839-3110   | 1 5/8     | 28.610        |
| E 2.1/2                 | 7839-1208   | 2 1/2     | 8.610         | J 1.3/4                 | 7839-3112   | 1 3/4     | 28.280        |
| E 2.5/8                 | 7839-1210   | 2 5/8     | 8.230         | J 1.7/8                 | 7839-3114   | 1 7/8     | 27.790        |
| E 2.11/16               | 7839-1211   | 2 11/16   | 8.050         | J 1.15/16               | 7839-3115   | 1 15/16   | 27.530        |
| E 2.3/4                 | 7839-1212   | 2 3/4     | 7.900         | J 2.                    | 7839-3200   | 2         | 27.330        |
| E 2.7/8                 | 7839-1214   | 2 7/8     | 7.320         | J 2.1/8                 | 7839-3202   | 2 1/8     | 26.740        |
| <sup>12</sup> E 2.15/16 | 7839-1215   | 2 15/16   | 7.530         | J 2.3/16                | 7839-3203   | 2 3/16    | 26.370        |
| <sup>12</sup> E 3.      | 7839-1300   | 3         | 7.310         | J 2.1/4                 | 7839-3204   | 2 1/4     | 26.320        |
| <sup>12</sup> E 3.1/8   | 7839-1302   | 3 1/8     | 6.900         | J 2.3/8                 | 7839-3206   | 2 3/8     | 25.650        |
| <sup>12</sup> E 3.3/16  | 7839-1303   | 3 3/16    | 6.690         | J 2.7/16                | 7839-3207   | 2 7/16    | 25.380        |
| <sup>12</sup> E 3.1/4   | 7839-1304   | 3 1/4     | 6.480         | J 2.1/2                 | 7839-3208   | 2 1/2     | 25.050        |
| <sup>12</sup> E 3.5/16  | 7839-1305   | 3 5/16    | 6.100         | J 2.5/8                 | 7839-3210   | 2 5/8     | 24.500        |
| <sup>12</sup> E 3.3/8   | 7839-1306   | 3 3/8     | 6.100         | J 2.11/16               | 7839-3211   | 2 11/16   | 24.180        |
| <sup>12</sup> E 3.7/16  | 7839-1307   | 3 7/16    | 5.860         | J 2.3/4                 | 7839-3212   | 2 3/4     | 23.860        |
| <sup>12</sup> E 3.1/2   | 7839-1308   | 3 1/2     | 5.630         | J 2.7/8                 | 7839-3214   | 2 7/8     | 23.150        |
| F 1.                    | 7839-2100   | 1         | 19.410        | J 2.15/16               | 7839-3215   | 2 15/16   | 22.730        |
| F 1.1/8                 | 7839-2102   | 1 1/8     | 19.150        | J 3.                    | 7839-3300   | 3         | 22.430        |
| F 1.3/16                | 7839-2103   | 1 3/16    | 18.000        | J 3.1/8                 | 7839-3302   | 3 1/8     | 21.680        |
| F 1.1/4                 | 7839-2104   | 1 1/4     | 18.990        | J 3.3/16                | 7839-3303   | 3 3/16    | 21.350        |
| F 1.3/8                 | 7839-2106   | 1 3/8     | 18.680        | J 3.1/4                 | 7839-3304   | 3 1/4     | 20.980        |
| F 1.7/16                | 7839-2107   | 1 7/16    | 18.560        | J 3.3/8                 | 7839-3306   | 3 3/8     | 20.100        |
| F 1.1/2                 | 7839-2108   | 1 1/2     | 18.480        | J 3.7/16                | 7839-3307   | 3 7/16    | 19.710        |
| F 1.9/16                | 7839-2109   | 1 9/16    | 14.000        | J 3.1/2                 | 7839-3308   | 3 1/2     | 19.250        |
| F 1.5/8                 | 7839-2110   | 1 5/8     | 18.150        | J 3.5/8                 | 7839-3310   | 3 5/8     | 18.440        |
| F 1.11/16               | 7839-2111   | 1 11/16   | 17.910        | J 3.11/16               | 7839-3311   | 3 11/16   | 18.040        |
| F 1.3/4                 | 7839-2112   | 1 3/4     | 16.770        | J 3.3/4                 | 7839-3312   | 3 3/4     | 17.620        |
| F 1.13/16               | 7839-2113   | 1 13/16   | 17.620        | <sup>12</sup> J 3.7/8   | 7839-3314   | 3 7/8     | 17.800        |
| F 1.7/8                 | 7839-2114   | 1 7/8     | 16.410        | <sup>12</sup> J 3.15/16 | 7839-3315   | 3 15/16   | 17.140        |
| F 1.15/16               | 7839-2115   | 1 15/16   | 17.230        | <sup>12</sup> J 4.      | 7839-3400   | 4         | 16.620        |
| F 2.                    | 7839-2200   | 2         | 16.970        | <sup>12</sup> J 4.1/8   | 7839-3402   | 4 1/8     | 15.690        |
| F 2.1/8                 | 7839-2202   | 2 1/8     | 16.700        | <sup>12</sup> J 4.3/16  | 7839-3403   | 4 3/16    | 14.550        |
| F 2.3/16                | 7839-2203   | 2 3/16    | 16.540        | <sup>12</sup> J 4.1/4   | 7839-3404   | 4 1/4     | 14.680        |
| F 2.1/4                 | 7839-2204   | 2 1/4     | 16.250        | <sup>12</sup> J 4.3/8   | 7839-3406   | 4 3/8     | 14.000        |
| F 2.5/16                | 7839-2205   | 2 5/16    | 15.960        | <sup>12</sup> J 4.7/16  | 7839-3407   | 4 7/16    | 13.180        |
| F 2.3/8                 | 7839-2206   | 2 3/8     | 15.790        | <sup>12</sup> J 4.1/2   | 7839-3408   | 4 1/2     | 12.670        |
| F 2.7/16                | 7839-2207   | 2 7/16    | 15.560        | JA.1/2                  | 7838-0008   | 1/2       | .460          |

<sup>12</sup> Shallow keyway.  
<sup>13</sup> No keyway.

BUSHINGS



# QD® Bushings - English Sizes

## Product No. Series 7838 & 7839 (continued)

| Part No.                | Product No. | Bore (in) | Weight (Lbs.) | Part No.                  | Product No. | Bore (in) | Weight (Lbs.) |
|-------------------------|-------------|-----------|---------------|---------------------------|-------------|-----------|---------------|
| JA.9/16                 | 7838-0009   | 9/16      | .460          | N 4.15/16                 | 7839-5415   | 4 15/16   | 56.060        |
| JA.5/8                  | 7838-0010   | 5/8       | .450          | N 5.                      | 7839-5500   | 5         | 54.890        |
| JA.11/16                | 7838-0011   | 11/16     | .430          | N 5.1/8                   | 7839-5502   | 5 1/8     | 52.000        |
| JA.3/4                  | 7838-0012   | 3/4       | .410          | N 5.1/4                   | 7839-5504   | 5 1/4     | 70.000        |
| JA.13/16                | 7838-0013   | 13/16     | .400          | <sup>12</sup> N 5.1/2     | 7839-5508   | 5 1/2     | 49.020        |
| JA.7/8                  | 7838-0014   | 7/8       | .370          | N 5.3/4                   | 7839-5512   | 5 3/4     | 80.000        |
| JA.15/16                | 7838-0015   | 15/16     | .350          | <sup>12</sup> N 5.7/8     | 7839-5514   | 5 7/8     | 44.000        |
| JA 1.                   | 7838-0100   | 1         | .330          | P 3.7/16                  | 7839-6307   | 3 7/16    | 134.000       |
| <sup>12</sup> JA 1.1/16 | 7838-0101   | 1 1/16    | .340          | P 3.15/16                 | 7839-6315   | 3 15/16   | 122.000       |
| <sup>12</sup> JA 1.1/8  | 7838-0102   | 1 1/8     | .310          | P 4.7/16                  | 7839-6407   | 4 7/16    | 114.000       |
| <sup>12</sup> JA 1.3/16 | 7838-0103   | 1 3/16    | .290          | P 4.1/2                   | 7839-6408   | 4 1/2     | 125.000       |
| <sup>13</sup> JA 1.1/4  | 7838-0104   | 1 1/4     | .250          | P 4.15/16                 | 7839-6415   | 4 15/16   | 104.000       |
| M 2.                    | 7839-4200   | 2         | 62.490        | P 5.                      | 7839-6500   | 5         | 125.000       |
| M 2.3/16                | 7839-4203   | 2 3/16    | 61.380        | P 5.1/2                   | 7839-6508   | 5 1/2     | 125.000       |
| M 2.1/4                 | 7839-4204   | 2 1/4     | 61.140        | P 5.15/16                 | 7839-6515   | 5 15/16   | 86.840        |
| M 2.3/8                 | 7839-4206   | 2 3/8     | 60.320        | <sup>12</sup> P 6.        | 7839-6600   | 6         | 70.000        |
| M 2.7/16                | 7839-4207   | 2 7/16    | 59.970        | P 6.1/2                   | 7839-6608   | 6 1/2     | 125.000       |
| M 2.1/2                 | 7839-4208   | 2 1/2     | 59.480        | <sup>12</sup> P 7.        | 7839-6700   | 7         | 68.000        |
| M 2.5/8                 | 7839-4210   | 2 5/8     | 58.690        | SD.1/2                    | 7838-3008   | 1/2       | 2.070         |
| M 2.11/16               | 7839-4211   | 2 11/16   | 47.800        | SD.9/16                   | 7838-3009   | 9/16      | 2.050         |
| M 2.3/4                 | 7839-4212   | 2 3/4     | 57.860        | SD.5/8                    | 7838-3010   | 5/8       | 2.030         |
| M 2.7/8                 | 7839-4214   | 2 7/8     | 29.070        | SD.11/16                  | 7838-3011   | 11/16     | 2.000         |
| M 2.15/16               | 7839-4215   | 2 15/16   | 56.170        | SD.3/4                    | 7838-3012   | 3/4       | 1.960         |
| M 3.                    | 7839-4300   | 3         | 55.550        | SD.13/16                  | 7838-3013   | 13/16     | 2.010         |
| M 3.1/8                 | 7839-4302   | 3 1/8     | 54.000        | SD.7/8                    | 7838-3014   | 7/8       | 1.880         |
| M 3.3/16                | 7839-4303   | 3 3/16    | 53.840        | SD.15/16                  | 7838-3015   | 15/16     | 1.850         |
| M 3.1/4                 | 7839-4304   | 3 1/4     | 53.420        | SD 1.                     | 7838-3100   | 1         | 1.800         |
| M 3.3/8                 | 7839-4306   | 3 3/8     | 52.210        | SD 1.1/16                 | 7838-3101   | 1 1/16    | 1.790         |
| M 3.7/16                | 7839-4307   | 3 7/16    | 51.610        | SD 1.1/8                  | 7838-3102   | 1 1/8     | 1.720         |
| M 3.1/2                 | 7839-4308   | 3 1/2     | 51.120        | SD 1.3/16                 | 7838-3103   | 1 3/16    | 1.670         |
| M 3.5/8                 | 7839-4310   | 3 5/8     | 50.080        | SD 1.1/4                  | 7838-3104   | 1 1/4     | 1.620         |
| M 3.11/16               | 7839-4311   | 3 11/16   | 49.000        | SD 1.5/16                 | 7838-3105   | 1 5/16    | 1.550         |
| M 3.3/4                 | 7839-4312   | 3 3/4     | 48.470        | SD 1.3/8                  | 7838-3106   | 1 3/8     | 1.500         |
| M 3.7/8                 | 7839-4314   | 3 7/8     | 47.030        | SD 1.7/16                 | 7838-3107   | 1 7/16    | 1.440         |
| M 3.15/16               | 7839-4315   | 3 15/16   | 46.260        | SD 1.1/2                  | 7838-3108   | 1 1/2     | 1.360         |
| M 4.                    | 7839-4400   | 4         | 47.800        | SD 1.9/16                 | 7838-3109   | 1 9/16    | 1.290         |
| M 4.1/8                 | 7839-4402   | 4 1/8     | 44.240        | SD 1.5/8                  | 7838-3110   | 1 5/8     | 1.290         |
| M 4.3/16                | 7839-4403   | 4 3/16    | 43.640        | <sup>12</sup> SD 1.11/16  | 7838-3111   | 1 11/16   | 1.270         |
| M 4.1/4                 | 7839-4404   | 4 1/4     | 42.810        | <sup>12</sup> SD 1.3/4    | 7838-3112   | 1 3/4     | 1.280         |
| M 4.3/8                 | 7839-4406   | 4 3/8     | 41.460        | <sup>12</sup> SD 1.13/16  | 7838-3113   | 1 13/16   | 1.150         |
| M 4.7/16                | 7839-4407   | 4 7/16    | 40.600        | <sup>12</sup> SD 1.7/8    | 7838-3114   | 1 7/8     | 1.070         |
| M 4.1/2                 | 7839-4408   | 4 1/2     | 39.890        | <sup>12</sup> SD 1.15/16  | 7838-3115   | 1 15/16   | 1.000         |
| M 4.11/16               | 7839-4411   | 4 11/16   | 36.980        | <sup>13</sup> SD 2.       | 7838-3200   | 2         | 1.300         |
| M 4.3/4                 | 7839-4412   | 4 3/4     | 36.250        | SDS.1/2                   | 7838-2008   | 1/2       | 1.650         |
| <sup>12</sup> M 4.7/8   | 7839-4414   | 4 7/8     | 36.890        | SDS.9/16                  | 7838-2009   | 9/16      | 1.650         |
| <sup>12</sup> M 4.15/16 | 7839-4415   | 4 15/16   | 36.780        | SDS.5/8                   | 7838-2010   | 5/8       | 1.610         |
| <sup>12</sup> M 5.      | 7839-4500   | 5         | 35.490        | SDS.11/16                 | 7838-2011   | 11/16     | 1.600         |
| <sup>12</sup> M 5.1/4   | 7839-4504   | 5 1/4     | 31.800        | SDS.3/4                   | 7838-2012   | 3/4       | 1.580         |
| <sup>12</sup> M 5.7/16  | 7839-4507   | 5 7/16    | 29.060        | SDS.13/16                 | 7838-2013   | 13/16     | 1.540         |
| <sup>12</sup> M 5.1/2   | 7839-4508   | 5 1/2     | 28.040        | SDS.7/8                   | 7838-2014   | 7/8       | 1.540         |
| N 2.7/16                | 7839-5207   | 2 7/16    | 87.570        | SDS.15/16                 | 7838-2015   | 15/16     | 1.500         |
| N 2.15/16               | 7839-5215   | 2 15/16   | 80.000        | SDS 1.                    | 7838-2100   | 1         | 1.460         |
| N 3.7/16                | 7839-5307   | 3 7/16    | 80.000        | SDS 1.1/16                | 7838-2101   | 1 1/16    | 1.430         |
| N 3.3/4                 | 7839-5312   | 3 3/4     | 80.000        | SDS 1.1/8                 | 7838-2102   | 1 1/8     | 1.380         |
| N 3.7/8                 | 7839-5314   | 3 7/8     | 80.000        | SDS 1.3/16                | 7838-2103   | 1 3/16    | 1.360         |
| N 3.15/16               | 7839-5315   | 3 15/16   | 80.000        | SDS 1.1/4                 | 7838-2104   | 1 1/4     | 1.320         |
| N 4.                    | 7839-5400   | 4         | 80.000        | SDS 1.5/16                | 7838-2105   | 1 5/16    | 1.260         |
| N 4.3/16                | 7839-5403   | 4 3/16    | 80.000        | SDS 1.3/8                 | 7838-2106   | 1 3/8     | 1.240         |
| N 4.1/4                 | 7839-5404   | 4 1/4     | 80.000        | SDS 1.7/16                | 7838-2107   | 1 7/16    | 1.190         |
| N 4.7/16                | 7839-5407   | 4 7/16    | 64.230        | SDS 1.1/2                 | 7838-2108   | 1 1/2     | 1.150         |
| N 4.1/2                 | 7839-5408   | 4 1/2     | 60.000        | SDS 1.9/16                | 7838-2109   | 1 9/16    | 1.110         |
| N 4.3/4                 | 7839-5412   | 4 3/4     | 80.000        | SDS 1.5/8                 | 7838-2110   | 1 5/8     | 1.080         |
| N 4.7/8                 | 7839-5414   | 4 7/8     | 80.000        | <sup>12</sup> SDS 1.11/16 | 7838-2111   | 1 11/16   | 1.080         |

<sup>12</sup> Shallow keyway.  
<sup>13</sup> No keyway.



# QD® Bushings - English Sizes

## Product No. Series 7838 & 7839 (continued)

| Part No.                  | Product No. | Bore (in) | Weight (Lbs.) | Part No.                 | Product No. | Bore (in) | Weight (Lbs.) |
|---------------------------|-------------|-----------|---------------|--------------------------|-------------|-----------|---------------|
| <sup>12</sup> SDS 1.3/4   | 7838-2112   | 1 3/4     | 1.020         | SH 1.1/8                 | 7838-1102   | 1 1/8     | .910          |
| <sup>12</sup> SDS 1.13/16 | 7838-2113   | 1 13/16   | .980          | SH 1.3/16                | 7838-1103   | 1 3/16    | .880          |
| <sup>12</sup> SDS 1.7/8   | 7838-2114   | 1 7/8     | .920          | SH 1.1/4                 | 7838-1104   | 1 1/4     | .840          |
| <sup>12</sup> SDS 1.15/16 | 7838-2115   | 1 15/16   | .870          | SH 1.5/16                | 7838-1105   | 1 5/16    | .820          |
| <sup>13</sup> SDS 2.      | 7838-2200   | 2         | .770          | SH 1.3/8                 | 7838-1106   | 1 3/8     | .800          |
| SF.1/2                    | 7838-5008   | 1/2       | 5.270         | <sup>12</sup> SH 1.7/16  | 7838-1107   | 1 7/16    | .790          |
| SF.5/8                    | 7838-5010   | 5/8       | 5.220         | <sup>12</sup> SH 1.1/2   | 7838-1108   | 1 1/2     | .750          |
| SF.11/16                  | 7838-5011   | 11/16     | 5.200         | <sup>12</sup> SH 1.9/16  | 7838-1109   | 1 9/16    | .900          |
| SF.3/4                    | 7838-5012   | 3/4       | 5.170         | <sup>12</sup> SH 1.5/8   | 7838-1110   | 1 5/8     | .640          |
| SF.7/8                    | 7838-5014   | 7/8       | 5.080         | <sup>13</sup> SH 1.11/16 | 7838-1111   | 1 11/16   | .550          |
| SF.15/16                  | 7838-5015   | 15/16     | 5.050         | SK.1/2                   | 7838-4008   | 1/2       | 3.770         |
| SF 1.                     | 7838-5100   | 1         | 5.000         | SK.5/8                   | 7838-4010   | 5/8       | 3.720         |
| SF 1.1/8                  | 7838-5102   | 1 1/8     | 4.900         | SK.11/16                 | 7838-4011   | 11/16     | 3.700         |
| SF 1.3/16                 | 7838-5103   | 1 3/16    | 4.830         | SK.3/4                   | 7838-4012   | 3/4       | 3.610         |
| SF 1.1/4                  | 7838-5104   | 1 1/4     | 4.770         | SK.13/16                 | 7838-4013   | 13/16     | 3.530         |
| SF 1.5/16                 | 7838-5105   | 1 5/16    | 4.710         | SK.7/8                   | 7838-4014   | 7/8       | 3.580         |
| SF 1.3/8                  | 7838-5106   | 1 3/8     | 4.610         | SK.15/16                 | 7838-4015   | 15/16     | 3.520         |
| SF 1.7/16                 | 7838-5107   | 1 7/16    | 4.570         | SK 1.                    | 7838-4100   | 1         | 3.450         |
| SF 1.1/2                  | 7838-5108   | 1 1/2     | 4.480         | SK 1.1/16                | 7838-4101   | 1 1/16    | 3.410         |
| SF 1.9/16                 | 7838-5109   | 1 9/16    | 4.420         | SK 1.1/8                 | 7838-4102   | 1 1/8     | 3.370         |
| SF 1.5/8                  | 7838-5110   | 1 5/8     | 4.320         | SK 1.3/16                | 7838-4103   | 1 3/16    | 3.310         |
| SF 1.11/16                | 7838-5111   | 1 11/16   | 4.310         | SK 1.1/4                 | 7838-4104   | 1 1/4     | 3.310         |
| SF 1.3/4                  | 7838-5112   | 1 3/4     | 4.160         | SK 1.5/16                | 7838-4105   | 1 5/16    | 3.180         |
| SF 1.13/16                | 7838-5113   | 1 13/16   | 4.060         | SK 1.3/8                 | 7838-4106   | 1 3/8     | 3.120         |
| SF 1.7/8                  | 7838-5114   | 1 7/8     | 4.000         | SK 1.7/16                | 7838-4107   | 1 7/16    | 3.080         |
| SF 1.15/16                | 7838-5115   | 1 15/16   | 3.870         | SK 1.1/2                 | 7838-4108   | 1 1/2     | 3.000         |
| SF 2.                     | 7838-5200   | 2         | 3.780         | SK 1.9/16                | 7838-4109   | 1 9/16    | 2.950         |
| SF 2.1/16                 | 7838-5201   | 2 1/16    | 3.700         | SK 1.5/8                 | 7838-4110   | 1 5/8     | 2.860         |
| SF 2.1/8                  | 7838-5202   | 2 1/8     | 3.570         | SK 1.11/16               | 7838-4111   | 1 11/16   | 2.790         |
| SF 2.3/16                 | 7838-5203   | 2 3/16    | 3.450         | SK 1.3/4                 | 7838-4112   | 1 3/4     | 2.880         |
| SF 2.1/4                  | 7838-5204   | 2 1/4     | 3.380         | SK 1.13/16               | 7838-4113   | 1 13/16   | 2.620         |
| SF 2.5/16                 | 7838-5205   | 2 5/16    | 3.320         | SK 1.7/8                 | 7838-4114   | 1 7/8     | 2.500         |
| <sup>12</sup> SF 2.3/8    | 7838-5206   | 2 3/8     | 3.390         | SK 1.15/16               | 7838-4115   | 1 15/16   | 2.420         |
| <sup>12</sup> SF 2.7/16   | 7838-5207   | 2 7/16    | 3.260         | SK 2.                    | 7838-4200   | 2         | 2.320         |
| <sup>12</sup> SF 2.1/2    | 7838-5208   | 2 1/2     | 3.160         | SK 2.1/16                | 7838-4201   | 2 1/16    | 2.260         |
| <sup>12</sup> SF 2.5/8    | 7838-5210   | 2 5/8     | 2.910         | SK 2.1/8                 | 7838-4202   | 2 1/8     | 2.170         |
| <sup>12</sup> SF 2.11/16  | 7838-5211   | 2 11/16   | 2.720         | <sup>12</sup> SK 2.3/16  | 7838-4203   | 2 3/16    | 2.210         |
| <sup>12</sup> SF 2.3/4    | 7838-5212   | 2 3/4     | 2.590         | <sup>12</sup> SK 2.1/4   | 7838-4204   | 2 1/4     | 2.090         |
| <sup>12</sup> SF 2.13/16  | 7838-5213   | 2 13/16   | 3.500         | <sup>12</sup> SK 2.5/16  | 7838-4205   | 2 5/16    | 1.500         |
| <sup>13</sup> SF 2.7/8    | 7838-5214   | 2 7/8     | 2.350         | <sup>12</sup> SK 2.3/8   | 7838-4206   | 2 3/8     | 1.910         |
| <sup>13</sup> SF 2.15/16  | 7838-5215   | 2 15/16   | 2.220         | <sup>12</sup> SK 2.7/16  | 7838-4207   | 2 7/16    | 1.810         |
| SH.1/2                    | 7838-1008   | 1/2       | 1.160         | <sup>12</sup> SK 2.1/2   | 7838-4208   | 2 1/2     | 2.000         |
| SH.9/16                   | 7838-1009   | 9/16      | 1.140         | SK 2.9/16                | 7838-4209   | 2 9/16    | 2.000         |
| SH.5/8                    | 7838-1010   | 5/8       | 1.140         | <sup>13</sup> SK 2.5/8   | 7838-4210   | 2 5/8     | 1.320         |
| SH.11/16                  | 7838-1011   | 11/16     | 1.140         | W 4.1/4                  | 7839-8404   | 4 1/4     | 247.000       |
| SH.3/4                    | 7838-1012   | 3/4       | 1.100         | W 4.7/8                  | 7839-8414   | 4 7/8     | 234.000       |
| SH.13/16                  | 7838-1013   | 13/16     | 1.070         | W 5.1/4                  | 7839-8504   | 5 1/4     | 225.000       |
| SH.7/8                    | 7838-1014   | 7/8       | 1.040         | W 5.7/8                  | 7839-8514   | 5 7/8     | 209.000       |
| SH.15/16                  | 7838-1015   | 15/16     | 1.000         | W 6.1/2                  | 7839-8608   | 6 1/2     | 191.000       |
| SH 1.                     | 7838-1100   | 1         | .980          | W 7.1/4                  | 7839-8704   | 7 1/4     | 167.000       |
| SH 1.1/16                 | 7838-1101   | 1 1/16    | .940          |                          |             |           |               |

BUSHINGS

<sup>12</sup> Shallow keyway.  
<sup>13</sup> No keyway.



## QD<sup>®</sup> VS Bushings - English Sizes

### Notes

Details shown which do not affect drive function or overall weight may be changed without notification.

### Product No. Series 7964

#### 5VS

| Part No.     | Product No. | Length (in) | Bore (in) | Weight (Lbs.) |
|--------------|-------------|-------------|-----------|---------------|
| 5VS-LB 2.3/8 | 7964-0001   | 8.46        | 2 3/8     | 13.000        |
| 5VS-LB 2.7/8 | 7964-0002   | 8.46        | 2 7/8     | 12.000        |
| 5VS-LB 3.3/8 | 7964-0003   | 7.00        | 3 3/8     | 6.000         |
| 5VS-SB 1.7/8 | 7964-0004   | 5.27        | 1 7/8     | 15.000        |
| 5VS-SB 2.1/8 | 7964-0005   | 5.27        | 2 1/8     | 13.000        |
| 5VS-SB 2.3/8 | 7964-0006   | 5.27        | 2 3/8     | 11.500        |
| 5VS-SB 2.7/8 | 7964-0007   | 5.27        | 2 7/8     | 9.000         |
| 5VS-SB 3.3/8 | 7964-0008   | 5.27        | 3 3/8     | 5.600         |

#### 8VS

| Part No.     | Product No. | Length (in) | Bore (in) | Weight (Lbs.) |
|--------------|-------------|-------------|-----------|---------------|
| 8VS-LB 3.3/8 | 7964-0009   | 12.36       | 3 3/8     | 53.000        |
| 8VS-LB 3.7/8 | 7964-0010   | 12.36       | 3 7/8     | 46.000        |
| 8VS-LB 4.3/8 | 7964-0011   | 12.36       | 4 3/8     | 35.000        |
| 8VS-SB 3.3/8 | 7964-0012   | 9.33        | 3 3/8     | 45.000        |
| 8VS-SB 3.7/8 | 7964-0013   | 9.33        | 3 7/8     | 38.000        |



# QD® Bushings - Metric Sizes

**Notes**

Details shown which do not affect drive function or overall weight may be changed without notification.

**WARNING:** Excessive cap-screw torque can cause sheave and/or bushing to break.  
Use of lubricants can result in sheave breakage.

**Product No. Series 7840 & 7841**

**NOTE: Bushings with standard keyseats do not include keys.**

| Part No. | Product No. | Bore (mm) | Weight (Lbs.) |
|----------|-------------|-----------|---------------|
| E 50MM   | 7841-1200   | 50        | 10.150        |
| E 60MM   | 7841-1206   | 60        | 9.030         |
| E 65MM   | 7841-1209   | 65        | 9.000         |
| J 55MM   | 7841-3203   | 55        | 26.400        |
| J 70MM   | 7841-3212   | 70        | 21.000        |
| SD 25MM  | 7840-3100   | 25        | 1.820         |
| SD 30MM  | 7840-3103   | 30        | 1.660         |
| SD 35MM  | 7840-3106   | 35        | 1.490         |
| SD 42MM  | 7840-3111   | 42        | 1.180         |
| SDS 24MM | 7840-2015   | 24        | 1.500         |
| SDS 25MM | 7840-2100   | 25        | 1.470         |
| SDS 28MM | 7840-2101   | 28        | 1.400         |
| SDS 30MM | 7840-2103   | 30        | 1.350         |
| SDS 35MM | 7840-2106   | 35        | 1.220         |
| SDS 38MM | 7840-2108   | 38        | 1.000         |
| SDS 42MM | 7840-2111   | 42        | 1.020         |
| SF 50MM  | 7840-5200   | 50        | 3.800         |

| Part No. | Product No. | Bore (mm) | Weight (Lbs.) |
|----------|-------------|-----------|---------------|
| SF 60MM  | 7840-5206   | 60        | 3.140         |
| SH 24MM  | 7840-1015   | 24        | 1.000         |
| SH 28MM  | 7840-1101   | 28        | .650          |
| SH 30MM  | 7840-1103   | 30        | .850          |
| SH 35MM  | 7840-1106   | 35        | 1.000         |
| SK 24MM  | 7840-4015   | 24        | 3.500         |
| SK 25MM  | 7840-4100   | 25        | 3.480         |
| SK 30MM  | 7840-4103   | 30        | 3.330         |
| SK 32MM  | 7840-4104   | 32        | 3.220         |
| SK 35MM  | 7840-4106   | 35        | 3.130         |
| SK 38MM  | 7840-4108   | 38        | 3.000         |
| SK 40MM  | 7840-4109   | 40        | 2.910         |
| SK 42MM  | 7840-4111   | 42        | 2.800         |
| SK 48MM  | 7840-4114   | 48        | 2.350         |
| SK 50MM  | 7840-4200   | 50        | 2.390         |
| SK 55MM  | 7840-4203   | 55        | 2.100         |

NOTE: Metric screws/threads are available on a MTO basis. Minimum lead times may be required.





# Taper-Lock® Bushings - English Sizes

**Notes**

Details shown which do not affect drive function or overall weight may be changed without notification.

**Product No. Series 7848, 7858 & 7859**

**NOTE: Bushings with standard keyseats do not include keys.**

| Part No.                  | Product No. | Bore (in) | Weight (Lbs.) | Part No.                   | Product No. | Bore (in) | Weight (Lbs.) |
|---------------------------|-------------|-----------|---------------|----------------------------|-------------|-----------|---------------|
| 1008.1/2                  | 7858-0008   | 1/2       | .270          | 1310.1.3/16                | 7848-4103   | 1 3/16    | .440          |
| 1008.9/16                 | 7858-0009   | 9/16      | .250          | 1310.1.5/16                | 7848-4105   | 1 5/16    | .390          |
| 1008.5/8                  | 7858-0010   | 5/8       | .240          | 1310.1.7/16                | 7848-4107   | 1 7/16    | .400          |
| 1008.11/16                | 7858-0011   | 11/16     | .230          | 1610.1/2                   | 7858-1608   | 1/2       | .850          |
| 1008.3/4                  | 7858-0012   | 3/4       | .210          | 1610.9/16                  | 7858-1609   | 9/16      | .850          |
| 1008.13/16                | 7858-0013   | 13/16     | .200          | 1610.5/8                   | 7858-1610   | 5/8       | .830          |
| 1008.7/8                  | 7858-0014   | 7/8       | .180          | 1610.11/16                 | 7858-1611   | 11/16     | .830          |
| <sup>12</sup> 1008.15/16  | 7858-0015   | 15/16     | .170          | 1610.3/4                   | 7858-1612   | 3/4       | .790          |
| <sup>12</sup> 1008.1.     | 7858-0100   | 1         | .150          | 1610.13/16                 | 7858-1613   | 13/16     | .840          |
| 1108.1/2                  | 7858-0108   | 1/2       | .310          | 1610.7/8                   | 7858-1614   | 7/8       | .760          |
| 1108.9/16                 | 7858-0109   | 9/16      | .310          | 1610.15/16                 | 7858-1615   | 15/16     | .720          |
| 1108.5/8                  | 7858-0110   | 5/8       | .290          | 1610.1.                    | 7858-1700   | 1         | .710          |
| 1108.11/16                | 7858-0111   | 11/16     | .280          | 1610.1.1/2                 | 7858-1708   | 1 1/2     | .470          |
| 1108.3/4                  | 7858-0112   | 3/4       | .270          | 1610.1.1/4                 | 7858-1704   | 1 1/4     | .610          |
| 1108.13/16                | 7858-0113   | 13/16     | .250          | 1610.1.1/8                 | 7858-1702   | 1 1/8     | .660          |
| 1108.7/8                  | 7858-0114   | 7/8       | .240          | 1610.1.1/16                | 7858-1701   | 1 1/16    | .690          |
| 1108.15/16                | 7858-0115   | 15/16     | .210          | 1610.1.3/8                 | 7858-1706   | 1 3/8     | .540          |
| 1108.1.                   | 7858-0200   | 1         | .190          | 1610.1.3/16                | 7858-1703   | 1 3/16    | .630          |
| <sup>12</sup> 1108.1.1/8  | 7858-0202   | 1 1/8     | .160          | <sup>12</sup> 1610.1.5/8   | 7858-1710   | 1 5/8     | .430          |
| <sup>12</sup> 1108.1.1/16 | 7858-0201   | 1 1/16    | .190          | 1610.1.5/16                | 7858-1705   | 1 5/16    | .570          |
| 1210.1/2                  | 7858-0508   | 1/2       | .580          | 1610.1.7/16                | 7858-1707   | 1 7/16    | .500          |
| 1210.9/16                 | 7858-0509   | 9/16      | .560          | <sup>12</sup> 1610.1.9/16  | 7858-1709   | 1 9/16    | .470          |
| 1210.5/8                  | 7858-0510   | 5/8       | .540          | <sup>12</sup> 1610.1.11/16 | 7858-1711   | 1 11/16   | .450          |
| 1210.11/16                | 7858-0511   | 11/16     | .530          | 1615.1/2                   | 7858-2008   | 1/2       | 1.240         |
| 1210.3/4                  | 7858-0512   | 3/4       | .520          | 1615.9/16                  | 7858-2009   | 9/16      | 1.300         |
| 1210.13/16                | 7858-0513   | 13/16     | .490          | 1615.5/8                   | 7858-2010   | 5/8       | 1.200         |
| 1210.7/8                  | 7858-0514   | 7/8       | .480          | 1615.11/16                 | 7858-2011   | 11/16     | 1.240         |
| 1210.15/16                | 7858-0515   | 15/16     | .470          | 1615.3/4                   | 7858-2012   | 3/4       | 1.160         |
| 1210.1.                   | 7858-0600   | 1         | .430          | 1615.13/16                 | 7858-2013   | 13/16     | 1.200         |
| 1210.1.1/4                | 7858-0604   | 1 1/4     | .320          | 1615.7/8                   | 7858-2014   | 7/8       | 1.110         |
| 1210.1.1/8                | 7858-0602   | 1 1/8     | .380          | 1615.15/16                 | 7858-2015   | 15/16     | 1.060         |
| 1210.1.1/16               | 7858-0601   | 1 1/16    | .410          | 1615.1.                    | 7858-2100   | 1         | 1.020         |
| 1210.1.3/16               | 7858-0603   | 1 3/16    | .360          | 1615.1.1/2                 | 7858-2108   | 1 1/2     | .660          |
| 1215.1/2                  | 7858-1008   | 1/2       | .820          | 1615.1.1/4                 | 7858-2104   | 1 1/4     | .870          |
| 1215.9/16                 | 7858-1009   | 9/16      | .850          | 1615.1.1/8                 | 7858-2102   | 1 1/8     | .950          |
| 1215.5/8                  | 7858-1010   | 5/8       | .780          | 1615.1.1/16                | 7858-2101   | 1 1/16    | .990          |
| 1215.11/16                | 7858-1011   | 11/16     | .810          | 1615.1.3/8                 | 7858-2106   | 1 3/8     | .770          |
| 1215.3/4                  | 7858-1012   | 3/4       | .750          | 1615.1.3/16                | 7858-2103   | 1 3/16    | .910          |
| 1215.13/16                | 7858-1013   | 13/16     | .750          | <sup>12</sup> 1615.1.5/8   | 7858-2110   | 1 5/8     | .600          |
| 1215.7/8                  | 7858-1014   | 7/8       | .680          | 1615.1.5/16                | 7858-2105   | 1 5/16    | .820          |
| 1215.15/16                | 7858-1015   | 15/16     | .640          | 1615.1.7/16                | 7858-2107   | 1 7/16    | .720          |
| 1215.1.                   | 7858-1100   | 1         | .610          | <sup>12</sup> 1615.1.9/16  | 7858-2109   | 1 9/16    | .670          |
| 1215.1.1/4                | 7858-1104   | 1 1/4     | .450          | <sup>12</sup> 1615.1.11/16 | 7858-2111   | 1 11/16   | .620          |
| 1215.1.1/8                | 7858-1102   | 1 1/8     | .540          | 2012.1/2                   | 7858-2508   | 1/2       | 1.630         |
| 1215.1.1/16               | 7858-1101   | 1 1/16    | .570          | 2012.9/16                  | 7858-2509   | 9/16      | 1.610         |
| 1215.1.3/16               | 7858-1103   | 1 3/16    | .490          | 2012.5/8                   | 7858-2510   | 5/8       | 1.590         |
| 1310.1/2                  | 7848-4008   | 1/2       | .660          | 2012.11/16                 | 7858-2511   | 11/16     | 1.570         |
| 1310.9/16                 | 7848-4009   | 9/16      | .640          | 2012.3/4                   | 7858-2512   | 3/4       | 1.150         |
| 1310.5/8                  | 7848-4010   | 5/8       | .630          | 2012.13/16                 | 7858-2513   | 13/16     | 1.530         |
| 1310.11/16                | 7848-4011   | 11/16     | .620          | 2012.7/8                   | 7858-2514   | 7/8       | 1.510         |
| 1310.3/4                  | 7848-4012   | 3/4       | .610          | 2012.15/16                 | 7858-2515   | 15/16     | 1.470         |
| 1310.13/16                | 7848-4013   | 13/16     | .590          | 2012.1.                    | 7858-2600   | 1         | 1.460         |
| 1310.7/8                  | 7848-4014   | 7/8       | .560          | 2012.1.1/2                 | 7858-2608   | 1 1/2     | 1.150         |
| 1310.15/16                | 7848-4015   | 15/16     | .540          | 2012.1.1/4                 | 7858-2604   | 1 1/4     | 1.330         |
| 1310.1.                   | 7848-4100   | 1         | .520          | 2012.1.1/8                 | 7858-2602   | 1 1/8     | 1.390         |
| 1310.1.1/4                | 7848-4104   | 1 1/4     | .410          | 2012.1.1/16                | 7858-2601   | 1 1/16    | 1.430         |
| 1310.1.1/8                | 7848-4102   | 1 1/8     | .470          | 2012.1.3/4                 | 7858-2612   | 1 3/4     | .950          |
| 1310.1.1/16               | 7848-4101   | 1 1/16    | .490          | 2012.1.3/8                 | 7858-2606   | 1 3/8     | 1.250         |
| 1310.1.3/8                | 7848-4106   | 1 3/8     | .350          | 2012.1.3/16                | 7858-2603   | 1 3/16    | 1.360         |

<sup>12</sup> Shallow keyway.



# Taper-Lock® Bushings - English Sizes

## Product No. Series 7848, 7858 & 7859 (continued)

| Part No.                   | Product No. | Bore (in) | Weight (Lbs.) | Part No.                   | Product No. | Bore (in) | Weight (Lbs.) |
|----------------------------|-------------|-----------|---------------|----------------------------|-------------|-----------|---------------|
| 2012 1.5/8                 | 7858-2610   | 1 5/8     | 1.050         | 2525 2.1/8                 | 7859-1202   | 2 1/8     | 2.890         |
| 2012 1.5/16                | 7858-2605   | 1 5/16    | 1.270         | 2525 2.3/8                 | 7859-1206   | 2 3/8     | 2.330         |
| 2012 1.7/8                 | 7858-2614   | 1 7/8     | .830          | 2525 2.3/16                | 7859-1203   | 2 3/16    | 2.500         |
| 2012 1.7/16                | 7858-2607   | 1 7/16    | 1.200         | <sup>12</sup> 2525 2.5/16  | 7859-1205   | 2 5/16    | 2.730         |
| 2012 1.9/16                | 7858-2609   | 1 9/16    | 1.100         | 2525 2.7/16                | 7859-1207   | 2 7/16    | 2.360         |
| 2012 1.11/16               | 7858-2611   | 1 11/16   | 1.020         | 3020.7/8                   | 7859-6014   | 7/8       | 6.210         |
| 2012 1.13/16               | 7858-2613   | 1 13/16   | .880          | 3020.15/16                 | 7859-6015   | 15/16     | 6.100         |
| <sup>12</sup> 2012 1.15/16 | 7858-2615   | 1 15/16   | .860          | 3020 1.                    | 7859-6100   | 1         | 6.080         |
| <sup>12</sup> 2012 2.      | 7858-2700   | 2         | .800          | 3020 1.1/2                 | 7859-6108   | 1 1/2     | 5.600         |
| <sup>12</sup> 2012 2.1/8   | 7858-2702   | 2 1/8     | .770          | 3020 1.1/4                 | 7859-6104   | 1 1/4     | 5.860         |
| 2517.1/2                   | 7858-3008   | 1/2       | 3.440         | 3020 1.1/8                 | 7859-6102   | 1 1/8     | 5.930         |
| 2517.9/16                  | 7858-3009   | 9/16      | 3.600         | 3020 1.3/4                 | 7859-6112   | 1 3/4     | 5.280         |
| 2517.5/8                   | 7858-3010   | 5/8       | 3.370         | 3020 1.3/8                 | 7859-6106   | 1 3/8     | 5.720         |
| 2517.11/16                 | 7858-3011   | 11/16     | 3.350         | 3020 1.3/16                | 7859-6103   | 1 3/16    | 5.950         |
| 2517.3/4                   | 7858-3012   | 3/4       | 3.330         | 3020 1.5/8                 | 7859-6110   | 1 5/8     | 5.470         |
| 2517.13/16                 | 7858-3013   | 13/16     | 3.340         | 3020 1.5/16                | 7859-6105   | 1 5/16    | 5.810         |
| 2517.7/8                   | 7858-3014   | 7/8       | 3.520         | 3020 1.7/8                 | 7859-6114   | 1 7/8     | 5.110         |
| 2517.15/16                 | 7858-3015   | 15/16     | 3.260         | 3020 1.7/16                | 7859-6107   | 1 7/16    | 5.650         |
| 2517 1.                    | 7858-3100   | 1         | 3.180         | 3020 1.9/16                | 7859-6109   | 1 9/16    | 5.900         |
| 2517 1.1/2                 | 7858-3108   | 1 1/2     | 2.780         | 3020 1.11/16               | 7859-6111   | 1 11/16   | 5.360         |
| 2517 1.1/4                 | 7858-3104   | 1 1/4     | 3.000         | 3020 1.13/16               | 7859-6113   | 1 13/16   | 5.530         |
| 2517 1.1/8                 | 7858-3102   | 1 1/8     | 3.090         | 3020 1.15/16               | 7859-6115   | 1 15/16   | 5.010         |
| 2517 1.1/16                | 7858-3101   | 1 1/16    | 3.180         | 3020 2.                    | 7859-6200   | 2         | 4.920         |
| 2517 1.3/4                 | 7858-3112   | 1 3/4     | 2.520         | 3020 2.1/2                 | 7859-6208   | 2 1/2     | 4.050         |
| 2517 1.3/8                 | 7858-3106   | 1 3/8     | 2.890         | 3020 2.1/4                 | 7859-6204   | 2 1/4     | 4.500         |
| 2517 1.3/16                | 7858-3103   | 1 3/16    | 3.060         | 3020 2.1/8                 | 7859-6202   | 2 1/8     | 4.720         |
| 2517 1.5/8                 | 7858-3110   | 1 5/8     | 2.650         | 3020 2.1/16                | 7859-6201   | 2 1/16    | 4.810         |
| 2517 1.5/16                | 7858-3105   | 1 5/16    | 2.930         | 3020 2.3/4                 | 7859-6212   | 2 3/4     | 3.620         |
| 2517 1.7/8                 | 7858-3114   | 1 7/8     | 2.340         | 3020 2.3/8                 | 7859-6206   | 2 3/8     | 4.280         |
| 2517 1.7/16                | 7858-3107   | 1 7/16    | 2.830         | 3020 2.3/16                | 7859-6203   | 2 3/16    | 4.630         |
| 2517 1.9/16                | 7858-3109   | 1 9/16    | 2.700         | 3020 2.5/8                 | 7859-6210   | 2 5/8     | 3.780         |
| 2517 1.11/16               | 7858-3111   | 1 11/16   | 2.570         | 3020 2.5/16                | 7859-6205   | 2 5/16    | 4.370         |
| 2517 1.13/16               | 7858-3113   | 1 13/16   | 2.410         | <sup>12</sup> 3020 2.7/8   | 7859-6214   | 2 7/8     | 3.540         |
| 2517 1.15/16               | 7858-3115   | 1 15/16   | 2.270         | 3020 2.7/16                | 7859-6207   | 2 7/16    | 4.160         |
| 2517 2.                    | 7858-3200   | 2         | 2.160         | 3020 2.11/16               | 7859-6211   | 2 11/16   | 3.670         |
| <sup>12</sup> 2517 2.1/2   | 7858-3208   | 2 1/2     | 1.590         | <sup>12</sup> 3020 2.13/16 | 7859-6213   | 2 13/16   | 3.660         |
| 2517 2.1/4                 | 7858-3204   | 2 1/4     | 1.820         | <sup>12</sup> 3020 2.15/16 | 7859-6215   | 2 15/16   | 3.430         |
| 2517 2.1/8                 | 7858-3202   | 2 1/8     | 2.020         | <sup>12</sup> 3020 3.      | 7859-6300   | 3         | 3.270         |
| 2517 2.1/16                | 7858-3201   | 2 1/16    | 2.100         | <sup>12</sup> 3020 3.1/4   | 7859-6304   | 3 1/4     | 2.960         |
| <sup>12</sup> 2517 2.3/8   | 7858-3206   | 2 3/8     | 1.780         | <sup>12</sup> 3020 3.1/8   | 7859-6302   | 3 1/8     | 3.350         |
| 2517 2.3/16                | 7858-3203   | 2 3/16    | 1.940         | <sup>12</sup> 3020 3.3/16  | 7859-6303   | 3 3/16    | 3.130         |
| <sup>12</sup> 2517 2.5/8   | 7858-3210   | 2 5/8     | 1.800         | 3030.15/16                 | 7859-2015   | 15/16     | 9.360         |
| <sup>12</sup> 2517 2.5/16  | 7858-3205   | 2 5/16    | 1.890         | 3030 1.                    | 7859-2100   | 1         | 9.360         |
| <sup>12</sup> 2517 2.7/16  | 7858-3207   | 2 7/16    | 1.690         | 3030 1.1/2                 | 7859-2108   | 1 1/2     | 8.590         |
| <sup>12</sup> 2517 2.11/16 | 7858-3211   | 2 11/16   | 1.430         | 3030 1.1/4                 | 7859-2104   | 1 1/4     | 9.080         |
| 2525.3/4                   | 7859-1012   | 3/4       | 4.940         | 3030 1.1/8                 | 7859-2102   | 1 1/8     | 9.200         |
| 2525.7/8                   | 7859-1014   | 7/8       | 4.830         | 3030 1.3/4                 | 7859-2112   | 1 3/4     | 8.030         |
| 2525 1.                    | 7859-1100   | 1         | 4.860         | 3030 1.3/8                 | 7859-2106   | 1 3/8     | 8.750         |
| 2525 1.1/2                 | 7859-1108   | 1 1/2     | 4.030         | 3030 1.3/16                | 7859-2103   | 1 3/16    | 9.140         |
| 2525 1.1/4                 | 7859-1104   | 1 1/4     | 4.410         | 3030 1.5/8                 | 7859-2110   | 1 5/8     | 8.280         |
| 2525 1.1/8                 | 7859-1102   | 1 1/8     | 4.580         | 3030 1.5/16                | 7859-2105   | 1 5/16    | 8.980         |
| 2525 1.3/4                 | 7859-1112   | 1 3/4     | 3.650         | 3030 1.7/8                 | 7859-2114   | 1 7/8     | 7.710         |
| 2525 1.3/8                 | 7859-1106   | 1 3/8     | 4.240         | 3030 1.7/16                | 7859-2107   | 1 7/16    | 8.750         |
| 2525 1.3/16                | 7859-1103   | 1 3/16    | 4.460         | 3030 1.9/16                | 7859-2109   | 1 9/16    | 8.470         |
| 2525 1.5/8                 | 7859-1110   | 1 5/8     | 3.850         | 3030 1.11/16               | 7859-2111   | 1 11/16   | 8.170         |
| 2525 1.7/8                 | 7859-1114   | 1 7/8     | 3.390         | 3030 1.13/16               | 7859-2113   | 1 13/16   | 8.000         |
| 2525 1.7/16                | 7859-1107   | 1 7/16    | 4.170         | 3030 1.15/16               | 7859-2115   | 1 15/16   | 7.580         |
| 2525 1.11/16               | 7859-1111   | 1 11/16   | 3.780         | 3030 2.                    | 7859-2200   | 2         | 7.390         |
| 2525 1.13/16               | 7859-1113   | 1 13/16   | 3.200         | 3030 2.1/2                 | 7859-2208   | 2 1/2     | 6.080         |
| 2525 1.15/16               | 7859-1115   | 1 15/16   | 3.280         | 3030 2.1/4                 | 7859-2204   | 2 1/4     | 6.770         |
| 2525 2.                    | 7859-1200   | 2         | 3.170         | 3030 2.1/8                 | 7859-2202   | 2 1/8     | 7.110         |
| <sup>12</sup> 2525 2.1/2   | 7859-1208   | 2 1/2     | 2.190         | 3030 2.1/16                | 7859-2201   | 2 1/16    | 7.390         |
| 2525 2.1/4                 | 7859-1204   | 2 1/4     | 2.400         | 3030 2.3/4                 | 7859-2212   | 2 3/4     | 5.280         |

<sup>12</sup> Shallow keyway.

BUSHINGS



# Taper-Lock® Bushings - English Sizes

## Product No. Series 7848, 7858 & 7859 (continued)

| Part No.                   | Product No. | Bore (in) | Weight (Lbs.) | Part No.                   | Product No. | Bore (in) | Weight (Lbs.) |
|----------------------------|-------------|-----------|---------------|----------------------------|-------------|-----------|---------------|
| 3030 2.3/8                 | 7859-2206   | 2 3/8     | 6.390         | 3535 1.7/8                 | 7859-3114   | 1 7/8     | 13.200        |
| 3030 2.3/16                | 7859-2203   | 2 3/16    | 6.970         | 3535 1.7/16                | 7859-3107   | 1 7/16    | 14.580        |
| 3030 2.5/8                 | 7859-2210   | 2 5/8     | 5.660         | 3535 1.11/16               | 7859-3111   | 1 11/16   | 14.050        |
| 3030 2.5/16                | 7859-2205   | 2 5/16    | 6.570         | 3535 1.15/16               | 7859-3115   | 1 15/16   | 13.160        |
| <sup>12</sup> 3030 2.7/8   | 7859-2214   | 2 7/8     | 5.260         | 3535 2.                    | 7859-3200   | 2         | 13.110        |
| 3030 2.7/16                | 7859-2207   | 2 7/16    | 6.260         | 3535 2.1/2                 | 7859-3208   | 2 1/2     | 11.510        |
| 3030 2.11/16               | 7859-2211   | 2 11/16   | 5.500         | 3535 2.1/4                 | 7859-3204   | 2 1/4     | 12.400        |
| <sup>12</sup> 3030 2.15/16 | 7859-2215   | 2 15/16   | 4.990         | 3535 2.1/8                 | 7859-3202   | 2 1/8     | 12.750        |
| <sup>12</sup> 3030 3.      | 7859-2300   | 3         | 4.780         | 3535 2.3/4                 | 7859-3212   | 2 3/4     | 10.580        |
| <sup>12</sup> 3030 3.1/4   | 7859-2304   | 3 1/4     | 4.800         | 3535 2.3/8                 | 7859-3206   | 2 3/8     | 12.000        |
| <sup>12</sup> 3030 3.1/8   | 7859-2302   | 3 1/8     | 4.690         | 3535 2.3/16                | 7859-3203   | 2 3/16    | 12.590        |
| <sup>12</sup> 3030 3.3/16  | 7859-2303   | 3 3/16    | 4.800         | 3535 2.5/8                 | 7859-3210   | 2 5/8     | 11.020        |
| 3525 1.1/2                 | 7858-5108   | 1 1/2     | 14.000        | 3535 2.7/8                 | 7859-3214   | 2 7/8     | 10.020        |
| 3525 1.1/4                 | 7858-5104   | 1 1/4     | 14.600        | 3535 2.7/16                | 7859-3207   | 2 7/16    | 11.690        |
| 3525 1.3/4                 | 7858-5112   | 1 3/4     | 13.400        | 3535 2.11/16               | 7859-3211   | 2 11/16   | 10.790        |
| 3525 1.3/8                 | 7858-5106   | 1 3/8     | 14.300        | 3535 2.15/16               | 7859-3215   | 2 15/16   | 9.750         |
| 3525 1.3/16                | 7858-5103   | 1 3/16    | 16.000        | 3535 3.                    | 7859-3300   | 3         | 9.500         |
| 3525 1.5/8                 | 7858-5110   | 1 5/8     | 13.900        | <sup>12</sup> 3535 3.1/2   | 7859-3308   | 3 1/2     | 7.900         |
| 3525 1.5/16                | 7858-5105   | 1 5/16    | 14.600        | 3535 3.1/4                 | 7859-3304   | 3 1/4     | 8.300         |
| 3525 1.7/8                 | 7858-5114   | 1 7/8     | 13.200        | 3535 3.1/8                 | 7859-3302   | 3 1/8     | 8.940         |
| 3525 1.7/16                | 7858-5107   | 1 7/16    | 14.100        | <sup>12</sup> 3535 3.3/4   | 7859-3312   | 3 3/4     | 6.410         |
| 3525 1.9/16                | 7858-5109   | 1 9/16    | 14.000        | <sup>12</sup> 3535 3.3/8   | 7859-3306   | 3 3/8     | 8.440         |
| 3525 1.11/16               | 7858-5111   | 1 11/16   | 13.900        | 3535 3.3/16                | 7859-3303   | 3 3/16    | 8.660         |
| 3525 1.13/16               | 7858-5113   | 1 13/16   | 13.300        | <sup>12</sup> 3535 3.5/8   | 7859-3310   | 3 5/8     | 7.090         |
| 3525 1.15/16               | 7858-5115   | 1 15/16   | 13.000        | <sup>12</sup> 3535 3.5/16  | 7859-3305   | 3 5/16    | 8.700         |
| 3525 2.                    | 7858-5200   | 2         | 13.000        | <sup>12</sup> 3535 3.7/8   | 7859-3314   | 3 7/8     | 5.940         |
| 3525 2.1/2                 | 7858-5208   | 2 1/2     | 11.500        | <sup>12</sup> 3535 3.7/16  | 7859-3307   | 3 7/16    | 8.130         |
| 3525 2.1/4                 | 7858-5204   | 2 1/4     | 12.300        | <sup>12</sup> 3535 3.11/16 | 7859-3311   | 3 11/16   | 6.790         |
| 3525 2.1/8                 | 7858-5202   | 2 1/8     | 12.600        | <sup>12</sup> 3535 3.15/16 | 7859-3315   | 3 15/16   | 5.580         |
| 3525 2.1/16                | 7858-5201   | 2 1/16    | 12.900        | 4030 1.1/2                 | 7858-6108   | 1 1/2     | 22.000        |
| 3525 2.3/4                 | 7858-5212   | 2 3/4     | 10.400        | 4030 1.3/4                 | 7858-6112   | 1 3/4     | 21.200        |
| 3525 2.3/8                 | 7858-5206   | 2 3/8     | 12.000        | 4030 1.5/8                 | 7858-6110   | 1 5/8     | 21.800        |
| 3525 2.3/16                | 7858-5203   | 2 3/16    | 12.400        | 4030 1.7/8                 | 7858-6114   | 1 7/8     | 20.900        |
| 3525 2.5/8                 | 7858-5210   | 2 5/8     | 11.100        | 4030 1.7/16                | 7858-6107   | 1 7/16    | 24.000        |
| 3525 2.5/16                | 7858-5205   | 2 5/16    | 11.800        | 4030 1.9/16                | 7858-6109   | 1 9/16    | 21.900        |
| 3525 2.7/8                 | 7858-5214   | 2 7/8     | 10.100        | 4030 1.11/16               | 7858-6111   | 1 11/16   | 21.500        |
| 3525 2.7/16                | 7858-5207   | 2 7/16    | 11.700        | 4030 1.13/16               | 7858-6113   | 1 13/16   | 21.000        |
| 3525 2.9/16                | 7858-5209   | 2 9/16    | 11.400        | 4030 1.15/16               | 7858-6115   | 1 15/16   | 20.700        |
| 3525 2.11/16               | 7858-5211   | 2 11/16   | 10.700        | 4030 2.                    | 7858-6200   | 2         | 20.600        |
| 3525 2.13/16               | 7858-5213   | 2 13/16   | 10.300        | 4030 2.1/2                 | 7858-6208   | 2 1/2     | 19.200        |
| 3525 2.15/16               | 7858-5215   | 2 15/16   | 10.500        | 4030 2.1/4                 | 7858-6204   | 2 1/4     | 20.100        |
| 3525 3.                    | 7858-5300   | 3         | 9.500         | 4030 2.1/8                 | 7858-6202   | 2 1/8     | 20.700        |
| <sup>12</sup> 3525 3.1/2   | 7858-5308   | 3 1/2     | 8.000         | 4030 2.1/16                | 7858-6201   | 2 1/16    | 20.600        |
| 3525 3.1/4                 | 7858-5304   | 3 1/4     | 8.800         | 4030 2.3/4                 | 7858-6212   | 2 3/4     | 17.700        |
| 3525 3.1/8                 | 7858-5302   | 3 1/8     | 9.300         | 4030 2.3/8                 | 7858-6206   | 2 3/8     | 19.500        |
| 3525 3.1/16                | 7858-5301   | 3 1/16    | 9.400         | 4030 2.3/16                | 7858-6203   | 2 3/16    | 20.400        |
| <sup>12</sup> 3525 3.3/4   | 7858-5312   | 3 3/4     | 7.900         | 4030 2.5/8                 | 7858-6210   | 2 5/8     | 19.000        |
| <sup>12</sup> 3525 3.3/8   | 7858-5306   | 3 3/8     | 8.500         | 4030 2.5/16                | 7858-6205   | 2 5/16    | 20.000        |
| 3525 3.3/16                | 7858-5303   | 3 3/16    | 8.600         | 4030 2.7/8                 | 7858-6214   | 2 7/8     | 17.200        |
| <sup>12</sup> 3525 3.5/8   | 7858-5310   | 3 5/8     | 7.900         | 4030 2.7/16                | 7858-6207   | 2 7/16    | 19.300        |
| <sup>12</sup> 3525 3.5/16  | 7858-5305   | 3 5/16    | 8.700         | 4030 2.9/16                | 7858-6209   | 2 9/16    | 19.100        |
| <sup>12</sup> 3525 3.7/8   | 7858-5314   | 3 7/8     | 7.900         | 4030 2.11/16               | 7858-6211   | 2 11/16   | 18.400        |
| <sup>12</sup> 3525 3.7/16  | 7858-5307   | 3 7/16    | 8.200         | 4030 2.13/16               | 7858-6213   | 2 13/16   | 17.500        |
| <sup>12</sup> 3525 3.9/16  | 7858-5309   | 3 9/16    | 8.000         | 4030 2.15/16               | 7858-6215   | 2 15/16   | 17.200        |
| <sup>12</sup> 3525 3.11/16 | 7858-5311   | 3 11/16   | 7.900         | 4030 3.                    | 7858-6300   | 3         | 17.000        |
| <sup>12</sup> 3525 3.13/16 | 7858-5313   | 3 13/16   | 7.900         | 4030 3.1/2                 | 7858-6308   | 3 1/2     | 13.400        |
| <sup>12</sup> 3525 3.15/16 | 7858-5315   | 3 15/16   | 7.900         | 4030 3.1/4                 | 7858-6304   | 3 1/4     | 15.400        |
| 3535 1.1/2                 | 7859-3108   | 1 1/2     | 14.400        | 4030 3.1/8                 | 7858-6302   | 3 1/8     | 16.500        |
| 3535 1.1/4                 | 7859-3104   | 1 1/4     | 14.860        | 4030 3.1/16                | 7858-6301   | 3 1/16    | 16.800        |
| 3535 1.3/4                 | 7859-3112   | 1 3/4     | 13.750        | 4030 3.3/4                 | 7858-6312   | 3 3/4     | 12.700        |
| 3535 1.3/8                 | 7859-3106   | 1 3/8     | 14.760        | 4030 3.3/8                 | 7858-6306   | 3 3/8     | 14.600        |
| 3535 1.3/16                | 7859-3103   | 1 3/16    | 15.080        | 4030 3.3/16                | 7858-6303   | 3 3/16    | 15.900        |
| 3535 1.5/8                 | 7859-3110   | 1 5/8     | 14.100        | 4030 3.5/8                 | 7858-6310   | 3 5/8     | 14.000        |

<sup>12</sup> Shallow keyway.



# Taper-Lock® Bushings - English Sizes

## Product No. Series 7848, 7858 & 7859 (continued)

| Part No.                   | Product No. | Bore (in) | Weight (Lbs.) | Part No.                   | Product No. | Bore (in) | Weight (Lbs.) |
|----------------------------|-------------|-----------|---------------|----------------------------|-------------|-----------|---------------|
| 4030 3.5/16                | 7858-6305   | 3 5/16    | 14.900        | 4535 2.11/16               | 7858-7211   | 2 11/16   | 25.400        |
| 4030 3.7/8                 | 7858-6314   | 3 7/8     | 12.900        | 4535 2.13/16               | 7858-7213   | 2 13/16   | 24.900        |
| 4030 3.7/16                | 7858-6307   | 3 7/16    | 14.100        | 4535 2.15/16               | 7858-7215   | 2 15/16   | 24.100        |
| 4030 3.9/16                | 7858-6309   | 3 9/16    | 10.850        | 4535 3.                    | 7858-7300   | 3         | 24.200        |
| 4030 3.11/16               | 7858-6311   | 3 11/16   | 13.000        | 4535 3.1/2                 | 7858-7308   | 3 1/2     | 21.300        |
| 4030 3.13/16               | 7858-6313   | 3 3/16    | 9.650         | 4535 3.1/4                 | 7858-7304   | 3 1/4     | 23.100        |
| 4030 3.15/16               | 7858-6315   | 3 15/16   | 12.600        | 4535 3.1/8                 | 7858-7302   | 3 1/8     | 24.100        |
| 4030 4.                    | 7858-6400   | 4         | 12.600        | 4535 3.1/16                | 7858-7301   | 3 1/16    | 24.200        |
| 4030 4.1/4                 | 7858-6404   | 4 1/4     | 12.600        | 4535 3.3/4                 | 7858-7312   | 3 3/4     | 19.900        |
| 4030 4.1/8                 | 7858-6402   | 4 1/8     | 12.600        | 4535 3.3/8                 | 7858-7306   | 3 3/8     | 22.400        |
| 4030 4.3/8                 | 7858-6406   | 4 3/8     | 12.600        | 4535 3.3/16                | 7858-7303   | 3 3/16    | 23.800        |
| 4030 4.3/16                | 7858-6403   | 4 3/16    | 12.600        | 4535 3.5/8                 | 7858-7310   | 3 5/8     | 21.000        |
| 4030 4.7/16                | 7858-6407   | 4 7/16    | 11.800        | 4535 3.5/16                | 7858-7305   | 3 5/16    | 22.700        |
| 4040 1.1/2                 | 7859-4108   | 1 1/2     | 22.000        | 4535 3.7/8                 | 7858-7314   | 3 7/8     | 19.300        |
| 4040 1.3/4                 | 7859-4112   | 1 3/4     | 21.970        | 4535 3.7/16                | 7858-7307   | 3 7/16    | 21.500        |
| 4040 1.5/8                 | 7859-4110   | 1 5/8     | 22.130        | 4535 3.9/16                | 7858-7309   | 3 9/16    | 21.100        |
| 4040 1.7/8                 | 7859-4114   | 1 7/8     | 21.000        | 4535 3.11/16               | 7858-7311   | 3 11/16   | 20.300        |
| 4040 1.7/16                | 7859-4107   | 1 7/16    | 24.000        | 4535 3.13/16               | 7858-7313   | 3 13/16   | 19.600        |
| 4040 1.11/16               | 7859-4111   | 1 11/16   | 21.800        | 4535 3.15/16               | 7858-7315   | 3 15/16   | 18.900        |
| 4040 1.15/16               | 7859-4115   | 1 15/16   | 21.180        | 4535 4.                    | 7858-7400   | 4         | 18.700        |
| 4040 2.                    | 7859-4200   | 2         | 21.110        | 4535 4.1/2                 | 7858-7408   | 4 1/2     | 15.300        |
| 4040 2.1/2                 | 7859-4208   | 2 1/2     | 18.800        | 4535 4.1/4                 | 7858-7404   | 4 1/4     | 17.800        |
| 4040 2.1/4                 | 7859-4204   | 2 1/4     | 20.190        | 4535 4.1/8                 | 7858-7402   | 4 1/8     | 18.600        |
| 4040 2.1/8                 | 7859-4202   | 2 1/8     | 20.590        | <sup>12</sup> 4535 4.3/4   | 7858-7412   | 4 3/4     | 15.200        |
| 4040 2.3/4                 | 7859-4212   | 2 3/4     | 18.210        | 4535 4.3/8                 | 7858-7406   | 4 3/8     | 16.800        |
| 4040 2.3/8                 | 7859-4206   | 2 3/8     | 19.640        | 4535 4.3/16                | 7858-7403   | 4 3/16    | 18.500        |
| 4040 2.3/16                | 7859-4203   | 2 3/16    | 20.320        | <sup>12</sup> 4535 4.7/8   | 7858-7414   | 4 7/8     | 15.100        |
| 4040 2.5/8                 | 7859-4210   | 2 5/8     | 18.650        | 4535 4.7/16                | 7858-7407   | 4 7/16    | 15.400        |
| 4040 2.7/8                 | 7859-4214   | 2 7/8     | 17.410        | <sup>12</sup> 4535 4.15/16 | 7858-7415   | 4 15/16   | 14.900        |
| 4040 2.7/16                | 7859-4207   | 2 7/16    | 19.300        | 4545 1.15/16               | 7859-5115   | 1 15/16   | 29.850        |
| 4040 2.11/16               | 7859-4211   | 2 11/16   | 18.330        | 4545 2.                    | 7859-5200   | 2         | 29.760        |
| 4040 2.15/16               | 7859-4215   | 2 15/16   | 17.080        | 4545 2.3/4                 | 7859-5212   | 2 3/4     | 26.480        |
| 4040 3.                    | 7859-4300   | 3         | 16.790        | 4545 2.3/8                 | 7859-5206   | 2 3/8     | 28.160        |
| 4040 3.1/2                 | 7859-4308   | 3 1/2     | 14.030        | 4545 2.3/16                | 7859-5203   | 2 3/16    | 29.060        |
| 4040 3.1/4                 | 7859-4304   | 3 1/4     | 15.520        | 4545 2.5/8                 | 7859-5210   | 2 5/8     | 27.030        |
| 4040 3.1/8                 | 7859-4302   | 3 1/8     | 16.170        | 4545 2.7/8                 | 7859-5214   | 2 7/8     | 25.710        |
| 4040 3.3/4                 | 7859-4312   | 3 3/4     | 13.450        | 4545 2.7/16                | 7859-5207   | 2 7/16    | 27.900        |
| 4040 3.3/8                 | 7859-4306   | 3 3/8     | 14.700        | 4545 2.15/16               | 7859-5215   | 2 15/16   | 25.410        |
| 4040 3.3/16                | 7859-4303   | 3 3/16    | 15.820        | 4545 3.                    | 7859-5300   | 3         | 25.150        |
| 4040 3.5/8                 | 7859-4310   | 3 5/8     | 13.370        | 4545 3.1/2                 | 7859-5308   | 3 1/2     | 22.100        |
| <sup>12</sup> 4040 3.7/8   | 7859-4314   | 3 7/8     | 12.900        | 4545 3.1/4                 | 7859-5304   | 3 1/4     | 23.830        |
| 4040 3.7/16                | 7859-4307   | 3 7/16    | 14.420        | 4545 3.1/8                 | 7859-5302   | 3 1/8     | 24.310        |
| 4040 3.11/16               | 7859-4311   | 3 11/16   | 13.870        | 4545 3.3/4                 | 7859-5312   | 3 3/4     | 20.310        |
| <sup>12</sup> 4040 3.15/16 | 7859-4315   | 3 15/16   | 12.460        | 4545 3.3/8                 | 7859-5306   | 3 3/8     | 22.800        |
| <sup>12</sup> 4040 4.      | 7859-4400   | 4         | 12.050        | 4545 3.3/16                | 7859-5303   | 3 3/16    | 24.000        |
| <sup>12</sup> 4040 4.1/8   | 7859-4402   | 4 1/8     | 11.220        | 4545 3.5/8                 | 7859-5310   | 3 5/8     | 21.220        |
| <sup>12</sup> 4040 4.3/8   | 7859-4406   | 4 3/8     | 9.520         | 4545 3.7/8                 | 7859-5314   | 3 7/8     | 19.340        |
| <sup>12</sup> 4040 4.3/16  | 7859-4403   | 4 3/16    | 10.700        | 4545 3.7/16                | 7859-5307   | 3 7/16    | 22.310        |
| <sup>12</sup> 4040 4.7/16  | 7859-4407   | 4 7/16    | 8.880         | 4545 3.15/16               | 7859-5315   | 3 15/16   | 18.960        |
| 4535 1.15/16               | 7858-7115   | 1 15/16   | 31.000        | 4545 4.                    | 7859-5400   | 4         | 18.610        |
| 4535 2.                    | 7858-7200   | 2         | 29.700        | <sup>12</sup> 4545 4.1/2   | 7859-5408   | 4 1/2     | 15.840        |
| 4535 2.1/2                 | 7858-7208   | 2 1/2     | 26.700        | 4545 4.1/4                 | 7859-5404   | 4 1/4     | 14.890        |
| 4535 2.1/4                 | 7858-7204   | 2 1/4     | 23.150        | 4545 4.1/8                 | 7859-5402   | 4 1/8     | 17.520        |
| 4535 2.1/8                 | 7858-7202   | 2 1/8     | 29.300        | <sup>12</sup> 4545 4.3/4   | 7859-5412   | 4 3/4     | 13.920        |
| 4535 2.1/16                | 7858-7201   | 2 1/16    | 23.650        | <sup>12</sup> 4545 4.3/8   | 7859-5406   | 4 3/8     | 16.940        |
| 4535 2.3/4                 | 7858-7212   | 2 3/4     | 25.000        | 4545 4.3/16                | 7859-5403   | 4 3/16    | 17.140        |
| 4535 2.3/8                 | 7858-7206   | 2 3/8     | 28.400        | <sup>12</sup> 4545 4.7/8   | 7859-5414   | 4 7/8     | 12.850        |
| 4535 2.3/16                | 7858-7203   | 2 3/16    | 29.000        | <sup>12</sup> 4545 4.7/16  | 7859-5407   | 4 7/16    | 16.330        |
| 4535 2.5/8                 | 7858-7210   | 2 5/8     | 25.900        | <sup>12</sup> 4545 4.15/16 | 7859-5415   | 4 15/16   | 12.270        |
| 4535 2.5/16                | 7858-7205   | 2 5/16    | 28.600        | 5040 2.1/2                 | 7858-8208   | 2 1/2     | 38.300        |
| 4535 2.7/8                 | 7858-7214   | 2 7/8     | 24.800        | 5040 2.3/4                 | 7858-8212   | 2 3/4     | 36.600        |
| 4535 2.7/16                | 7858-7207   | 2 7/16    | 28.000        | 5040 2.5/8                 | 7858-8210   | 2 5/8     | 37.100        |
| 4535 2.9/16                | 7858-7209   | 2 9/16    | 26.400        | 5040 2.7/8                 | 7858-8214   | 2 7/8     | 36.400        |

<sup>12</sup> Shallow keyway.

BUSHINGS



# Taper-Lock® Bushings - English Sizes

## Product No. Series 7848, 7858 & 7859 (continued)

| Part No.     | Product No. | Bore (in) | Weight (Lbs.) | Part No.                   | Product No. | Bore (in) | Weight (Lbs.) |
|--------------|-------------|-----------|---------------|----------------------------|-------------|-----------|---------------|
| 5040 2.7/16  | 7858-8207   | 2 7/16    | 39.500        | 5050 4.1/2                 | 7859-7408   | 4 1/2     | 23.890        |
| 5040 2.9/16  | 7858-8209   | 2 9/16    | 37.700        | 5050 4.1/4                 | 7859-7404   | 4 1/4     | 24.020        |
| 5040 2.11/16 | 7858-8211   | 2 11/16   | 36.900        | 5050 4.3/8                 | 7859-7406   | 4 3/8     | 25.080        |
| 5040 2.13/16 | 7858-8213   | 2 13/16   | 36.500        | <sup>12</sup> 5050 4.7/8   | 7859-7414   | 4 7/8     | 22.250        |
| 5040 2.15/16 | 7858-8215   | 2 15/16   | 36.200        | 5050 4.7/16                | 7859-7407   | 4 7/16    | 24.400        |
| 5040 3.      | 7858-8300   | 3         | 35.600        | <sup>12</sup> 5050 4.15/16 | 7859-7415   | 4 15/16   | 21.670        |
| 5040 3.1/2   | 7858-8308   | 3 1/2     | 31.700        | <sup>12</sup> 5050 5.      | 7859-7500   | 5         | 20.940        |
| 5040 3.1/4   | 7858-8304   | 3 1/4     | 33.200        | 6050 3.                    | 7859-8300   | 3         | 65.000        |
| 5040 3.1/8   | 7858-8302   | 3 1/8     | 34.800        | 6050 3.1/4                 | 7859-8304   | 3 1/4     | 65.000        |
| 5040 3.1/16  | 7858-8301   | 3 1/16    | 35.200        | 6050 3.7/16                | 7859-8307   | 3 7/16    | 65.000        |
| 5040 3.3/4   | 7858-8312   | 3 3/4     | 29.700        | 6050 4.                    | 7859-8400   | 4         | 65.000        |
| 5040 3.3/8   | 7858-8306   | 3 3/8     | 32.700        | 6050 4.7/16                | 7859-8407   | 4 7/16    | 64.200        |
| 5040 3.3/16  | 7858-8303   | 3 3/16    | 33.900        | 6050 4.15/16               | 7859-8415   | 4 15/16   | 58.240        |
| 5040 3.5/8   | 7858-8310   | 3 5/8     | 31.100        | 6050 5.7/16                | 7859-8507   | 5 7/16    | 52.300        |
| 5040 3.5/16  | 7858-8305   | 3 5/16    | 33.000        | 6050 5.15/16               | 7859-8515   | 5 15/16   | 47.240        |
| 5040 3.7/8   | 7858-8314   | 3 7/8     | 29.000        | 6050 6.                    | 7859-8600   | 6         | 46.380        |
| 5040 3.7/16  | 7858-8307   | 3 7/16    | 32.000        | 7060 3.                    | 7859-9300   | 3         | 95.000        |
| 5040 3.9/16  | 7858-8309   | 3 9/16    | 31.400        | 7060 3.1/4                 | 7859-9304   | 3 1/4     | 95.000        |
| 5040 3.11/16 | 7858-8311   | 3 11/16   | 30.400        | 7060 3.7/16                | 7859-9307   | 3 7/16    | 95.000        |
| 5040 3.13/16 | 7858-8313   | 3 13/16   | 29.400        | 7060 4.15/16               | 7859-9415   | 4 15/16   | 91.950        |
| 5040 3.15/16 | 7858-8315   | 3 15/16   | 28.700        | 7060 5.7/16                | 7859-9507   | 5 7/16    | 84.480        |
| 5040 4.      | 7858-8400   | 4         | 27.800        | 7060 5.15/16               | 7859-9515   | 5 15/16   | 78.160        |
| 5040 4.1/2   | 7858-8408   | 4 1/2     | 23.600        | 7060 6.                    | 7859-9600   | 6         | 76.640        |
| 5040 4.1/4   | 7858-8404   | 4 1/4     | 27.000        | 7060 6.1/2                 | 7859-9608   | 6 1/2     | 68.640        |
| 5040 4.1/8   | 7858-8402   | 4 1/8     | 27.500        | 7060 6.7/16                | 7859-9607   | 6 7/16    | 68.080        |
| 5040 4.3/4   | 7858-8412   | 4 3/4     | 22.900        | 7060 6.15/16               | 7859-9615   | 6 15/16   | 62.130        |
| 5040 4.3/8   | 7858-8406   | 4 3/8     | 26.000        | 7060 7.                    | 7859-9700   | 7         | 60.640        |
| 5040 4.3/16  | 7858-8403   | 4 3/16    | 27.200        | 8065 5.7/16                | 7859-9517   | 5 7/16    | 97.650        |
| 5040 4.7/8   | 7858-8414   | 4 7/8     | 22.200        | 8065 5.15/16               | 7859-9525   | 5 15/16   | 105.700       |
| 5040 4.7/16  | 7858-8407   | 4 7/16    | 25.100        | 8065 6.1/2                 | 7859-9618   | 6 1/2     | 101.780       |
| 5040 4.15/16 | 7858-8415   | 4 15/16   | 20.600        | 8065 6.7/16                | 7859-9617   | 6 7/16    | 102.300       |
| 5040 5.      | 7858-8500   | 5         | 20.500        | 8065 6.15/16               | 7859-9625   | 6 15/16   | 92.000        |
| 5050 2.7/16  | 7859-7207   | 2 7/16    | 38.710        | 8065 7.                    | 7859-9710   | 7         | 91.100        |
| 5050 2.11/16 | 7859-7211   | 2 11/16   | 37.420        | 8065 7.1/2                 | 7859-9718   | 7 1/2     | 89.000        |
| 5050 2.15/16 | 7859-7215   | 2 15/16   | 35.970        | 8065 8.                    | 7859-9810   | 8         | 89.900        |
| 5050 3.3/8   | 7859-7306   | 3 3/8     | 33.010        | 10085 7.                   | 7859-9720   | 7         | 245.000       |
| 5050 3.5/8   | 7859-7310   | 3 5/8     | 31.230        | 10085 8.                   | 7859-9820   | 8         | 219.000       |
| 5050 3.7/8   | 7859-7314   | 3 7/8     | 29.300        | 10085 9.                   | 7859-9920   | 9         | 190.000       |
| 5050 3.7/16  | 7859-7307   | 3 7/16    | 32.600        | 10085 10.                  | 7859-9020   | 10        | 157.500       |
| 5050 3.15/16 | 7859-7315   | 3 15/16   | 28.790        | 120100 12.                 | 7859-9120   | 12        | 290.000       |
| 5050 4.      | 7859-7400   | 4         | 28.300        |                            |             |           |               |

<sup>12</sup> Shallow keyway.



# Stainless Steel Taper-Lock® Bushings - English Sizes

**Notes**

Details shown which do not affect drive function or overall weight may be changed without notification.  
 SS is used to signify Stainless Steel.

**Product No. Series 7869**

| Part No.       | Product No. | Bore (in) | Weight (Lbs.) | Part No.                      | Product No. | Bore (in) | Weight (Lbs.) |
|----------------|-------------|-----------|---------------|-------------------------------|-------------|-----------|---------------|
| SS 1108 .1/2   | 7869-0001   | 1/2       | .300          | SS 1610 1.1/8                 | 7869-0211   | 1 1/8     | .700          |
| SS 1108 .3/4   | 7869-0005   | 3/4       | .200          | <sup>12</sup> SS 1610 1.1/16  | 7869-0210   | 1 1/16    | .800          |
| SS 1108 .5/8   | 7869-0003   | 5/8       | .300          | SS 1610 1.3/8                 | 7869-0215   | 1 3/8     | .600          |
| SS 1108 .7/8   | 7869-0007   | 7/8       | .200          | SS 1610 1.3/16                | 7869-0212   | 1 3/16    | .700          |
| SS 1108 .9/16  | 7869-0002   | 9/16      | .300          | SS 1610 1.5/8                 | 7869-0219   | 1 5/8     | .500          |
| SS 1108 .11/16 | 7869-0004   | 11/16     | .200          | SS 1610 1.5/16                | 7869-0214   | 1 5/16    | .600          |
| SS 1108 .13/16 | 7869-0006   | 13/16     | .200          | SS 1610 1.7/16                | 7869-0216   | 1 7/16    | .600          |
| SS 1108 .15/16 | 7869-0008   | 15/16     | .200          | SS 1610 1.9/16                | 7869-0218   | 1 9/16    | .500          |
| SS 1108 1.     | 7869-0009   | 1         | .200          | <sup>12</sup> SS 1610 1.11/16 | 7869-0220   | 1 11/16   | .500          |
| SS 1108 1.1/8  | 7869-0011   | 1 1/8     | .100          | SS 2012 .1/2                  | 7869-0301   | 1/2       | 1.700         |
| SS 1108 1.1/16 | 7869-0010   | 1 1/16    | .200          | SS 2012 .3/4                  | 7869-0305   | 3/4       | 1.700         |
| SS 1210 .1/2   | 7869-0101   | 1/2       | .600          | SS 2012 .5/8                  | 7869-0303   | 5/8       | 1.700         |
| SS 1210 .3/4   | 7869-0105   | 3/4       | .500          | SS 2012 .7/8                  | 7869-0307   | 7/8       | 1.600         |
| SS 1210 .5/8   | 7869-0103   | 5/8       | .600          | SS 2012 .9/16                 | 7869-0302   | 9/16      | 1.700         |
| SS 1210 .7/8   | 7869-0107   | 7/8       | .500          | SS 2012 .11/16                | 7869-0304   | 11/16     | 1.700         |
| SS 1210 .9/16  | 7869-0102   | 9/16      | .600          | SS 2012 .13/16                | 7869-0306   | 13/16     | 1.750         |
| SS 1210 .11/16 | 7869-0104   | 11/16     | .500          | SS 2012 .15/16                | 7869-0308   | 15/16     | 1.600         |
| SS 1210 .13/16 | 7869-0106   | 13/16     | .500          | SS 2012 1.                    | 7869-0309   | 1         | 1.600         |
| SS 1210 .15/16 | 7869-0108   | 15/16     | .500          | SS 2012 1.1/2                 | 7869-0317   | 1 1/2     | 1.200         |
| SS 1210 1.     | 7869-0109   | 1         | .500          | SS 2012 1.1/4                 | 7869-0313   | 1 1/4     | 1.500         |
| SS 1210 1.1/4  | 7869-0113   | 1 1/4     | .400          | SS 2012 1.1/8                 | 7869-0311   | 1 1/8     | 1.500         |
| SS 1210 1.1/8  | 7869-0111   | 1 1/8     | .400          | SS 2012 1.1/16                | 7869-0310   | 1 1/16    | 1.600         |
| SS 1210 1.1/16 | 7869-0110   | 1 1/16    | .400          | SS 2012 1.3/4                 | 7869-0321   | 1 3/4     | 1.000         |
| SS 1210 1.3/16 | 7869-0112   | 1 3/16    | .400          | SS 2012 1.3/8                 | 7869-0315   | 1 3/8     | 1.300         |
| SS 1610 .1/2   | 7869-0201   | 1/2       | .900          | SS 2012 1.3/16                | 7869-0312   | 1 3/16    | 1.500         |
| SS 1610 .3/4   | 7869-0205   | 3/4       | .900          | SS 2012 1.5/8                 | 7869-0319   | 1 5/8     | 1.200         |
| SS 1610 .5/8   | 7869-0203   | 5/8       | .900          | SS 2012 1.5/16                | 7869-0314   | 1 5/16    | 1.400         |
| SS 1610 .7/8   | 7869-0207   | 7/8       | .800          | SS 2012 1.7/8                 | 7869-0323   | 1 7/8     | .900          |
| SS 1610 .9/16  | 7869-0202   | 9/16      | .900          | SS 2012 1.7/16                | 7869-0316   | 1 7/16    | 1.200         |
| SS 1610 .11/16 | 7869-0204   | 11/16     | .900          | SS 2012 1.9/16                | 7869-0318   | 1 9/16    | 1.200         |
| SS 1610 .13/16 | 7869-0206   | 13/16     | .900          | SS 2012 1.11/16               | 7869-0320   | 1 11/16   | 1.100         |
| SS 1610 .15/16 | 7869-0208   | 15/16     | .800          | SS 2012 1.13/16               | 7869-0322   | 1 13/16   | 1.000         |
| SS 1610 1.     | 7869-0209   | 1         | .800          | SS 2012 1.15/16               | 7869-0324   | 1 15/16   | .900          |
| SS 1610 1.1/2  | 7869-0217   | 1 1/2     | .500          | SS 2012 2.                    | 7869-0325   | 2         | .900          |
| SS 1610 1.1/4  | 7869-0213   | 1 1/4     | .700          | <sup>12</sup> SS 2012 2.1/8   | 7869-0326   | 2 1/8     | .900          |

<sup>12</sup> Shallow keyway.



# Taper-Lock® Bushings - Metric Sizes

**Notes**

Details shown which do not affect drive function or overall weight may be changed without notification.

**Product No. Series 7848, 7858 & 7859**

| Part No.                | Product No. | Bore (mm) | Weight (Lbs.) | Part No.  | Product No. | Bore (mm) | Weight (Lbs.) |
|-------------------------|-------------|-----------|---------------|-----------|-------------|-----------|---------------|
| 1008 14MM               | 7858-0017   | 14        | .250          | 2012 19MM | 7858-2519   | 19        | 1.550         |
| 1008 16MM               | 7858-0016   | 16        | .240          | 2012 20MM | 7858-2520   | 20        | 1.550         |
| 1008 18MM               | 7858-0018   | 18        | .220          | 2012 22MM | 7858-2522   | 22        | 1.510         |
| 1008 19MM               | 7858-0019   | 19        | .210          | 2012 24MM | 7858-2524   | 24        | 1.450         |
| 1008 20MM               | 7858-0020   | 20        | .200          | 2012 25MM | 7858-2525   | 25        | 1.450         |
| 1008 22MM               | 7858-0022   | 22        | .180          | 2012 28MM | 7858-2528   | 28        | 1.400         |
| <sup>12</sup> 1008 24MM | 7858-0024   | 24        | .160          | 2012 30MM | 7858-2530   | 30        | 1.350         |
| 1108 16MM               | 7858-0116   | 16        | .300          | 2012 32MM | 7858-2532   | 32        | 1.300         |
| 1108 18MM               | 7858-0118   | 18        | .280          | 2012 35MM | 7858-2535   | 35        | 1.200         |
| 1108 19MM               | 7858-0119   | 19        | .270          | 2012 38MM | 7858-2538   | 38        | 1.150         |
| 1108 20MM               | 7858-0120   | 20        | .250          | 2012 40MM | 7858-2540   | 40        | 1.100         |
| 1108 22MM               | 7858-0122   | 22        | .200          | 2012 42MM | 7858-2542   | 42        | 1.030         |
| 1108 24MM               | 7858-0124   | 24        | .210          | 2012 45MM | 7858-2545   | 45        | .900          |
| 1108 25MM               | 7858-0125   | 25        | .200          | 2517 14MM | 7858-3314   | 14        | 3.420         |
| 1210 14MM               | 7858-0517   | 14        | .560          | 2517 16MM | 7858-3316   | 16        | 3.420         |
| 1210 16MM               | 7858-0516   | 16        | .540          | 2517 18MM | 7858-3318   | 18        | 3.360         |
| 1210 18MM               | 7858-0518   | 18        | .530          | 2517 20MM | 7858-3300   | 20        | 3.250         |
| 1210 19MM               | 7858-0519   | 19        | .510          | 2517 22MM | 7858-3322   | 22        | 3.300         |
| 1210 20MM               | 7858-0520   | 20        | .500          | 2517 24MM | 7858-3301   | 24        | 3.210         |
| 1210 24MM               | 7858-0524   | 24        | .450          | 2517 25MM | 7858-3325   | 25        | 3.200         |
| 1210 25MM               | 7858-0525   | 25        | .450          | 2517 28MM | 7858-3328   | 28        | 3.120         |
| 1210 28MM               | 7858-0528   | 28        | .400          | 2517 30MM | 7858-3330   | 30        | 3.050         |
| 1210 30MM               | 7858-0530   | 30        | .450          | 2517 32MM | 7858-3332   | 32        | 3.000         |
| 1310 24MM               | 7848-4424   | 24        | .540          | 2517 35MM | 7858-3335   | 35        | 2.900         |
| 1310 25MM               | 7848-4425   | 25        | .520          | 2517 38MM | 7858-3338   | 38        | 2.800         |
| 1310 28MM               | 7848-4428   | 28        | .480          | 2517 40MM | 7858-3340   | 40        | 2.700         |
| 1310 30MM               | 7848-4430   | 30        | .440          | 2517 42MM | 7858-3342   | 42        | 2.600         |
| 1310 32MM               | 7848-4432   | 32        | .400          | 2517 45MM | 7858-3345   | 45        | 2.460         |
| 1310 35MM               | 7848-4435   | 35        | .340          | 2517 48MM | 7858-3348   | 48        | 2.320         |
| 1610 19MM               | 7858-1619   | 19        | .800          | 2517 50MM | 7858-3350   | 50        | 2.250         |
| 1610 20MM               | 7858-1620   | 20        | .800          | 2517 55MM | 7858-3355   | 55        | 1.950         |
| 1610 22MM               | 7858-1622   | 22        | .750          | 2517 60MM | 7858-3360   | 60        | 1.600         |
| 1610 24MM               | 7858-1624   | 24        | .750          | 3020 24MM | 7859-6524   | 24        | 6.110         |
| 1610 25MM               | 7858-1625   | 25        | .700          | 3020 25MM | 7859-6525   | 25        | 6.110         |
| 1610 28MM               | 7858-1628   | 28        | .670          | 3020 28MM | 7859-6528   | 28        | 5.980         |
| 1610 30MM               | 7858-1630   | 30        | .650          | 3020 40MM | 7859-6540   | 40        | 5.540         |
| 1610 32MM               | 7858-1632   | 32        | .550          | 3020 45MM | 7859-6545   | 45        | 5.250         |
| 1610 35MM               | 7858-1635   | 35        | .550          | 3020 48MM | 7859-6548   | 48        | 5.050         |
| 1610 38MM               | 7858-1638   | 38        | .450          | 3020 50MM | 7859-6550   | 50        | 5.000         |
| 1610 40MM               | 7858-1640   | 40        | .450          | 3020 55MM | 7859-6555   | 55        | 4.600         |
| 2012 14MM               | 7858-2517   | 14        | 1.620         | 3020 60MM | 7859-6560   | 60        | 4.350         |
| 2012 16MM               | 7858-2516   | 16        | 1.600         | 3020 65MM | 7859-6565   | 65        | 3.950         |
| 2012 18MM               | 7858-2518   | 18        | 1.570         |           |             |           |               |

12 Shallow keyway.





## Stainless Steel Taper-Lock® Bushings - Metric Sizes

### Notes

Details shown which do not affect drive function or overall weight may be changed without notification.  
SS is used to signify Stainless Steel (type 302-304).

### Product No. Series 7869

| Part No.     | Product No. | Bore (mm) | Key Way Size (mm)                      | Weight (Lbs.) | Part No.     | Product No. | Bore (mm) | Key Way Size (mm) | Weight (Lbs.) |
|--------------|-------------|-----------|--|---------------|--------------|-------------|-----------|-------------------|---------------|
| SS 1008 20MM | 7869-0801   | 20        | Kwy Width: 6mm /<br>hub keyseat: 2.8mm | .200          | SS 1610 28MM | 7869-0604   | 28        | 8 X 3.3           | .670          |
| SS 1008 24MM | 7869-0802   | 24        | Kwy Width: 8mm /<br>hub keyseat: 3.3mm | .160          | SS 1610 30MM | 7869-0605   | 30        | 8 X 3.3           | .640          |
| SS 1108 16MM | 7869-0401   | 16        | 5 X 2.3                                | .300          | SS 1610 32MM | 7869-0606   | 32        | 10 X 3.3          | .600          |
| SS 1108 19MM | 7869-0402   | 19        | 6 X 2.8                                | .270          | SS 1610 35MM | 7869-0607   | 35        | 10 X 3.3          | .540          |
| SS 1108 20MM | 7869-0403   | 20        | 6 X 2.8                                | .260          | SS 1610 38MM | 7869-0608   | 38        | 10 X 3.3          | .470          |
| SS 1108 22MM | 7869-0404   | 22        | 6 X 2.8                                | .240          | SS 2012 20MM | 7869-0701   | 20        | 6 X 2.8           | 1.540         |
| SS 1108 24MM | 7869-0405   | 24        | 8 X 3.3                                | .210          | SS 2012 22MM | 7869-0702   | 22        | 6 X 2.8           | 1.510         |
| SS 1108 25MM | 7869-0406   | 25        | 8 X 3.3                                | .190          | SS 2012 24MM | 7869-0703   | 24        | 8 X 3.3           | 1.470         |
| SS 1210 16MM | 7869-0501   | 16        | 5 X 2.3                                | .540          | SS 2012 25MM | 7869-0704   | 25        | 8 X 3.3           | 1.450         |
| SS 1210 20MM | 7869-0502   | 20        | 6 X 2.8                                | .500          | SS 2012 28MM | 7869-0705   | 28        | 8 X 3.3           | 1.350         |
| SS 1210 24MM | 7869-0503   | 24        | 8 X 3.3                                | .450          | SS 2012 30MM | 7869-0706   | 30        | 8 X 3.3           | 1.350         |
| SS 1210 25MM | 7869-0504   | 25        | 8 X 3.3                                | .430          | SS 2012 32MM | 7869-0707   | 32        | 10 X 3.3          | 1.300         |
| SS 1210 28MM | 7869-0505   | 28        | 8 X 3.3                                | .390          | SS 2012 35MM | 7869-0708   | 35        | 10 X 3.3          | 1.230         |
| SS 1210 30MM | 7869-0506   | 30        | 8 X 3.3                                | .350          | SS 2012 38MM | 7869-0709   | 38        | 10 X 3.3          | 1.160         |
| SS 1610 20MM | 7869-0601   | 20        | 6 X 2.8                                | .780          | SS 2012 40MM | 7869-0710   | 40        | 12 X 3.3          | 1.070         |
| SS 1610 24MM | 7869-0602   | 24        | 8 X 3.3                                | .730          | SS 2012 42MM | 7869-0711   | 42        | 12 X 3.3          | 1.030         |
| SS 1610 25MM | 7869-0603   | 25        | 8 X 3.3                                | .710          | SS 2012 45MM | 7869-0712   | 45        | 14 X 3.8          | .940          |



# Taper-Lock® Bushings - Reborable

**Notes**

Available in minimum plain bore (MPB).

Contact Customer Service for ordering instructions.

Details shown which do not affect drive function or overall weight may be changed without notification.

NKS and NK mean No Keyseat.

Reborable bushings are stocked without sawsplit to facilitate re-machining. Sawsplit must be made in bushing to allow it to compress for proper gripping of the shaft.

## Product No. Series 7847

### Sintered Steel Reborable Bushing

| Part No.        | Product No. | Bore (in) | Weight (Lbs.) |
|-----------------|-------------|-----------|---------------|
| 1108.1/2NKS     | 7847-2101   | 1/2       | .350          |
| 1210.1/2NKS     | 7847-2102   | 1/2       | .600          |
| 1215.1/2NKS     | 7847-2103   | 1/2       | .850          |
| 1610.1/2NKS     | 7847-2105   | 1/2       | .880          |
| 2012.1/2NKS     | 7847-2107   | 1/2       | 1.650         |
| 2517.1/2NKS     | 7847-2108   | 1/2       | 3.500         |
| 3020.1.11/16NKS | 7847-2110   | 1 11/16   | 5.480         |
| 3020.7/8NKS     | 7847-2109   | 7/8       | 6.150         |

### Stainless Steel Reborable Bushing

| Part No.      | Product No. | Bore (in) | Weight (Lbs.) |
|---------------|-------------|-----------|---------------|
| 1108.1/2SS-NK | 7847-6101   | 1/2       | .400          |
| 1210.1/2SS-NK | 7847-6102   | 1/2       | .680          |
| 1610.1/2SS-NK | 7847-6105   | 1/2       | 1.010         |
| 2012.1/2SS-NK | 7847-6107   | 1/2       | 2.000         |
| 2517.5/8SS-NK | 7847-6108   | 5/8       | 3.970         |
| 3020.7/8SS-NK | 7847-6109   | 7/8       | 7.220         |

### Cast Iron Reborable Bushing

| Part No.        | Product No. | Bore (in) | Weight (Lbs.) |
|-----------------|-------------|-----------|---------------|
| 3525.1.3/16NKS  | 7847-3112   | 1 3/16    | 14.500        |
| 3535.1.3/16NKS  | 7847-3101   | 1 3/16    | 14.970        |
| 4030.1.7/16NKS  | 7847-3113   | 1 7/16    | 28.400        |
| 4040.1.7/16NKS  | 7847-3102   | 1 7/16    | 22.890        |
| 4535.1.15/16NKS | 7847-3110   | 1 15/16   | 30.300        |
| 4545.1.15/16NKS | 7847-3103   | 1 15/16   | 30.220        |
| 5040.2.7/16NKS  | 7847-3111   | 2 7/16    | 33.000        |
| 6050.3.7/16NKS  | 7847-3105   | 3 7/16    | 71.920        |
| 7060.3.15/16NKS | 7847-3106   | 3 15/16   | 96.000        |

### Steel Reborable Bushing

| Part No.          | Product No. | Bore (in) | Weight (Lbs.) |
|-------------------|-------------|-----------|---------------|
| 1108.1/2STL-NK    | 7847-4101   | 1/2       | .380          |
| 1610.1/2STL-NK    | 7847-4105   | 1/2       | 1.010         |
| 1615.1/2STL-NK    | 7847-4106   | 1/2       | 1.460         |
| 2012.1/2STL-NK    | 7847-4107   | 1/2       | 1.930         |
| 2517.1.STL-NK     | 7847-4108   | 1         | 3.800         |
| 3020.1.7/16STL-NK | 7847-4110   | 1 7/16    | 6.600         |

### Ductile Iron Reborable Bushing

| Part No.           | Product No. | Bore (in) | Weight (Lbs.) |
|--------------------|-------------|-----------|---------------|
| 3525.1.3/16DUC-NK  | 7847-5112   | 1 3/16    | 14.500        |
| 4030.1.15/16DUC-NK | 7847-5113   | 1 15/16   | 28.400        |
| 4040.1.15/16DUC-NK | 7847-5101   | 1 15/16   | 20.690        |
| 4535.2.7/16DUC-NK  | 7847-5110   | 2 7/16    | 28.400        |
| 4545.2.7/16DUC-NK  | 7847-5102   | 2 7/16    | 27.880        |
| 5040.2.15/16DUC-NK | 7847-5111   | 2 15/16   | 29.450        |
| 6050.3.7/16DUC-NK  | 7847-5104   | 3 7/16    | 64.200        |



## QT-Type Bushings


### Notes

Details shown which do not affect drive function or overall weight may be changed without notification.  
English stock bore sizes greater than 1 1/4" are furnished with special keys to fit standard depth keyseats. Metric stock bore sizes greater than 30mm are furnished with special keys to fit standard depth keyseats.

### Product No. Series 7817

| Part No.  | Product No. | Bore (in) | Keyseat     | Weight (Lbs.) |
|-----------|-------------|-----------|-------------|---------------|
| QT .1/2   | 7817-0003   | 1/2       | 1/8 X 1/16  | .810          |
| QT .9/16  | 7817-0004   | 9/16      | 1/8 X 1/16  | .800          |
| QT .5/8   | 7817-0005   | 5/8       | 3/16 X 3/32 | .780          |
| QT .11/16 | 7817-0006   | 11/16     | 3/16 X 3/32 | .760          |
| QT .3/4   | 7817-0007   | 3/4       | 3/16 X 3/32 | .740          |
| QT .13/16 | 7817-0008   | 13/16     | 3/16 X 3/32 | .920          |
| QT .7/8   | 7817-0009   | 7/8       | 3/16 X 3/32 | .680          |
| QT .15/16 | 7817-0010   | 15/16     | 1/4 X 1/8   | .660          |
| QT 1.     | 7817-0011   | 1         | 1/4 X 1/8   | .620          |
| QT 1.1/16 | 7817-0012   | 1 1/16    | 1/4 X 1/8   | .590          |
| QT 1.1/8  | 7817-0013   | 1 1/8     | 1/4 X 1/8   | .560          |
| QT 1.3/16 | 7817-0014   | 1 3/16    | 1/4 X 1/8   | .520          |
| QT 1.1/4  | 7817-0015   | 1 1/4     | 1/4 X 1/8   | .490          |
| QT 1.5/16 | 7817-0016   | 1 5/16    | 5/16 X 1/16 | .440          |
| QT 1.3/8  | 7817-0017   | 1 3/8     | 5/16 X 1/16 | .430          |
| QT 1.7/16 | 7817-0018   | 1 7/16    | 3/8 X 1/16  | .380          |
| QT 1.1/2  | 7817-0019   | 1 1/2     | 3/8 X 1/16  | .340          |
| QT 14MM   | 7817-1014   | 14MM      | —           | .790          |
| QT 19MM   | 7817-1019   | 19MM      | —           | .740          |
| QT 24MM   | 7817-1032   | 24MM      | —           | .610          |
| QT 25MM   | 7817-1033   | 25MM      | —           | .630          |
| QT 28MM   | 7817-1035   | 28MM      | —           | .570          |
| QT 30MM   | 7817-1036   | 30MM      | —           | .530          |
| QT 32MM   | 7817-1037   | 32MM      | —           | .500          |

# Flat Idler Pulley




## Flat Idler Pulley

| Part No.           | Product No. | Use With Synchronous Belt |                    | Use With V-Belt                  | Outside Dia. (in) | Face Width (in) | A (in) | B (in) | C (in) | D (in) | E (in) | Thread Size | Bearing No. | Weight (Lbs.) |
|--------------------|-------------|---------------------------|--------------------|----------------------------------|-------------------|-----------------|--------|--------|--------|--------|--------|-------------|-------------|---------------|
|                    |             | Pitch                     | Width              |                                  |                   |                 |        |        |        |        |        |             |             |               |
| 4.25X1.25-IDL-FLAT | 7723-4125   | 8mm, L, H                 | Up to 21mm (0.85") | 1-2 Strand 3V/3VX, 1 Strand A/AX | 4.25              | 1.25            | 1.13   | 1.13   | .64    | 1.30   | 3.75   | 3/4-16      | 6304        | 5.500         |
| 4.25X2.00-IDL-FLAT | 7723-4200   | 8mm, L, H                 | Up to 38mm (1.5")  | 3-4 Strand 3V/3VX, 2 Strand A/AX | 4.25              | 2.00            | 1.50   | 1.13   | .63    | 1.32   | 4.50   | 3/4-16      | 6306        | 7.500         |
| 4.25X3.00-IDL-FLAT | 7723-4300   | 8mm, L, H                 | Up to 62mm (2.4")  | 5-6 Strand 3V/3VX, 3 Strand A/AX | 4.25              | 3.00            | 1.50   | 1.13   | .75    | 1.32   | 5.63   | 3/4-16      | 6306        | 10.600        |
| 4.25X4.00-IDL-FLAT | 7723-4400   | 8mm, L, H                 | Up to 85mm (3.3")  | 8 Strand 3V/3VX, 4 Strand A/AX   | 4.25              | 4.00            | 1.50   | 1.13   | .75    | 1.32   | 6.63   | 3/4-16      | 6306        | 13.600        |
| 6.50X1.75-IDL-FLAT | 7723-6175   | 14mm                      | Up to 20mm         | 1 Strand B/BX                    | 6.50              | 1.75            | 2.00   | 1.50   | 1.04   | 1.96   | 5.69   | 1-14        | 6308        | 17.100        |
| 6.50X2.75-IDL-FLAT | 7723-6275   | 14mm                      | Up to 55mm         | 2-3 Strand B/BX                  | 6.50              | 2.75            | 2.00   | 1.50   | .13    | 2.10   | 5.69   | 1-14        | 6308        | 23.000        |
| 6.50X4.25-IDL-FLAT | 7723-6425   | 14mm                      | Up to 90mm         | 4-5 Strand B/BX                  | 6.50              | 4.25            | 2.38   | 1.50   | .13    | 1.98   | 7.06   | 1-14        | 6308        | 33.000        |
| 6.50X5.75-IDL-FLAT | 7723-6575   | 14mm                      | Up to 125mm        | 6 Strand B/BX                    | 6.50              | 5.75            | 2.38   | 1.50   | .99    | 1.98   | 9.31   | 1-14        | 6308        | 45.000        |
| 6.50X7.50-IDL-FLAT | 7723-6750   | 14mm                      | Up to 170mm        | 8 Strand B/BX                    | 6.50              | 7.50            | 2.38   | 1.50   | 1.00   | 1.98   | 11.19  | 1-14        | 6308        | 57.000        |

# Idler Sprockets

IDLERS



## Poly Chain® GT® Carbon™ Idler Sprocket

| Part No.     | Product No. | Use With   | Belt Width (in) | Number of Teeth | Pitch Diameter (in) | B (in) | C (in) | D (in) | E (in) | F Threads (in) | G (in) | H (in) | J (in) | Bearing No. | Weight (Lbs.) |
|--------------|-------------|------------|-----------------|-----------------|---------------------|--------|--------|--------|--------|----------------|--------|--------|--------|-------------|---------------|
| 12-IDL-SPRK  | 7720-1500   | 8mm Pitch  | 12              | 32              | 3.208               | 1.25   | .50    | .85    | 1.56   | 3/4 - 16       | .94    | 2.75   | —      | 6304        | 3.800         |
| 20-IDL-SPRK  | 7720-1600   | 14mm Pitch | 20              | 30              | 5.263               | 2.55   | 1.00   | 1.36   | 2.25   | 1 - 14         | 1.00   | 4.38   | —      | 6308        | 12.550        |
| 21-IDL-SPRK  | 7720-1510   | 8mm Pitch  | 21              | 32              | 3.208               | 1.25   | .50    | 1.24   | 1.56   | 3/4 - 16       | .56    | 2.75   | —      | 6304        | 3.880         |
| 36-IDL-SPRK  | 7720-1520   | 8mm Pitch  | 36              | 36              | 3.609               | 1.91   | .75    | 1.86   | 1.63   | 3/4 - 16       | —      | —      | —      | 6306        | 5.140         |
| 37-IDL-SPRK  | 7720-1610   | 14mm Pitch | 37              | 30              | 5.236               | 2.55   | 1.00   | 2.06   | 2.25   | 1 - 14         | .25    | 4.38   | —      | 6308        | 13.460        |
| 62-IDL-SPRK  | 7720-1530   | 8mm Pitch  | 62              | 36              | 3.609               | 1.91   | .75    | 2.91   | 1.63   | 3/4 - 16       | .69    | 3.13   | —      | 6306        | 9.690         |
| 68-IDL-SPRK  | 7720-1620   | 14mm Pitch | 68              | 34              | 5.965               | 3.38   | .56    | 3.33   | 2.25   | 1 - 14         | 1.00   | 4.88   | 4.34   | 6310        | 26.030        |
| 90-IDL-SPRK  | 7720-1640   | 14mm Pitch | 90              | 34              | 5.965               | 3.38   | .31    | 4.20   | 2.25   | 1 - 14         | 1.00   | 4.88   | 4.34   | 6310        | 32.180        |
| 125-IDL-SPRK | 7720-1630   | 14mm Pitch | 125             | 34              | 5.965               | 3.38   | .19    | 5.63   | 2.25   | 1 - 14         | 1.09   | 4.88   | 4.34   | 6310        | 36.450        |


## Nickel Plated Poly Chain® GT® Carbon™ Idler Sprocket

| Part No.        | Product No. | Use With                       | Belt Width (mm) | Number of Teeth | Pitch Diameter (in) | B (in) | C (in) | D (in) | E (in) | F Threads (in) | G (in) | H (in) | Weight (Lbs.) |
|-----------------|-------------|--------------------------------|-----------------|-----------------|---------------------|--------|--------|--------|--------|----------------|--------|--------|---------------|
| NP-12-IDLR-SPRK | 7720-1501   | 8mm Pitch Poly Chain GT Carbon | 12              | 32              | 3.208               | 1.25   | .50    | .85    | 1.56   | 3/4 - 16       | .94    | 2.75   | 3.800         |
| NP-21-IDLR-SPRK | 7720-1511   | 8mm Pitch Poly Chain GT Carbon | 21              | 32              | 3.208               | 1.25   | .50    | 1.24   | 1.56   | 3/4 - 16       | .56    | 2.75   | 3.880         |

## PowerGrip® GT®2 Idler Sprocket

| Part No.    | Product No. | Use With   | Belt Width (in) | Number of Teeth | Pitch Diameter (in) | B (in) | C (in) | D (in) | E (in) | F Threads (in) | G (in) | H (in) | J (in) | Bearing No. | Weight (Lbs.) |
|-------------|-------------|------------|-----------------|-----------------|---------------------|--------|--------|--------|--------|----------------|--------|--------|--------|-------------|---------------|
| 20-SPK2-IDL | 7720-1740   | 8mm Pitch  | 20              | 32              | 3.208               | 1.25   | .50    | 1.24   | 1.56   | 3/4 - 16       | .56    | 2.75   | —      | 6304        | 1.100         |
| 30-SPK2-IDL | 7720-1750   | 8mm Pitch  | 30              | 36              | 3.609               | 1.91   | .75    | 1.86   | 1.63   | 3/4 - 16       | —      | —      | —      | 6306        | 2.000         |
| 40-SPK2-IDL | 7720-1850   | 14mm Pitch | 40              | 30              | 5.263               | 2.55   | 1.00   | 2.06   | 2.25   | 1 - 14         | .25    | 4.38   | —      | 6308        | 12.000        |
| 55-SPK2-IDL | 7720-1860   | 14mm Pitch | 55              | 34              | 5.965               | 3.38   | .56    | 3.33   | 2.25   | 1 - 14         | 1.00   | 4.88   | 4.34   | 6310        | 15.600        |

# Idler Brackets



## Idler Brackets


| Part No.    | Product No. | Use With   | A (in) | B (in) | C (in) | D (in) | E (in) | F (in) | G (in) | H (in) | J (in) | M Threads (in) | N (in) | P (in) | Q (in) | Weight (Lbs.) |
|-------------|-------------|--|--------|--------|--------|--------|--------|--------|--------|--------|--------|----------------|--------|--------|--------|---------------|
| 5-IDL-BRAK  | 7720-1005   | 1610-IDL-BUSH  | 4.62   | 3.50   | 1.75   | 2.00   | 2.06   | 3.06   | .38    | 1.63   | .62    | 5/8 - 18       | 1.16   | 1.77   | 1.94   | 2.800         |
| 10-IDL-BRAK | 7720-1010   | 8mm Pitch Idler Sprockets, 4.25" OD Flat Idler Pulleys, 2012-IDL-BUSH, 2517-IDL-BUSH, 20-IDL-BUSH (SK) | 4.63   | 3.50   | 1.75   | 2.00   | 2.06   | 3.06   | .38    | 1.50   | .63    | 3/4 - 16       | 1.00   | 1.88   | 1.75   | 3.400         |
| 20-IDL-BRAK | 7720-1020   | 14mm Pitch Idler Sprockets, 6.50" OD Flat Idler Pulleys, 30-IDL-BUSH (SF), 40-IDL-BUSH (E)             | 6.94   | 5.25   | 2.63   | 5.00   | 3.00   | 4.56   | .63    | 2.38   | 1.00   | 1 - 14         | 1.63   | 2.94   | 2.75   | 11.200        |

## Nickel Plated Idler Brackets

| Part No.          | Product No. | Use With   | A (in) | B (in) | C (in) | D (in) | E (in) | F (in) | G (in) | H (in) | J (in) | M Threads (in) | N (in) | P (in) | Q (in) | Weight (Lbs.) |
|-------------------|-------------|--|--------|--------|--------|--------|--------|--------|--------|--------|--------|----------------|--------|--------|--------|---------------|
| NP-10-IDL-BRACKET | 7720-1011   | 8mm Pitch Idler Sprockets 2012-IDL-BUSH, 2517-IDL-BUSH, 20-IDL-BUSH (SK) | 4.63   | 3.50   | 1.75   | 2.00   | 2.06   | 3.06   | .38    | 1.50   | .56    | 3/4 - 16       | 1.00   | 1.88   | 1.75   | 3.400         |
| NP-20-IDL-BRACKET | 7720-1021   | 14mm Pitch Idler Sprockets, 30-IDL-BUSH (SF), 40-IDL-BUSH (E)            | 6.94   | 5.25   | 2.63   | 5.00   | 3.00   | 4.56   | .63    | 2.38   | 1.00   | 1 - 14         | 1.63   | 2.94   | 2.75   | 11.200        |

# Idler Bushings

IDLERS



## Idler Bushings

| Part No.         | Product No. | Style | Size | D (in) | L (in) | M (in) | Thread Size | Bearing No. | Weight (Lbs.) |
|------------------|-------------|-------|------|--------|--------|--------|-------------|-------------|---------------|
| 20-IDLR-BUSH(SK) | 7720-1120   | QD    | SK   | 2.81   | 1.94   | 1.44   | 3/4-16      | 6003        | 11.000        |
| 30-IDLR-BUSH(SF) | 7720-1130   | QD    | SF   | 3.13   | 2.08   | 2.13   | 1-14        | 6204        | 8.600         |
| 40-IDLR-BUSH(E)  | 7720-1140   | QD    | E    | 3.83   | 2.75   | 2.19   | 1-14        | 6304        | 8.620         |
| 1610-IDLR-BUSH   | 7720-2610   | TL    | 1610 | 2.25   | 1.00   | 1.38   | 5/8-18      | 6304        | 1.300         |
| 2012-IDLR-BUSH   | 7720-2012   | TL    | 2012 | 2.75   | 1.25   | 1.56   | 3/4-16      | 6206        | 2.300         |
| 2517-IDLR-BUSH   | 7720-2517   | TL    | 2517 | 3.38   | 1.75   | 1.56   | 3/4-16      | 6306        | 3.900         |





## Footnotes

- HT100®, Taper-Lock® and Ringfeder® are registered trademarks of Reliance Electric.
- Nu-T-Link® is a registered trademark of Fenner Manheim.
- QD® is a registered trademark of Emerson Electric.
- RPP® and Panther® are registered trademarks of Carlisle Power Transmission Products, Inc.
- KEVLAR® is a registered trademark of E.I. du Pont de Nemours and Company.
- Goodyear®, BlackHawk PdTM, Poly-V® and Flexten® are registered trademarks of Goodyear Tire & Rubber Company.
- Browning® is a registered trademark of Emerson Power Transmission Manufacturing L.P.
- Dayco® is a registered trademark of Dayco Products LLC.
- TB Wood's® and QT Power Chain® are registered trademarks of T.B. Wood's, Inc.
- Trantorque® is a registered trademark of BTL, a subsidiary of Fenner PLC

**Gates warrants that its power transmission products will be free from defects in materials and workmanship for the life of the product. If the product does not meet this standard, Gates will repair or replace the product free of charge!**

**Please note that this warranty is customer's exclusive remedy and does not apply in the event of misuse or abuse of the product. Gates disclaims all other warranties (express or implied) including the implied warranties of fitness for a particular purpose and merchantability.**

For further details of the Gates Warranty, please see [www.gates.com/warranty](http://www.gates.com/warranty).